



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 Issue: V Month of publication: May 2025

DOI: https://doi.org/10.22214/ijraset.2025.71720

www.ijraset.com

Call: © 08813907089 E-mail ID: ijraset@gmail.com



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 13 Issue V May 2025- Available at www.ijraset.com

Design of an Efficient and Secure Smart City Framework Using Blockchain

Bogaraju Archana¹, Malakadi Spandana², Bolli Vijith Kumar³, Mr.CH.Gopi⁴

^{1, 2, 3}Students, ⁴AssistantProfessor, Department of Information Technology, Guru Nanak Institutions Technical Campus, Hyderabad, Telangana, INDIA

Abstract: Building smart services for smart cities has become a major focus in modern technological advancements. Mobile scanners play a crucial role in capturing and processing data from various sources. Smart city applications emphasize the need for secure data sharing across heterogeneous devices. However, certain actions taken during data sharing can pose risks to security, privacy, and data integrity. The reliance on a centralized repository has been a major factor in past securitybreaches. ensuring secureauthentication and the protection of sensitive data is crucial formodern applications. Block chain is a widely adopted technology that ensures data integrity and security. This paper introduces an ovelblock chain based framewood to the security of the securitrk, SecPrivPreserve, designed to enhance the security and integrity of datagenerated by mobile scanners. The proposed framework securesdatathroughmultiplephases, including initialization, registration, dataprotection, authentication, access control, validation, datasharin g, and secured own loads. To strengthen security, Sec Priv Preserve integrates various mechanisms such as encryption, hashing, and authen ticationtechniquesthatenhanceconfidentiality, privacy, and integrity. Unliketraditional approachesthat rely passwords(OTP) for authenticationand data sharing,this frameworkemploys ORcodesforsecureaccessand datasharingkeystofurtherenhancesecurity. Sincethe Sec Priv Preserve framework is built on apermissioned block chain, it inherently ben efitsfromtamper-proofrecordsandnon-repudiation. Moreover, for data protection techniquesto enhance cryptographicsecurity. Keywords: SHA256, Blockchain, Crypto Graphic Techniques, Authentication, Smart Contract

I. INTRODUCTION

Recently, all the nations in the world have been gearing up their services, applications, and infrastructure for the betterment of their people's life using smart technologies. In this context, the Internet of Things (IoT) is crucial for connecting physical devices totheinternetusingdifferentprotocolstofacilitatedatatransferamongdiverseplaces. In recent decades, there has been an enormous necessity for IoT-based services in various sectors such as healthcare, manufacturing, financial services, trafficmonitoring, weathermonitoring, and energy transfer. Due to their compactness and minimal power consumption, the usage of IoT devices is expected to reach the consumption of the usage of IoT devices is expected to reach the usage of IoT devices is expected to reach the usage of IoT devices is expected to reach the usage of IoT devices is expected to reach the usage of IoT devices is expected to reach the usage of IoT devices is expected to reach the usage of IoT devices is expected to reach the usage of IoT devices is expected to reach the usage of IoT devices is expected to reach the usage of IoT devices is expected to reach the usage of IoT devices is expected to reach the usage of IoT devices is expected to reach the usage of IoT devices is expected to reach the usage of IoT devices is expected to reach the usage of IoT devices is expected to reach the usage of IoT devices is expected to reach the usage of IoT devices is expected to reach the usage of IoT devices is expected to reach the usage of IoT devices is expected to reach the usage of IoT devices is expected to the usage of IoT devices is expected to reach the usage of IoT devices is expected to the u hmorethan\$1.4trillion in 2027. Many countriesinvest a lot of money in initiatives relating to smart cities. For instance, Chinais engaged in more than 220 initiatives that aim to create a smart city and improve the quality of life for citizens. Associated technologies for smartcities assisturban municipalities in managing their day-to-day operations. According to IBM, the smart city has three main characteristicsinstrumented(sensors, actuators), interconnected(informationsharing among devices), and intelligent (improve quality of citizens' life). Recent observation reveals that the smart city has substantially enhanced the quality of life and amenities of inhabitants in urban areas. According to a United Nations Population Fund report, more than half of the world's population lives in urban areas. The smart city has caught the attention of both academia and business since it has significantly decreased the logistical problems related to acquiring services. Severalcitiesworldwidehave begunto build theirown smartcity strategiesto improvetheir inhabitants' qualityoflife.IoT and smarten vironments have become synonymous. IoT technology is capable of sensing every entity in the real world, soitfindsimportanceinhealthcare,transport,trafficsystem,publicsafety,smartbuilding, and smart agriculture. Amid many merits, due to the presence of inconsistent protocol standards, resourceconstrained nature, and centralized repository IoT devices are vulnerableto security and privacy breaches. In a smart environment, peoplemayfacesecurity andprivacyrisksdue tothevulnerabilitiesinsmartcity applications. For instance, malicious attackers may fabricate data to execute their ill intent, which may jeopardize the decision-making system. In addition, these malicious attackers also make all sorts of attempts to prevent the legitimate users' service by executing denial-of-service(DoS) attacks, transmission, disrupting sensing, and control in order to degrade the quality of intelligenticity services. Furthermore, as new devices or software are connected, the complexity level of the risks of smart city applications grows, particularly while ensuring privacy. Unfortunately, most protection methods (encryption, authentication mechanism) are insufficient to protect smart city applications against the new dynamic threats.



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 13 Issue V May 2025- Available at www.ijraset.com

Implementing complex procedures wouldn't possible the devices be since have less computational power.Hence,asimpleframeworkthatconsiderssimplecryptographytechniqueswouldbeanappropriatesolution for IoT's heterogeneity and dynamic characteristics is appreciable. Data breaches can occur during data storage, transmission, and sharing, posing significant risk stodata owners and providers. Regulations are in place to protect the data source and the system from potential harm cause dbytargetdatanodes. As are sult, during data transactions, it is imperative that both the source and target nodes comply with the policies and regulations of their respective areas. Smart cities are built around integratingsensors and smart technologies, allowing citizens and organizations to access datathroughtheirsmartdevicesto processandutilizedata. However, the utilization of datains martcities raises privacyconcerns, including hacking sensitive data through injecting data poisoning attacks. These attacks could result in the alteration of sensitive which turn leads to the disruption of communication within networksinsmartcitiesareparticularlysusceptibletocyber-attacksthatthreatenthedataintegrity, confidentiality, and availability of these systems. To mitigate these risks, smart cities must implement robust security mechanisms to protecttheir assets against cyberattacks(DistributedDenialofService(DDoS),DoS,ManintheMiddle,ransomware). The frequency and impact of these attacks emphasize the needforadequateprivacyandsecurity measures in smart cities. Researchers have developed many data-securing schemes to offer privacy and security for applicationsmeantfor smartcities. Earlier centralized cloud-based data-sharing frameworks have failed smartapplications' dataintegrity and privacy issues. However, block chain-based solutions provide greater solvingprivacyissues. Initially, data collected from sensors using a detectional gorithm takes client data into various communities based similarity labels. It has a specific type of control on community data with specifyingdetectionalgorithm. However, this framework has not addressed data protection.

II. LITERATURE SURVEY

1) Title: AreviewofsecurityvulnerabilitiesinIndustry4.0applicationandthepossiblesolutionsusingblockchain.

Author: M.Ramaiah, V.Chithanuru, A.Padma, and V.Ravi.

Year:2023. Description:

Industry 4.0 is a technology initiative intended to improve the efficiency of the task for the smart manufacturing industries.Industry4.0encompassesthetrendingtechnologiesliketheInternetofThings,IndustrialInternetof Things, Artificial Intelligence, and Big Data analytics and comes up with their challenges while customizingit for the task. Trendingsmarttechnologiesare no exceptionto being hackedby cybersecurityattacks. To facilitate automation. theinterconnecteddevicesneedrobustandintelligentsecuritysystemstopreventsecuritybreachesanticipatedfrom theanonymousentity. Hence, a clearunderstanding of various security aspects of Industry 4.0 is very essential to prevent security attacks. This chapter attempts to highlightthepossiblesecurityvulnerabilitiesanticipatedforIndustry4.0fromitsconstituentkeyelementsandthepossiblesecuritysolutionusi ngblockchaintechnologies.

2) Title: VeDB:Asoftwareandhardwareenabledtrustedrelationaldatabase.

Author: X. Yang, R. Zhang, C. Yue, Y. Liu, B. C. Ooi, Q. Gao, Y. Zhang, and H. Yang,

Year:2023

Description:

Blockchain-like ledger databases emerge in recent years as a more efficient alternative to permissioned blockchains. Conventional ledger databases mostly rely on authenticated structures such as the Merklet ree and transparency logs and the convention of the convention osupporting auditability, and hence they suffer from the performance problem. As opposed to conventional ledger DBMSes, we design VeDB - a high-performance verifiable software (Ve-S) and hardware (Ve-H) enabled DBMS with rigorous auditability for better user options broad applications. Ve-S. we devise a novel verifiable Shrubs array (VSA)withtwolayerordinals(serialnumbers)whichoutperformsconventionalMerkletree-basedmodelsdue to lower CPU and I/O cost. It enables rigorous auditability through its efficient credible timestamp range authentication method, and fine-grained data verification at the which are lacking in state-of-the-art relational ledger databases.InVe-H, wedeviseanon-intrusivetrusted affiliationbyTEEleveragingdigestsigning,monotonic counters, and trusted timestamps in VeDB, which supports both data notarization and lineage applications. The experimentalresultsshow that VeDB-VSAoutperformsMerkletree-basedauthenticated datastructures(ADS) up to 70×and3.7×forinsertionandverification; and VeDBVe-Hdatalineage verification is 8.5×fasterthan Ve-S.



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 13 Issue V May 2025- Available at www.ijraset.com

3) Title:PrivateblockchainenvisionedaccesscontrolsystemforsecuringindustrialIoT-basedpervasiveedge computing. Author:S.Saha,B.Bera,A.K.Das,N.Kumar,S.H.Islam,andY.Park.

Year:2023

Description:

The Industrial Internet of Things (IIoT) is able to connect machines, analytics and people with IoT smart devices, gateway nodes and edge devices to create powerful intuitivenesses to drive smarter, faster and effective business agreements. IIoT having interconnected machines along with devices can monitor, gather, exchange, and analyze information. Since the communication among the entities in IIoT environment takes place insecurely (for instance, wirelesscommunications and Internet), anintrudercaneasilytamperwiththedata. Moreover, physical theft of IoT smartdevices providesanintruder personationandotherattacks. Tohandlesuchcriticalissues, in this work, we design a new private blockchain-envisioned access control schemefor PervasiveEdge Computing (PEC) in IIoT environment, called PBACS-PECIIoT. We consider the private blockchain consisting of the transactions and registration credentials of the entities related to IIoT, because the information is strictly confidential and private. The security of PBACS-PECIIoT is significantly improved due to usage of blockchain as immutability, transparency and decentralization along with protection of various potential attacks. A meticulous comparative analysis exhibits that PBACS-PECIIoTachieves greater security and more functionality features, and requires low costs for communication and computationalas comparedto other pertinentschemes.

III. METHODOLOGIES

Theproposedprojectaimsto developablockchain-basedframework, SecPrivPreserve, to enhancethesecurity, privacy, and integrity of data in IoT-based smart city applications. As smart cities increasingly rely on IoT devices for monitoring, managing, and improvingurbanlife, ensuring secure and efficient data sharing among these devices become scrucial. Current centralized systems are vulnerable to security breaches, data tampering, and privacy violations, which compromises the effectiveness of smart city services. The Sec PrivPreser veframework addresses these challenges by leveraging blockchaintechnology to create a decentralized and tamper-proof system for data storage, transmission, and sharing. It integrates various security mechanisms such as OTP-based passwords, encryption, hashing, and QR code-based encryption to safeguards ensitive data and ensure privacy.

The following modules:

- UserInterfaceDesign
- MSP
- Authority
- Client
- Upload
- SmartContract

1) UserInterfaceDesign

Toconnectwithserverusermustgivetheirusernameandpasswordthenonlytheycanabletoconnecttheserver.If the user already exits directly can login into the server else user must register their details such as username, password, Email id, City and Country into the server. Database will create the account for the entire user to maintain upload and downloadrate.Namewill beset asuserid. Loggingin isusuallyusedto entera specificpage. Itwillsearchthequery and display the query.

2) MembershipServiceProviders(MSP):

CertificateAuthorities(CA)areresponsibleforissuingX.509certificatestonetworkentities.MSPspecifieswhich CAis permittedto participatein the blockchainnetwork anduses thisinformation identifywhichpeer nodesbelong to which groups. MSP maintains the distributed ledger between organizations and associated systems that the network trusts.

3) Authority

This is the third module in our project where Data owner has all permissions on data like delete, update, and insert on user records plays the main part of the project role. Authority login first then its with his registration data and store his data inside cloud.



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 13 Issue V May 2025- Available at www.ijraset.com


4) SmartContract

Smart contracts are typically used to automate the execution of an agreement so that all participants can be a contract of the contract of timmediately certain of the outcome, without intermediary's involvement time loss. They also any can automate workflow,triggeringthenextactionwhenpredetermineconditionsaremet.

5) Client

This is the Fifthmodule in our project wheredata User plays the main part of the projectrole. User registerand then login in to the application, the registration details are stored inside database. After User Login he will directly navigate Userhome pageand Accessdata by searching with keyword. When data owner upload data the data will be encrypted the encrypted keys will be stored inside database and keys will shredwith keyre pository.

IV. SYSTEM ARCHITECTURE



In a blockchain network, various entities collaborate to ensure its proper functioning. The Client (C) collects user data records, while the Authority manages permissions like updating or deleting records. Membership Service Providers(MSP)issuecertificatestotrustednetworkparticipantsandmaintaintheledger. A SmartContract(SC)automates digital asset transfers and records transactions on the ledger. Endorsing Peers (EP) validate transaction OrderingPeers(OP)organizeand addtransactionblockstotheledger.CommittingPeers(CP)validateandcommit these transactions, ensuring the ledger is up to date. Channel senable communication between organizational peers within the network.

V. TECHNIQUEUSEDORALGORITHMUSED

1) SecPrivPreserveframework

TheemergenceoftheInternetofThings(IoT),Industry5.0applicationsandassociatedserviceshavecauseda powerfultransitioninthecyberthreatlandscape.Asaresult,organisationsrequirenewwaystoproactivelymanage the risks associated with their infrastructure. In response, a significant amount of research has focused on developing efficient CyberThreatIntelligence(CTI) sharing. However, inmany cases, CTI contains sensitive information that has the potential to leak valuable information or cause reputational damage to the sharing organisation.



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 13 Issue V May 2025- Available at www.ijraset.com

Whilea number of existing CTI sharing approaches have utilised blockchain to facilitate privacy, it can be highlighted that a comprehensive approach that enables dynamic trust-based decision-making, facilitates decentralised trust evaluation and provides CTI producers with highly granular sharing of CTI is lacking. Subsequently, in this paper, we propose a blockchain-based CTI sharing framework, called *Priv-Share*, as a promising solution towards this challenge. In particular, we highlight that the integration of differential sharing, trustless delegation, democratic group managers and incentives as part of Priv-Share ensures that it can satisfy the secriteria. The results of an analytical evaluation of the proposed framework using both queuing and game theory demonstrate its ability to provide scalable CTI sharing in a trustless manner. Moreover, a quantitative evaluation of an Ethereum proof-of-concept prototype demonstrates that applying the proposed framework within real-world contexts is feasible.

2) Block Chain

Blockchainis asharedimmutableledger that facilitatesthe process of recordingtransactions and tracking assets across a business network. Anything of value can be tracked and traded on the Blockchain network. A Blockchain is a distributed database, which is shared over a computer network. Blockchain stores information electronically in a digital format to make transactions secure.

Blockchainisanewtechnology, whichisknownasDistributedLedgerTechnology(DLT). Withthehelpof Blockchain technology, currency as well as anything can be converted into digital format and stored. Actually it is an exchangeprocess, whichworkson datablocks. In this, one block is connected to another block. These blocks cannot

behacked.Blockchaintechnologyaimstokeepdocumentsdigitallysecure.YoucantakeGoogleDocasanexampletounderstandBlockchainte chnology.Whenwecreatea documentandshareitwithagroupofpeople,thedocument is distributedinstead of copiedor transferred.But, Blockchainis more complexthan Google Doc. Simply put, Blockchainis known as DistributedLedger Technology, which makes any digital asset immutableand transparent through the use of decentralization.

3) Smart Contract

A smart contract is a self-executing program that automates the actions required in a blockchain transaction. Once completed, the transactions are trackable and irreversible. The best way to envision a smart contract is to think of a vending machine—when you insert the correct amount of money and push an item's button, the program (the smart contract) activates the machine dispense your chosen item.

Smart contractspermit trustedtransactions and agreements to be carried out among disparate, an onymous parties without the needforacentral authority, legal system, or external enforcement mechanism.

Whileblockchain technologyhascome to bethoughtof primarilyas thefoundation for Bitcoin, it has evolved far beyond underpinning a virtual currency.

VI. CONCLUSION

In this paper, Blockchain secures and anonymizes IoT and its applications. Smart city challenges include user security, privacy, bandwidth, anonymity, and scalability. Therefore, this study proposes a blockchain-based SecPrivPreserve system. The presented framework ensures the privacy and safety of the user's data throughout processing. In the Hyperledger Fabric blockchain, information is summarized, and specific features of business transmission are systematized based on the model. Initialization, registration, data protection, authentication, data access control, validation, data sharing and download comprise in SecPrivPreserve framework. Security features include passwords, OTP, encryption, hashing, digital signature, Chebyshev polynomials, and interpolation. Cutting-edge experiments demonstrated that SecPrivPreserve outperformed state-of-the-artsystems in responsiveness, processing time, encryption quality, and detection rate. However, the experimentation was carried out through Fabric SDK, and the obtained results show that the proposed framework reduces computational time and responsiveness

REFERENCES

- [1] C.Vanmathi, R. Mangayarkarasi,and R.J. Subalakshmi, "Real timeweather monitoringusing Internet of Things," inProc.Int.Conf.Emerg. TrendsInf. Technol.Eng.(ic-ETITE),Feb.2020,pp.1–6.
- [2] B.BryantandH.Saiedian, "KeychallengesinsecurityofIoTdevicesandsecuringthemwiththeblockchain technology," Secur. Privacy, vol. 5, no. 5, p. e251, Sep. 2022.
- [3] F.Al-Turjman,H.Zahmatkesh,andR.Shahroze, "Anoverviewofsecurityandprivacyinsmartcities IoT communications," Trans.Emerg. Telecommun. Technol., vol.33,no.3,p.e3677,Mar.2022.
- [4] TheEditorsofEncyclopaedia.(Dec.9,2023).UnitedNationsPopulationFund.EncyclopediaBritannica. Accessed: Jun. 6, 2023.



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 13 Issue V May 2025- Available at www.ijraset.com

- [5] V. Moustaka, Z. Theodosiou, A. Vakali, and A. Kounoudes, "Smartcitiesatrisk! Privacyandsecurity borderlines from social networking incities," in Proc. Companion The Web Conf., 2018, pp. 905–910.
- [6] I.Makhdoom, M.Abolhasan, J.Lipman, R.P.Liu, and W.Ni, "Anatomy of threat stothe Internet of Things," IEEE Commun. Surveys Tuts., vol. 21, no. 2, pp. 1636–1675, 2nd Quart., 2019.
- [7] K.Zhang, J.Ni, K.Yang, X.Liang, J.Ren, and X.S.Shen, "Security and privacy in smartcity applications: Challenges and solutions," IEEE Commun. Mag., vol. 55, no. 1, pp. 122–129, Jan. 2017.
- [8] S. Chaudharyand P. K. Mishra, "DDoS attacksin industrialIoT: A survey," Comput. Netw., vol. 236, Nov. 2023, Art. no. 110015.
- [9] L.Cui, G. Xie, Y. Qu,L.Gao, and Y. Yang, "Security and privacy in smart cities: Challenges and opportunities," IEEE Access, vol. 6, pp. 46134–46145, 2018.
- [10] Z.XihuaandD. S.B. Goyal, "SecurityandprivacychallengesusingIoTblockchaintechnologyina smartcity: Criticalanalysis," Int.J.Electr. Electron.Res.,vol.10,no.2,pp.190–195,Jun.2022.
- [11] P. M.RaoandB. D.Deebak, "Security and privacy issues in smartcities / industries: Technologies, applications, and challenges," J. Ambient Intel l. Humanized Comput., vol. 14, no. 1, pp. 1–37, Feb. 2022.
- [12] M. Ramaiah, V. Chandrasekaran, V. Ravi, and N. Kumar, "An intrusion detection system using optimized deep neural network architecture," Trans. Emerg. Telecommun. Technol., vol. 32, no. 4, p. e4221, Apr. 2021.









45.98



IMPACT FACTOR: 7.129



IMPACT FACTOR: 7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call: 08813907089 🕓 (24*7 Support on Whatsapp)