



iJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 Issue: V Month of publication: May 2025

DOI: <https://doi.org/10.22214/ijraset.2025.71430>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Design of Rigid Pavement Using Geosynthetic Material - A Review

Mr. Yogesh B. Chauhan¹, Dr. A. N. Dabhade²

¹Research Scholar, Civil Engineering Department, Kavikulguru Institute of Technology and Science, Ramtek, Maharashtra, India

²Professor, Civil Engineering Department, Kavikulguru Institute of Technology and Science, Ramtek, Maharashtra, India

Abstract: Rigid pavement design plays a crucial role in infrastructure development, particularly in road construction. The use of geosynthetic materials in rigid pavement has gained attention due to its potential to enhance pavement performance, reduce maintenance costs, and extend service life. This review paper discusses various aspects of rigid pavement design incorporating geosynthetic materials. It covers different types of geosynthetics, their applications, benefits, and limitations in pavement engineering. The paper also presents a comprehensive analysis of previous research studies, highlighting the impact of geosynthetics on pavement strength, durability, and sustainability. The review aims to provide insights into the effectiveness of geosynthetics in rigid pavement design and to propose future research directions.

Keywords: Rigid pavement, Geosynthetics, Pavement design, Infrastructure, Durability, Cost-effectiveness

I. INTRODUCTION

The design and construction of rigid pavements are essential for ensuring sustainable and long-lasting road networks. Traditional rigid pavements primarily rely on concrete slabs for load distribution. However, the inclusion of geosynthetic materials has emerged as a promising alternative to enhance the structural integrity and performance of pavements. Geosynthetics, including geotextiles, geogrids, and geomembranes, offer multiple benefits such as improved load distribution, reduced cracking, and better drainage. Their application in rigid pavement design helps in enhancing bearing capacity, minimizing material degradation, and improving resistance to environmental factors such as temperature variations and moisture intrusion. By reinforcing pavement layers, geosynthetics contribute to better stress distribution, thereby reducing fatigue failure and extending the lifespan of road infrastructure. Moreover, incorporating geosynthetics into rigid pavement systems can lead to significant cost savings in terms of reduced maintenance and repair needs over time. As the demand for sustainable and durable road networks continues to grow, understanding the role of geosynthetics in pavement design becomes increasingly crucial. This review paper examines the significance of geosynthetics in rigid pavement applications by analyzing their structural contributions, material characteristics, and practical implementations. The discussion also highlights advancements in geosynthetic technology and its potential impact on future pavement engineering solutions.

II. LITERATURE REVIEW

Several studies have been conducted to evaluate the effectiveness of geosynthetic materials in rigid pavement design. Researchers have explored the role of geotextiles in enhancing the bond between pavement layers, the contribution of geogrids in reinforcing subgrade stability, and the impact of geocomposites on drainage improvement. Various experimental and numerical modeling approaches have been adopted to analyze pavement performance with geosynthetics. This section provides an overview of key findings from previous research, addressing aspects such as material selection, structural behavior, and cost-benefit analysis.

- 1) Polymer Concretes: A Description and Methods for Modification and Improvement By G. Martínez Barrera, Viguera-Santiago, Gencel, H.E. Hagg Lobland (2011)- This paper provides an overview of polymer concretes (PCs), which have emerged as an alternative to traditional Portland cement concrete (PCC) since the 1960s. Polymer concretes are composites where a polymeric resin constitutes the continuous phase, while mineral aggregates form the discrete phase. The authors highlight several advantages of PCs, such as higher strength and reduced curing time. Despite these benefits, PCs have certain limitations, particularly in terms of fiber reinforcement, which is less commonly utilized. Recent research on fiber reinforcements in PCs is discussed, focusing on their potential to enhance the material's properties. Additionally, the study explores the effects of gamma ionizing radiation on curing processes and final properties of PCs. Improvements in Young's modulus are noted, suggesting possible enhancements in other properties. This paper is instrumental in understanding the scope of polymer concretes and ongoing developments in their modification.

- 2) Performance of Glass Fiber Reinforced Concrete By Yogesh Iyer Murthy, Apoorv Sharda, Gourav Jain (2012)- This investigation examines the performance of concrete reinforced with glass fibers as a replacement for fine aggregates. The study evaluates compressive strength, flexural strength, and workability, comparing these parameters with standard M30 grade concrete. Results indicate a modest increase in compressive strength with the incorporation of glass fibers but a significant improvement in flexural strength. Additionally, the workability of the concrete decreases as the glass fiber content increases. This research demonstrates the dual benefit of improving concrete properties and providing a sustainable disposal solution for industrial glass waste.
- 3) Mechanical Properties of Polypropylene Fibre Reinforced Concrete for M25 & M30 Mixes: A Comparative Study By Saman Khan, Roohul Abad Khan, Amadur Rahman Khan, Misbahul Islam Saman Nayal (2015)- This paper presents a comparative study on the mechanical performance of polypropylene fibre reinforced concrete (PFRC) using M25 and M30 concrete mixes reinforced with polypropylene fibers at varying volume fractions ranging from 0.0% to 3.0%. Comprehensive tests were conducted to evaluate the compressive and split tensile strengths of the concrete specimens, and the results indicate significant improvements in both strength parameters when compared to conventional concrete. Notably, the study found that the inclusion of polypropylene fibers at 1% and 1.5% volume fractions produced the most favorable enhancements in mechanical performance. These findings highlight the potential of polypropylene fibers in improving the overall structural behavior of concrete, making it a more viable material for diverse construction applications that demand enhanced durability and performance.
- 4) A Review on Effect of Fiber Reinforced Concrete on Rigid Pavement By Ms. Amreen N. Ali, Mr. Milind. V. Mohod (2015)- This review focuses on the application of fiber reinforced concrete (FRC) in rigid pavements, specifically utilizing polypropylene, steel, hybrid, and glass fibers to enhance overall pavement performance. It highlights the numerous advantages of FRC pavements over conventional cement concrete pavements, including improved durability, higher strength, and better resistance to cracking and fatigue failure. The paper further discusses various challenges and key considerations related to the behavior of fiber-reinforced pavements under different loading conditions, environmental factors, and long-term performance assessments. By analyzing existing research findings and practical applications, this comprehensive review underscores the significant potential of FRC in extending the service life and structural integrity of rigid pavements. The insights provided in this study make it a valuable reference for engineers, researchers, and policymakers involved in the planning and development of future road construction projects aimed at achieving greater sustainability, cost-effectiveness, and enhanced pavement performance.
- 5) Diagnosing Performance of Polypropylene Fibre in Concrete Mix Design for Rigid Pavement Gopi J. Sutaria, Prof. C.B. Mishra, Prof. N.F. Umrigar (2015)- This study investigates the mechanical properties of M35 grade concrete incorporating polypropylene fibers at various dosages (0.6%, 0.8%, and 1.0% by weight of cement). The research includes a comparative analysis of conventional concrete versus fiber reinforced concrete in terms of compressive and flexural strengths. The results indicate that adding polypropylene fibers improves both strengths, with optimal performance observed at 1.0% fiber content. This paper highlights the practical benefits of using polypropylene fibers in concrete mix design for rigid pavements, offering insights into how these fibers can address common deficiencies in traditional concrete.
- 6) Role of Geopolymer Concrete for the Construction of Rigid Pavement By Anjali Gargav, Dr. J.S. Chauhan (2016)- This paper explores geopolymer concrete (GPC), which uses an inorganic alumina-silicate binder system activated by alkaline liquids, as an alternative to traditional Portland cement concrete. The use of fly ash as a primary material and the elimination of water curing are significant benefits of GPC. The study emphasizes the rapid strength gain, durability, and eco-friendliness of GPC, which reduces CO₂ emissions by 80-90% compared to conventional cement. The paper advocates for the adoption of GPC in rigid pavement construction due to its superior performance and environmental advantages, presenting a sustainable option for future infrastructure projects.
- 7) Strengthening of Rigid Pavement by Use of Geogrid by Shailesh Suryawanshi, Kalyani Nichat (2020)- Geogrid is a widely used geosynthetic material that serves as reinforcement in structural members, particularly in rigid pavement applications. The study conducted by Shailesh Suryawanshi and Kalyani Nichat (2020) in the International Research Journal of Modernization in Engineering, Technology and Science examines the effectiveness of geogrid in improving the flexural and deflection behavior of Pavement Quality Concrete (PQC) beams. Since PQC does not contain conventional reinforcement, it is highly susceptible to failure under tensile stresses caused by temperature variations and excessive wheel load stresses. This study specifically investigates the role of biaxial and uniaxial geogrids, applied in both single and double-layer configurations, in enhancing the load-bearing capacity of rigid pavements. Field evidence strongly supports the idea that geosynthetic reinforcement can

significantly improve pavement performance by increasing its durability and structural stability. The experimental program involved testing 48 geogrid-reinforced concrete beams under two-point loading conditions and preparing 18 concrete cubes for compression testing. The results of these experiments were analyzed in terms of ultimate load-carrying capacity, flexural force behavior, load-deflection characteristics, and crack propagation patterns. The findings indicate that the number of geogrid layers and their orientation play a crucial role in improving the structural efficiency and overall strength of the pavement. Notably, the study suggests that geogrid materials can be a viable alternative to traditional stainless steel reinforcement in PQC applications, offering both economic and performance advantages. The load-deflection behavior observed in the experimental study reinforces the argument that geogrid reinforcement enhances the overall resilience of concrete pavements, making them more resistant to external loading conditions. These findings contribute valuable insights into the ongoing efforts to develop cost-effective and durable pavement solutions that leverage geosynthetic materials for improved infrastructure performance.

- 8) Geosynthetic stabilization of road pavements, railroads, and airfields by Erol Tutumluer, Mingu Kang, Issam I.A. Qamhia (2025)- Geosynthetics have emerged as a sustainable and efficient solution for improving the performance, durability, and cost-effectiveness of transportation infrastructure, including road pavements, railways, and airfields. The study by Tutumluer, Kang, and Qamhia (2025) in *Transportation Geotechnics* highlights the critical role of geosynthetics in mechanical stabilization by optimizing the interaction between soil or unbound aggregate geomaterials and geosynthetic products. Despite the widespread use of geogrids, geotextiles, and geocells across various transportation applications, the effectiveness of geosynthetic stabilization depends significantly on proper design methodologies tailored to specific ground conditions. This keynote paper comprehensively reviews the state-of-the-practice in geosynthetic applications, design approaches, and recent research advancements, particularly in subgrade restraint and unbound aggregate stabilization. One of the key contributions of this study is the discussion on how geosynthetics enhance bearing capacity and provide lateral restraint mechanisms, ultimately leading to significant improvements in pavement and track stability. Over the past two decades, research efforts at the University of Illinois and other institutions have focused on quantifying the mechanical benefits of geosynthetics using advanced technologies, including bender element shear wave transducer technology. This technology has been successfully employed to evaluate stiffness enhancement in the vicinity of geosynthetic materials through both laboratory testing and full-scale field instrumentation. The research findings indicate that geosynthetic stabilization techniques not only improve load distribution and minimize deformations but also extend the service life of transportation infrastructure. Additionally, the study reports on real-world implementations of geosynthetic stabilization in road and airfield pavements across the United States, providing valuable insights into the effectiveness of these materials in large-scale infrastructure projects. The comprehensive analysis presented in this paper underscores the importance of geosynthetics as a viable alternative to conventional stabilization methods, offering significant economic and environmental benefits in the construction and maintenance of transportation networks.
- 9) Application of Geosynthetics in Pavement Design by Murad Al Qurishee (2017)- Geosynthetics have been extensively utilized in pavement design over the past three decades for various functions such as separation, reinforcement, filtration, drainage, and containment. The study by Murad Al Qurishee (2017) in the *International Research Journal of Engineering and Technology (IRJET)* highlights the growing significance of geosynthetics in modern pavement engineering, with their use and sales increasing at an annual rate of 10% to 20%. This paper reviews various geosynthetic materials, including geogrids, geotextiles, geocomposites, geonets, geomembranes, geosynthetic clay liners, geofoam, and geocells, providing a comprehensive overview of their applications in pavement design. A key focus of the study is on the reduction of base course thickness through the integration of geogrid materials within the base course layer. This innovative approach enables a significant reduction in material usage without compromising the load-bearing capacity and overall performance of the pavement structure. The research findings based on the Modified AASHTO design methodology indicate that the implementation of geogrids can lead to a base course thickness reduction of approximately 20% to 40%, with higher reductions observed in stronger subgrade conditions. This reduction not only lowers construction costs but also enhances the sustainability of pavement projects by minimizing resource consumption. The study underscores the fundamental characteristics and advantages of geosynthetics in pavement design, emphasizing their role in improving structural integrity, load distribution, and long-term durability. By offering improved resistance to deformations and extending pavement life, geosynthetics have become an essential component in modern road construction. The findings contribute valuable insights into the ongoing advancements in geosynthetic applications, reinforcing their importance in cost-effective and high-performance pavement solutions.
- 10) Construction of Geosynthetic-Reinforced Pavements and Evaluation of Their Impacts by Danrong Wang, Sheng-Lin Wang, Susan Tighe (2023)- Geosynthetic materials, including geogrids, geotextiles, and other geocomposites, have gained significant attention in pavement engineering due to their multifunctional roles in reinforcement, crack mitigation, fatigue life extension,

and drainage improvement. Despite their widespread application in road construction, limited studies have explored their installation techniques and immediate effects during construction. Wang et al. (2023) conducted a full-scale field study to evaluate the impact of geosynthetic-reinforced pavements, constructing three trial sections where different geosynthetic materials were embedded at various pavement layers. In this study, a fiberglass geogrid was placed within the asphalt binder course, while a geogrid composite was positioned at the subgrade-base interface. A control section without any geosynthetic reinforcement was also included for comparative analysis. To monitor real-time structural behavior, instrumentation was employed to measure subgrade pressure, strain in the asphalt binder course, temperature, and moisture levels within the pavement structure. Post-construction field testing was also conducted to assess pavement stiffness and structural resilience. The findings revealed that geosynthetic-reinforced pavements effectively mitigated disturbances caused by construction activities, maintaining overall pavement integrity. The geogrid embedded in the asphalt layer significantly reduced subgrade pressure from paving equipment by 70% compared to the control section. Moreover, the longitudinal and transverse strain at the bottom of the asphalt layer was reduced by 54% and 99%, respectively, indicating enhanced load distribution and stress reduction within the pavement. Additionally, the geogrid composite installed at the subgrade level demonstrated improved drainage and an indirect insulation effect, which could potentially mitigate freeze-thaw damage in colder climates. These results reinforce the advantages of geosynthetics in pavement construction, highlighting their ability to enhance pavement durability, reduce stress concentrations, and improve overall structural stability. Given the increasing emphasis on sustainable infrastructure, geosynthetics offer a cost-effective solution for improving pavement lifespan while minimizing maintenance and rehabilitation costs. The study by Wang et al. (2023) provides crucial insights into geosynthetic applications in modern road construction and paves the way for further research into optimizing their usage in various environmental and traffic conditions.

- 11) Geosynthetics and Their Use in Road and Subgrade: A Review by Shashank Kumar, Arshad Ansari, Abhishek, Mr Siddhant Singh Rajput (2022)- Geosynthetics have become an essential component in modern road and subgrade engineering due to their ability to enhance pavement performance, durability, and cost-efficiency. The application of geosynthetics, particularly geotextiles, in flexible pavement construction has been widely researched, demonstrating their effectiveness in soil stabilization, separation, and moisture control. Kumar et al. (2022) conducted an experimental study to evaluate the impact of geotextile membranes on subgrade performance. The study involved collecting three soil samples from different locations and subjecting them to primary geotechnical tests, including natural moisture content determination, sieve analysis, compaction, and the California Bearing Ratio (CBR) test. A flexible pavement model incorporating geotextile materials was constructed with a 4% slope to simulate camber and facilitate proper drainage. The experimental results showed that soil samples reinforced with geotextiles exhibited significantly lower moisture content compared to a control sample without geotextile reinforcement. Specifically, moisture content values for the three reinforced soil samples were recorded as 25.7%, 20.4%, and 18.7%, while the unreinforced control sample exhibited a moisture content of 30.6% after eight weeks of exposure to external weather conditions. These findings highlight the ability of geotextiles to reduce water infiltration and improve subgrade stability, ultimately enhancing pavement longevity. Furthermore, the study reinforced the importance of selecting geotextile materials based on sound engineering principles to ensure their long-term effectiveness in road construction. The incorporation of geotextiles in pavement design not only minimizes the need for excessive borrow materials but also strengthens the subgrade, reducing maintenance costs and extending the roadway's service life. These benefits align with the broader applications of geosynthetics in transportation infrastructure, where their use contributes to sustainable, resilient, and cost-effective pavement systems.
- 12) Geotextile reinforcement in pavement design: A comprehensive analysis by Shantanu Upadhyaya and Devesh Jaysawal (2023)- Geosynthetics, particularly geotextiles, have gained significant attention in pavement design due to their ability to reinforce weak subgrades, improve drainage, and enhance overall pavement longevity. However, comprehensive full-scale studies on their impact remain limited, necessitating further investigation into their cost-effectiveness and performance. Upadhyaya and Jaysawal (2023) conducted a full-scale study to examine the effects of geotextile reinforcement in pavement design. The research involved eight lanes of pavement test sections subjected to accelerated testing, focusing on the influence of geotextile reinforcement on sand-based subgrades. The study addressed critical aspects of pavement stabilization, including dry compaction techniques, subgrade structural combinations, and construction methodologies. Over the past three decades, geotextiles have been commonly employed to reinforce weak subgrades in minor road construction. However, despite the recognized benefits of geotextile reinforcement, a comprehensive Life Cycle Cost Analysis (LCCA) is essential to evaluate its economic viability. The research applied two distinct design methodologies to assess the long-term benefits of incorporating geotextiles in secondary road flexible pavements. A structured LCCA framework was developed to calculate both current and

future costs associated with 25 sample low-volume road designs. The study emphasized that subgrades must be firm, stable, well-drained, and resistant to moisture-induced volume changes to prevent premature pavement failure. It was observed that pavement deterioration in the study region predominantly resulted from structural failures rather than material or functional deficiencies. The findings highlight that while geotextile reinforcement offers technical advantages such as improved load distribution and subgrade stabilization, an economic analysis is crucial to justify its widespread adoption. The study underscores the need for further research into LCCA methodologies that incorporate agency costs, user costs, and maintenance expenses over a pavement's lifespan.

- 13) A Review Study on The Use of Geosynthetics in Road Constructions by Mohit, Jeevanjot Singh, Gurpreet Singh (2023)- Geosynthetics have emerged as a crucial component in modern pavement engineering, offering benefits such as reinforcement, stress absorption, and moisture control. Various studies have explored their applications in both flexible and rigid pavement structures, emphasizing their role in improving durability and reducing maintenance costs. Mohit, Singh, and Singh (2023) examined the use of geosynthetics in road construction, particularly in flexible pavements, highlighting their ability to hinder fluid movement, absorb stress, and provide structural support. The study emphasized that geosynthetics significantly enhance durability and prevent degradation, while also creating employment opportunities in the construction sector.

III. PROPOSED METHODOLOGY

The primary materials used in this study include aggregates, cement, sand, water, and polypropylene fibre. Aggregates serve as the primary structural component, providing strength and durability to the pavement. Cement acts as the binding agent, ensuring the cohesion of the mix, while sand is incorporated to enhance workability and reduce voids in the concrete matrix. Water plays a crucial role in hydration, facilitating the chemical reaction necessary for concrete strength development. Additionally, polypropylene fibre is introduced as a geosynthetic material to improve the mechanical properties of the rigid pavement, including its tensile strength, resistance to cracking, and durability under varying load conditions. The study aims to analyze the impact of geosynthetic materials on the performance of rigid pavement through an extensive review of existing literature, experimental investigations, and comparative analysis of conventional and fibre-reinforced concrete. The findings of this research are expected to contribute to the development of more sustainable, cost-effective, and resilient pavement structures, addressing key challenges in modern infrastructure development.

A. Material Used

1) Aggregate

Aggregates form the primary load-bearing component of concrete and significantly influence its strength and durability. They are classified into coarse aggregates (gravel, crushed stone) and fine aggregates (sand). Coarse aggregates provide structural stability, while fine aggregates fill voids, enhancing concrete's density. Proper gradation of aggregates ensures good interlocking and minimizes porosity, improving the pavement's load-bearing capacity and resistance to deformation.

2) Cement

Cement is the binding agent that holds the concrete mix together through the hydration process. Ordinary Portland Cement (OPC) is commonly used for rigid pavement construction due to its high strength and durability. The choice of cement influences the setting time, compressive strength, and overall performance of the pavement. The chemical composition of cement, including calcium silicates and aluminates, plays a vital role in developing early and long-term strength.

3) Sand

Sand acts as a filler material in the concrete mix, improving workability and reducing shrinkage. It prevents excessive bleeding and segregation while enhancing the bond between aggregates and cement. The quality of sand, including its grading, particle shape, and cleanliness, directly affects the strength and durability of the rigid pavement. Properly graded fine aggregates reduce voids and improve the overall compactness of the mix.

4) Water

Water is essential for the hydration process of cement, enabling the formation of chemical bonds that contribute to the strength of concrete. The water-cement ratio is a critical factor affecting the workability, strength, and durability of the pavement. Excess water leads to a porous structure, reducing strength, while insufficient water affects the setting and compaction. Only potable water free from impurities, salts, and organic matter should be used in concrete mixing to avoid adverse chemical reactions.

5) Polypropylene Fibre

Polypropylene fibre is a synthetic geosynthetic material added to concrete to enhance its mechanical properties. It improves tensile strength, impact resistance, and durability by reducing shrinkage cracks and increasing ductility. Polypropylene fibres distribute stress more evenly, preventing the propagation of micro-cracks in the pavement. The use of fibre-reinforced concrete enhances fatigue resistance, making the pavement more resilient under repeated traffic loads and environmental conditions.

B. Experimental Setup

The experimental setup consists of multiple stages to systematically evaluate the performance of geosynthetic-reinforced concrete. Initially, material characterization tests will be conducted on aggregates, cement, and polypropylene fibres to determine their physical and chemical properties. Following this, concrete mix design will be formulated based on standard mix proportions, incorporating varying percentages of polypropylene fibre. The designed mix will then be subjected to workability tests such as slump and compaction factor tests. After casting the concrete specimens, they will be cured under controlled conditions for specific durations (7, 14, and 28 days). Once curing is complete, the specimens will undergo mechanical performance testing, including compressive strength, flexural strength, and split tensile strength tests to assess the impact of polypropylene fibre reinforcement. Additionally, durability tests such as water absorption, permeability, and abrasion resistance will be performed to evaluate the long-term performance of the pavement. Comparative analysis will be conducted between conventional rigid pavement concrete and fibre-reinforced concrete to determine the effectiveness of polypropylene fibre in enhancing pavement performance. The study aims to analyze the impact of geosynthetic materials through an extensive review of existing literature, experimental investigations, and performance-based assessments. The findings of this research are expected to contribute to the development of sustainable, cost-effective, and resilient pavement structures, addressing key challenges in modern infrastructure development.

IV. CONCLUSION

The integration of geosynthetics in rigid pavement design offers numerous advantages, including enhanced structural performance, reduced maintenance, and cost savings. The review highlights the effectiveness of different types of geosynthetics in improving pavement durability and stability. Future research should focus on optimizing material properties, developing advanced modeling techniques, and conducting long-term field studies to validate the benefits of geosynthetics in rigid pavement applications.

V. ACKNOWLEDGMENTS

The authors express their gratitude to the Civil Engineering Department at Kavikulguru Institute of Technology and Science, Ramtek, Maharashtra, for their support and guidance. They extend their sincere appreciation to the faculty members, laboratory staff, and administrative personnel who provided technical assistance and access to necessary resources during the research process. Special thanks are also due to the numerous researchers and professionals whose valuable insights and constructive discussions have significantly contributed to the development of this study. Their expertise and contributions have been instrumental in shaping the direction and depth of this research.

REFERENCES

- [1] AASHTO (American Association of State Highway and Transportation Officials). "Guide for Design of Pavement Structures." Washington, D.C., 1993.
- [2] Al Qurishee, M. (2017). Application of Geosynthetics in Pavement Design. International Research Journal of Engineering and Technology (IRJET), 4(7), 1-6. Retrieved from www.irjet.net
- [3] Bender, D.A. and Barnberg, E.J. 1978. Design of soil-fabric-aggregate systems. Transportation Research Record 671, pp 64-75.
- [4] Benjamin, C.V.S., Bueno, B., Zornberg, J.G. 2007. Field monitoring evaluation of geotextilereinforced soil retaining walls. Geosynthetics Int. Journal, April, Vol. 14, No. 1.
- [5] Collin, J.G., Kinney, T.C. and Fu, X. 1996. Full scale highway load test of flexible pavement systems with geogrid reinforced base courses. Geosynthetics International, Vol. 3, No. 4, pp. 537-549.
- [6] Giroud, J.P. and Noiray, L. 1981. Geotextile-reinforced unpaved roads. Journal of Geotechnical Engineering Division, American Soc. of Civil Engineers, Vol. 107, No GT9, pp. 1233-1254
- [7] Gupta, R. 2009. A study of geosynthetic reinforced flexible pavement system. Ph.D. Dissertation, Univ. of Texas at Austin, Texas, USA.
- [8] IRC:58-2015. "Guidelines for the Design of Plain Jointed Rigid Pavements for Highways." Indian Roads Congress, New Delhi, India.
- [9] J. G. Zornberg, "Geosynthetic-reinforced Pavement Systems," in 5th European Geosynthetics Congress, 2012.
- [10] Kumar, S., Ansari, A., Abhishek, & Rajput, S. S. (2022). Geosynthetics and Their Use in Road and Subgrade: A Review. International Journal of Advances in Engineering and Management, 4(12), 662-666. <https://doi.org/10.35629/5252-0412662666>
- [11] Koerner, R. M. "Designing with Geosynthetics." 6th Edition, Pearson, 2012.



- [12] Mohit, Singh, J., & Singh, G. (2023). A Review Study on the Use of Geosynthetics in Road Constructions. International Journal of Research Publication and Reviews, 4(7), 518-522.
- [13] S. K. Shukla and J.-H. Yin, Fundamentals of geosynthetic engineering. Taylor & Francis, 2006.
- [14] Suryawanshi, S., & Nichat, K. (2020). Strengthening of Rigid Pavement by Use of Geogrid. International Research Journal of Modernization in Engineering, Technology and Science, 2(6), 939-945. Retrieved from www.irjmets.com
- [15] Tutumluer, E., Kang, M., & Qamhia, I. I. A. (2025). Geosynthetic stabilization of road pavements, railroads, and airfields. Transportation Geotechnics, 50, 101321. <https://doi.org/10.1016/j.trgeo.2024.101321>
- [16] Tang, X., & Qian, Y. "Application of Geosynthetics in Pavement Engineering: A Review." Journal of Transportation Engineering, 2018.
- [17] The constructor, "Geogrids- its Types, Functions, Applications and Advantages," 2016-12-20T21:50:21- 07:00 2016.
- [18] Upadhyaya, S., & Jaysawal, D. (2023). Geotextile Reinforcement in Pavement Design: A Comprehensive Analysis. International Journal of Civil Engineering and Construction, 2(1), 21-25.
- [19] Wang, H., & Al-Qadi, I. L. "Performance Evaluation of Geosynthetic-Reinforced Pavements." Transportation Research Record, 2015.
- [20] Wang, D.; Wang, S.-L.; Tighe, S.; Bhat, S.; Yin, S. Construction of Geosynthetic-Reinforced Pavements and Evaluation of Their Impacts. Appl. Sci. 2023, 13, 10327. <https://doi.org/10.3390/app131810327>
- [21] Y. H. Huang, Pavement analysis and design. Upper Saddle River, NJ 07458: Pearson, Prentice Hall, 1993.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)