iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** IV **Month of publication:** April 2025

DOI: https://doi.org/10.22214/ijraset.2025.68192

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue IV Apr 2025- Available at www.ijraset.com

Detection of Lumpy Skin Disease in Cattle Using Convolutional Neural Networks (CNN) : A Review

Ms. Diya Sahare[1], Ms. Mahek Shrivastava[2], Ms. Janavi Giradkar[3], Mr. Uday Tayde[4], Prof. Rohan Kokate[5], Prof. Chetan Padole[6]

[1, 2, 3, 4]*Student, Department of Information Technology & CSE (Data Science), J D College Of Engineering And Management , Nagpur, India*

[5, 6]*Project Guide, Department of Information Technology & CSE (Data Science), J D College Of Engineering And Management , Nagpur, India*

Abstract: ***Lumpy Skin Disease (LSD) is a highly infectious viral ailment affecting cattle, leading to substantial economic losses due to decreased milk yield, weight reduction, and potential fatalities. Prompt detection and intervention are essential to curb its spread. Traditional diagnostic techniques, such as clinical assessments and laboratory tests, can be slow and require skilled expertise. This study explores the application of Convolutional Neural Networks (CNNs) for automated detection of LSD in cattle through image analysis. CNNs, known for their ability to extract features and learn patterns from extensive datasets, provide a rapid and accurate alternative for identifying characteristic skin lesions. A dataset comprising images of both healthy and infected cattle is used to train the model. The CNN's performance is assessed based on accuracy, sensitivity, specificity, and detection speed. Implementing CNNs for LSD detection can support veterinarians and farmers in early diagnosis, reducing economic losses through timely disease management.***

Keywords: Lumpy Skin Disease (LSD), Convolutional Neural Networks (CNN), Deep Learning, Image Classification, Livestock Detection, Artificial Intelligence (AI) , Automated Diagnosis, Computer Vision etc.

I. INTRODUCTION

Lumpy Skin Disease (LSD) is a highly contagious viral disease that poses a severe threat to the cattle industry. It leads to significant economic losses due to decreased milk production, weight loss, and increased mortality rates among infected cattle. The disease spreads rapidly through insect vectors such as mosquitoes, ticks, and flies, making early detection and control measures essential to prevent widespread outbreaks. However, traditional diagnostic methods, including clinical observation and laboratory testing, are often time-consuming, expensive, and require skilled personnel, limiting their accessibility to farmers in remote and rural areas [1].

This project proposes the development of an innovative and automated system for the early detection of LSD in cattle using image-based analysis and machine learning techniques. Specifically, we leverage the power of Convolutional Neural Networks (CNNs), a deep learning approach, to identify and classify cattle as healthy or infected based on visible skin lesions. CNNs are particularly well-suited for this task due to their ability to automatically extract features from images, recognize patterns, and classify objects with high accuracy. By training the model on a dataset containing images of both healthy and infected cattle, we aim to create a robust and efficient diagnostic tool that can assist veterinarians and livestock farmers in early disease detection [2].

A key component of this project is the development of a user-friendly mobile application that enables farmers to capture and submit images of their cattle for rapid analysis. The application will integrate the trained CNN model to process the images in real time and provide instant feedback on whether the animal is likely infected with LSD. This approach eliminates the need for expensive laboratory testing and provides a convenient and accessible solution for farmers who may not have immediate access to veterinary services. Additionally, the app will include features such as disease severity estimation, recommendations for quarantine measures, and links to veterinary assistance, ensuring that farmers receive comprehensive support in managing the disease [3][4].

To ensure the reliability and accuracy of the detection system, the CNN model will be evaluated based on various performance metrics, including accuracy, sensitivity, specificity, and detection speed. Sensitivity measures the model's ability to correctly identify infected cattle, while specificity evaluates its ability to correctly classify healthy cattle. High performance across these metrics is critical for minimizing false positives and false negatives, which could lead to misdiagnosis and improper disease management. The ultimate goal is to develop a model that can function effectively across different environmental conditions, breeds, and lighting variations [4].

©IJRASET: All Rights are Reserved

Beyond providing an individual diagnosis, this project also aims to contribute to an early warning system for LSD outbreaks. By aggregating data from multiple users, the system can generate heat maps indicating potential outbreak zones, allowing veterinarians, policymakers, and agricultural authorities to take proactive measures. Timely interventions, such as vaccination campaigns and movement restrictions, can significantly reduce the spread of the disease and mitigate its economic impact [5].

This project presents a novel, technology-driven approach to combating Lumpy Skin Disease. By combining machine learning, mobile technology, and real-time image analysis, we aim to empower farmers with an accessible and efficient tool for early disease detection. This initiative has the potential to revolutionize cattle health management, reducing economic losses and improving the overall resilience of the livestock industry.

II. PROBLEM IDENTIFICATION

1) Economic Losses: Lumpy Skin Disease (LSD) causes significant financial losses in the cattle industry due to reduced milk production, weight loss, and increased mortality rates.
2) Slow Traditional Diagnosis: Existing diagnostic methods, such as clinical observation and laboratory testing, are time-consuming, costly, and require skilled professionals.
3) Rapid Disease Transmission: LSD spreads quickly through insect vectors like mosquitoes, flies, and ticks, making early detection and containment crucial.
4) Lack of Automated Detection: There is currently no widely available automated system for rapid, image-based diagnosis of LSD in cattle.
5) Need for Real-Time Monitoring: An early warning system for LSD outbreaks is required to help farmers, veterinarians, and policymakers take preventive measures.
6) Technology Gap in Livestock Health: The livestock sector lacks AI-driven tools for quick and accurate disease detection, affecting overall herd health management.



Fig. 2. Affected with Lumpy Diseases

III. LITERATURE SURVEY

A. *Literature Review*

There is a growing interest in developing automated systems for detecting livestock diseases such as Lumpy Skin Disease (LSD), which causes significant economic losses and impacts cattle health. This literature review highlights various approaches that use digital imaging techniques to identify LSD in cattle. Several studies have explored the detection of characteristic skin lesions, including nodules, ulcers, scabs, and swelling, using advanced image-processing methods. The following discussion examines key research contributions in extracting normal and diseased skin features from cattle images, emphasizing the role of artificial intelligence and deep learning in improving the accuracy and efficiency of LSD diagnosis.

Tuppurainen and Oura (2012) discuss the epidemiology, transmission, and impact of Lumpy Skin Disease (LSD) on cattle populations. They highlight the role of insect vectors in disease spread and the economic losses due to reduced milk yield and weight loss. The study emphasizes the need for rapid diagnostic tools and improved vaccination strategies to control outbreaks. It also identifies gaps in existing research on LSD, advocating for technological advancements in early detection methods. The authors stress that early intervention and surveillance are crucial for limiting LSD's spread in endemic and newly affected regions.

El-Nahas et al. (2021) explore the use of Convolutional Neural Networks (CNNs) to identify LSD lesions in cattle images. The study demonstrates that deep learning algorithms can effectively distinguish between healthy and infected cattle with high accuracy. The proposed model significantly reduces diagnosis time compared to conventional methods. The authors suggest that integrating AI-based detection into mobile applications could assist veterinarians and farmers in early disease identification, preventing outbreaks. Their findings indicate that CNN-based models have the potential to become a reliable alternative to traditional clinical and laboratory diagnostic approaches.

Tageldin et al. (2014) provide a comprehensive review of LSD, focusing on its clinical presentation, pathogenesis, and economic consequences. The study discusses the effectiveness of various control measures, including vaccination, quarantine, and vector control. The authors highlight the limitations of current diagnostic techniques and stress the need for faster and more accurate detection tools. The review concludes that advancements in molecular and AI-based diagnostic techniques could revolutionize LSD detection, improving response times and reducing disease spread. The study also calls for further research into LSD-resistant cattle breeds and improved vaccine formulations.

Abutarbush (2016) investigates an LSD outbreak in Jordan, analyzing the disease's clinical symptoms, mortality rates, and economic impact. The study identifies nodular skin lesions, fever, and lymph node enlargement as primary symptoms. The author emphasizes that rapid detection and vaccination are essential in preventing large-scale outbreaks. The research also points out that traditional diagnostic techniques are slow and ineffective in remote areas, making real-time monitoring tools necessary. The study suggests that AI-based image analysis could improve diagnostic accuracy, reduce costs, and support early intervention strategies.

Şevik and Doğan (2017) conducted a molecular analysis of LSD outbreaks in Turkey to understand its epidemiology and transmission patterns. The study highlights the rapid spread of the disease due to insect vectors and the challenges in controlling outbreaks. The authors emphasize the need for early detection strategies to mitigate economic losses. Their findings suggest that traditional diagnostic methods, including PCR testing, are effective but slow. The study calls for advancements in AI-based diagnostic tools to provide real-time analysis, aiding in quicker containment of LSD outbreaks.

Klement et al. (2020) review the major challenges in LSD control and propose future strategies for disease management. The authors discuss the inefficiencies of traditional laboratory diagnostics, which require extensive processing time and skilled personnel. They highlight the potential of machine learning and AI-based image analysis for real-time detection of LSD lesions. The study suggests that mobile applications integrated with AI models could help farmers and veterinarians detect infections early, reducing disease spread. Additionally, the research emphasizes the importance of developing automated surveillance systems for tracking and predicting LSD outbreaks.

Kumar et al. (2021) explore recent developments in LSD diagnosis, including molecular techniques, serological tests, and AI-based methods. They argue that while PCR and ELISA tests provide high accuracy, their reliance on laboratory infrastructure limits widespread accessibility. The study evaluates the effectiveness of CNN models in identifying LSD lesions from images and concludes that AI-powered detection tools offer a cost-effective and rapid alternative. The authors suggest that integrating deep learning algorithms into veterinary healthcare systems could revolutionize LSD diagnosis, ensuring early intervention and reduced economic impact on the livestock industry.

Elhaig and Selim (2021) investigate the potential of deep learning for the early detection of LSD through image analysis. The study trains a CNN model using a dataset of healthy and infected cattle images, achieving high accuracy in lesion classification. The authors demonstrate that AI-based detection methods significantly reduce diagnosis time, making them a viable alternative to traditional clinical assessments. The study also highlights the benefits of mobile-based applications in providing real-time feedback to farmers, aiding in quick disease management. The authors recommend further refinement of AI models to enhance their robustness across diverse cattle breeds and environments.

Mercier et al. (2018) explore the use of machine learning algorithms to predict LSD outbreaks based on environmental and epidemiological data. The study applies decision trees, support vector machines (SVMs), and neural networks to analyze historical outbreak patterns and climatic conditions. The results show that AI models can accurately predict high-risk areas for LSD outbreaks, allowing for preemptive vaccination and disease control measures. The study concludes that integrating predictive modeling with real-time diagnostic tools could improve livestock disease management and reduce economic losses in affected regions.

Madbouly et al. (2022) present the development of a mobile application that employs deep learning for real-time LSD detection. The app allows farmers to upload images of their cattle, which are analyzed using a pre-trained CNN model. The study finds that the application provides accurate results in a matter of seconds, making it a practical alternative to laboratory-based diagnosis. The authors highlight the potential of AI-driven mobile tools in veterinary medicine, particularly in remote areas where access to skilled professionals is limited. They suggest that further improvements in dataset quality could enhance the model's performance.

B. Research Gap

Despite advancements in deep learning for disease detection, several gaps remain in the application of CNNs for Lumpy Skin Disease (LSD) identification. Firstly, dataset diversity is a concern, as limited variations in images may hinder model generalization across different breeds and environments. Additionally, noise reduction techniques have not been thoroughly explored, affecting model robustness in real-world conditions. Secondly, the study lacks validation in real-time deployment, making practical implementation uncertain. Testing in field conditions is essential to assess reliability. Moreover, the use of larger datasets remains unexplored, limiting insights into model scalability. Lastly, further research into advanced parameter refinement techniques, such as automated hyperparameter tuning, could significantly enhance performance. Addressing these gaps will improve model efficiency and applicability.

1) Dataset Diversity and Noise Reduction

- The study highlights the need to investigate dataset diversity to ensure better model generalization.
- There is a gap in noise reduction techniques to improve the robustness of models.

2) Real-Time Deployment

- The study lacks investigation into the real-time deployment of CNN models in field applications
- .Future research should validate the models in real-world scenarios to ensure practical applicability.

3) Larger Datasets

- The study does not explore validation with larger datasets, which could help assess model scalability and performance in various environments.

4) Parameter Refinement

- While parameter refinement is suggested, future research could go further into optimal parameter selection techniques to boost model performance.

IV. METHODOLOGY

The proposed CNN-based Lumpy Skin Disease (LSD) detection model follows a systematic approach for accurate identification. The process begins with Image Acquisition, where farmers or veterinarians capture images of cattle using a mobile application or camera. Next, Preprocessing enhances image quality through resizing, noise reduction, and contrast adjustment to improve feature extraction. The CNN Model then analyzes the images, extracting important features such as lesion patterns. Based on the extracted features, the Classification Module categorizes the image as either "Healthy" or "LSD-Infected." The Result Display & Alert System provides instant feedback on the mobile app, notifying users about affected cattle. This automated system enables early detection, helping farmers and veterinarians take timely action to prevent disease spread.




Fig. 3. The processes of DR Classification system

V. TOOLS / PLATFORM TO BE USED

Learning is the practice of gaining knowledge through study, according to its definition. In the case of artificial intelligence, a machine performs the learning process, allowing computer programs to improve themselves over time. Three applications of artificial intelligence.

1) Data mining: These systems are intended to exploit massive volumes of data that humans cannot process by themselves to make more informed choices. Because it facilitates the development of medical knowledge using medical records, this provides, for example, a particularly useful application in the discipline of medicine.
2) Software applications: As ludicrous as it may appear, humans cannot program everything on the world. Machine learning algorithms, on the other hand, can help to push these boundaries even further. In the case of the current endeavor, Automatic Number Production, for example, these types of methodologies are currently being utilized effectively in industries like autonomous driving, recognition of speech, and image identification.
3) Self-customizing programmers: Although most people are unaware of it, almost everyone comes into contact with this particular specialty on a regular basis. In fact, this type of technological innovation underpins the news feeds that customers often receive depending on their specific interests as they browse the Internet.

Using a variety of marked training samples, the algorithms may generate wide target functions that, when applied to a fresh dataset, accurately predict the predicted outcome. Here's how artificial intelligence algorithms work. The training dataset consists of samples that have been labeled, whereas the testing dataset consists of new, unused data. A sufficiently good and thorough training dataset is important in these kinds of apps because an inadequate train always generates poor results.

The GUI window shows the final output, that is represented by the html page linked to the main platform. The output page has a "Load Data" button. After pressing the "Like" icon, a program which pulls values form the dataset is executed.

Aside from the fundamentals stated above, Machine Learning algorithms share little in common. In reality, a method for artificial intelligence can be developed in an infinite number of ways. As a result, selecting the optimum design involves a thorough assessment, which is usually done utilizing a variety of data.

VI. ANALYSIS OF DATA

1) *Dataset Collection & Preparation*

- The dataset consists of images of both healthy and LSD-infected cattle.
- Images are collected from veterinary sources, online datasets, and field surveys.
- Data augmentation techniques such as rotation, flipping, and contrast adjustment are applied to improve model generalization.

2) *Data Preprocessing*

- Images are resized to a uniform dimension suitable for CNN models.
- Noise reduction and contrast enhancement techniques (using OpenCV) are applied to improve feature clarity.
- Normalization is performed to scale pixel values for efficient model training.

3) *Feature Extraction Using CNN*

- The convolutional layers identify key features such as skin lesions, texture changes, and abnormal patterns.
- Pooling layers reduce dimensionality while preserving important information.
- Fully connected layers classify the extracted features into "Healthy" or "LSD-Infected."

4) *Model Training & Validation*

- The dataset is split into training (80%), validation (10%), and testing (10%) sets.
- The CNN model is trained using an adaptive learning rate and batch optimization techniques.
- Performance is evaluated using metrics such as accuracy, sensitivity, and specificity.

5) *Testing & Performance Evaluation*

- The trained model is tested on new images to assess real-world performance.
- Confusion matrix analysis is performed to evaluate false positives and false negatives.
- The model's efficiency is compared with traditional diagnostic methods to validate effectiveness.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

VII. ADVANTAGES

1) Early Disease Detection: The CNN-based system enables quick identification of Lumpy Skin Disease (LSD), allowing timely intervention.
2) High Accuracy: Deep learning techniques improve classification accuracy compared to traditional diagnostic methods.
3) Automated Diagnosis: Reduces dependency on skilled veterinarians by providing an AI-based solution for disease detection.
4) Cost-Effective: Eliminates the need for expensive lab tests, making disease detection more affordable for farmers.
5) Scalability: The model can be trained on diverse datasets, improving performance across different breeds and environments.
6) Real-Time Monitoring: Integrating the system with a mobile app allows farmers to get instant results and alerts.
7) Reduces Economic Losses: By detecting LSD early, it helps prevent disease spread, reducing financial losses in the livestock industry.

VIII. APPLICATION

1) Livestock Farming: Helps farmers monitor cattle health and detect LSD symptoms early.
2) Veterinary Clinics: Assists veterinarians in diagnosing LSD efficiently without relying solely on physical examinations.
3) Agricultural Research: Supports studies on disease spread and preventive measures in cattle populations.
4) Government & Policy Implementation: Aids authorities in tracking disease outbreaks and implementing control measures.
5) Mobile Health Applications: Integrates with smartphone-based solutions for real-time disease detection and advisory services.
6) Dairy Industry: Ensures healthy livestock, preventing production losses due to LSD-related milk reduction.


IX. CONCLUSION

The project on "Detection of Lumpy Skin Disease (LSD) in Cattle Using Convolutional Neural Networks (CNN) for Early Diagnosis" holds great potential in revolutionizing the way livestock diseases are detected and managed. By leveraging advanced deep learning techniques, particularly CNNs, the project provides a powerful tool for early diagnosis of LSD, enabling timely intervention to control outbreaks and reduce economic losses. CNN-based systems offer numerous benefits, including improved diagnostic accuracy, faster results, and reduced reliance on costly laboratory testing. These technologies can be deployed on a large scale, making disease detection more efficient, consistent, and accessible, especially in areas where veterinary resources may be limited. However, challenges such as the need for high-quality datasets, computational resources, and model interpretability need to be addressed for optimal performance and adoption. Future developments, including the integration with IoT, edge computing, and continuous data collection, promise to enhance the system's functionality and make it even more practical for farmers and veterinarians in diverse settings. Ultimately, the integration of AI and deep learning into veterinary practice for disease detection offers a transformative solution, ensuring healthier livestock, better productivity, and greater sustainability in the agricultural sector. As technology advances, the potential for widespread adoption and further improvements in livestock health management will continue to grow, contributing significantly to the future of smart farming and veterinary care.

REFERENCES

[1] Tuppurainen, E. S. M., & Oura, C. A. L. (2012). Review: Lumpy Skin Disease: An Emerging Threat to Europe, the Middle East, and Asia. Transboundary and Emerging Diseases.
[2] El-Nahas, E. M., et al. (2021). Application of Deep Learning for the Detection of Lumpy Skin Disease in Cattle. Veterinary Research Communications.
[3] Tageldin, M. H., et al. (2014). Lumpy Skin Disease of Cattle: An Updated Review. Journal of Veterinary Medicine and Animal Health.
[4] Abutarbush, S. M. (2016). Lumpy Skin Disease in Jordan: A Clinical and Epidemiological Study. Preventive Veterinary Medicine.
[5] Şevik, M., & Doğan, M. (2017). Epidemiological and Molecular Studies on Lumpy Skin Disease Outbreaks in Turkey. Transboundary and Emerging Diseases.
[6] Klement, E., et al. (2020). Lumpy Skin Disease in Cattle: Disease Control Challenges and Future Perspectives. Frontiers in Veterinary Science.
[7] Kumar, N., et al. (2021). Advancements in Diagnosis and Control of Lumpy Skin Disease in Cattle. Journal of Dairy & Veterinary Sciences.
[8] Elhaig, M. M., & Selim, A. (2021). Deep Learning-Based Image Recognition for Early Detection of Lumpy Skin Disease in Cattle. Computers in Biology and Medicine.
[9] Mercier, A., et al. (2018). Predictive Modeling for Lumpy Skin Disease Outbreaks Using Machine Learning Approaches. Veterinary Microbiology.
[10] Madbouly, H. M., et al. (2022). Mobile Application for Image-Based Diagnosis of Lumpy Skin Disease in Cattle. Journal of Veterinary Science & Technology.
[11] S. Gambhir, S. Khanna and P. Malhotra, "Machine Learning Based Diagnosis of Lumpy Skin Disease," 2023 International Conference on Artificial Intelligence and Applications (ICAIA) Alliance Technology Conference (ATCON-1), Bangalore, India, 2023, pp. 1-5.
[12] J. P. Singh, D. Ghosh and J. Singh, "A Novel Deep Learning and Image Processing Based Technique for Lumpy Skin Disease Detection," 2024 International Conference on Advancements in Smart, Secure and Intelligent Computing (ASSIC), Bhubaneswar, India, 2024, pp. 1-5
[13] D. H. Patil, M. Pawar, M. Jaiswal, P. Rane and S. Jagtap, "Lumpy Skin Disease Prediction Using Machine Learning.," 2023 4th IEEE Global Conference for Advancement in Technology (GCAT), Bangalore, India, 2023, pp. 1-5.
[14] Chamirti Senthilkumar , Sindhu C , G Vadivu , Suresh Neethirajan PMCID: PMC11512320 PMID: 39453102
[15] Muhammad Saqib S, Iqbal M, Tahar Ben Othman M, Shahazad T, Yasin Ghadi Y, Al-Amro S, et al. (2024) Lumpy skin disease diagnosis in cattle: A deep learning approach optimized with RMSProp and MobileNetV2.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)