iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** IX **Month of publication:** September 2025

DOI: https://doi.org/10.22214/ijraset.2025.74150

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue IX Sep 2025- Available at www.ijraset.com

Development of a Solar-powered Head Movement Controlled Wheelchair for Enhanced Mobility of Physically Handicapped Individuals: Comprehensive Review

Nilesh Mendhe[1], Alex Nadar[2], Divyanshu Sorde[3], Anubhav Prasad[4], Dishant Bobate[5], Maitreya Godghate[6], Sejal Thakur[7]

[1]*Asst. Professor, Department of Electrical Engineering, St. Vincent Pallotti College of Engineering & Technology, Nagpur, Maharashtra, India*

[2, 3, 4, 5, 6, 7]*Students,Department of Electrical Engineering, St. Vincent Pallotti College of Engineering & Technology, Nagpur, Maharashtra, India*

Abstract: ***This project introduces a solar-powered smart wheelchair designed to improve mobility, independence, and quality of life for individuals with physical disabilities. Unlike conventional wheelchairs that depend on manual or joystick control, this innovative system incorporates hands-free navigation through head movements, gesture sensors, and switches, making it especially beneficial for users with limited or no hand mobility. The wheelchair is powered by a solar panel integrated with a battery backup system, ensuring a sustainable and uninterrupted energy supply, while an external charging option provides reliability in low sunlight conditions. An Arduino microcontroller processes input signals from the sensors and switches to control the motor driver and DC motors, enabling smooth, stable, and safe movement. An LCD display presents real-time updates on movement and battery status, while a voltage indicator ensures timely monitoring of power levels. By integrating renewable energy, smart control systems, and user-friendly features, the proposed design delivers an eco-friendly, accessible, and efficient mobility solution that empowers individuals with disabilities to navigate independently, safely, and with minimal physical effort.***

Keywords: Smart Wheelchair, Solar Power, Head Movements Control, Arduino, Assistive Technology etc.

I. INTRODUCTION

Mobility plays a vital role in enabling individuals to lead independent, productive, and fulfilling lives. For people with physical disabilities, however, limited mobility presents a major challenge that affects their ability to perform everyday activities and reduces their overall quality of life. Traditional wheelchairs, whether manual or joystick-controlled, have been widely used to provide mobility support. While they serve as essential tools, these wheelchairs are not always suitable for individuals with severe physical impairments, particularly those who lack sufficient hand or arm control. This creates dependency on caregivers, restricting independence and personal freedom. Hence, there is a pressing need to design innovative solutions that address these limitations and provide more accessible and reliable mobility options [1].

With advancements in assistive technology and renewable energy systems, smart mobility aids have emerged as promising alternatives. Smart wheelchairs equipped with sensors, microcontrollers, and automation allow users to navigate with minimal physical effort. At the same time, the integration of renewable energy, especially solar power, provides a sustainable power source that reduces dependence on external charging infrastructure. This is particularly important in regions where electricity supply is irregular, ensuring that individuals are not stranded due to battery depletion. By merging intelligent control and sustainable energy, modern smart wheelchairs can overcome many of the shortcomings of conventional designs [2][3].

The proposed project focuses on developing a solar-powered smart wheelchair that emphasizes hands-free and user-friendly navigation. Unlike conventional designs, this wheelchair is controlled through head movements, gesture sensors, and switches, offering accessibility to users with limited or no hand mobility. An Arduino microcontroller serves as the system's core, processing inputs from gesture sensors and switches to control the motor driver unit and DC motors, ensuring smooth and safe navigation. This hands-free control significantly enhances the independence of users who cannot operate manual or joystick-based systems [4].

©IJRASET: All Rights are Reserved

Power reliability is another central feature of this design. The wheelchair incorporates a solar panel with a battery backup to provide continuous energy supply, thereby reducing reliance on frequent external charging. An external charging port is also included to ensure usability in poor sunlight conditions. The combination of solar energy and backup storage not only improves reliability but also promotes sustainability by reducing carbon emissions and electricity usage [5]. To improve user experience and safety, the system integrates an LCD display for real-time updates on wheelchair movement and battery health. A voltage indicator continuously monitors the battery status, alerting users to charge when necessary. These features make the system more intuitive, reliable, and user-friendly [6]. The solar-powered smart wheelchair addresses critical limitations in existing mobility aids by combining renewable energy, hands-free navigation, and real-time system monitoring. It empowers individuals with physical disabilities to navigate their environment independently, safely, and with minimal effort. Beyond improving quality of life, this project demonstrates the potential of combining assistive technology with sustainable energy solutions, aligning with global goals of inclusivity, accessibility, and eco-friendly innovation.

II. PROBLEM IDENTIFICATION

1) Many physically disabled individuals rely on traditional manual or joystick-operated wheelchairs, which require significant hand and arm mobility that not all users possess.
2) Users with severe upper limb impairments face challenges in navigating independently, leading to dependency on caregivers for basic movement.
3) Conventional battery-powered electric wheelchairs depend entirely on frequent external charging, which can be unreliable in areas with inconsistent electricity supply.
4) Battery depletion during use can leave users stranded, posing safety risks and limiting their confidence in using powered wheelchairs outdoors.
5) Most existing wheelchairs lack renewable energy integration, missing opportunities for sustainable, eco-friendly operation.
6) Current models often do not include smart features such as intuitive, sensor-based hands-free control systems suitable for users with minimal physical effort.
7) There is a need for an affordable, reliable, user-friendly wheelchair that combines renewable energy, intelligent control, and real-time system monitoring to ensure continuous, safe, and independent mobility.

A. *Existing System*

Traditional wheelchair systems are primarily manual or joystick-controlled, relying heavily on the physical strength and coordination of users. Manual wheelchairs require continuous effort, which can be challenging for individuals with severe disabilities or limited upper body strength. Electric wheelchairs, though more convenient, depend solely on battery power and require frequent charging, making them less reliable in areas with inconsistent electricity supply. Additionally, most existing systems lack smart features such as sensor-based or hands-free navigation, restricting their usability for users with limited hand mobility. These limitations highlight the need for advanced, energy-efficient, and accessible smart wheelchair designs.

B. *Drawbacks*

1) Manual wheelchairs require significant physical effort, making them unsuitable for users with severe disabilities or limited upper limb strength.
2) Joystick-controlled electric wheelchairs are not accessible to individuals with hand or arm impairments.
3) Battery-powered wheelchairs rely entirely on frequent charging, which can be unreliable in areas with inconsistent electricity supply.
4) Lack of renewable energy integration limits sustainability and increases dependency on external power sources.
5) Most existing wheelchairs do not provide hands-free navigation options such as head movement or gesture control.
6) Real-time monitoring features like battery status or movement updates are often absent, reducing user safety and awareness.

III. LITERATURE REVIEWS

A. *Literature Survey*

Ghorpade et al. (2021) proposed a smart wheelchair controlled by both head movement and voice commands, aimed at improving independence for physically disabled individuals. The system utilizes accelerometer-based sensors to detect head tilt and integrates a microphone module for voice recognition.

An Arduino microcontroller processes the inputs to drive DC motors via a motor driver, enabling smooth and responsive movement. The project enhances accessibility for users with limited hand mobility and reduces dependence on caregivers. However, it relies solely on battery power, which may limit usage duration. The study emphasizes the potential of multi-modal control systems in assistive mobility and suggests integrating renewable energy to ensure uninterrupted operation.

Sharma and Verma (2020) developed a gesture-controlled wheelchair using accelerometer and flex sensors to interpret hand movements for navigation. The Arduino-based system processes sensor inputs and controls motor driver units to achieve smooth directional movement. The design focuses on improving mobility for individuals with partial hand function but is less suitable for users with severe upper limb impairments. While effective in controlled environments, it does not address power sustainability, relying entirely on battery operation. The study highlights the significance of intuitive control mechanisms for accessibility and calls for integrating renewable energy sources, such as solar panels, to improve reliability and support extended usage in real-world conditions.

Kumar and Singh (2019) presented a solar-powered wheelchair designed to reduce dependence on conventional battery charging. The system integrates solar panels with a battery backup to ensure continuous operation. An Arduino microcontroller manages motor driver units and DC motors for smooth mobility. While the design effectively addresses power sustainability, the control mechanism is joystick-based, limiting accessibility for users with limited hand movement. The study demonstrates the feasibility of renewable energy integration in mobility aids and emphasizes the need for combining sustainable power solutions with sensor-based, hands-free navigation to maximize user independence, safety, and convenience in daily use.

Patel and Shah (2022) proposed a smart wheelchair controlled through head gestures using accelerometer sensors. The system enables hands-free operation for users with severe upper limb impairments. An Arduino microcontroller interprets the sensor signals to control DC motors via a motor driver, ensuring smooth and safe movement. A battery provides power, and basic monitoring features are included. While the gesture-based design significantly improves accessibility, reliance on conventional batteries may limit operational duration. The study highlights the benefits of intuitive control systems for user independence and suggests that integrating renewable energy and real-time system monitoring could further enhance reliability and usability in diverse environments.

Yadav and Mehta (2021) focused on integrating solar panels into electric wheelchairs to ensure sustainable and continuous power supply. The system uses a solar-battery hybrid, allowing users to operate independently without relying solely on external charging. An Arduino microcontroller manages the DC motors and motor driver unit for smooth and stable movement. While the design ensures energy efficiency and extended operation, control mechanisms are limited to joystick operation, reducing accessibility for users with severe upper limb disabilities. The study emphasizes the importance of combining renewable energy with intelligent, hands-free control systems to improve usability, safety, and independence for physically disabled individuals.

Gupta and Rao (2020) presented an IoT-enabled intelligent wheelchair that allows remote monitoring and control of wheelchair operations. Sensors provide real-time feedback on movement and system health, while the Arduino controller manages the motor driver and DC motors. The study highlights automation, health monitoring, and smart navigation for enhanced safety. However, the system relies entirely on battery power and joystick-based control, limiting its accessibility for users with severe hand impairments. The research underscores the potential of IoT integration and suggests combining renewable energy and hands-free control methods to enhance independence and reliability.

Ali and Rahman (2018) developed a sensor-based smart wheelchair controlled through accelerometer sensors for detecting tilt and directional input. The system allows hands-free movement for users with limited hand mobility. An Arduino microcontroller processes the sensor signals and controls the motor driver and DC motors. While the design successfully enables independent navigation, it relies on conventional batteries, limiting operational time. The study demonstrates the effectiveness of sensor-based controls and highlights the need for integrating renewable energy solutions and additional monitoring features for safety and uninterrupted mobility.

Chen and Wang (2017) proposed a multi-mode wheelchair incorporating joystick, voice, and head gesture control. The system uses sensors and an Arduino microcontroller to process inputs and manage motor operations for smooth movement. While the wheelchair provides flexibility in control options, battery dependence limits usability in areas with irregular electricity. The study highlights the importance of combining different control modes to cater to diverse disabilities and recommends integrating renewable energy sources and real-time monitoring for continuous and independent operation.

Rao and Mehta (2022) presented a wheelchair controlled via hand gestures and voice commands, enabling hands-free navigation for users with severe mobility limitations.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

The system uses sensors and an Arduino-based controller to drive DC motors efficiently. While the design improves accessibility and independence, the wheelchair operates solely on battery power, reducing operational duration. The study emphasizes the potential of multi-modal control systems combined with sustainable energy solutions to enhance usability, safety, and continuous mobility for physically disabled individuals. Sahu and Mishra (2022) developed an IoT-integrated wheelchair that monitors vital signs and movement, sending real-time data to caregivers. The Arduino microcontroller controls motors and sensor-based navigation. While health monitoring and automation improve safety and efficiency, the system depends on battery power and lacks renewable energy integration. The study highlights the importance of incorporating sustainable energy and hands-free controls to enhance continuous mobility and independence for physically disabled users, providing a more reliable and eco-friendly solution.

B. Literature Summary

Recent studies on smart wheelchairs highlight significant advancements in assistive mobility for physically disabled individuals. Researchers have developed systems utilizing head movements, gestures, voice commands, and multi-mode controls to provide hands-free navigation for users with limited hand mobility. Arduino-based controllers are widely used to process sensor inputs and drive DC motors, ensuring smooth and safe movement. Several studies integrate IoT for real-time monitoring of health and system status, enhancing safety and reliability. Renewable energy, particularly solar power, is increasingly applied to reduce dependency on conventional battery charging and promote sustainability. Despite these improvements, many existing designs lack combined solutions that integrate energy efficiency, intuitive control, and continuous monitoring, emphasizing the need for a solar-powered, sensor-controlled smart wheelchair with enhanced independence and eco-friendly operation.

C. Research Gap

Although significant progress has been made in developing smart wheelchairs with gesture, head movement, voice control, and IoT-based monitoring, several limitations remain. Most existing designs rely solely on battery power, making them vulnerable to power depletion and restricting continuous usage, especially in areas with unreliable electricity. While renewable energy integration has been explored, few systems combine solar power with intelligent, hands-free navigation controls. Additionally, many wheelchairs lack real-time monitoring features such as battery status, movement updates, or safety alerts, reducing user confidence and independence. Multi-modal control systems often increase complexity and cost, limiting accessibility for all users. Therefore, there is a clear need for an energy-efficient, solar-powered smart wheelchair that integrates intuitive hands-free controls, real-time monitoring, and user-friendly operation to enhance mobility, safety, and sustainability.

IV. RESEARCH METHODOLOGY

A. Criteria for selecting this study

1) User Accessibility: The study focuses on developing a smart wheelchair with hands-free control using head movements, gesture sensors, and switches, making it suitable for users with limited or no hand mobility.
2) Energy Efficiency: Solar power integration with a battery backup ensures sustainable and uninterrupted operation, reducing reliance on frequent external charging.
3) Independence and Safety: The system prioritizes smooth, stable, and safe navigation, allowing physically disabled individuals to move independently without constant caregiver assistance.
4) Real-Time Monitoring: Incorporation of an LCD display and voltage indicator provides continuous updates on movement status and battery health, enhancing user awareness and operational safety.
5) Technological Feasibility: Use of Arduino microcontrollers, motor drivers, and DC motors allows efficient processing of sensor inputs, ensuring reliable and responsive movement control.
6) Eco-Friendly Design: Renewable energy utilization supports environmental sustainability while promoting innovative mobility solutions.
7) Adaptability: The system includes an external charging option, ensuring usability in low-sunlight conditions or during extended operation.
8) Literature Support: Prior studies on gesture, head movement, and solar-powered wheelchairs indicate both feasibility and need for an integrated, energy-efficient, hands-free solution.
9) Innovation Potential: Combining renewable energy with smart, sensor-based controls addresses gaps in existing wheelchairs, making the project highly relevant for practical implementation.
10) User-Centric Approach: The project aims to enhance quality of life and independence for physically disabled individuals, aligning with social and assistive technology objectives.

B. Method of Analysis

1) Component Selection: Identify and select appropriate motors, motor drivers, sensors, Arduino microcontroller, battery, and solar panel based on power requirements, efficiency, and user needs.
2) System Design: Develop the overall architecture including solar panel, battery backup, gesture and head-movement sensors, motor control, LCD display, and voltage indicator.
3) Control Logic Development: Program the Arduino to process input signals from gesture and head-movement sensors to control motor direction, speed, and safety mechanisms.
4) Energy Analysis: Evaluate power consumption, solar charging efficiency, and battery backup capacity to ensure continuous operation under varying sunlight conditions.
5) Simulation and Testing: Simulate wheelchair movement, sensor responsiveness, and system stability in controlled environments before physical implementation.
6) Performance Evaluation: Assess real-time responsiveness, smoothness of motion, battery efficiency, and LCD/voltage monitoring effectiveness.
7) Optimization: Refine coding, sensor sensitivity, and motor control parameters for improved reliability, safety, and user comfort.
8) Validation: Compare results with literature benchmarks to confirm effectiveness of solar-powered, hands-free smart wheelchair design.

C. Comparison and Analysis

1) Control Mechanism: Traditional wheelchairs use manual or joystick control, limiting accessibility; the proposed system uses head movements and gesture sensors, enabling hands-free navigation.
2) Power Source: Conventional electric wheelchairs rely solely on batteries, whereas this design integrates solar power with battery backup for sustainable operation.
3) User Independence: Manual wheelchairs require caregiver assistance for users with severe disabilities; the smart system enhances autonomy.
4) Monitoring Features: Existing designs lack real-time updates; the proposed system includes an LCD display and voltage indicator for battery and movement status.
5) Safety and Efficiency: Sensor-based control ensures smooth, stable motion compared to basic joystick operation, improving user safety and reliability.

Author(s) & Year	Title	Key Focus	Methods / Technology
P. Ghorpade, S. Deshmukh, A. Patil (2021)	Smart Wheelchair Using Head Movement and Voice Control	Hands-free control for users with limited hand mobility	Head movement sensors, voice recognition, Arduino, DC motors
R. Sharma, P. Verma (2020)	Design and Implementation of a Gesture-Controlled Wheelchair for Disabled People	Gesture-based navigation for partially impaired users	Accelerometer and flex sensors, Arduino, motor driver units
S. Kumar, M. Singh (2019)	Solar-Powered Wheelchair for Physically Challenged Persons	Sustainable wheelchair using solar energy	Solar panel, battery backup, Arduino, DC motors
R. Patel, P. Shah (2022)	Head Gesture-Based Smart Wheelchair for Physically Disabled Individuals	Hands-free head gesture navigation	Accelerometer sensors, Arduino, motor driver, DC motors
A. Yadav, K. Mehta (2021)	Integration of Renewable Energy in Smart Mobility Aids for Disabled Persons	Solar energy integration for continuous operation	Solar panel, battery backup, Arduino, DC motors
N. Gupta, S. Rao (2020)	Design of an Arduino-Based Intelligent Wheelchair Using IoT	Remote monitoring and smart navigation	Arduino, IoT sensors, motor driver, DC motors
H. Ali, F. Rahman (2018)	Smart Mobility for Disabled Persons: A Sensor-Based Approach	Sensor-based hands-free control	Accelerometer sensors, Arduino, DC motors
Y. Chen, X. Wang (2017)	Development of an Intelligent Assistive Wheelchair with Multi-Mode Control	Multi-mode control (joystick, voice, head gestures)	Sensors, Arduino, motor driver, DC motors
S. Rao, P. Mehta (2022)	Gesture and Voice-Controlled Smart Wheelchair for Enhanced Accessibility	Multi-modal hands-free navigation	Gesture sensors, voice recognition, Arduino, DC motors
P. Sahu, K. Mishra (2022)	Smart Wheelchair with IoT-Based Health Monitoring	Real-time health and system monitoring	IoT sensors, Arduino, motor driver, LCD display

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

D. Highlighting trends, advancements, and challenges

1) Highlighting Trends

a) Hands-free control using head movements, gestures, and voice commands is increasingly adopted to enhance accessibility for users with severe physical impairments.

b) Integration of multi-modal control systems allows wheelchair operation through different input methods, increasing flexibility and user convenience.

c) IoT-enabled smart wheelchairs provide real-time monitoring of movement, battery status, and user health, improving safety and caregiver awareness.

d) Renewable energy solutions, especially solar panels, are gaining popularity to ensure continuous and sustainable power supply.

e) Arduino and microcontroller-based systems dominate development due to low cost, ease of programming, and compatibility with multiple sensors.

2) Advancements

a) Solar-powered battery backup systems now enable eco-friendly and uninterrupted wheelchair operation.

b) Accelerometer and gesture-based sensors allow precise hands-free navigation for users with limited hand mobility.

c) Integration of LCD displays and voltage indicators improves real-time feedback and user awareness.

d) IoT applications enable remote health monitoring and system diagnostics.

e) Multi-sensor fusion enhances movement accuracy, stability, and safety, while reducing user dependency on caregivers.

3) Challenges

a) Limited accessibility for users with extremely severe disabilities if multi-modal options are not fully integrated.

b) Dependence on battery life and inconsistent sunlight can affect solar-powered wheelchair performance.

c) High cost and complexity of integrating multiple sensors and IoT modules.

d) Ensuring real-time responsiveness and smooth motor control in diverse environments remains challenging.

e) Lack of standardized designs combining energy efficiency, hands-free navigation, and continuous monitoring for all user needs.

V. DISCUSSION

A. Synthesis of findings from literature

Recent literature reveals significant progress in smart wheelchair technology, emphasizing hands-free navigation, renewable energy integration, and real-time monitoring. Gesture, head movement, and voice-controlled systems improve accessibility for users with limited hand mobility, enhancing independence and safety. Arduino-based microcontrollers effectively process sensor inputs to drive DC motors, ensuring smooth and stable movement. IoT integration enables health and system monitoring, providing real-time feedback to users and caregivers. Solar-powered designs reduce dependency on conventional charging, promoting sustainability. However, most existing systems either lack continuous energy efficiency, multi-modal control, or comprehensive monitoring. The collective findings highlight the need for a fully integrated, energy-efficient, and user-friendly smart wheelchair that combines hands-free operation, solar power, and real-time system awareness to maximize usability, reliability, and independence for physically disabled individuals.

B. Methodology for Future Research Directions




Fig. 3. Block Diagram of system

Power Supply & Charging :
- The wheelchair is powered by a solar panel that charges a rechargeable battery.
- An external charging option is available for backup in low-sunlight conditions.
- A voltage indicator displays the battery status.

Control System (Head Movements, Gesture Sensors & Switches) :
- The gesture sensor detects head movements and sends signals to the Arduino microcontroller.
- The user can also control the wheelchair using manual switches for alternative operation.
- The Arduino processes inputs and sends commands to the motor driver unit.

Motorized Movement :
- The motor driver unit controls the DC motors, enabling forward, backward, left, and right movements.
- The wheelchair operates smoothly on different terrains while ensuring stability.

LCD Display & Real-Time Monitoring :
- An LCD screen provides real-time information on movement directions and battery status.
- The display helps the user and caregiver monitor the wheelchair's operation.

Emergency Switch for Safety :
- A dedicated emergency switch is integrated for immediate stop or distress signal activation.
- In case of an emergency, pressing the switch stops the wheelchair and alerts caregivers.

Smart Safety Features :
- Automatic obstacle detection (if sensors are included) prevents collisions.
- Smart movement algorithms ensure energy-efficient navigation and prevent sudden jerks.

VI. ADVANTAGES AND APPLICATIONS

A. *Advantages*

1) Enables hands-free navigation for users with limited or no hand mobility, increasing independence.
2) Solar-powered battery backup ensures continuous and sustainable operation.
3) Real-time monitoring via LCD display and voltage indicator enhances user safety and awareness.
4) Arduino-based control allows smooth, stable, and responsive movement.
5) Reduces dependency on caregivers for daily mobility.
6) Eco-friendly design lowers energy consumption and promotes renewable energy use.
7) Multi-sensor integration improves accuracy and reliability of wheelchair control.
8) User-friendly interface makes operation intuitive for physically disabled individuals.

B. *Applications*

1) Assisting physically disabled individuals in homes, hospitals, and rehabilitation centers.
2) Providing independent mobility for users with severe upper limb impairments.
3) Outdoor navigation in areas with unreliable electricity due to solar backup.
4) Integration in smart healthcare systems for monitoring patient movement and safety.
5) Use in public spaces to improve accessibility and mobility for disabled individuals.
6) Rehabilitation and physiotherapy programs for mobility training.
7) Emergency mobility aid in disaster or power outage situations.
8) Research and development of eco-friendly, intelligent assistive devices.

VII. CONCLUSION

The development of a solar-powered smart wheelchair represents a significant advancement in assistive mobility technology for physically disabled individuals. By integrating hands-free control through head movements, gesture sensors, and switches, the system provides an accessible and intuitive solution for users with limited or no hand mobility. The inclusion of a solar panel with a battery backup ensures continuous and sustainable operation, reducing dependency on external power sources and enhancing reliability in diverse environments. Arduino-based control and motor driver integration enable smooth, stable, and responsive movement, while real-time monitoring via an LCD display and voltage indicator improves safety and user awareness.


©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

The proposed design addresses critical limitations in existing wheelchair systems, such as reliance on manual operation, battery-only power, and lack of monitoring features. Additionally, combining renewable energy, sensor-based control, and user-friendly interfaces ensures both eco-friendliness and independence. This project demonstrates the potential for intelligent mobility solutions to improve the quality of life for disabled individuals, offering safety, convenience, and autonomy. Overall, the solar-powered smart wheelchair serves as a practical, sustainable, and innovative assistive device, setting a benchmark for future research and development in accessible mobility technology.

REFERENCES

[1] P. Ghorpade, S. Deshmukh, and A. Patil, "Smart Wheelchair Using Head Movement and Voice Control," Int. J. Innov. Res. Sci., Eng. Technol. (IJIRSET), vol. 10, no. 3, pp. 45–50, 2021.
[2] R. Sharma and P. Verma, "Design and Implementation of a Gesture-Controlled Wheelchair for Disabled People," Int. J. Adv. Res. Electr., Electron. Instrum. Eng. (IJAREEIE), vol. 9, no. 4, pp. 112–117, 2020.
[3] S. Kumar and M. Singh, "Solar-Powered Wheelchair for Physically Challenged Persons," Int. J. Eng. Res. Technol. (IJERT), vol. 8, no. 2, pp. 98–102, 2019.
[4] R. Patel and P. Shah, "Head Gesture-Based Smart Wheelchair for Physically Disabled Individuals," Int. J. Sci. Res. Eng. Technol. (IJSRET), vol. 11, no. 1, pp. 55–60, 2022.
[5] A. Yadav and K. Mehta, "Integration of Renewable Energy in Smart Mobility Aids for Disabled Persons," Renewable Energy and Sustainable Technologies J., vol. 4, no. 2, pp. 89–94, 2021.
[6] N. Gupta and S. Rao, "Design of an Arduino-Based Intelligent Wheelchair Using IoT," Int. J. Recent Adv. Eng. Technol. (IJRAET), vol. 8, no. 3, pp. 72–77, 2020.
[7] H. Ali and F. Rahman, "Smart Mobility for Disabled Persons: A Sensor-Based Approach," in Proc. IEEE Int. Conf. Smart Technol., pp. 234–238, 2018.
[8] Y. Chen and X. Wang, "Development of an Intelligent Assistive Wheelchair with Multi-Mode Control," J. Robotics and Automation, vol. 5, no. 1, pp. 12–17, 2017.
[9] S. Rao and P. Mehta, "Gesture and Voice-Controlled Smart Wheelchair for Enhanced Accessibility," Int. J. Eng. Adv. Technol. (IJEAT), vol. 11, no. 2, pp. 88–93, 2022.
[10] P. Sahu and K. Mishra, "Smart Wheelchair with IoT-Based Health Monitoring," J. Emerging Technol. Innov. Res. (JETIR), vol. 9, no. 5, pp. 512–518, 2022.
[11] M. Ali and T. Rahman, "Head Movement Controlled Wheelchair for Disabled Persons," Int. J. Innov. Res. Sci., Eng. Technol. (IJIRSET), vol. 10, no. 2, pp. 88–94, 2021
[12] R. Singh and P. Gupta, "Solar Powered Wheelchair with Automated Control System," Int. J. Adv. Res. Electr., Electron. Instrum. Eng. (IJAREEIE), vol. 9, no. 4, pp. 45–50, 2020.
[13] P. Sahu and K. Mishra, "IoT-Based Monitoring for Smart Wheelchair Systems," Int. J. Innov. Technol. Explor. Eng., vol. 8, no. 6, pp. 101–107, 2021.
[14] A. Sharma and R. Verma, "Gesture and Sensor-Based Wheelchair Navigation for Disabled Individuals," Int. J. Recent Technol. Eng., vol. 9, no. 3, pp. 115–120, 2020.
[15] S. Kumar, M. Singh, "Solar Assisted Smart Wheelchair with Battery Backup," Int. J. Eng. Res. Technol. (IJERT), vol. 8, no. 5, pp. 125–130, 2019.
[16] R. Patel and P. Shah, "Energy-Efficient Head Gesture Wheelchair," *Int. J. Sci. Res. Eng. Technol. (IJSRET)*, vol. 12, no. 1, pp. 67–72, 2022.
[17] A. Yadav and K. Mehta, "Renewable Energy Integration in Assistive Mobility Devices," *Renewable Energy Sustain. Technol. J.*, vol. 5, no. 1, pp. 77–82, 2021.
[18] N. Gupta and S. Rao, "IoT-Based Intelligent Wheelchair Design Using Arduino," *Int. J. Recent Adv. Eng. Technol. (IJRAET)*, vol. 9, no. 2, pp. 55–60, 2020.
[19] H. Ali and F. Rahman, "Sensor-Based Smart Wheelchair for Disabled Persons," *IEEE Int. Conf. Smart Technol.*, pp. 240–245, 2018.
[20] Y. Chen and X. Wang, "Assistive Wheelchair with Multi-Mode Intelligent Control," *J. Robotics and Automation*, vol. 6, no. 2, pp. 20–25, 2017.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)