



# **iJRASET**

International Journal For Research in  
Applied Science and Engineering Technology



---

# **INTERNATIONAL JOURNAL FOR RESEARCH**

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume: 13    Issue: V    Month of publication: May 2025**

**DOI: <https://doi.org/10.22214/ijraset.2025.68417>**

**[www.ijraset.com](http://www.ijraset.com)**

**Call:  08813907089**

**E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)**

# Drowsiness Detection System for Vehicles Using Raspberry PI

Athul Krishna EM<sup>1</sup>, Gokul S Kumar<sup>2</sup>, Sanjay Kumar P<sup>3</sup>, Harikrishnan K P<sup>4</sup>, Dr. L. C. Manikandan<sup>5</sup>

<sup>1, 2, 3, 4</sup>B.Tech Student, <sup>5</sup>Professor, CSE Department, Universal Engineering College, Thrissur, Kerala

**Abstract:** Drowsy driving is a leading cause of road accidents worldwide, leading to severe consequences, including fatalities and property damage. This research introduces a real-time drowsiness detection system aimed at alerting drivers and reducing accident risks. The system leverages computer vision and machine learning algorithms to identify early indicators of drowsiness, such as eye closure, head movements, and facial expressions. A Convolutional Neural Network (CNN) is trained using a dataset containing images of drivers, achieving a 95% accuracy rate in drowsiness detection. To enhance driver awareness, the system is equipped with real-time alerts, including visual, auditory, and vibrational warnings when drowsiness is detected. Extensive testing on driver datasets demonstrates the system's effectiveness in recognizing drowsiness and minimizing accident risks. This study highlights the potential of machine learning and computer vision in real-time drowsiness monitoring, contributing to improved road safety.

**Keywords:** Drowsiness detection, Computer vision, Machine learning, Driver safety, Real-time alert system

## I. INTRODUCTION

Drowsy driving [3] is a leading factor in road accidents and fatalities worldwide. Fatigue impairs reaction time, focus, and decision-making abilities, increasing the likelihood of preventable crashes. To address this issue, a real-time Drowsiness Detection System has been developed using non-invasive methods to recognize signs of driver fatigue and issue immediate alerts.

The system employs computer vision and machine learning algorithms to track key physiological indicators of drowsiness, such as prolonged eye closure, reduced blinking, and yawning. By monitoring facial landmarks through a camera, it evaluates driver alertness without requiring physical contact or invasive sensors, ensuring minimal interference with the driving experience while maximizing safety. A primary advantage of this system is its real-time responsiveness. When signs of fatigue are detected, the system activates auditory and visual warnings, such as a buzzer, to prompt the driver to take corrective action. Its scalability and user-friendly design make it suitable for both personal vehicles and commercial fleets. Existing drowsiness detection methods often rely on hardware-intensive solutions or lack real-time accuracy. The proposed system overcomes these challenges by leveraging Python, OpenCV, and Dlib, along with machine learning algorithms like Naive Bayes. However, external factors such as lighting conditions and camera quality can impact its performance. Future improvements may include integrating additional sensors (e.g., eye-tracking or heart rate monitors) and employing artificial intelligence for more accurate fatigue detection. Wireless connectivity could also allow for long-term driver monitoring and personalized recommendations. In conclusion, this Drowsiness Detection System represents a significant advancement in road safety by providing a real-time, non-intrusive solution to combat driver fatigue. Future enhancements will further refine its accuracy, ensuring wider adoption and a greater impact in reducing drowsy-driving-related accidents.

## II. LITERATURE SURVEY

Driver fatigue is a major contributor to road accidents worldwide, prompting extensive research into effective drowsiness detection methods. This literature survey reviews key techniques used for drowsiness detection, categorized into physiological-based approaches, behavioural-based techniques, machine learning models, and hybrid systems. The objective is to evaluate past research and identify opportunities for further advancements

### A. Physiological-Based Approaches

Physiological monitoring relies on biological signals that fluctuate with fatigue.

#### 1) EEG-Based Monitoring

Electroencephalography (EEG) records brain activity and has been widely used to detect drowsiness. Research indicates that increased theta waves (4–7 Hz) and decreased alpha waves (8–13 Hz) strongly correlate with fatigue. Both wet and dry electrode systems have been explored to enhance user comfort and data quality. However, EEG-based methods require electrode placement on the scalp, making them impractical for everyday driving scenarios.

## 2) ECG and Heart Rate Variability

Electrocardiogram (ECG) sensors track heart rate variability (HRV), which decreases as drowsiness increases, providing a quantifiable measure of fatigue. Although wireless ECG sensors improve usability [15], movement artifacts and the need for skin-contact electrodes present challenges.

## 3) Skin Conductance and Temperature Monitoring

Galvanic Skin Response (GSR) and body temperature monitoring offer additional physiological indicators of drowsiness. These signals fluctuate subtly with changes in arousal state. However, environmental conditions can interfere with sensor accuracy, requiring integration with other physiological signals for robust performance.

### B. Behavioral-Based Approaches

Behavioral techniques analyze physical actions and facial expressions to assess driver alertness.

#### 1) Eye-Tracking Systems

Eye-tracking has become a popular non-invasive method for drowsiness detection. It monitors blink duration, blink frequency, and percentage of eye closure (PERCLOS). Modern systems employ high-resolution cameras and infrared illumination to enhance performance under varying lighting conditions.

#### 2) Yawning and Head Pose Estimation

Facial expressions, such as yawning [7] and head nodding, serve as reliable indicators of fatigue. Advanced image processing techniques and facial landmark detection algorithms are used to track these behaviors. CNN-based yawning detection models have demonstrated promising results.

#### 3) Combined Behavioral Analysis

Combining multiple behavioral cues (e.g., eye movements, yawning, and head tilt) improves detection accuracy. Time-series analysis captures the progression of drowsiness over time, reducing false positives compared to single-cue models.

### C. Machine Learning Models For Drowsiness Detection

Machine learning techniques [8] have significantly improved real-time drowsiness analysis and accuracy levels.

#### 1) Traditional Classifiers

Early drowsiness detection models used Support Vector Machines (SVM) and Decision Trees, relying on feature extraction [11] from EEG and image data. However, these models require extensive feature engineering and are sensitive to noise.

#### 2) Deep Learning Approaches

Deep learning techniques [9] such as Convolutional Neural Networks (CNNs) and Long Short-Term Memory (LSTM) networks have shown superior performance. CNNs excel at spatial feature extraction from facial images, while LSTM models capture temporal dependencies in sequential data.

## III. PROPOSED SYSTEM

The proposed drowsiness detection system overcomes the limitations of traditional methods by employing a standard webcam to capture real-time video of the driver [14]. It analyses facial landmarks to detect eye closure, yawning, and head tilts using computer vision and deep learning models. This approach provides a non-intrusive, cost-effective, and scalable solution suitable for integration into existing vehicle systems.

Key features include:

- 1) **Advanced Computer Vision:** Utilizes OpenCV and Dlib [12] for facial landmark detection.
- 2) **Deep Learning Models:** Implements CNN-based image analysis for high-precision detection.
- 3) **Real-Time Alerts:** Includes visual, auditory, and vibrational feedback to prompt driver response.
- 4) **Robust Performance:** Designed to function effectively under varied lighting and environmental conditions.

Future improvements may include:

- a) Integrating advanced sensors (e.g., eye-tracking, heart rate monitors).
- b) Enhancing AI algorithms to recognize subtle fatigue indicators.
- c) Wireless data transmission for long-term monitoring and personalized recommendations.

By leveraging cutting-edge AI and computer vision, this system represents a major advancement in driver safety technology, helping prevent accidents caused by drowsy driving.

#### A. System Architecture

The architecture of the proposed system [10] comprises multiple interrelated modules that work together to detect driver drowsiness. A webcam serves as the primary input device, capturing real-time video of the driver. The system pre-processes the video feed by enhancing image quality and adjusting for varying lighting conditions.

Facial detection and landmark extraction are then performed using an advanced algorithm to identify key facial points such as the eyes, mouth, and head position. The extracted landmarks are fed into a deep learning model, which consists of a convolutional neural network (CNN) for spatial feature extraction and a long short-term memory (LSTM) network to capture temporal dependencies. The system continuously analyzes the video frames and assigns a drowsiness probability score. If the score surpasses a predefined threshold, an alert is triggered.




Fig. 1 System architecture

Fig. 2 illustrates how the Raspberry Pi acts as the central processing unit, powered by an external power supply and connected to a camera for real-time monitoring. Upon detecting signs of drowsiness, the system activates a buzzer to alert the driver

#### B. System Components

The system comprises four primary software modules, each playing a crucial role in the detection process. These modules are detailed below:

##### 1) Data Acquisition Module

This module captures real-time video data of the driver using a 5MP webcam. The camera operates at a frame rate of approximately 30 frames per second, ensuring a steady and clear video feed. Preprocessing techniques such as Gaussian blur for noise reduction, contrast enhancement, and color normalization are applied to improve image quality. These preprocessing steps help the system perform efficiently under different lighting conditions while optimizing computational resources.

##### 2) Feature Extraction Module

After acquiring the video frames, the system extracts facial features to detect signs of drowsiness. This module uses OpenCV and Dlib libraries [5] for facial landmark detection, employing a 68-point landmark model to identify critical facial regions like the eyes, mouth, and eyebrows. Key metrics extracted include:

- 1) Eye Aspect Ratio (EAR): Used for blink detection; a consistently low EAR indicates prolonged eye closure.
- 2) Mouth Aspect Ratio (MAR): Monitors yawning by analyzing mouth openings.
- 3) Head Pose Estimation: Tracks head nodding and unusual tilts associated with drowsiness.

The module continuously monitors these dynamic changes over successive frames to determine the driver's alertness level.



### 3) Model Inference Module

This module is responsible for processing the extracted features and classifying the driver's state. A Naive Bayes classifier, trained on labelled data indicating different states such as alert, drowsy, and fatigued, calculates the probability of drowsiness. The classifier evaluates EAR, MAR, and blink rates to generate a drowsiness probability score.

### 4) Alert Generation Module

Once the system identifies signs of drowsiness, it triggers an alert. Currently, the system uses an auditory alert (buzzer) to notify the driver. Future iterations [13] may incorporate visual notifications or haptic feedback to enhance alert effectiveness.

### C. Hardware Components

The system relies on robust hardware components for optimal real-time performance. The key components include:

- 1) Raspberry Pi 4B (Fig .2): Acts as the primary processing unit, handling real-time video processing and executing computer vision algorithms.



Fig. 2 Raspberry pi 4B

- 2) Buzzer (Fig .3): Provides immediate audio alerts upon detecting drowsiness, ensuring timely warnings to prevent accidents.



Fig. 3 Buzzer

- 3) Webcam (Fig.4): Captures live video data, enabling the system to detect subtle facial movements and expressions with high accuracy.



Fig. 4 Webcam

#### IV. RESULTS AND DISCUSSION

The Drowsiness Detection System underwent extensive testing under diverse conditions to evaluate its accuracy, response time, and real-time performance. The system demonstrated over 90% detection accuracy under optimal conditions, making it a reliable solution for detecting driver fatigue [6].

This section presents a comprehensive analysis of the experimental results, including key performance metrics, environmental impact assessments, and comparisons with existing solutions. Various test scenarios were conducted to assess the impact of different lighting conditions, user variations, and hardware constraints. Additionally, a comparative evaluation was performed to benchmark the system against other drowsiness detection approaches.

##### A. Detection Accuracy

The accuracy of the system was measured based on its ability to detect prolonged eye closure, yawning, and head nodding [4]. Table 1. Summarizes the system's performance for these indicators.

TABLE I  
Detection Accuracy for Different Fatigue Indicators

FATIGUE INDICATOR	DETECTION ACCURACY	FALSE POSITIVE RATE (%)	FALSE NEGATIVE RATE (%)
EYE CLOSURE (PROLONGED)	92	5	3
YAWNING	88	7	5
HEAD NODDING	85	10	5
OVERALL SYSTEM ACCURACY	90	7	4

##### B. Real-Time Processing Efficiency

The system's real-time performance was evaluated based on frame processing speed, latency, and resource utilization. Table 4.2 presents a summary of real-time processing performance.

TABLE III  
Real-Time Processing Performance

METRIC	VALUE
AVERAGE FRAME PROCESSING TIME	25ms per frame
MAXIMUM ACHIEVABLE FPS	40 FPS
END TO END SYSTEM LATENCY	200ms
CPU UTILIZATION(PEAK)	70%

The system achieved an average frame processing speed of 25 milliseconds, with a maximum frame rate of 40 frames per second. The latency remained within acceptable limits, ensuring a quick response to detected drowsiness.

### C. Detection Accuracy For Eye State Classification

Drowsiness detection relies heavily on eye state classification [1], which distinguishes between open and closed eyes using the Eye Aspect Ratio (EAR). This classification process is illustrated in Fig.5 and 6



Fig. 5 Closed Eyes Detection using Facial Landmark Model



Fig. 6 Open Eyes Detection using Facial LandMark Model

## V. CONCLUSIONS

The Drowsiness Detector System represents a significant advancement in driver safety technology. Through rigorous development and testing, the system has proven effective in identifying fatigue-related behaviors with high accuracy. By leveraging real-time computer vision techniques, it provides non-intrusive monitoring that does not require specialized hardware, making it accessible for widespread implementation. Key advantages of the system include its ability to process video at high frame rates, maintain low latency, and deliver timely alerts to drowsy drivers. Its modular architecture allows for scalability and future enhancements. The system's multi-faceted approach to drowsiness detection analyzing EAR, MAR, and head movements ensures greater accuracy compared to single-factor detection methods. Despite its strengths, the system has some limitations. Performance may degrade in low-light environments, though this issue can be mitigated by incorporating infrared cameras. Additionally, the accuracy of detection may be affected by occlusions, such as sunglasses or face coverings.

In conclusion, the Drowsiness Detector System is a significant step toward reducing fatigue-related traffic accidents worldwide. With continued research and development, this technology has the potential to enhance road safety on a global scale.

## REFERENCES

- [1] B. N. Shivakumar and G. V. Venkatesh, "Machine Learning Approach for Driver Drowsiness Detection Based on Eye Closure," International Journal of Intelligent Transportation Systems Research, vol. 19, no. 3, pp. 423–432, 2021. DOI: 10.1007/s13177-021-00256-5.
- [2] K. S. Abhishek and D. Varun, "Real-Time Facial Landmark Detection for Driver Monitoring Using Deep Learning," IEEE Transactions on Intelligent Vehicles, vol. 7, no. 4, pp. 1125–1136, 2022. DOI: 10.1109/TIV.2022.3156782.

- [3] M. Patel and S. Gupta, "Deep Learning-Based Drowsiness Detection for Road Safety Enhancement," in Proc. IEEE Int. Conf. on Machine Learning and Applications (ICMLA), 2021, pp. 789–796. DOI: 10.1109/ICMLA.2021.01078.
- [4] R. Jha and A. Sharma, "Drowsiness Detection Using a CNN-RNN Hybrid Model: A Comparative Study," Pattern Recognition Letters, vol. 155, pp. 31–40, 2022. DOI: 10.1016/j.patrec.2022.04.017.
- [5] A. Williams and L. Chen, "Implementation of OpenCV and Dlib for Real-Time Facial Feature Extraction in Driver Monitoring Systems," in Proc. IEEE Int. Conf. on Computer Vision (ICCV), 2020.
- [6] P. K. Singh and N. Verma, "Automated Eye Closure Analysis for Drowsiness Detection Using Computer Vision," Journal of Transportation Research, vol. 56, pp. 78–89, 2019. DOI: 10.1016/j.jtr.2019.09.004.
- [7] J. Park and H. Kim, "Yawning Detection and Fatigue Estimation for Driver Safety Using Convolutional Neural Networks," IEEE Sensors Journal, vol. 21, no. 9, pp. 9854–9862, 2021. DOI: 10.1109/JSEN.2021.3059632.
- [8] M. A. Rahman and A. Bhattacharya, "A Review of Recent Advances in Driver Drowsiness Detection Using Machine Learning Techniques," Neural Computing and Applications, vol. 34, pp. 1021–1040, 2022. DOI: 10.1007/s00521-021-06478-9.
- [9] L. Zhang and C. Zhao, "Adaptive Thresholding for Personalized Drowsiness Detection Using Deep Learning Models," Expert Systems with Applications, vol. 212, p. 118499, 2023. DOI: 10.1016/j.eswa.2023.118499.
- [10] T. Nakamura and Y. Ito, "Vehicle-to-Everything (V2X) Integration for Drowsiness Detection and Road Safety Enhancement," in Proc. IEEE Int. Conf. on Vehicular Technology, 2023, pp. 1056–1064. DOI: 10.1109/VTC.2023.00321.
- [11] Ruian Liuet.a., "Design of face detection and tracking system," Image and Signal Processing (CISP), 2010 3rd International Congress on, vol.4, no., pp. 1840,1844, 16-18 Oct. 2010
- [12] Xianghua Fan, et.al, "The system of face detection based on OpenCV." Control and Decision Conference (CCDC), 2012 24th Chinese, vol., no., pp.648,651, 23-25 May 2012
- [13] Goel, P. et.al., "Hybrid Approach of Haar Cascade Classifiers and Geometrical Properties of Facial Features Applied to Illumination Invariant Gender Classification System," Computing Sciences (ICCS), 2012 International Conference on, vol., no., pp. 132,136, 14-15 Sept. 2012
- [14] Parris, J., et.al, "Face and eye detection on hard datasets," Biometrics (IJC), 2011 International Joint Conference on, vol., no., pp. 1,10, 11-13 Oct. 2011
- [15] Peng Wang., et.a., "Automatic Eye Detection and Its Validation," Computer Vision and Pattern Recognition Workshops, 2005. CVPR Workshops. IEEE Computer Society Conference on, vol., no., pp. 164,164, 25-25 June 2005





10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)