iJRASET
International Journal For Research in Applied Science and Engineering Technology



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

**Volume:** 13 **Issue:** IX **Month of publication:** September 2025

**DOI:** https://doi.org/10.22214/ijraset.2025.74060

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
*ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538*
*Volume 13 Issue IX Sep 2025- Available at www.ijraset.com*

# Electroplating's Prospects in Renewable Energy Technologies

Renu Rastogi
*Professor Department of Chemistry Brahmanand P.G. College Kanpur*

***Abstract:*** ***The field of renewable energy technologies greatly benefits from the use of environmentally friendly electroplating. Advanced electroplating techniques have the potential to significantly increase the longevity and efficiency of a variety of renewable energy systems, such as wind turbines and solar panels, more efficient photovoltaic cells to be able to capture more solar energy at a reduced cost can be produced utilizing advanced electroplating materials.The wind energy industry is one that can significantly benefit the sector through advanced electroplating materials that help to increase efficiency and improve durability in wind turbines. Electro plating's role in renewable energy goes beyond improving existing technologies; it also involves innovating and making new technologies possible. Lighter, more robust, and more efficient renewable energy components are becoming possible thanks to developments in electroplating techniques like composite plating and selective plating. When considering electro plating's future in relation to renewable energy technologies, there are a lot of opportunities for development and innovation.***

***Keywords: Electroplating, Environment, Renewable energy, sustainable development.***

## I. INTRODUCTION

Electroplating plays a broad and crucial role in renewable energy technologies. In addition to supporting the expansion of renewable energy, electroplating helps achieve the more general environmental objectives of lowering carbon footprints and encouraging sustainable industrial practices by making it possible for more resilient, efficient, and sustainable energy solutions. The field of renewable energy technologies greatly benefits from the use of environmentally friendly electroplating. Advanced electroplating techniques have the potential to significantly increase the longevity and efficiency of a variety of renewable energy systems, such as wind turbines and solar panels. Due to the growing need for efficient and sustainable energy solutions, electroplating which has historically been used for decorative purposes, corrosion protection and improving the electrical conductivity of components is now playing a crucial role in the renewable energy industry. The shift to renewable energy sources such as solar, wind and hydropower has been made important as the world community intensifies its efforts to combat climate change. Electroplating plays a critical role in this green revolution in improving the performance, life and efficiencies of the renewable energy systems. Electroplating, for example, is used in solar panels to produce highly conductive and corrosion resistant layers that improve photovoltaic cell efficiency(ProPlate, n.d.). Electroplated parts in wind turbines can also endure severe weather, greatly increasing the installations' dependability and lifespan. Electroplating has always played a huge part in the renewable energy field, not only amping up production of current technologies but also innovating and making new technologies possible. Advances in such electroplating methods as composite plating and selective plating are making possible lighter, more solid, and more energy-efficient renewable energy parts and components. As it has been shown in recent analyses, the global market of electroplating is expected to grow steadily in the next decade, reaching the range of ~3-6 percent CAGR (Mordor Intelligence, 2025; Lucintel, 2024; Global Industry Analysts, 2025; Industry ARC, 2024). This is an indicator that electroplating technologies are becoming compatible with renewable energy and sustainability goals. The future of the field is associated with a promising period of energy technologies advancement, when traditional ways are combined with modern needs of the clean and sustainable future. With the advent of renewable energy technologies, electroplating a process that has been essential to manufacturing for more than a century is undergoing a revolutionary comeback. Furthermore, the global movement towards sustainable manufacturing practices is in line with the development of ecofriendly electroplating processes. The important role that cutting edge electroplating technologies are positioned to play in the rapidly expanding renewable energy sector is highlighted by this convergence of innovation and sustainability(Gugua, Ujah, Asadu, Von Kallon, & Ekwueme, 2024). Additionally, electroplating has the potential to transform energy storage devices like supercapacitors and batteries, which are essential to the use of renewable energy sources (Sadeghi, 2019)(Bellani et al., 2019).

©IJRASET: All Rights are Reserved 

Electroplating can be used to precisely layer materials at the molecular level, which can aid in the design of batteries that have longer lifespans, higher charging rates, and greater power storage. Advances in the functionality and efficiency of renewable energy systems are made possible by the ability to modify the characteristics of electroplated layers at the atomic level. (Dai, 2020) The manufacturing of energy components may undergo a substantial change in the upcoming years as more research and development is directed towards this field, resulting in more efficient and sustainable energy solutions globally.

## II. ENVIRONMENTAL ISSUES

Conventional electroplating normally depends on the hexavalent chromium (Cr(VI))-based and cyanide-based electrolytes, which are highly dangerous to the environment and human health. The toxicity of Cr(VI) is considerably more harmful than the one of Cr(III) and is ranked as carcinogenic (Wise et al., 2022)Beyond toxic effluents, electroplating operations powered by fossil-derived electricity contribute indirectly to greenhouse gas emissions, making sustainability a dual challenge of chemical safety and energy sourcing. In the metal plating industry, environmentally friendly electroplating is essential for both safety and pollution control(Bender et al., 2022). By implementing environmentally friendly development strategies, the electroplating industry should eliminate the majority of its hazardous waste. Lead, thallium, cadmium, mercury, arsenic, chromium, copper, nickel, and antimony are among the most hazardous heavy metals that are utilised in industrial processes and are major environmental contaminants.




## III. ECO-FRIENDLY ELECTROPLATING PROCESSES FOR ENVIRONMENTAL SUSTAINABILITY

Over the recent years, the issue of environmentally sustainable technologies has become more significant. Electroplating is extremely polluting, yet the invention of new technologies has resulted in more eco-friendly electroplating procedures. As businesses and authorities look for more environmentally friendly production methods, eco-friendly electroplating techniques are becoming more and more significant. Metal coatings are applied to objects using conventional electroplating techniques to improve their resistance to corrosion, wear, and as well as their visual appeal. But these traditionalmethods frequently involve the use of dangerous chemicals, such as cyanides and heavy metals, which are harmful to the environment and human health. The goal of the ecofriendly electroplating movement is to increase the energy efficiency of the plating processes while minimising or doing away with the use of these hazardous materials. To counter the problem, they are developing newer greener electroplating processes. Among them, there is the replacement of plating solutions with alternative, non-toxic and biodegradable electrolytes; introduction of close-loop recycling systems to minimize waste inefficiency. Advances such as trivalent chromium baths, non-cyanide zinc processes, and closed-loop recycling systems are reducing hazardous waste and energy use (Islam et al., 2024; Cannon Industrial Plastics, n.d.; Giurlani et al., 2024).

A key component of this change is the use of non-toxic metals and alloys, water-based solutions rather than organic solvents, and sophisticated waste treatment technologies. Technological advancements such as pulse plating,(Cannon Industrial Plastics, n.d.) which applies electrical current in surges rather than continuously, can enhance plating quality while lowering waste and energy usage. Ionic liquids and pulse/pulse-reverse plating have better control of grain size, porosity and adhesion with less toxic additive requirements (Costa, Costa, Almeida Neto, 2022; Chandrasekar Pushpavanam, 2008).Closed-loop wastewater systems using electrodialysis, ion exchange, and electrolytic recovery have shown metal recovery efficiencies above 80–90% in case studies, though results depend on chemistry and scale (Gurreri et al., 2020; Kim et al., 2022; Guo et al., 2024).The use of environmentally friendly electroplating is probably going to increase as renewable technologies continue to progress.

In line with the overarching objectives of the renewable energy industry, research is being done to optimise these techniques to consume less energy and resources. Furthermore, the creation of new, less hazardous plating materials and the enforcement of more stringent waste management laws in industrial operations will keep pushing advancements in this area. This convergence of environmental sustainability initiatives and electroplating technology is expected to be critical to the global scalability and efficacy of renewable energy solutions. Heavy metals in particular are harmful air pollutants produced by electroplating techniques. Chromium and nickel, two of the most popular decorative plating metals, are also potentially hazardous to human health; one of them, namely chromium, is considered to be potentially carcinogenic. Thus research and development about increased safety and sustainability of electroplating processes (materials start-ups) are done. Environment-friendly chromium plating methods—favouring Cr(III) over toxic Cr(VI)—are increasingly adopted to mitigate health and environmental risks(Islam, Hasan, Poroma, & Akter, 2024). As a result, there has been the provision of sustainable solutions for chrome plating by allowing for electroplating for both functional and decorative applications.

## IV. ELECTROPLATING IN WIND TURBINE PRODUCTION


The process of electroplating is used in wind turbines to prevent corrosion and wear on vital metal parts. Because wind turbines operate in harsh conditions, their metal components must be coated to resist moisture, salt, and extremely high or low temperatures.Electroplated coatings are important to offshore wind turbines being in the atmospheric zone, where there is splash zone and submerged zone. Anticorrosive galvanic layers, e.g., zinc-, nickel-, and aluminum-based, are established to fight corrosion, where field and accelerated testing is also used to qualify against standards such as ISO 12944 and NORSOK (Marinova et al., 2022; -Juhl et al., 2023; Momber,2011). Notably, coating life is not only a function of material selection but also a factor of workmanship, installation and site corrosivity, and therefore, requires stringent QA/QC considerations (Marinova et al., 2022; -Juhl et al., 2023). Environmentally friendly electroplated nickel and copper enhance corrosion resistance, and this increases the duration of service in offshore turbines (Arrow Electro-Plating, n.d.; Wind Systems, 2020).In order to produce wind turbines, an essential part of renewable energy technology, electroplating is essential(Michele-Admin, 2020). The main application for this process is the production of different metal wind turbine parts, like gears, bearings, and other parts that need protective coatings to endure severe weather conditions and stop corrosion, wear, and tear over time. The robustness and lifespan of these components are enhanced by electroplating which explains its importance in the manufacturing process of wind turbines. One of the most important protective structures against oxidative elements and mechanical forces is electroplating that involves the application of a thin coating of metal, i.e. copper or nickel, to the surface of turbine components ( Arrow Electro-Plating, n.d.). Because wind turbines are frequently subjected to extremely corrosive offshore environments or unpredictable land weather, this is especially crucial.

## V. ELECTROPLATING IN SOLAR PANEL MANUFACTURING

Electroplating is essential to solar panel manufacturing in order to extend the panels' lifespan and efficiency. As the demand for renewable energy sources increases, the solar power industry is looking for ways to maximise solar panel performance and production. In the production of solar cells, electroplating process which entails the deposition of metal layer of few micron onto a surface has a number of advantages, especially in producing the photovoltaic cells upon which the conversion of sunlight into electrical energy is greatly dependent. Deposition of metal contacts to silicon wafers is one of the major uses of the electroplating process. This is due to the fact that they form the grid marks on the surface of the photovoltaic-cells that work towards the collection of the electrons in order to generate electric current. These metal contacts are essential. Silver's superior electrical conductivity has led to its traditional use. A thin layer of silver can be evenly and precisely applied by electroplating, which maximises conductivity while using the least amount of material possible. In addition to being cost effective, this shows that the solar panels' overall efficiency has increased. In the context of renewable energy technologies, especially solar energy, electroplating's future is becoming more and more linked to developments meant to lower expenses and lessen their effects on the environment( Rana et al., 2025).Silver is the dominant contact material in photovoltaic cells, but its high cost and scarcity are bottlenecks. Electroplating metallization has demonstrated comparable long-term stability and conductivity in Topcon cells, and heterojunction cells, with copper (Zeng et al., 2022; Hatt et al., 2021). The Fraunhofer ISE (2024) reports also success on the work of copper plating at industrial scale. Replacing silver with copper will save the expenditure and is more sustainable, since it will help to cut reliance on rare metals.The need to create environmentally friendly electroplating methods is growing along with the global emphasis on sustainability. Alternative, nontoxic metal sources are being investigated by researchers, who are also creating electroplating solutions that use recycled materials, use less energy, and generate less waste.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |


Another positive sign is the exploration of alternative materials such as copper and nickel that can eventually replace silver in certain applications and reduce further costs in addition to the improved sustainability in the manufacturing of solar panels (Jeeva, Narayanan, & Karthikeyan, 2016). Furthermore, as technology advances, electroplating processes become more accurate and faster, increasing production rates a crucial component in supplying the growing demand for solar energy. All things considered, electroplating is expected to be crucial to the development of solar panel technology, helping to achieve the dual objectives of improving solar panel performance and expanding the accessibility and sustainability of renewable energy technologies globally. Electroplating technology is expected to have an even greater impact on the renewable energy industry as it continues to advance.




## VI. ELECTROPLATING FOR ENHANCED ENERGY STORAGE SOLUTIONS

In the future, electroplating will play a fundamental role in energy storage mechanisms related to the realization of renewable energy forms. The question of electroplating technology can potentially emerge because people will have more of a demand of batteries that are of a higher durability and efficiency (Graphene-Info, 2024). Enhancing the longevity and performance of battery electrodes is the main benefit of electroplating in energy storage.Electroplating can improve the conductivity of the electrode and increase its surface area by applying a thin layer of particular metals or alloys to the electrode surfaces. This is advantageous for accelerated ionic exchange.

In the development of renewable energy technologies, electroplating for improved energy storage solutions is a cutting-edge use of electroplating technology. Energy storage systems may undergo a revolution if cuttingedge materials like graphene are incorporated into electroplating procedures(Bongu, 2024).The performance of battery electrodes could be greatly improved by electroplating graphene, which is renowned for its extraordinary electrical conductivity and mechanical strength. . This approach could reduce the weight and size of batteries while increasing their capacity and charging speed, thus playing a critical role in the scalability of renewable energy solutions like electric vehicles and grid storage systems(Lavagna, 2020).



*ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538*
*Volume 13 Issue IX Sep 2025- Available at www.ijraset.com*

## VII. USE OF ADVANCED ELECTROPLATING MATERIALS FOR SUSTAINABILITY


Traditional electroplating methods involve the use of toxic and hazardous chemicals, such as cyanide and chromium, which pose a significant risk to human health and the environment. These chemicals have metallic constituents with most of them largely composed of heavy metals having relatively high densities, higher tensile strength-+. Modern electroplating materials are essential for improving the functionality of a wide range of consumer and commercial goods.For many years, electroplatinghas been a crucial step in manufacturing. It has been used to increase wear resistance, decrease friction, improve electrical conductivity, and improve corrosion resistance, among other advantages. An important development in this field is the incorporation of advanced materials into electroplating processes, which promise better qualities and lead to new and creative applications, especially in high-tech industries. The choice of electrode material is critical for the electroplating process, as it determines the deposition rate, quality, and efficiency of the coating. Researchers are exploring new electrode materials, such as carbon-based materials, graphene, and 2D materials as shown in which offer several advantages over traditional electrode materials, including higher conductivity, improved mechanical properties, and reduced toxicity. The development of new electrode materials could lead to more efficient, sustainable, and cost-effective electroplating processes (Zhu, 2014).

Electroplating is common among metals such as nickel, copper and chromium due to their chemical functionalities that make them resist corrosion and conduct electricity exceptionally well. Yet, more of these characteristics can be enhanced through the use of sophisticated materials such as nano coatings, alloys and composite materials. Renewable energy technologies are well-known as one of the imperative purposes to study advanced materials in electroplating. With the world heading towards a greener form of energy solutions, there has been a swell in demand of more efficient and lasting parts

## VIII. FUTURE TRENDS AND PROSPECTS OF SUSTAINABLE ELECTROPLATING

As far as materials science, robotics, and automation progress, the future of electroplating looks bright and will evolve just as technology trends and technologies do. Nevertheless, with reduced market demands, the industry is going to change further and manufacturers who will be able to adapt to that dynamic will prevail in long term. However, with the advent of new plating technologies, environmentally friendly materials and more specific applications, there is a possibility to gain even more innovations and development (Egorov, Gulzar, Zhang, Breen, & O'Dwyer, 2019).

The trend towards electric and hybrid vehicles; artificial intelligence, internet of things, and nano- and pico-sized electronic devices; will likely create new opportunities for electroplating, as these coming technologies require new materials, coatings and processes where electroplating will be employed.Sensors, AI, and real-time monitoring are being integrated into plating lines to optimize deposition quality and reduce variability . Coatings for extreme environments (offshore wind) and graphene-based electrodes for storage are expected to dominate future research (Juhl et al., 2023; Dai, 2020).



## IX. CONCLUSION


Future developments in electroplating for renewable energy technologies are probably going to concentrate on creating plating technologies that are more effective and sustainable. By reducing hazardous waste and increasing resource efficiency, the electroplating industry must adjust to the growing demand for cleaner energy solutions.The environmental impact could be greatly decreased by innovations such as the recycling of metals from used components and the use of nontoxic solvents. Furthermore, by using real time monitoring and control systems, the incorporation of smart technologies into electroplating could optimise production processes, resulting in lower error rates and higher quality coatings. Because of this, electroplating in renewable energy technologies appears to have a bright future ahead of it, with the potential to make major contributions to energy security and environmental sustainability. Electroplating helps achieve the larger environmental objectives of lowering carbon footprints and encouraging sustainable industrial practices by making it possible for more resilient, efficient, and sustainable energy solutions. This helps to support the expansion of renewable energy.

## REFERENCES

[1] ProPlate. (n.d.). The future of electroplating in renewable energy technologies. Retrieved August 19, 2025, from https://www.proplate.com/the-future-of-electroplating-in-renewable-energy-technologies/
[2] Mordor Intelligence. (2025). Electroplating market—Growth, trends, and forecast (2025–2030). Retrieved from https://www.mordorintelligence.com/industry-reports/electroplating-market
[3] Lucintel. (2024). Electroplating market report: Trends, forecast and competitive analysis to 2030 [Market research]. Retrieved from https://www.lucintel.com/electroplating-market.aspx
[4] Global Industry Analysts. (2025, February 4). Electroplating market to reach USD 26.0 billion by 2030 [Press release]. Retrieved from https://www.giiresearch.com/report/go1648899-electroplating.html
[5] Industry ARC. (2024). Electroplating market projected to reach USD 24.8 billion by 2030 at 3.6% CAGR [Social media post]. Retrieved from https://t.ly/XFgg-
[6] Gugua, E. C., Ujah, C. O., Asadu, C. O., Von Kallon, D. V., & Ekwueme, B. N. (2024). Electroplating in the modern era, improvements and challenges: A review. Hybrid Advances,7,100286. https://www.sciencedirect.com/science/article/pii/S2773207X24001477?via%3Dihub
[7] Sadeghi, E. (2019). Advances in corrosion-resistant thermal spray coatings for renewable energy power plants: Part II—Effect of environment and outlook. Journal of Thermal Spray Technology. https://link.springer.com/article/10.1007/s11666-019-00938-1
[8] Bellani, S., Petroni, E., Del Rio Castillo, A. E., Curreli, N., Martín-García, B., Oropesa-Nunez, R., … Bonaccorso, F. (2019). Scalable production of graphene inks via wet-jet milling exfoliation for screen-printed micro-supercapacitors. arXiv. https://arxiv.org/abs/1903.08965
[9] Dai, C. (2020). Recent progress in graphene-based electrodes for flexible batteries. InfoMat. https://onlinelibrary.wiley.com/doi/10.1002/inf2.12039
[10] Wise, J. P. Jr., Young, J. L., Cai, J., & Cai, L. (2022). **Current understanding of hexavalent chromium [Cr(VI)]: Neurotoxicity and new perspectives.** Environment International, 158, Article 106877. https://www.sciencedirect.com/science/article/pii/S0160412021005O2X?via%3Dihub
[11] European Federation of Corrosion (EFC). (2022). Corrosion challenges towards a sustainable society[White paper]. Retrieved from https://efcweb.org/efcweb2019_media/Documents/WCO%2B_%2BEFC%2BWhite%2BPaper2022%2B_%2BMaterials%2Band%2BCorrosion-p-2134.pdf
[12] Islam, M. S., Hasan, M. J., Poroma, P., & Akter, S. (2024). A review on the environment friendly electroplating of Cr(III) & Cr(VI). Journal of Science and Engineering Papers, 1(1), 31–39. https://jsciengpap.com/a-review-on-the-environment-friendly-electroplating-of-cr-iii-cr-vi/
[13] Cannon Industrial Plastics. (n.d.). Revolutionizing metal finishing with eco-friendly electroplating. Retrieved August 19, 2025, from https://cannonindustrialplastics.com/blog/eco-friendly-electroplating/
[14] Giurlani, W., Pappaianni, G., Biffoli, F., Mariani, E., Bonechi, M., Giliberti, L., … Innocenti, M. (2024). What is the current state of sustainability in the decorative electroplating industry? Sustainability, 16(13), 5821. https://www.mdpi.com/2071-1050/16/13/5821
[15] Costa, J. G. d. R. d., Costa, J. M., & Almeida Neto, A. F. d. A. (2022). Progress on electrodeposition of metals and alloys using ionic liquids as electrolytes. Metals, 12(12), 2095. https://www.mdpi.com/2075-4701/12/12/2095
[16] Chandrasekar, M. S., & Pushpavanam, M. (2008). Pulse and pulse reverse plating—Conceptual, advantages and applications. Electrochimica Acta, 53(8), 3313–3322. https://www.sciencedirect.com/science/article/abs/pii/S0013468607014065?via%3Dihub
[17] Gurreri, L., Tamburini, A., Cipollina, A., Micale, G., & Ciofalo, M. (2020). Electrodialysis applications in wastewater treatment and resources recovery. A Systematic Review on Progress and Perspectives. https://www.mdpi.com/2077-0375/10/7/146
[18] Kim, J., Yoon, S., Choi, M., Min, K. J., Park, K. Y., Chon, K., & Bae, S. (2022). Metal ion recovery from electrodialysis-concentrated plating wastewater via pilot-scale sequential electrowinning/chemical precipitation. Journal of Cleaner Production, 330, 129879.. https://www.sciencedirect.com/science/article/abs/pii/S095965262104049X?via%3Dihub
[19] Guo, S., Wang, H., Liu, X., Zhang, Z., & Liu, Y. (2024). Approaches for the treatment and resource utilization of electroplating sludge: A review. Materials, 17(7), 1707. https://www.mdpi.com/1996-1944/17/7/1707
[20] Marinova, N., Urbegain, A., Benguria, P., Travé, A., & Caracena, R. (2022). Evaluation of anticorrosion coatings for offshore wind turbine monopiles for an optimized and time-efficient coating application. Coatings, 12(3), 384. https://www.mdpi.com/2079-6412/12/3/384
[21] Juhl, M., Hauschild, M. Z., & Dam-Johansen, K. (2023). Sustainability of corrosion protection for offshore wind turbine towers. Progress in Organic Coatings, 186, Article 107998. https://www.sciencedirect.com/science/article/abs/pii/S0300944023005945?via%3Dihub
[22] Momber, A., Marquardt, T., & Plagemann, P. (2011). Corrosion protection systems for offshore wind power structures. International Journal of Corrosion, 2011, 1–
17. https://www.researchgate.net/publication/230263739_Corrosion_and_corrosion_protection_of_support_structures_for_offshore_wind_energy_devices_OWEA

[23] Arrow Electro-Plating. (n.d.). Electro-chemical metallizing process for wind turbines. Retrieved August 19, 2025, from https://www.arrowelectroplating.com/WIND_TURBINES.html
[24] Wind Systems Magazine. (2024). Why not go tank plating? Retrieved August 19, 2025, from https://www.windsystemsmag.com/winding-down-maintenance-costs/
[25] Rana, Z., Zamora, P. P., Soliz, A., Soler, D., Reyes Cruz, V. E., Cobos-Murcia, J. A., & Galleguillos Madrid, F. M. (2025). Solar panel corrosion: A review. International Journal of Molecular Sciences, 26(13), 5960. https://www.mdpi.com/1422-0067/26/13/5960
[26] Zeng, Y., Peng, C.-W., Hong, W., & Wang, S. (2022). Review on metallization approaches for high-efficiency silicon heterojunction solar cells. https://journal.hep.com.cn/transtju/EN/10.1007/s12209-022-00336-9?utm_source=chatgpt.com
[27] Hatt, T., Fecioru-Morariu, M., Kluska, S., & Reineke-Koch, R. (2021). Stable copper plated metallization on SHJ solar cells & process notes (Fraunhofer ISE conference paper / report). https://www.ise.fraunhofer.de/content/dam/ise/de/documents/publications/conference-paper/38th-eupvsec-2021/Hatt_2DV3.pdf?
[28] Sphinxsai. (2016). A review on black coatings for solar energy storage: selective coatings via electroplating. Sphinxs AI, 9(3), 589–596. Retrieved from https://www.sphinxsai.com/2016/ch_vol9_no3/2/(589-596)V9N3CT.pdf
[29] Graphene-Info. (2024, July 4). Graphene batteries: Introduction and market news. Retrieved from https://www.graphene-info.com/graphene-batteries
[30] Bongu, C. S. (2024). Graphene/2D composite materials for lithium batteries and hydrogen storage and production applications. Sustainable Energy & Fuels, d4se00497c. https://pubs.rsc.org/en/content/articlelanding/2024/se/d4se00497c
[31] Lavagna, L. (2020). Graphene and lithium-based battery electrodes: A review. Energies, 13(18), 4867. https://www.mdpi.com/1996-1073/13/18/4867
[32] Zhu, J. (2014). The application of graphene in lithium ion battery electrode materials. SpringerPlus, 3, 585. https://springerplus.springeropen.com/articles/10.1186/2193-1801-3-585
[33] Egorov, V., Gulzar, U., Zhang, Y., Breen, S., & O'Dwyer, C. (2019). Evolution of 3D printing methods and materials for electrochemical energy storage. arXiv. https://arxiv.org/abs/1912.04400

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)