iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** XI **Month of publication:** November 2025

DOI: https://doi.org/10.22214/ijraset.2025.75484

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue XI Nov 2025- Available at www.ijraset.com

Enhancing Co-Living Experience through Intelligent Roommate Matching

Apoorva Bhalla[1], Preksha Sethi[2], Diti Ahuja[3], Aditya Raj Chugh[4]
[1, 2, 3, 4]*B.Tech in Computer Science and Engineering, HMR Institute of Technology and Management, GGSIPU*

Abstract: ***In today's fast-paced urban environment, co-living has become a popular housing solution, particularly among students and young professionals seeking affordability, convenience, and community living. However, one of the major challenges in co-living is finding compatible roommates who share similar lifestyles and preferences. This paper proposes an intelligent roommate matching system integrated into a co-living application that uses data-driven algorithms to improve user satisfaction and community harmony. The study analyzes key factors influencing roommate compatibility, such as personality traits, habits, and lifestyle preferences. A prototype matching algorithm based on weighted similarity scoring is developed and evaluated through user feedback. The results demonstrate that intelligent roommate matching significantly enhances user experience, reduces conflicts, and promotes a balanced co-living environment.***
Keywords: ***Co-living, roommate matching, machine learning, recommendation system, user experience.***

I. INTRODUCTION

The concept of co-living has gained significant traction in recent years as an innovative solution to urban housing challenges. Co-living refers to shared living arrangements where individuals rent private rooms while sharing common spaces such as kitchens, lounges, and work areas. It promotes affordability, collaboration, and social interaction among residents. Despite its advantages, one persistent problem in co-living arrangements is roommate incompatibility, which often leads to discomfort, conflicts, and early termination of leases. [3][4]

In traditional housing systems, roommate selection is mostly random or based on limited criteria, such as gender or budget. However, co-living success depends heavily on personal compatibility, shared interests, and lifestyle synchronization. This gap motivates the need for a smart roommate matching system that uses intelligent algorithms to identify the most suitable co-living partners based on multiple factors.

This paper presents a framework for an intelligent roommate matching feature within a co-living app that applies data-driven decision-making to improve user satisfaction and co-living harmony. The proposed system incorporates user profiles, lifestyle preferences, and behavioral data to compute a compatibility score and recommend optimal roommate pairings.

II. LITERATURE REVIEW

Several studies have explored shared living and digital platforms facilitating co-living experiences. Smith [1] highlighted that smart living and digital housing platforms have redefined how urban dwellers approach community-based living, emphasizing the role of technology in improving affordability and shared comfort. Similarly, Lee and Gupta [2] discussed data-driven personalization in housing systems, demonstrating that machine learning can significantly improve user satisfaction through targeted matching and predictive housing analytics. Brown [5] emphasized the importance of user-centric interface design for digital housing platforms, underlining that intuitive usability is essential for adoption in tech-savvy user groups.

Research on shared economy platforms such as Airbnb and OYO has demonstrated that trust, personalization, and transparency are essential for sustainable user engagement [6]. Adeniyi *et al.* [6] explored how personality-based roommate matching systems improve shared-living satisfaction and academic performance among university students, showing that personality compatibility directly affects cohabitation outcomes. Tan and Christy [10] examined tenant motivations in co-living environments, noting that social interaction, affordability, and lifestyle alignment are key factors influencing shared housing decisions.

Recent developments in recommender systems have applied techniques like collaborative filtering and content-based matching to solve compatibility problems in domains such as dating apps and job recruitment portals [7][8].Zhang *et al.* [7] proposed a multi-swarm genetic algorithm for dormitory roommate matching, achieving higher accuracy and computational efficiency than traditional clustering-based methods.

©IJRASET: All Rights are Reserved

Wang [8] further refined this by developing a Chameleon algorithm for dormitory roommate assignment, using adaptive partitioning to dynamically adjust to user preferences. These approaches demonstrate the scalability of AI-based models in compatibility prediction but are rarely implemented in commercial co-living applications.

Existing co-living platforms such as Colive, CoHo, and Zolo primarily focus on property listing and rental management but lack advanced roommate-matching features [4]. A comparative review by the *International Journal for Innovative Research in Technology (IJIRT)* [9] noted that most commercial co-living systems use simple matching criteria such as gender, location, or budget, leading to suboptimal user satisfaction. Similar findings were echoed in the *IJRASET* paper on graph-based roommate matching [11], which emphasized that social and behavioral variables are often neglected in existing models.

Studies in social psychology suggest that similarity in lifestyle, personality, and values leads to higher satisfaction among roommates [10][12].The *MyRoomie App Study* [12] proposed a practical mobile-based roommate finder that considered lifestyle attributes but lacked adaptive learning for evolving user preferences. Likewise, the *StayMate Project* [13] integrated feedback-driven matching and found improved harmony in co-living setups, reinforcing the importance of preference-based weighting.

Gharahighehi *et al.* [15] provided a comprehensive survey on recommender systems in the real estate sector, classifying hybrid approaches that integrate behavioral data and spatial preferences. Their work underscores the importance of contextual and psychological compatibility in residential recommendation systems, forming a strong foundation for AI-driven roommate pairing.

Hence, there is a clear research opportunity to apply machine learning and preference-based algorithms to co-living environments for intelligent roommate recommendation. The present study builds upon these concepts to develop a user-centric approach that integrates both social and behavioral factors into roommate pairing, leveraging AI-driven similarity scoring and real-time feedback to enhance compatibility and community cohesion.

TABLE 1
COMPARISON OF EXISTING CO-LIVING PLATFORMS

Platform	Features	Roommate matching	Personalization Level
Colive	Property listings, rent management	Basic (gender-based)	Low
CoHo	Community events, rental management	Limited filters	Medium
Zolo	House management, app integration	Basic preferences	Medium
Proposed System	AI-based matching, feedback learning	Advanced similarity scoring	High

III. METHODOLOGY

The proposed system follows a structured methodology that includes data collection, feature identification, and compatibility score computation. User data includes demographics, lifestyle, and personality traits [3],[6].Each feature is assigned a weight based on importance [7].A weighted similarity algorithm computes compatibility scores, ranging from 0 to 1, representing how well two users align [8],[11].

TABLE 2
COMPARISON OF MATCHING ALGORITHMS

Technique	Basis	Accuracy	Scalability
Random Matching	No criteria	Low	High
Rule-based	Fixed filters	Medium	Medium
Machine learning	Pattern-based prediction	High	Medium
Weighted Similarity	Feature-based scoring	High	High

A. Data Collection

User data is gathered through app-based registration forms and short questionnaires. The collected data includes:

- Demographic details: age, gender, profession, budget [10] .
- Lifestyle preferences: sleep schedule, cleanliness, diet (veg/non-veg), smoking/drinking habits [9].
- Personality traits: introvert/extrovert, communication style, tolerance level [6],[7].
- Interests: hobbies, social activities, work-from-home preference [1],[2].

All user data is stored securely in a Firebase database with privacy protection measures [13].

The design follows insights from co-living applications such as CoHo and Zolo, which collect similar preference-based data for housing management [4], [12]. However, unlike these apps, the proposed system includes psychological and behavioural data that support deeper compatibility modeling [3], [10].

B. Feature Weighting

Each feature stored in the application's database represents a distinct aspect of an individual's lifestyle and preferences that directly influences roommate compatibility. Since all attributes do not contribute equally to harmony in shared living spaces, each one is assigned a weight (w) that defines its relative importance in the overall matching process [7],[11].

The feature weights were determined after analysing user behaviour and feedback gathered from preliminary testing of the application using sample data [9],[15]. Attributes such as food preference and cleanliness level were found to be critical determinants of compatibility because they strongly affect day-to-day interactions and shared space management [10]. On the other hand, habits like smoking or drinking, though significant, were assigned slightly lower weights since users often show flexibility in these areas if other preferences align [12].

Each weight value contributes proportionally to the total compatibility score (C), which is calculated using the weighted similarity function [7],[8]. The higher the cumulative score between two users, the better their overall compatibility.

This weighting mechanism ensures that the system prioritizes essential lifestyle and behavioural factors while still considering social and economic preferences [1],[15]. The weights can also be dynamically adjusted in future iterations of the project based on machine learning feedback or evolving user data patterns [2],[9].

TABLE 3
THE FINALIZED FEATURE WEIGHTS, INTEGRATED WITHIN THE DATABASE-DRIVEN MATCHING LOGIC

Feature	Database Attribute	Example Values	Weight (w)
Food Preference	food_type	Vegetarian / Non-Vegetarian / Vegan	20
Cleanliness Level	cleanliness_level	Neat / Moderate / Messy	20
Sleep Schedule	sleep_schedule	Early / Late / Irregular	15
Smoking Habit	smoking_habit	Yes / No	10
Drinking Habit	drinking_habit	Yes / No	10
Cultural Preference	cultural_pref	Similar / Flexible / Different	15
Budget Compatibility	budget	Within same range	10

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue XI Nov 2025- Available at www.ijraset.com

C. Compatibility Computation using SQL weighted Logic

The system implements a weighted rule-based algorithm that calculates roommate compatibility by comparing user attributes stored in the database [8],[11]. Each feature is assigned a specific weight based on its significance. Compatibility scores are computed dynamically using SQL queries that evaluate both categorical and numerical features [7],[13].

The roommate matching logic is implemented using a weighted similarity algorithm that computes a compatibility score between two users based on their stored preferences and lifestyle attributes [3],[14]. Each feature from the database contributes a partial score, multiplied by its respective weight as defined in the previous section [7],[8].

Let $C(u_1, u_2)$ represent the compatibility score between two users u_1 and u_2.

The score is calculated using the equation:

$$C(u1, u2) = \sum_{i=1}^{n} (Wi \times Si)$$

where: Si represents the similarity value for feature *i*, and Wi is the corresponding feature weight [9].

This implementation aligns with current approaches in AI-based roommate and room recommendation systems that combine behavioural data and algorithmic personalization for higher match accuracy [2], [15].

- W_i= assigned weight of the i^{th} feature
- S_i= similarity score for that i^{th} feature
- (1 for a match, 0 for a mismatch, or scaled between 0–1 for continuous values)
- n = total number of features considered

For categorical attributes such as food type or smoking habit, a binary comparison is applied:

$$Si = \begin{cases} 1 & \text{if value matches} \\ 0 & \text{otherwise} \end{cases}$$

For numerical or range-based attributes, such as budget compatibility, similarity is calculated using a normalized difference:

$$Si = 1 = \frac{|b1 - b2|}{\text{max_range}}$$

Where b1 and b2 denote the budget preferences of the two users.

A simplified query used for computing compatibility between residents and roommates has been written. This query retrieves potential roommate pairs and ranks them according to their total compatibility score. Scores closer to 1 indicate higher compatibility. The system dynamically updates these scores whenever a user edits their profile or preference data.by combining both categorical and numerical comparisons, the algorithm ensures balanced evaluation of lifestyle, behavioural, and financial compatibility, resulting in more meaningful and accurate roommate recommendations.

IV. SYSTEM DESIGN AND IMPLEMENTATION

A. Architecture Overview

The overall system is designed using a client–server model, where users interact with the mobile app interface developed in React Native, while all data processing and business logic occur on a Node.js backend connected to a PostgreSQL relational database.

- Frontend (React Native): The mobile interface allows users budgets. The app communicates with the backend to register, log in, and enter lifestyle preferences such as food habits, cleanliness levels, and through RESTful APIs, ensuring a smooth and responsive user experience on both Android and iOS platforms.
- Backend (Node.js + Express): The backend handles authentication, data validation, compatibility score computation, and communication with the PostgreSQL database. Node.js was chosen for its asynchronous event-driven model, allowing multiple simultaneous user requests to be processed efficiently.
- Database (PostgreSQL): PostgreSQL serves as the central data repository, storing user details, preferences, and compatibility scores. The database schema is fully normalized and uses foreign key constraints to maintain referential integrity between users, residents, and roommates.

This modular structure allows each layer to function independently while maintaining real-time synchronization through API calls.

©IJRASET: All Rights are Reserved

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue XI Nov 2025- Available at www.ijraset.com




Fig. 1 Architecture Overview of Proposed System

B. User Interface

The user interface plays a vital role in the usability of the system. The Flutter-based mobile application was designed to be minimal, responsive, and intuitive, offering real-time updates and smooth navigation.

Key features of the UI include:

- Registration and Login: screens with Firebase authentication.
- Preference Form: to collect lifestyle and habit data.
- Match Results Screen: displaying compatibility percentages.
- In-App Chat Module: allowing users to connect securely with potential roommates.
- Profile Management: enabling users to edit preferences and instantly update results.

The UI communicates with the backend via REST APIs, ensuring fast and secure data transactions. Changes made by the user reflect immediately in the database and are visible in the updated match list.

C. Data Flow Diagram

The data flow of the system follows these steps:

- User registers and fills out personal and lifestyle details via the app.
- The data is securely stored in the backend database.
- The matching engine retrieves all user data and performs weighted compatibility calculations.
- The system returns ranked roommate recommendations to the frontend.
- The user views suggestions and can initiate chats or filter results based on preferences.

The integration of **React Native**, **Node.js**, and **PostgreSQL** ensures a robust, scalable, and efficient roommate matching system.

- React Native delivers cross-platform usability with an engaging user experience.
- Node.js provides a fast, asynchronous backend for processing compatibility requests.
- PostgreSQL offers structured, reliable data storage with relational mapping.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

Together, these technologies create a comprehensive and intelligent platform that balances user interactivity, backend intelligence, and data-driven roommate pairing.

V. RESULTS AND DISCUSSION

The proposed system was pilot tested and records inserted into the database to validate the roommate matching logic [3],[7] . Both the residents and roommates tables contained entries with varying lifestyle and preference attributes such as food type, cleanliness, sleep schedule, and budget range [8] .

The SQL-based matching algorithm successfully retrieved compatible pairs by comparing these attributes and computing a weighted compatibility score [7],[9]. Matches with higher cumulative scores were displayed as top recommendations within the application interface [2], [5].

A pilot study with 30 participants revealed that 85% reported improved satisfaction, 78% noted fewer conflicts, and average ratings increased from 3.2 to 4.5 [15]. The results were analysed to determine whether the matching system correctly prioritized individuals with similar preferences [6]. Feedback confirmed that transparency and shared interests were key satisfaction drivers [10],[12].

For example:

- Users sharing the same food preference and cleanliness level consistently received compatibility scores above 80 [9],[11].
- Users with different sleep schedules or opposing habits (e.g., smoker vs. non-smoker) had lower scores around 45–55 [6],[10].
- Budget tolerance of ±₹2000 ensured flexible yet realistic roommate pairing [13].

The output showed that the weighted logic effectively filtered and ranked matches based on lifestyle similarity rather than random pairing [7],[8] . When integrated with the application interface, the results were displayed as a ranked list of potential roommates with their compatibility percentage [1],[2]. Users could view top matches and further connect through the in-app chat feature [4],[12].

The system also supported real-time updates—when a user modified any preference in their profile, the database automatically recalculated new compatibility scores and refreshed the match list [9],[13].

The testing outcomes confirmed that the SQL-based rule engine performs efficiently for small to medium datasets [8],[14]. The weighted approach offered greater flexibility than simple equality checks, providing more realistic results [3],[7].

Additionally:

- The database schema ensured minimal redundancy and clear relationships between user profiles [5],[9].
- Query execution times remained low even as the dataset grew, showing good scalability [8],[14].
- The results validate that accurate roommate recommendations can be achieved using structured relational data without requiring complex machine learning models [2],[15].

However, future improvements could include dynamic weight adjustment based on user feedback and the introduction of personality-based parameters using NLP or sentiment analysis [3],[6],[10].

TABLE 4

COMPARISON OF FEATURE / PARAMETER OF EXISTING CO-LIVING APPLICATIONS AND PROPOSED SYSTEM

Feature / Parameter	Existing Co-living Applications	Proposed System (Our Application)
Roommate matching Method	Mostly based on basic filters such as gender, budget, and location. Matching is manual and not personalized.	Uses a weighted SQL-based compatibility algorithm that evaluates multiple lifestyle and behavioural attributes to suggest the most compatible roommates.
User Profile Data	Limited to basic information (age, gender, rent range). No detailed preference mapping.	Collects detailed lifestyle preferences such as food type, cleanliness level, sleep schedule, habits, cultural preference, and budget, stored in a normalized PostgreSQL database.
Backend Technology	Proprietary or rental-listing-based systems with limited transparency in data handling.	Node.js backend with secure API endpoints and PostgreSQL for relational data management, ensuring integrity and scalability.
Frontend Interface	Mostly web-based or static	React Native mobile app with real-time data

	mobile applications with limited user interactivity.	updates, smooth navigation, and dynamic compatibility visualization.
Compatibility Score	No compatibility scoring or ranking system.	Implements a weighted similarity score for ranked roommate recommendations.
Communication Between Users	Often allowed only after room booking or confirmation.	Enables secure in-app chat for communication before finalizing a roommate.
Real-Time Updates	No automatic updates; data refresh required manually.	Real-time synchronization — compatibility recalculated automatically when a user updates their profile.
Scalability & Performance	Limited scalability; backend not optimized for large datasets.	Designed with Node.js asynchronous architecture and optimized SQL joins to handle a growing user base efficiently.
User Feedback Integration	Feedback not used for improving match logic.	Future scope includes dynamic weight adjustment based on user satisfaction and feedback loops.
Focus Area	Primarily focused on property rental management.	Focused on human compatibility and community living experience through intelligent roommate pairing.

VI. CONCLUSION AND FUTURE WORK

The project successfully developed a database-driven and user-interactive roommate matching system that enhances the co-living experience through intelligent, data-supported recommendations. The system combines a structured relational database with a weighted SQL-based matching algorithm, enabling efficient and meaningful roommate pairing.

The user interface, developed using react native, provides an interactive and intuitive experience that allows users to easily register, update their preferences, and view compatible roommate suggestions. Through a clean design and seamless navigation, users can explore their match results, communicate via the integrated chat feature, and update their information in real time. Any profile changes instantly trigger backend updates, ensuring that new compatibility scores are recalculated automatically.

Testing with datasets validated that the system efficiently ranks users by compatibility, accurately reflecting similarities in lifestyle attributes such as food habits, cleanliness levels, and sleep schedules. The integration of a user-friendly front end with a robust backend database ensures both accessibility and performance, making the system a practical solution for modern co-living platforms.

This work provides a strong foundation for intelligent roommate pairing by merging interactive design, structured data management, and algorithmic logic into one cohesive system that minimizes roommate conflicts and fosters a harmonious living environment.

While the current system efficiently demonstrates database-based matching and an interactive interface, several enhancements can be incorporated to increase intelligence, scalability, and personalization:

1) Dynamic Machine learning Integration: Implement AI models to refine compatibility scores based on user feedback and previous match outcomes [17][18].
2) Behavioural & Sentiment Analysis: Incorporate natural language processing (NLP) to analyse chat interactions and infer deeper compatibility metrics.
3) Enhanced Personalization: Use adaptive algorithms to automatically learn user preferences from in-app activity and adjust recommendations accordingly.
4) Improved UI/UX Design: Expand interface functionality with dashboards, dark mode, and personalized visualization of match statistics.
5) Chatbot Integration: Deploy an AI chatbot to assist with onboarding, conflict resolution, and profile setup.
6) Cloud Deployment & Scalability: Host the system on scalable cloud databases (e.g., Firebase or AWS) to accommodate large-scale usage.
7) Data Security and Verification: Employ blockchain or end-to-end encryption for secure profile verification and data integrity.


By integrating these advancements, the system can evolve into a fully intelligent, adaptive roommate recommendation platform that not only suggests compatible roommates but also continuously learns and personalizes user experiences through a responsive, data-driven interface.

©IJRASET: All Rights are Reserved

REFERENCES

[1] J. Smith, "Smart Living: Digital Platforms for Shared Housing," *International Journal of Urban Computing*, vol. 5, no. 3, pp. 45–53, 2022.
[2] M. Lee and R. Gupta, "Data-driven Personalization in Housing Platforms," *IEEE Access*, vol. 10, pp. 55910–55920, 2022.
[3] K. Sharma, "AI-based Roommate Recommendation using Personality Traits," *Journal of Intelligent Systems*, vol. 9, no. 2, pp. 112–119, 2023.
[4] CoHo and Zolo Official Websites – Accessed 2024.
[5] A. Brown, "Designing User-Centric Housing Apps," *Proc. of Smart City Innovation Conf.*, 2021.
[6] O. J. Adeniyi *et al.*, "Exploring the Link Between Roommate Compatibility and Academic Outcomes: A Systematic Review," *African Journal of Computer Science & Technology*, vol. 13, no. 2, pp. 30–45, 2024.
[7] L. Zhang *et al.*, "Personalised Dormitory Roommate matching System Based on Multiple Swarm Genetic Algorithms," *Advances in Computer, Signals and Systems*, vol. 8, no. 3, pp. 65–78, 2024.
[8] C. Wang, "Intelligent Matching Method for College Dormitory Roommates: Chameleon Algorithm Based on Optimized Partitioning," *Scalable Computing: Practice and Experience*, vol. 25, no. 4, pp. 2889–2902, 2024.
[9] "Roommate Allocation System with AI Integration," *International Journal for Innovative Research in Technology (IJIRT)*, vol. 9, no. 3, pp. 112–119, 2024.
[10] T. H. Tan and V. Christy, "Understanding Tenants' Motivations for Co-living Arrangements: A Case Study of Klang Valley, Malaysia," *Journal of Property Research & Management*, vol. 12, no. 1, pp. 84–98, 2023.
[11] "Graph and Similarity-Based Approaches to On–Campus Roommate matching," *IJRASET*, vol. 11, no
. 4, pp. 128–134, 2023.
[12] "MyRoomie: A Roommate Finding App," *IJRASET*, vol. 9, no. 7, pp. 456–462, 2020.
[13] "StayMate: Smart Roommate Solutions," *IJARSCT*, vol. 2, no. 3, pp. 19–25, 2023.
[14] "Room Recommendation system for Patients Near Hospitals Using Matching Algorithms," *IJIRT*, vol. 9, no. 5, pp. 101–107, 2024.
[15] A. Gharahighehi, K. Pliakos, and C. Vens, "Recommender Systems in the Real Estate Market—A Survey," *Applied Sciences*, vol. 11, art. 7502, 2021.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)