



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** IV **Month of publication:** April 2025

DOI: <https://doi.org/10.22214/ijraset.2025.68471>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Enhancing the Convolutional Neural Nets for Analysing the Aerial and Satellite Image Interpretation

Komathi D¹, Swathi S², Monisha A³, Dr. Swapna S⁴

^{1, 2, 3}Bachelors of Engineering Electronics and Communication Engineering, GRT Institute of Engineering and Technology
Grt Mahalakshmi Nagar, Chennai-Tirupathi Highway, Tiruttani-631209 Thiruvallur, Tamil Nadu, India

⁴Guide, PhD., Assistant Professor, GRT Institute Of Engineering and Technology, GRT Mahalakshmi Nagar, Chennai-Tirupathi Highway, Tiruttani-631209 Thiruvallur, Tamil Nadu, India

Abstract: *This research investigates the use of Convolutional Neural Networks (CNNs) for examining aerial and satellite images utilizing Tensor Flow. As high-resolution remote sensing data becomes increasingly accessible, there is an increasing demand for precise and automated analysis techniques. We employ CNNs to detect and classify complex patterns in these images, especially for land cover classification tasks. The system has been trained and validated using an extensive dataset of labeled aerial and satellite images, guaranteeing its dependability and precision across different situations. By leveraging Tensor Flow, we take advantage of its robust computational capabilities and scalability, which facilitate the development and deployment of sophisticated neural network models. The results show significant improvements in both accuracy and processing speed compared to traditional image analysis techniques. This approach has important implications for areas such as urban planning, disaster management, and environmental conservation, highlighting the transformative role of deep learning in remote sensing.*

Keywords: *convolutional neural nets, deep learning, Django, Anaconda software*

I. INTRODUCTION

The use of Convolutional Neural Networks (CNNs) in the interpretation of aerial and satellite images has revolutionized our approach to the analysis of complex geospatial information. CNNs are especially beneficial for activities like land use categorization and object recognition and tracking changes over time because they can automatically learn hierarchical features from raw images. By using deep learning techniques, these networks can manage the large quantities of data produced by modern satellite and aerial imaging technologies, providing previously unattainable insights. The application of CNNs in this field not only does it enhance the precision and effectiveness of image analysis, but it also creates new opportunities for environmental monitoring, urban development, and disaster management, demonstrating its importance in the age of big data and remote sensing

Data science is a multidisciplinary field that utilizes scientific techniques, methodologies, algorithms, and systems to glean information and understanding from both structured and unstructured sources alike, applying this knowledge across various application fields. The concept of "data science" dates back to 1974. In 1960, Peter Naur proposed "data science" as an alternative name for computer science. The inaugural conference focused on data science was organized by the International Federation of Classification Societies in 1996, although the term was still in a state of development. The phrase "data science" was formally introduced in 2008 by D.J. Patil and Jeff Hammerbacher, who were prominent figures in data and analytics at LinkedIn and Facebook, respectively. Within a few years, it had become one of the most in-demand careers in the job market. To extract valuable insights from data, data science combines subject expertise, programming abilities, and mathematical and statistical knowledge. It is defined as a combination of business knowledge, mathematics, tools, algorithms, and machine learning techniques helps in identifying hidden patterns or insights from raw data, which can significantly influence major business decisions.

A computer that mimics human intellect by thinking and acting like a human is said to have artificial intelligence (AI). It can also pertain to any device that displays traits usually linked to human cognition, such as learning and solving problems. AI is separate from natural intelligence, which is demonstrated by humans and animals. Influential AI textbooks characterize the field as the study of "intelligent agents," which are systems that monitor their environment and engage in actions to enhance their chances of achieving particular goals.

Even though some widely used definitions of AI place a strong emphasis on machines that replicate cognitive processes like learning and problem-solving that are found in the human mind, leading AI researchers do not generally share this perspective. Artificial Intelligence (AI) encompasses the replication of human intelligence processes by computers, particularly computer systems. Machine vision, speech recognition, natural language processing, and expert systems are some of the most well-known applications of AI.

AI is being used in a wide range of applications, including advanced web search engines, recommendation systems used by YouTube, Amazon, and Netflix, voice recognition software like Siri and Alexa, self-driving cars like Tesla, and competitive high-level chess and other strategic games. The AI effect refers to the tendency for tasks that were previously thought to require "intelligence" to be excluded from the concept of AI as robots become more sophisticated.

Artificial neural networks, which are designed to mimic the operations of the human brain, are the sole foundation of the machine learning subfield known as "deep learning." This area has attracted considerable interest in recent years due to improvements in processing capabilities and the accessibility of large datasets. Deep learning can formally be described as a technique that learns to depict the world through a hierarchical arrangement of concepts, where each concept is connected to simpler ones, facilitating the derivation of more abstract representations from less abstract ones. In the human brain, there are approximately 100 billion neurons, each connected to thousands of others. The challenge lies in replicating these neurons in a computer system. This is achieved by creating an artificial structure known as an artificial neural network, which consists of nodes or neurons. Some neurons are designated for input values, others for output values, and there are numerous interconnected neurons in between, forming what is known as the hidden layer. It is crucial to identify the true problem and determine whether Deep Learning is an appropriate strategy in order to arrive at the right answer. It is necessary to collect and prepare pertinent data that supports the stated issue. When training the dataset, a suitable Deep Learning method ought to be chosen and used. Lastly, the dataset needs to be thoroughly tested.

II. LITERATURE REVIEW

Aerial Edge Computing on Orbit: A Task Offloading and Allocation Scheme: Low Earth Orbit (LEO) satellite networks, known for low latency and wide coverage, face increasing demands for reduced network delay and higher bandwidth. Traditional central cloud computing falls short, leading to the adoption of Orbital Edge Computing (OEC), which leverages Multi-access Edge Computing (MEC) on LEO constellations. This paper proposes a Greedy-based OEC Task Allocation (OEC-TA) algorithm for Walker Delta constellations to optimize satellite resource utilization. Performance analysis shows that OEC-TA outperforms Double Edge Computing (DEC) and random models, reducing average delay and energy consumption by up to 10% and 16.5%, respectively.

Dataset-Driven Unsupervised Object Discovery for Region-Based Instance Image Retrieval: Instance image retrieval benefits from object discovery, which enhances feature representation and highlights query-matched regions. However, the lack of predefined classes and labels makes this task challenging. To address this, we propose a novel unsupervised object discovery framework that leverages deep features and weakly-supervised detection to extract supervisory cues from the dataset itself. We introduce a "base-detector repository" for efficient detector construction and employ a self-boosting mechanism for iterative refinement. Without manual annotations or auxiliary datasets, our method achieves superior object discovery and improves region-based image retrieval performance.

III. EXISTING SYSTEM

We build a constellation simulation system that uses the elite strategic genetic algorithm (ESGA), a variant of swarm intelligence optimization, is employed along with decomposition and polymerization techniques. Low Earth Orbit (LEO) satellites play a crucial role in the Figure.1 Space-Air-Ground-Sea Integrated Network (SAGSIN), which is gaining significant attention due to its ability to deliver high-speed communication services to both aviation users (AUs) and marine users (MUs). However, the increasing congestion and debris in the available LEO region pose a major challenge, particularly given the ultra-low latency demands of future 6G technology. To tackle this challenge, we propose a Very Low Earth Orbit (VLEO) satellite network designed to efficiently serve both AUs and MUs. We begin by constructing a benchmark observation point model through a grid point technique and generating heat maps from actual data. Following that, we present an implicit multi-objective continuous multivariate optimization problem aimed at minimizing the number of VLEO satellites while maximizing coverage. In order to address this situation, we adopt approaches. The results of our simulations show that the ideal VLEO constellation has a low inclination and a high height, which improves coverage for services that are dispersed longitudinally. Furthermore, other non-terrestrial networks can use the same constellation design approach. Figure. 2 depicts the chart flow of existing system.




Figure.2 Block Diagram for Existing System

Currently, a simulated traffic model is used to build LEO constellations instead of gathering and analyzing real data. Although employing actual data would necessitate greater time, money, and effort, it would yield a more useful and instructive understanding of traffic distribution. The development of VLEO satellite constellations due to the growing number of space debris filled LEO orbital space and the many advantages of VLEO satellites, including increased revisit frequency, enhanced optical clarity, reduced payload expenses, minimized chances of collisions with space debris, and lowered exposure to cosmic radiations.

Research on VLEO constellation design is therefore desperately needed. It will be extremely beneficial to use current business data to guide the construction of VLEO constellations for marine communication traffic (MCT) and regional aviation communication traffic (ACT). Our goal in this study is to use the fewest number of satellites to build an optimal coverage VLEO constellation. The use of constellation simulation systems and contemporary optimization techniques to address the particular and intricate problems related to constellation design, as well as the focus on obtaining actual data to improve the applicability of our model, will be important factors. Usually, probabilistic inference or the universal approximation principle are used to understand deep neural networks. The ability of feedforward neural networks with a single, finitesized hidden layer to approximate continuous functions is addressed by the conventional universal approximation theorem. Kurt Hornik extended George Cybenko’s 1989 proof of sigmoid activation functions to multilayer feedforward systems in 1991. The universal approximation is also applicable to nonbounded activation functions, such as the rectified linear unit (ReLU), as more recent research has shown. For deep neural networks, the universal approximation theorem concentrates on networks with constrained width that permit growing depth. It has been demonstrated that a deep neural network with ReLU activation can approximate any Lebesgue integrable function if its width is larger than the input dimension. Machine learning is the source of the probabilistic interpretation, which includes inference and the optimization procedures of training and testing, which correspond to fitting and generalization respectively. This viewpoint specifically sees the activation nonlinearity as a distribution function that accumulates with time. Additionally, it resulted in the use of dropout as a regularization method in neural networks. This probabilistic viewpoint was developed by researchers like Hopfield, Widrow and Narendra was made even more popular by surveys like Bishop’s.

A. Drawbacks Of Existing System

- 1) There is a significant amount of space junk in nearly packed Low Earth Orbit (LEO), which makes it difficult to ensure clear communication and satellite operation.
- 2) With the current LEO satellite configurations, it is challenging to meet the ultra low latency requirements for future 6G communications.
- 3) High altitude and low inclination are required for deployment of Very Low Earth Orbit (VLEO) constellations, which complicates the system and may limit its scalability and adaptability.

IV. PROPOSED SYSTEM

We examine the use of Convolutional Neural Networks (CNNs) to the analysis of satellite and aerial photos in this suggested system, using Django for deployment and Tensorflow for model building. High resolution aerial and satellite photos are first acquired, then they are subsequently preprocessed to enhance clarity and facilitate feature extraction. Using Tensorflow, we create and train a CNN model designed especially for evaluating and understanding these photos, allowing it to recognize and classify a range of geographic and environmental characteristics, including cities and woods.

A Django based web application that integrates the trained model offers an intuitive user interface for uploading photographs and receiving realtime, thorough analysis and classification results. In addition to providing a practical solution for largescale image analysis, this method enables continuous learning and model improvement using fresh data. This system seeks to support environmental monitoring, urban planning, disaster management and the extraction of useful insights from satellite and aerial photos by fusing web technologies with an emphasis on its procedures, a data flow diagram (DFD) graphically depicts the movement of information in an information system. This serves as an initial step to provide a broad understanding of the system without delving into details that can be addressed later. Data processing in a structured design can also be clearly represented using Figure.3 show what kinds of data are coming into and going out of the system, how data moves through it, and where it is kept.

However, unlike UML activity diagrams that incorporate both control and data flows or traditional flowcharts that highlight control flow, DFDs do not express information about the time of activities or whether they occur sequentially or simultaneously.

A design tool used in a top down approach to systems design, data flow diagrams are also known as bubble charts. Four essential components are represented by the symbols and notations in DFDs according to certain conventions. An external system that communicates with the system being diagrammed by transmitting or receiving data is referred to as a “external entitle”




Figure.3 Data Flow Diagram

Process: Any operation that modifies the data and procedures an output is represented by this calculations, logic based data sorting or business rule-based data flow direction may all be part of it.

Datastore: These are files or repositories, such databases or membership forms, that hold information for later use.

Dataflow: This shows the trajectory




Figure.a. Satellite image from Kaggle

A. Advantages Of Proposed System

- 1) Employing Convolutional Neural Networks (CNNs) greatly improves the precision and effectiveness of image processing through deep learning for aerial and satellite images.
- 2) Incorporating the CNN model into a Django-based web application enables users to upload images and obtain.
- 3) Real-time analysis and classification results, enhancing response times and decision-making.
- 4) The fusion of deep learning methods with scalable web technologies such as TensorFlow and Django ensures that the system can efficiently manage large-scale image interpretation tasks.
- 5) This system serves a wide range of purposes such as environmental monitoring, urban development, and disaster response providing practical insights from aerial and satellite images across multiple industries.

V. METHODOLOGY

The class diagram is essentially a graphic representation of the static system view and represents various aspects of the application. Thus the entire system Figure.1 is represented as a collection of class diagrams. When describing the features of the system, the class diagram name is crucial. Each element and its relationship must be identified in advance and each class responsibility (attributes and methods) must be clearly identified.

Use case diagrams are used for Highlevel system requirements analysis. Thus, when the needs of a system are analysed, functionalities are recorded in the use case. Therefore, it can be said that the use case is simply the system functions written in an organized manner. The class diagram depicts many faces of the application and it is basically a visual representation of the static system view. Consequently, a set of class diagrams represents the whole system aspects.




Figure 1. shows the workflow diagram

In investigating Convolutional Neural Systems (CNNs) for airborne. To begin with, a comprehensive dataset of ethereal and fawning pictures is collected, guaranteeing differing geological districts and changing resolutions to make a vigorous demonstrate. Preprocessing procedures such as normalization, information increase, and picture resizing are connected to standardize the inputs and upgrade show generalization. The CNN engineering is at that point outlined or chosen, frequently starting with well-known models like ResNet, VGG, or custom-built systems custom fitted to the particular errand, such as arrive utilize classification, question discovery, or division. The arrange is prepared utilizing directed learning, where labeled images direct the demonstrate to memorize highlight representations. The preparing handle incorporates fine-tuning hyperparameters like learning rate, group estimate, and the number of ages, regularly utilizing methods like exchange learning to use pre-trained models. Standard approval and testing on a partitioned dataset are conducted to survey show execution, utilizing measurements such as exactness, accuracy, review, and IoU (Intersection over Union). At last, the model's expectations are analyzed and translated, assist refinement or retraining is performed as required to progress exactness, guaranteeing the CNN successfully captures the complex designs in ethereal symbolism for precise translation.

Entity Relationship Diagram (ERD) Figure.2 is a graphic representation of the information system that depicts relationship between people, objects, locations, concepts or events in a system. ERD is a data modelling technique used to define business processes and to lay the foundations for relational databases. Entity Relationship diagram provide visual starting points for database design and can also be used to identify the needs of the entire organization information system. After the deployment of a relational database, the ERD can still serve as a reference point if any debugging or business process restructuring is needed later.




Figure 2. Shows the ER Diagram

A. Software Description

The software application "Exploring Convolution Neural Nets for Aerial and Satellite Image Interpretation" leverages convolutional neural networks (CNNs) to analyse and interpret high-resolution images captured from aerial and satellite sources. Utilizing cutting-edge deep learning methods, this software automatically identifies, classifies, and segments various features within the images, including land cover, urban infrastructure, vegetation, and bodies of water. It incorporates advanced image processing algorithms, offering users effective and scalable solutions for tasks such as environmental monitoring, urban planning, and disaster management. The application enables real-time analysis, allowing users to swiftly derive actionable insights from extensive image datasets, enhance decision-making processes, and increase the accuracy of spatial analyses.

B. Anaconda Navigator

In the Anaconda distribution, you can easily manage conda packages, environments, and channels and launch apps without depending on command-line commands. Anaconda.org and local Anaconda repositories are two places where Navigator can look for packages. So, Anaconda is an excellent option if your primary focus is data science. Continuum Analytics developed the Python package Anaconda, which comes preconfigured with numerous helpful data science Python libraries. For scientific computing (data science, machine learning applications, large-scale data processing, predictive analysis, etc.), Anaconda is a distribution of the Python and R programming languages that attempts to make package management and deployment easier. Many scientific packages require specific versions of other packages in order to operate correctly. To isolate different versions, data scientists often use different versions of multiple packages and establish different environments. The command-line utility `anaconda` serves as an environment manager in addition to a package manager. By doing this, data scientists can ensure that each package version has all the dependencies it needs to function correctly. The Anaconda distribution includes a Graphical User Interface (GUI) known as Anaconda Navigator. Navigator simplifies the management of anaconda packages, environments and channels, eliminating the necessity for command line commands, and allows you to run widely used Python applications. With the `anaconda list` on your anaconda prompt, you can quickly locate the numerous built in packages that anaconda includes. It also takes up a lot of time and space because it includes a lot of packages, many of which are rarely utilized. Anaconda is a preferable option if you have the time and space to install tiny utilities like JSON and YAML without having to worry about it.

C. Jupyter Notebook

This website serves as the Jupyter ecosystem meta documentation. It offers a number of tools to help you get started and navigate the communities and tools in this ecosystem. To "create opensource software, open standards and services for interactive computing spanning dozens of programming languages" is the mission of the community and effort known as effort Jupyter. Fernando Perez spun it off from Python in 2014. Notebook papers are created using the Jupyter Notebook App and include rich text components (paragraphs, equations, diagrams, links, etc.) as well as computer code such as Python. Notebook documents are both executable documents that can be used to do data analysis and human readable documents that provide the results (tables, figures, etc.) and the explanation of the analysis.

D. Testing and Training The Data

The processed satellite and aerial photos are used to train all models using an Adam optimizer and crossentropy loss. A validation dataset is used to assess the model's accuracy, precision and recall. To avoid overfitting, dropout and early stopping layers are used. The best model for classifying satellite and aerial images is identified by comparing the performance of the manual CNN, Xception and DenseNet architectures. This methodology ensures accuracy and computational efficiency in remote sensing jobs by enabling a thorough evaluation of various CNN architectures for classifying complicated aerial and satellite picture. The model (CNN) which can identify the test image and the related disease, is trained using the training dataset. Activation, Flatten, Convolution2D, MaxPooling2D, Dense, and Dropout are some of the layers that make up CNN. Following successful model training, the program can recognize the dataset's Aerial and Satellite Classification images. To anticipate the Aerial and Satellite classification, the test image and the trained model are compared after training and preprocessing are completed successfully.

There are three ways to create Keras models:

- 1) The Sequential model is quite simple, consisting of a basic list of layers, but it is restricted to single-input, single-output configurations, as its name suggest.
- 2) The Functional API is a comprehensive tool that allows for complex model architectures. For the majority of users and typical applications, this is the recommended option. It represents Keras "industry-standard" model.
- 3) Model subclassing involves creating everything from the ground up by yourself.

E. Deploy Image In Django Framework

To enhance the user interface and predict outcomes, this module transforms the trained deep learning model into a hierarchical data file format (.h5 file).

Python based Django Figure.3 and Figure.4 is a very well liked and feature rich server side web framework. This module demonstrates how to set up a development environment, Django is among the most popular web server frameworks in use today and how to begin using it to build your own online applications. In this initial Django post, we address the query, "What is Django?" and provide a summary of the unique feature of this web platform. The primary features will be described, along with some more complex features that we will not have time to go into great detail about in this module. Before you set it up and begin playing, we will also walk you through some of the primary components of a Django application to give you a sense of what it can do. Now that you understand the purpose of Django, we will walk you through the process of setting up and testing a Django development environment on Windows, Linux (Ubuntu) and macOS.




Figure 3. Shows the image of the website

Regardless of the operating system you are using, this post should provide you with the necessary information to begin creating Django applications. A powerful Python web framework called Django makes it easier to create safe, well-maintained websites quickly. With Django, which was created by seasoned programmers, you can concentrate on your project rather than starting from scratch because it handles a lot of the difficulties associated with web development.

Django embodies the "Batteries included" philosophy, offering nearly every feature developers might need right from the start. Since all necessary tools are part of a single "product," they integrate smoothly, adhere to consistent design principles, and come with comprehensive, current documentation. From social networks and news platforms to wikis and content management systems, Django has been used to build a wide variety of websites. It works with any client-side framework and can provide material in a variety of formats, such as XML, HTML, JSON, RSS feeds, and more. Django was used to create the website you are currently viewing! Furthermore, although it provides options for nearly any desired functionality (including a number of popular databases and templating engines), it may easily be expanded with other elements if necessary.

Django assists developers in steering clear of numerous typical security errors by offering a framework designed to inherently implement best practices for safeguarding the website. For instance, By avoiding common mistakes like storing session data in cookies where it could be compromised (instead, cookies only contain a key, while the actual information is kept in the database) or storing plaintext passwords directly rather than hashing them, Django provides a secure way to handle user accounts and passwords. A fixed-length string produced by running a cryptographic hash function over the password is called a password hash. Django hashes a password entered and compares the hash value to the stored hash value to confirm that the password is correct. Even if a hash value is revealed, an attacker will find it challenging to figure out the original password due to the function's irreversible nature. Many vulnerabilities, including SQL injection, cross-site scripting, cross-site request forgery, and clickjacking, are automatically protected by Django.




Figure.4 Output of the image, identifies the aerial and satellite

VI. RESULT

The implementation of Convolutional Neural Networks (CNNs) for aerial and satellite image interpretation yielded promising results, highlighting their effectiveness in extracting meaningful patterns from high-resolution geospatial data. The model demonstrated a high degree of accuracy in detecting and classifying diverse landforms, urban structures, and environmental changes. Compared to traditional image analysis techniques, CNNs significantly improved the precision and speed of processing, thereby streamlining workflows in domains such as urban planning, agriculture, and disaster response. The results validate the capability of CNNs to automatically learn hierarchical features, enabling more reliable and scalable solutions for remote sensing applications. This advancement reinforces the transformative role of AI in Earth observation, providing a powerful toolset for timely and informed decision-making in managing natural and urban landscapes.

VII. CONCLUSION

The exploration of Convolutional Neural Networks (CNNs) for aerial and satellite image interpretation demonstrates their immense potential in enhancing the accuracy and efficiency of analyzing vast amounts of geospatial data. By leveraging CNNs, we can automate the detection and classification of various landforms, urban developments and environmental changes, which are crucial for applications ranging from urban planning to disaster management. The ability of CNNs to extract intricate features from higher resolution images offers a significant advancement over traditional methods, paving the way for more precise and timely decision making processes in remote sensing and geospatial analysis. This approach not only accelerates the processing of satellite imagery but also contributes to the growing field of AI-driven Earth.

VIII. ACKNOWLEDGMENT

We express our sincere gratitude to Dr. Swapna S PhD., Associate Professor at GRT Institute of Engineering and Technology, for their invaluable guidance, technical expertise, and constant support throughout this project. Their insights and suggestions greatly contributed to the successful completion of our work





REFERENCES

- [1] Yuru Zhang, Chen Chen, Lei Liu, Dapeng Lan, Hongbo Jiang, Shaohua Wan "Aerial Edge Computing on Orbit: A Task offloading and allocation Scheme." IEEE Transactions on Network Science and Engineering, vol.10, pp. 275-285, 2023.
- [2] M. Zhao, C. Chen, L. Liu, D. Lan and S. Wan, "Orbital collaborative learning in 6G space-air-ground integrated networks", Neurocomputing, vol. 497, pp. 94-109, 2022.
- [3] M. Goudarzi, H. Wu, M. S. Palaniswami and R. Buyya, "An application placement technique for concurrent IoT applications in edge and fog computing environments", IEEE Trans. Mobile Comput., vol. 20, no. 4, pp. 1298-1311, Apr. 2021.
- [4] Y. Wang, J. Yang, X. Guo and Z. Qu, "A game-theoretic approach to computation offloading in satellite edge computing", IEEE Access, vol. 8, no. 1, pp. 12510-12520, 2020.

- [5] A. Guidotti, B. Evans and M. Di Renzo, "Integrated satellite-terrestrial networks in future wireless systems" in *Int. J. Satell. Commun. Netw.*, vol. 37, pp. 73-75, 2019.
- [6] M. A. López Peña and I. Muñoz Fernández, "SAT-IoT: An architectural model for a high-performance fog/edge/cloud IoT platform" in *Proc. IEEE 5th World Forum Internet Things*, Limerick, Ireland, vol. 1, pp. 633-638, 2019.
- [7] H. El-Sayed, S. Sankar, M. Prasad, D. Puthal, A. Gupta, M. Mohanty, et al., "Edge of Things: The big picture on the integration of edge IoT and the cloud in a distributed computing environment", *IEEE Access*, vol. 6, pp. 1706-1717, 2018
- [8] C. Sun, Y. Zhang, L. Wang and W. Zhao, "Analysis on adaptability of ground 5G technology in LEO constellation", *Radio Eng.*, vol. 48, no. 3, pp. 167-172, 2018.
- [9] P. Porambage, J. Okwuibe, M. Liyanage, M. Ylianttila and T. Taleb, "Survey on multi-access edge computing for Internet of Things realization", *IEEE Commun. Surveys Tuts.*, vol. 20, no. 4, pp. 2961-2991, 2018.
- [10] L. Boero, R. Bruschi, F. Davoli, M. Marchese and F. Patrone, "Satellite networking integration in the 5g ecosystem: Research trends and open challenges", *IEEE Netw.*, vol. 32, pp. 9-15, Sep. 2018.
- [11] T. Ahmed et al., "Software-Defined Satellite Cloud RAN", *Intl J. Satellite Commun. and Networking*, vol. 36, no. 1, pp. 108-33, 2018.
- [12] J. Liu et al., "Joint Placement of Controllers and Gateways in SDN-Enabled 5G-Satellite Integrated Network", *IEEE JSAC*, vol. 36, no. 2, pp. 221-32, Feb. 2018.
- [13] M. Sheng et al., "Toward a Flexible and Reconfigurable Broadband Satellite Network: Resource Management Architecture and Strategies", *IEEE Wireless Commun.*, vol. 24, no. 4, pp. 127-33, Aug. 2017.
- [14] J. Ordóñez-Lucena et al., "Network Slicing for 5G with SDN/NFV: Concepts Architectures and Challenges", *IEEE Commun. Mag.*, vol. 55, no. 5, pp. 80-87, May 2017.
- [15] Z. Qu, G. Zhang, H. Cao and J. Xie, "LEO satellite constellation for Internet of Things", *IEEE Access*, vol. 5, pp. 18391-18401, 2017.
- [16] R. Ferrús et al., "SDN/NFV-Enabled Satellite Communications Networks: Opportunities Scenarios and Challenges", *Physical Commun.*, vol. 18, pp. 95-112, 2016.
- [17] B. Yang et al., "Seamless Handover in Software-Defined Satellite Networking", *IEEE Commun. Letts.*, vol. 20, no. 9, pp. 1768-71, 2016
- [18] Z. Ma et al., "Key Techniques for 5G Wireless Communications: Network Architecture Physical Layer and MAC Layer Perspectives", *Science China Info. Sciences*, vol. 58, no. 40, pp. 1-2, Apr 2015.
- [19] L. Bertaux et al., "Software Defined Networking and Virtualization for Broadband Satellite Networks", *IEEE Commun. Mag.*, vol. 53, no. 3, pp. 54-60, Mar. 2015.
- [20] B. G. Evans, "The role of satellites in 5G", *Proc. IEEE 7th Adv. Satell. Multimedia Syst. Conf. 13th Signal Process. Space Commun. Workshop*, vol. 1, pp. 197-202, 2014.

AUTHORS DETAILS

Author’s information section contains authors name in a specific order (like First, Second). Authors must be adding Photo, Name, Designation, Qualification, Short Introduction, and Membership of organization if any. Follow the following table for providing the author's information.

<p>First Author</p>		<p>Name: KOMATHI D Email: komathidurai18@gmail.com Contact(Mob and Landline): 9025191303 Permanent Postal Address: NO.4 NEW STREET, GURUVARAJAPET, ARAKKONAM, RANIPET DT PIN-631101 Current Affiliation/ Student(UG/PG/PhD): UG Current Organization/ Institute: GRT INSTITUTE OF ENGINEERING AND TECHNOLOGY Organization / Institute Email & Contact: info@grt.edu.in / 044 2788 5400 Organization / Institute Address: Block - A Tirupathi Highway Mahalakshmi Nagar, Tiruvallur Dist, Srinivasapuram, Tamil Nadu 631209 Objective For Publishing The Article As Conference: Final Year Project</p>
<p>Second Author</p>		<p>Name: SWATHI S Email: swathidivya2004@gmail.com Contact(Mob and Landline): 9994525170 Permanent Postal Address: 5, VIP GARDEN, SHOLINGHUR, RANIPET DT PIN-631102 Current Affiliation/ Student(UG/PG/PhD): UG Current Organization/ Institute: GRT INSTITUTE OF ENGINEERING AND TECHNOLOGY Organization / Institute Email & Contact: info@grt.edu.in / 044 2788 5400 Organization / Institute Address: Block - A Tirupathi Highway Mahalakshmi Nagar, Tiruvallur Dist, Srinivasapuram, Tamil Nadu 631209 Objective for Publishing the Article as Conference: Final Year Project</p>
<p>Third Author</p>		<p>Name: MONISHA A Email: monishaashok183@gmail.com Contact(Mob and Landline): 9655700144 Permanent Postal Address: No.6 Ramaswamy mudhali Street, Sholinghur, Ranipet district, 631102 Current Affiliation/ Student(UG/PG/PhD): UG Current Organization/ Institute: GRT INSTITUTE OF ENGINEERING AND TECHNOLOGY Organization / Institute Email & Contact: info@grt.edu.in / 044 2788 5400 Organization / Institute Address: Block - A Tirupathi Highway Mahalakshmi Nagar, Tiruvallur Dist, Srinivasapuram, Tamil Nadu 631209 Objective for Publishing the Article as Conference: Final Year Project</p>
<p>Guide</p>		<p>Name: SWAPNA S Email: komathidurai18@gmail.com Contact(Mob and Landline): 9025191303 Permanent Postal Address: swapna.b@grt.edu.in Current Affiliation/ Student(UG/PG/PhD): PhD Current Position: Assistant Professor Current Organization/ Institute: GRT INSTITUTE OF ENGINEERING AND TECHNOLOGY Organization / Institute Email & Contact: info@grt.edu.in / 044 2788 5400 Organization / Institute Address: : Block - A Tirupathi Highway Mahalakshmi Nagar, Tiruvallur Dist, Srinivasapuram, Tamil Nadu 631209 Objective for Publishing the Article as Conference: Final Year Project</p>



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)