iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** IV **Month of publication:** April 2025

DOI: https://doi.org/10.22214/ijraset.2025.69200

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue IV Apr 2025- Available at www.ijraset.com

Establishing and Monitoring Remote Laboratory Using Webcam for Engineering Students

Tanmay Dhuri[1], Soubik Maity[2], Suraj Maji[3], Niket Amoda[4]
Department of Electronics and Telecommunication Engineering, Thakur College of Engineering and Technology, Mumbai, India

Abstract: ***Each year, over a million engineering students in India seek admission, presenting a significant opportunity for institutes to continually improve learning environments. The problem of overcrowded laboratories and outdated experiment equipments is seen yet neglected at times. This spreads light to Real-time Remote Access (RART) laboratories, a potential solution that not only increases accessibility but also promotes distance learning. Utilizing LabVIEW web services for control and data acquisition, complemented by webcams for real-time experimental monitoring, ensures seamless experimenting environment for students and educators. The paper also explores the challenges and considerations in integrating LabVIEW with web-based interfaces. The results of 7 curriculum-based experiments in electronics engineering highlight the practicality of the proposed system in remote education and research setting. In this regard, the present work contributes to the growing body of literature in remote laboratories, offering a comprehensive solution that combines LabVIEW's robust functionality with the advantages of webcam monitoring.***

Keywords: Real-time Remote Access laboratories, LabVIEW, Webcam Integration, Real-Time Monitoring, User Interface, Engineering Students, India

I. INTRODUCTION

The Covid-19 pandemic has significantly disrupted global education systems, with lockdowns necessitating a shift to online learning. While virtual platforms effectively replaced classroom lectures, access to physical laboratories was a glaring challenge. Although virtual laboratories were a potential substitute, practical experimentation, crucial for engineering education, were deprived off from students for hands-on learning experience. It is also unfortunate to know that as per surveys, 75% students agree to the fact that no research-oriented discussions are conducted by faculty in classrooms [7]. This limitation exposed a major weakness in traditional educational infrastructure, emphasizing the need for innovative solutions like remote laboratories to ensure continuity in experiential learning.

Traditional laboratories have their fair share of limitations as well. Lab sessions are in-person and cannot be accessed during emergencies such as pandemics or for students in rural areas. Often institutions are resource-constrained and do not have sufficient lab equipment nor enough lab sessions for each student. Physical labs, on top of requiring large investments in maintenance and infrastructure, necessarily have a fixed schedule which not all the students fit into well. These difficulties highlight the necessity to provide more adaptable and scalable solutions.

Remote labs are a transformative answer to solve the potential problems. Remote labs use technologies such as webcams, data acquisition techniques and internet to allow students to do experiments remotely from any location. This is to ensure continuous exposure to lab work and catering to those barriers like geographic or resource constraints. On these platforms, students can look at experimental setups on their own, tune the parameters and analyse the results right away. Live video feedings and real-time data monitoring, in addition to the webpage interface, increases depth of engagement and insight into how experiments are run during a learning experience.

The benefits of remote laboratories extend beyond accessibility. They are cost-effective, as a single setup can serve multiple users across institutions, reducing financial burdens. Remote labs also promote collaborative learning by allowing real-time interaction between students and researchers from different locations. Furthermore, they are environmentally sustainable, reducing the reliance on physical resources and infrastructure. The World Economic Forum reports that while 90% of students shifted to remote learning during the pandemic, only a fraction had access to practical resources, [8] highlighting the urgency of adopting remote laboratories. In essence, the adoption of remote laboratories can revolutionize education dynamics by transforming them into hubs of research and innovation. These systems not only address existing gaps but also set the stage for a more inclusive, efficient, and future-ready educational landscape.

©IJRASET: All Rights are Reserved

II. LITERARTURE REVIEW

Remote labs constitute a disruptive innovation in the education and research industry. García-Guzmán et al. [1] Research (2017) comprehensively discusses remote laboratories implemented into engineering education & training. The research stresses the necessity of remote labs for the feasibility of in a non-virtual environment practice in engineering disciplines that use complex machinery and systems. However, the study does not dive very deeply into user-follow-through approach and actual engagement via real-world applications of remote laboratory implementations. Lastly, negligible research exists in the long-term impact of these virtual environments on skill learning versus traditional laboratory environments.

Remote laboratories are popular in educational environments as they allow students to work on experiments from a distance. While several researchers such as G.A. Daniele, A.M.Garro and S.Ranieri described the student engagement and learning outcomes in a remote lab [2]. The study highlights the efficacy of remote laboratories, proposed work by [14] complementing the research in key experiential learning. The effect on student engagement is documented yet there is no empirical data indicating if learning outcomes are different between traditional vs Remote labs from different education levels (example: Undergraduate to postgraduate) (Xu et al., 2013). Gamification or adaptive learning strategies to increase engagement are also largely unexplored in literature.

Chen et al. (2019), in their paper published in IEEE Access, [3] examined the integration of real-time webcams and LabVIEW in physics laboratories. They implemented an experiment where students controlled a remote pendulum using LabVIEW and observed the motion through a live webcam feed. Their results showed that the integration of real-time video increased student satisfaction and improved their understanding of pendulum dynamics through visual feedback. But the study does not explore potential limitations such as latency issues, video quality in low bandwidth conditions, or the scalability of such systems for large-scale usage. Privacy concerns related to webcam usage in educational settings, which could act as a barrier to adoption, also warrant deeper investigation.

S. Alves, L. de La Reza, and G. Alves investigated in detail the challenges in creating and running remote laboratories from a practical point of view [4], and they highlight topics related to security, hardware footprint and scalability. These all are documented issues, though the study fails to offer practical solutions or approaches that can move things forward towards a solution-level, particularly in low resource settings or developing regions. Lastly and perhaps most critically, scaling remotely with state-of-the-art cloud or edge computing technologies is an uncharted area in research.

Remote laboratories using nascent technologies as in [5] works by J.M.A. Myatt and S.M.B. Joordens, published over the past few years, have made a strong case for the application of VR in the field of virtual remote laboratory. Technological advances are driving research but the cost-benefit analysis of applying such advanced technologies in educational institutions or industry is yet not adequately discussed. On top of that, the emerging, unexplored land of incorporating machine learning and predictive analytics for self-suggesting remote lab ecosystems are very promising ways to go.

Besides education field, remote labs have found their place in industry for some testing and monitoring. R. Kumar, P. Pathak and S. Ganesan have previously examined remote labs for industrial automation and quality control [6]. The results show the higher order implications of our work. Yet the present study does not examine how remote labs could meet new industrial needs (for example, predictive maintenance based on IoT or smart manufacturing systems). Nor does it properly explore interoperability issues between remote lab systems and the legacy industrial infrastructure. There is a lot of traction for hybrid systems, but few credible studies of how physical and remotely over–the–network enabled laboratories can simultaneously co-exist to support complex industrial processes.

III. METHODOLOGY

The proposed real-time remote laboratory system combines various hardware and software components to make remote experimentation accessible and efficient. At its foundation, the system relies on essential laboratory instruments like function generators (e.g., AFG31000), oscilloscopes (e.g., DSOX1202G), or signal analyzers (e.g., 1204A), which carry out vital tasks such as generating signals and taking real-time measurements. These instruments are connected to the LabVIEW control system, which not only manages their operations but also ensures smooth communication between the hardware and control system, paving the way for a seamless remote experiment experience. Core of this setup is the LabVIEW control interface from where the users interact to manage their instruments as well-set experiment parameters. Graphical programming interface and LabVIEW are intuitive for interacting instruments, in the sense that anything you do is graphically represented as part of system functions by instruments. Using real-time LabVIEW users can send commands & view outputs. Reliable connectivity - Ethernet LAN and Internet are used in the system for controlling the hardware setup for whole experiment.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue IV Apr 2025- Available at www.ijraset.com

During data acquisition and analysis phase, LabVIEW system is responsible for acquiring real time experimental data from instruments. The data is extremely useful for users to extract and make decisions in the course of an experiment as it occurs. The visuals of these processed data aligned with webcam visual feedback form a continuous stream that harmoniously combines numerical data and real visual feedback to make the experiments an aesthetic journey. One of the major features in the system is webcams for live monitoring. A webcam kept close to the experimental setup records real-time video-stream, so that users on remote network can see what is going on with the system and physical changes in real-time. The webcam feed being used by our users in the experiential setup is connected to the control system (LabVIEW). Both the remote lab experience is enhanced by visual portion where users can get much better depth of the experiments than physically being present.

The methodology for establishing and monitoring remote laboratories using webcam technology and LabVIEW involves a systematic approach to hardware and software integration, real-time monitoring, data security, and user interaction. The setup also includes designing a functional physical layout for the laboratory and establishing a secure network for remote access. Within LabVIEW, virtual




Figure 1. Flowchart Diagram

instruments (VIs) are developed to control and monitor the equipment effectively. Data security is a top priority, with protocols in place to protect sensitive information during transmission. Access control mechanisms ensure that only authorized users can access the system, maintaining the integrity of the remote lab. Ultimately, the user-friendly LabVIEW interface empowers remote users to control equipment, initiate experiments, and monitor their progress effortlessly, making the entire process both engaging and intuitive.

IV. RESULTS AND DISCUSSION

The system allows seamless remote generation and visualization of these electronics engineering experiments over the internet. By utilizing LabVIEW Web Services and webcam technology, we were able to interact with function generators, digital storage oscilloscopes (DSO), DCL series kits by Akademika and other lab equipments, allowing the laboratory setup to be operated and monitored from a remote location. Currently about 7 experiments can be performed remotely, by the above proposed system, along with precision and minimum latency. Users need to authenticate login with LabVIEW credentials and connect to a common network using their PC/desktop to access remote laboratory securely.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



Figure 2. Initial basic setup




Figure 3. Webcam monitoring

The implementation of the waveform experiments, integrated with the AFG 31000 function generator and the Keysight Digital Storage Oscilloscope (DSOX1202G), has proven successful in generating and remotely displaying standard waveforms.




Figure 4. LabVIEW front panel for ‘waveform generation’ experiment. Input given as ‘Ramp’




Figure 5. AFG 31000 Function Generator

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



Figure 6. Keysight DSOX1202G Digital Storage Oscilloscope displaying the output – Ramp signal waveform

The wireless approach employed in this project has demonstrated several key advantages:

1) Accessibility and Convenience: The ability to operate the lab remotely over the internet enables users to access and control equipment from any location. This allows potential for remote lab sessions in educational institutions that enhances resource utilization and enable the students from rural or weak areas to participate.

2) Real-time Operations: Despite operating wirelessly, the system maintained real-time performance, with negligible latency in both waveform generation and display. The real-time functionality of this feature is essential for proper analysis and troubleshoot whole waveforms, which makes the system usable in many practical cases.

3) Scalability: The modular architecture of the system, using LabVIEW's graphical programming language, allows for later scalability. Additional equipment such as power supplies, measurement tools, or different types of waveform generators can be integrated with minimal reconfiguration.

V. FUTURE SCOPE

The emergence of real-time remote laboratories powered by LabVIEW offers exciting opportunities for educational institutions and research organizations alike. One of the most significant benefits is the chance to provide hands-on learning experiences to students who may not have access to physical lab facilities. This technology unties geographical possess, meaning learners right from rural areas can perform practical experiments and hone crucial traits anywhere from the planet. By incorporating remote labs into their curriculum, institutions can enrich their educational offerings and attract a diverse group of students eager to explore STEM fields.

Beyond education, real-time remote laboratories create avenues for collaboration on a global scale. Researchers and scientists can run experiments in parallel at different locations, they can share fundas and resources. It will allow rapid scientific discovery and innovation through the collaboration of teams in real-time, sharing data and insights alike. LabVIEW has strong data visualization support as well — able to see results, interpret data in an efficient manner.

Looking ahead, the future of real-time remote laboratories is incredibly promising, especially with ongoing technological advancements. For the more educated crowd worldwide, high speed networks are spreading so connectivity to remote labs will only get more complex and interactive. Seamlessly integrated within LabVIEW environment and augmented reality/virtual reality (AR/VR), students are more comfortably going to receive learning activities cutting across the world. This development would enable students to grasp abstract subjects and be able to test the virtual simulations, therefore easing the path between theory to application.

This also means there is an incredible value in integrating artificial intelligence (AI) and machine learning (ML) to these remote laboratory systems. AI and ML, using complex data sets acquired during experiments can help in finding patterns, which are later used for prediction, and this can only serve to improve the overall learning & research experience. It is these same technologies that allows for labour saving routine automation and customized feedback, improving the usability and efficiency of remote laboratories. Furthermore, utilizing these new lab technologies with LabVIEW expands the function of remote labs and strengthens their position as cornerstone of future e-learning / e-research environments by promoting this innovative and collaborative scientific tradition.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |


VI. CONCLUSION

In conclusion, the future that real-time LabVIEW powered remote laboratories make available to be educate and research are in irreversible progress simply pushing the access and opportunities for learn, scientists since the ground up. These cutting-edge systems remove geographical walls, providing students from each corner of the world an opportunity to engage in practical learning and hone skills. Collaborative remote laboratories create a dynamic community in which researchers can learn, discuss and impact the delivery of scientific discoveries which would have been impossible before.

The possibilities of these real-time remote labs also expand as technology makes its way forward. The use of augment reality (AR) and Virtual reality (VR) with enhanced capabilities of AI & machine learning (ML) can make the learning experience richer & more concise. This evolution increases not only users stimulating interaction per year but offers researchers the tools they need to solve challenging problems. In the end, real-time remote laboratories aren't a fad: remote labs are setting a future that is not only science and education for more multistakeholder-based and creative but also appealing to curiosity, collaboration, creativity over generations.

REFERENCES

[1] García-Guzmán, Jesús, Farah H. Villa-López, Jorge A. Vélez-Enríquez, Luz A. García-Mathey, and Alfredo Ramírez-Ramírez. "Remote laboratories for teaching and training in engineering." Design, Control and Applications of Mechatronic Systems in Engineering; Yildirim, S., Ed (2017): 47-63.
[2] G. A. Daniele, A. M. Garro, and S. Ranieri, "Enhancing experiential learning through remote laboratories," Computers & Education, vol. 112, 2017, pp. 79-94.
[3] Chen, X., Liu, Z., Wang, J., & Huang, Y. (2019). Integration of Real-time Webcams and LabVIEW in Physics Laboratories: A Case Study of Remote Pendulum Control. IEEE Access, 7, 79234-79243.
[4] S. Alves, L. de La Reza, and G. Alves, "Challenges in setting up and managing remote laboratories," IEEE Transactions on Learning Technologies, vol. 5, no. 3, 2012, pp. 193-203.
[5] J. M. A. Myatt and S. M. B. Joordens, "Integrating virtual reality in remote laboratories," International Journal of Engineering Education, vol. 36, no. 4, 2020, pp. 1601-1613
[6] R. Kumar, P. Pathak, and S. Ganesan, "Remote laboratories for industrial automation and quality control," Journal of Industrial Engineering and Management, vol. 8, no. 2, 2015, pp. 367-386.
[7] Bhattacharya, S. (2018, January 29). “Engineering graduates have poor awareness of research: Study”. The Economic Times. https://economictimes.indiatimes.com/jobs/engineering-graduates-have-poor-awareness-of-research-study/articleshow/62700657.cms?from=mdr
[8] Kandri, S. (2020, May 12). “How COVID-19 is driving a long-overdue revolution in education”. World Economic Forum. https://www.weforum.org/stories/2020/05/how-covid-19-is-sparking-a-revolution-in-higher-education/



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)