



iJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 Issue: V Month of publication: May 2025

DOI: <https://doi.org/10.22214/ijraset.2025.70755>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Evaluating Deep Learning Techniques for Early Detection of Glaucoma

Kirushnakand N, Karthic V, KarthickRaja K, Vijayalakshmi S

Abstract: *The goal of this study is to apply sophisticated computational methods to identify glaucoma, a major cause of vision impairment. The system analyzes ocular pictures to identify patterns suggestive of glaucoma using convolutional neural networks (CNN) and deep learning architectures like ResNet, VGG, EfficientNet, MobileNet, and DenseNet. The method improves classification accuracy by using optimized neural network topologies and organized datasets. A variety of preprocessing methods guarantee that the input data is refined, which enhances model performance. The framework is intended to support clinical decision-making by aiding in early detection. This study aims to increase the accuracy and efficiency of diagnostics by showcasing the possibilities of automated analysis in ophthalmology.*

Keywords: *Glaucoma Detection, deep learning, convolutional neural network, image classification*

I. INTRODUCTION

If not detected early on, glaucoma, a disorder that affects the optic nerve, can cause severe vision loss. Manual evaluation is a common component of traditional diagnostic techniques, although it can be laborious and subjective. Computational methods have been created to improve detection efficiency and accuracy in order to overcome this. This research analyzes ocular pictures for glaucoma classification using deep learning models, such as Convolutional Neural Networks (CNN), in conjunction with architectures including ResNet, VGG, EfficientNet, MobileNet, and DenseNet. Accurate feature extraction and classification are guaranteed by the use of efficient neural networks and structured data processing. The suggested strategy focuses on honing image processing methods to increase the precision of detection. This study intends to contribute to automated diagnostic breakthroughs by utilizing deep learning methods to provide a systematic and efficient framework for medical picture analysis.

A. Glaucoma Detection

The process of detecting glaucoma entails methodically examining eye pictures to find trends linked to alterations in the optic nerve. In order to extract pertinent information and categorize photos according to structural changes, this method depends on computational algorithms. The strategy makes use of deep learning and machine learning techniques to increase classification accuracy. The detection mechanism can distinguish between normal and impacted circumstances by using feature extraction and augmentation approaches. Improving image processing techniques is essential to boosting dependability. By integrating sophisticated algorithms, the reliance on subjective evaluation is lessened, improving the accuracy of pattern recognition.




Figure 1. Glaucoma Detection

B. Deep Learning

A sophisticated area of artificial intelligence called deep learning imitates the composition and operation of neural networks. It is intended to facilitate effective representation learning by processing intricate patterns over a number of hierarchical layers. To increase classification accuracy, deep learning models convert unprocessed input into abstract features. Through iterative learning processes, these models modify their parameters, improving their capacity to identify intricate patterns. The network is appropriate for difficult applications because of its depth, which allows high-level properties to be extracted. Deep learning is an effective tool for many analytical tasks because of its capacity to handle enormous volumes of both organized and unstructured data.




Figure 2. Deep learning

C. Convolutional Neural Networks

A family of deep learning models called Convolutional Neural Networks (CNN) was created especially for the analysis of picture data. They preserve local structures in images by using convolutional layers to capture spatial interactions between pixels. Convolutional, pooling, and fully connected layers are among the several layers that make up these networks, and they cooperate to process and categorize visual data. By concentrating on pertinent areas inside an image, feature maps produced by convolution operations assist in spotting important patterns. CNNs' weight-sharing feature preserves accuracy while lowering computational complexity. CNNs efficiently improve classification performance by fine-tuning model designs and improving filter sizes.

D. Image Classification

The process of labeling photos using discovered patterns and extracted features is known as image classification. It uses preprocessing methods to increase feature representation and image quality. To distinguish between various groups, different classification algorithms examine structural characteristics, color variations, and pixel distributions. The method uses statistical models and mathematical changes to arrange photos into meaningful categories. Techniques for feature extraction, like texture analysis and edge detection, help achieve more precise classification. The system's capacity to identify differences inside images is enhanced by optimized learning strategies, which raises the total prediction accuracy.

II. LITERATURE REVIEW

In this research, Muhammad Aamir et al. have suggested One common cause of blindness is glaucoma, an eye condition brought on by damage to the retina. The majority of the existing examination methods are excessively lengthy and need manual guidance to operate. In order to diagnose glaucoma, we presented a multi-level deep convolutional neural network (ML-DCNN) architecture in this work using retinal fundus pictures. From the nearby hospital, we gathered a database of retinal fundus photos. An adaptive histogram equalization pre-processes the fundus images to lower image noise. Two phases of feature extraction and classification are employed by the ML-DCNN architecture: detection-net, which is used for glaucoma detection, and classification-net, which is used to classify affected retinal glaucoma images into three groups: Advanced, Moderate, and Early. Using 1338 retinal glaucoma images, the suggested model's performance is evaluated using many statistical variables, including sensitivity (SE), specificity (SP), accuracy (ACC), and precision (PRE). PRC of 98.2%, ACC of 99.39%, SP of 98.99%, and SE of 97.04% are typically attained [1]. In this study, Issam Boukhennoufa et al. have suggested The second leading cause of death worldwide is a cerebrovascular event or stroke. It can cause paralysis, sensory damage, and severe disability if it is not fatal. Rehabilitation is crucial in helping survivors restore their independence, acquire lost skills, and improve their quality of life. As technology has advanced, researchers have developed new ways to help clinicians monitor and evaluate their patients, as well as make physiotherapy accessible to everyone. This review's goal is to evaluate the latest advancements in post-stroke rehabilitation by utilizing wearable technology to gather data and machine learning algorithms to evaluate the workouts. The PRISMA principles for systematic reviews were adhered to in order to accomplish this. We conducted an electronic search using Scopus, Lens, PubMed, Science Direct, and Microsoft Academic. Peer-reviewed publications from 2015 to August 2021 that used sensors in post-stroke therapy were considered. Included were thirty-three papers that assessed patients using wearable sensors. In light of this, we have put up a taxonomy that splits the evaluation methods into three groups: clinical assessment emulation, movement classification, and activity recognition [2].

In this study, Hyeonsung Cho et al. have suggested A deep learning ensemble approach to automatically grade glaucoma phases based on severity was created and assessed in this study. The final dataset, which included 3,460 fundus photos from 2,204 patients, was split into three classes: unaffected controls, early-stage glaucoma, and late-stage glaucoma, following cross-validation by three glaucoma specialists. The glaucoma patients were categorized using the usual automated perimetry mean deviation value. We created an ensemble method to combine many modeling results and obtain the optimum performance by modeling 56 convolutional neural networks (CNN) with various properties. In comparison to the best single CNN model, which has an accuracy of 85.2% and an average area under the receiver operating characteristic of 0.950, the suggested method performs noticeably better in classifying glaucoma stages with an accuracy of 88.1% and an average area under the receiver operating characteristic of 0.975. The suggested approach has a lower false negative than the best single CNN model, which is the least nearby misprediction [3].

In this research, Ying Xue et al. have proposed The primary cause of irreversible blindness is glaucoma, and managing glaucoma requires early detection and prompt treatment. However, a single trait alone is currently insufficient for tracking the advancement of glaucoma because of the interindividual diversity in the characteristics of glaucoma onset. The development of more accurate and thorough diagnostic techniques is desperately needed. In order to categorize glaucoma into four severity categories, we suggested a multi-feature deep learning (MFDL) approach based on intraocular pressure (IOP), color fundus photographs (CFP), and visual field (VF). We created a three-phase paradigm that includes screening, detection, and classification for glaucoma severity diagnosis ranging from coarse to fine. We evaluated it on separate 240 samples from 185 patients after training it on 6,131 samples from 3,324 individuals. According to our findings, MFDL outperformed CFP-based single-feature deep learning (CFP-DL, accuracy of 0.483 [0.420–0.547]), VF-based single-feature deep learning (VF-DL, accuracy of 0.725 [0.668–0.782]), and direct four classifications deep learning (DFC-DL, accuracy of 0.513 [0.449–0.576]) with an accuracy of 0.842 (95 % CI, 0.795–0.888). Compared to eight juniors, its performance was statistically substantially better. Additionally, it performed similarly to two glaucoma experts (0.842 vs. 0.854, $p = 0.663$; 0.842 vs. 0.858, $p = 0.580$) and better than three seniors and one expert [4].

In this study, Joost van Amersfoort et al. have suggested We suggest a technique for training a deterministic deep model that uses a single forward pass to identify and reject out-of-distribution data items at test time. Deterministic uncertainty quantification (DUQ), our method, expands on concepts of RBF networks. We match the accuracy of softmax models by scaling training in these using a unique centroid update approach and loss function. We can consistently identify out-of-distribution data by employing a gradient penalty to enforce detectability of input changes. On significant challenging dataset pairs like FashionMNIST vs. MNIST and CIFAR-10 vs. SVHN, we outperform or match Deep Ensembles in out of distribution detection using a single model, and our uncertainty quantification scales well to big datasets. We presented Deterministic Uncertainty Quantification (DUQ), a straightforward technique that uses a deep neural network to obtain uncertainty in a single forward pass. Tests reveal that our approach outperforms the more computationally costly Deep Ensembles in some situations and is competitive in others [5].

III. EXISTING SYSTEM

Because it can cause irreversible visual loss, glaucoma is a serious global public health concern. Stopping the course of visual field degradation requires prompt identification. Deep neural networks (DNNs) have gained popularity in medical imaging in recent years because of their capacity to recognize patterns. In order to capture the uncertainty associated with the classifications, this study presents a new computer-aided diagnosis (CAD) system for glaucoma detection based on deep learning (DL) algorithms. It does this by extracting meaningful features from retinal fundus images (RFIs) and using uncertainty quantification (UQ) models, such as ensemble Bayesian, ensemble Monte Carlo dropout (EMCD), and Monte Carlo dropout (MCD), to generate both point estimates and confidence values for the outputs. Well-known clinical datasets are used to validate the suggested framework, and thorough performance metrics like expected calibration error (ECE), entropy analysis, and a multi-criteria UQ assessment are used to assess the outputs' dependability. With uncertainty accuracies of 97.64%, 97.26%, and 98.97% for the "ACRIMA," "RIM-ONE-DL," and "ORIGA" datasets, respectively, experimental findings show the ensemble model's superiority.

IV. PROPOSED SYSTEM

The suggested approach uses cutting-edge deep learning techniques to improve the recognition of patterns in ocular images. In order to extract and evaluate pertinent information from images, it combines Convolutional Neural Networks (CNN) with designs including ResNet, VGG, EfficientNet, MobileNet, and DenseNet. To ensure high accuracy in the identification process, the system goes through several stages, such as feature extraction, classification, and data preprocessing. To increase model performance, preprocessing techniques are used to reduce noise and improve image quality. Structured training and validation procedures optimize the accuracy of the deep learning models. This method contributes to improved classification capabilities by providing an effective and methodical approach to feature recognition.




Figure 1 System Architecture

A. Load Data

Collecting organized datasets with the visual representations needed for analysis is the first step. To guarantee uniformity in format and organization, the data is arranged methodically. Effective processing is made possible by proper structure, which enables computational models to identify significant patterns. This stage guarantees that the data is ready for additional processing and examination.

B. Pre-processing

By improving input photos, preprocessing techniques are used to improve the quality of the data. To enhance feature representation, this involves normalization, noise reduction, and structural modifications. Better model performance is achieved by minimizing needless variations through the use of preprocessing techniques. In classification tasks, well-processed data helps to increase accuracy and consistency.

C. Feature Extraction

Computational methods are used to find and extract important features from structured data. Convolutional Neural Networks (CNN) are used to maintain structural information and capture spatial hierarchies. Activation functions add non-linearity, pooling layers lower dimensionality, and convolutional layers identify patterns. Effective extraction techniques minimize duplicate information while preserving crucial details. This stage is essential for improving computational models' capacity to identify significant structures.

D. Training And Testing

Computational models are trained on labeled data as part of an organized learning process. To maximize feature learning and classification, CNN-based architectures like ResNet, VGG, EfficientNet, MobileNet, and DenseNet are used. Model parameters are modified during training with the use of optimization methods such as Adam or Stochastic Gradient Descent (SGD). A different collection of structured data is then used to evaluate the performance of the trained models. The models' ability to generalize to new patterns outside of the training dataset is guaranteed by this phase.

E. Model Evaluation

Using a variety of performance criteria, the trained models' efficacy is evaluated in the last stage. To assess classification reliability, F1-score, recall, accuracy, and precision are calculated. The effectiveness of various model architectures is assessed through comparative analysis. This assessment guarantees that the system delivers precise categorization results and satisfies intended performance objectives.

V. ALGORITHM DETAILS

A. Convolutional Neural Networks (CNN)

CNN is a deep learning architecture intended for feature extraction and picture categorization. It is composed of fully connected layers that do classification, pooling layers that reduce dimensionality, and convolutional layers that use filters to find patterns. ReLU and other activation functions improve feature learning by introducing non-linearity.

Formula for Mathematics (Convolution Operation):

$$Z(i, j) = \sum_m \sum_n X(i+m, j+n) \cdot K(m, n) \quad Z(i, j) = \sum_m \sum_n X(i+m, j+n) \cdot K(m, n)$$

Where:

$$Z(i, j)$$

$Z(i, j)$ = Feature map output

$X(i+m, j+n)$ = Input image pixels $X(i, j+n)$

$$K(m, n)$$

$K(m, n)$ = input kernel/filter applied

B. RESNET

By including residual learning, ResNet enables networks to train more deeply without experiencing problems with disappearing gradients. In order to avoid degradation in deeper designs, it uses skip connections, also known as identity mappings, to transfer information directly between levels.

Formula for Mathematics (Residual Learning Block):

$$H(x) = F(x, \{W_i\}) + x$$

$$F(x, \{W_i\}) + x = H(x)$$

Where:

$$(x)$$

$H(x)$ = The leftover block's output

$$F(x, \{W_i\})$$

$F(x, \{W_i\})$ = Convolutional layer-based transformation

x = Data sent via the skip connection

C. VGG

VGG is a CNN-based model that captures intricate hierarchical information by stacking tiny convolutional filters ($3 \times 3 \times 3$) in many layers. To increase accuracy, it places a strong emphasis on deep networks with consistent filter sizes.

The stacking convolutions mathematical formula is:

$$Z = \text{ReLU}(W * X + B)$$

Where $Z = \text{ReLU}(W * X + B)$

W is the convolution filters' weight matrix.

X is the input picture, B is the bias, and $*$ is the convolution operation, $\text{ReLU}(x) = \max(0, x)$

$\text{ReLU}(x) = \max(0, x)$ (Linear Activation Function Rectified)

D. Efficientnet

EfficientNet balances depth, width, and resolution scaling to maximize network performance. All three dimensions—network depth, width, and image resolution—are proportionately altered through the application of compound scaling.

Formula for Mathematics (Compound Scaling):

The formula $depth = \alpha d$, $width = \beta d$, $resolution = \gamma d$

Resolution = γd , breadth = βd , and depth = αd

Where:

d = Scaling factor; α, β, γ = Scaling coefficients

E. MOBILENET

In order to reduce computational complexity, MobileNet, a CNN architecture, uses depthwise separable convolutions rather than normal convolutions.

Depthwise Separable Convolution mathematical formula:

$$X = (X * D) * P \quad Z = (X * D) * P$$

Where:

X = Input picture

D = Convolution filter for depthwise

Pointwise convolution filter (P)

F. DENSENET

DenseNet introduces dense connection, in which all previous levels provide input to each layer. By increasing gradient flow and decreasing the number of parameters, this structure improves feature reuse.

Formula in Mathematics (Dense Connectivity):

$$x_l = ([x_0, x_1, \dots, x_{l-1}])$$

$$x_{l+1} = H_l([x_0, x_1, \dots, x_{l-1}])$$

Where:


Layer l 's output is represented by x_l , while layer H_l is the transformation function (convolution, batch normalization, activation).






$[x_0, x_1, \dots, x_{l-1}]$

$[x_0, x_1, \dots, x_{l-1}]$ = All of the earlier layers' concatenated outputs

VI. RESULT ANALYSIS

The suggested system is evaluated by evaluating its model efficiency, feature extraction ability, and classification accuracy. The efficiency of several deep learning architectures in spotting patterns is examined, including Convolutional Neural Networks (CNN), ResNet, VGG, EfficientNet, MobileNet, and DenseNet. To guarantee accurate data representation, the effect of preprocessing methods on model performance is investigated. The reliability of categorization is assessed using performance indicators including F1-score, precision, and recall. Comparative research reveals gains in computing efficiency and detection accuracy, highlighting the benefits of the suggested strategy. The methodical evaluation attests to the system's ability to improve classification accuracy and support automated analysis.










```


python-input-39-6a2543b1121:1: UserWarning: "input_shape" is undefined or non-square, or "rows" is not in [96, 128, 160, 192, 224]. Weights for input shape (224, 224) will
base_model = applications.MobileNetV2(include_top=False, input_shape=(256, 256, 3), pooling='avg')
Epoch 1/10
100/100 - 107s 994ms/step - accuracy: 0.6899 - loss: 0.6374 - val_accuracy: 0.6259 - val_loss: 0.3679
Epoch 2/10
100/100 - 88s 886ms/step - accuracy: 0.8148 - loss: 0.3715 - val_accuracy: 0.6793 - val_loss: 0.2081
Epoch 3/10
100/100 - 90s 986ms/step - accuracy: 0.8372 - loss: 0.3437 - val_accuracy: 0.6969 - val_loss: 0.2538
Epoch 4/10
100/100 - 93s 939ms/step - accuracy: 0.8675 - loss: 0.2979 - val_accuracy: 0.6207 - val_loss: 0.2216
Epoch 5/10
96/100 - 28s 445ms/step - accuracy: 0.9898 - loss: 0.2458 /usr/local/lib/python3.11/dist-packages/keras/src/trainers/epoch_iterator.py:107: UserWarning: You
self._interrupted_training()
100/100 - 47s 472ms/step - accuracy: 0.9842 - loss: 0.2481 - val_accuracy: 0.9138 - val_loss: 0.2129
Epoch 6/10
100/100 - 118s 873ms/step - accuracy: 0.8974 - loss: 0.2475 - val_accuracy: 0.9195 - val_loss: 0.1385
Epoch 7/10
100/100 - 88s 892ms/step - accuracy: 0.8957 - loss: 0.2365 - val_accuracy: 0.9224 - val_loss: 0.2089
Epoch 8/10
100/100 - 86s 869ms/step - accuracy: 0.8984 - loss: 0.2465 - val_accuracy: 0.9121 - val_loss: 0.1928
Epoch 9/10
100/100 - 87s 879ms/step - accuracy: 0.9087 - loss: 0.2249 - val_accuracy: 0.9379 - val_loss: 0.1641
Epoch 10/10
100/100 - 56s 567ms/step - accuracy: 0.9811 - loss: 0.2225 - val_accuracy: 0.8839 - val_loss: 0.2434

```


Layer (type)	output Shape	Param #
input_layer (InputLayer)	(None, 256, 256, 3)	0
conv2d (Conv2D)	(None, 256, 256, 64)	1,792
batch_normalization (BatchNormalization)	(None, 256, 256, 64)	256
max_pooling2d (MaxPooling2D)	(None, 128, 128, 64)	0
conv2d_1 (Conv2D)	(None, 128, 128, 128)	73,856
batch_normalization_1 (BatchNormalization)	(None, 128, 128, 128)	512
max_pooling2d_1 (MaxPooling2D)	(None, 64, 64, 128)	0
conv2d_2 (Conv2D)	(None, 64, 64, 256)	295,168
batch_normalization_2 (BatchNormalization)	(None, 64, 64, 256)	1,024
max_pooling2d_2 (MaxPooling2D)	(None, 32, 32, 256)	0
conv2d_3 (Conv2D)	(None, 32, 32, 512)	3,180,160
batch_normalization_3 (BatchNormalization)	(None, 32, 32, 512)	2,048
max_pooling2d_3 (MaxPooling2D)	(None, 16, 16, 512)	0
global_average_pooling2d (GlobalAveragePooling2D)	(None, 512)	0
dense (Dense)	(None, 512)	262,656
batch_normalization_4 (BatchNormalization)	(None, 512)	2,048
dropout (Dropout)	(None, 512)	0
dense_1 (Dense)	(None, 1)	512

Total params: 3,829,833 (6.94 MB)
 Trainable params: 3,817,889 (6.93 MB)
 Non-trainable params: 11,944 (0.24 MB)





VII. CONCLUSION

In summary, this experiment shows how well deep learning methods work to analyze ocular images and find patterns linked to glaucoma. Through the use of optimal neural network designs and organized datasets, the system improves model performance and classification accuracy. More accurate identification is made possible by the incorporation of preprocessing procedures, which guarantee refined input data. The suggested approach demonstrates how automated analysis can support decision-making procedures, increasing the effectiveness and dependability of classification. The study highlights how important sophisticated computational techniques are for increasing accuracy and helping to create more potent diagnostic techniques.

VIII. FUTURE WORK

In order to increase classification accuracy and computing efficiency, future developments of this system can concentrate on refining deep learning models. To improve feature extraction and lessen the influence of irrelevant data, sophisticated preprocessing approaches might be used. By identifying more intricate patterns, the use of additional deep learning architectures may improve classification performance even further. Investigating hybrid models that blend several network architectures may result in better decision-making and feature representation. To assess how various optimization strategies affect model performance, more research can be done. The system's ability to adapt to various circumstances can be improved by growing the dataset with a variety of changes. The goal of these enhancements is to increase the efficiency of deep learning applications in the classification of structured images.

REFERNECES

- [1] Al-Beshri, A., Alasbali, T., Shaf, A., Irfan, M., Ali, T., Ali, G., Mahnashi, M.H., and Aamir, M. (2020). A multi-level deep convolutional neural network with adaptive thresholds for the detection and categorization of glaucoma. <https://doi.org/10.3390/diagnostics10080602> 2. Boukhenoufa, I., Zhai, X., Utti, V., Jackson, J., and McDonald-Maier, K.D., 2022. Diagnostics 10 (8), 602. A systematic examination of wearable sensors and machine learning in the evaluation of post-stroke rehabilitation. *Sign Process Control in Biomedicine* 71, 103197. <https://doi.org/10.1016/j.bspc.2021.103197>
- [2] In 2021, Cho, H., Hwang, Y.H., Chung, J.K., Lee, K.B., Park, J.S., Kim, H.-G., and Jeong, J.H. A deep learning ensemble approach that uses convolutional neural networks and fundus photos to classify glaucoma stages. 1516–1524 in *Curr. Eye Res.* 46 (10). 10.1080/02713683.2021.1900268 can be found at <https://doi.org>.
- [3] Huang, X., Xu, X., Li, X., Zheng, Y., Zhu, Z., Jin, K., Ye, J., Gong, W., Si, K., Xue, Y., Zhu, J., 2022. A deep learning system with multiple features to improve the speed and accuracy of glaucoma severity detection. *Inf. J. Biomed.* 136, 104233. doi.org/10.1016/j.jbi.2022.104233 for further information.
- [4] Teh, Y.W., Gal, Y., Smith, L., and Van Amersfoort, J. (2020). One deep deterministic neural network for estimating uncertainty. *Proceedings of the 37th International Conference on Machine Learning*, vol. 119, PMLR, pp. 9690–9700, in: III, H.D., Singh, A. (Eds.). Accessed at: <https://proceedings.mlr.press/v119/van-amersfoort20a.html>.
- [5] J.-Q. Shi, X.-L. Du, J. Eyre, X. Chen, Y. Guan, Wearable accelerometers for automated stroke rehabilitation evaluation in free-living settings, *arXiv preprint arXiv:2009.08798* (2020).
- [6] C. Fernandez-Grana, A. Kaku, A. Parnandi, A. Venkatesan, N. Pandit, H. Schambra, *ArXiv preprint arXiv:2004.08297* (2020): Towards data-driven stroke rehabilitation with wearable sensors and deep learning.
- [7] *The Lancet Neurology*, 19 (4) (2020), 348–360; C.M. Stinear, C.E. Lang, S. Zeiler, and W.D. Byblow, *Stroke Rehabilitation: Progress and Difficulties*.
- [8] K. Rathakrishnan, S.-N. Min, and S.J. Park, Assessment of electrocardiogram features for the diagnostic classification of stroke survivors, *Applied Sciences* 11 (1) (2021) 192.
- [9] Y. Kim, K.-S. Lee, H.-S. Park, S.H. Chae, *JMIR mHealth and uHealth* 8 (7) (2020), e17216. Prospective comparison study. Development and clinical assessment of a web-based upper limb home rehabilitation system for chronic stroke survivors utilizing a smartwatch and machine learning model
- [10] IEE 7010: A new standard for evaluating the consequences of artificial intelligence for human well-being, D. Schiff, A. Ayesh, L. Musikanski, and J.C. Havens, in: *IEEE International Conference on Systems, Man, and Cybernetics (SMC)*, IEEE, 2020, pp. 2746–2753.
- [11] Inceptiontime: Identifying alexnet for time series categorization, by H.I. Fawaz, B. Lucas, G. Forestier, C. Pelletier, D.F. Schmidt, J. Weber, G.I. Webb, L. Idoumghar, P.-A. Muller, and F. Petitjean, *Data Mining and Knowledge Discovery* 34 (6) (2020) 1936–1962.
- [12] Quan, J., Budden, D., Barth-Maroon, G., Hessel, M., van Hasselt, H., Silver, D., and Horgan, D. 8. replay of a distributed, prioritized experience. *Learning Representations International Conference*, 2018.
- [13] Haarnoja, T., Levine, S., Zhou, A., and Abbeel, P. Soft actor-critic: Deep reinforcement learning using a stochastic actor using off-policy maximum entropy. the 2018 *arXiv preprint arXiv:1801.01290*.
- [14] Schuurmans, D., Tucker, G., Norouzi, M., and Nachum, O. Gaussian policy learning using smoothed action value functions. 2018; *arXiv preprint arXiv:1803.0348*.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)