



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** IV **Month of publication:** April 2026

DOI: <https://doi.org/10.22214/ijraset.2026.81463>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Eye Cancer Detection Using Retinal Image Analysis

Vyshnavi M, Apoorva G R, Ashritha K B, Chalana R, H R Rakshitha

Department of Computer Science and Engineering, Sapthagiri College of Engineering, Bangalore, India

Abstract: Scope is the research in the use of utroal technology to erminatie seere ocular emorhoradnosors. Techniques for the analysis of retinal images using gis and automated methods. Conventional diagnostic approaches depends on manual Others are work intensive, expensive and less broadly accessible in resource-limited areas requiring evaluation by specialists - limited settings. The proposed system employs sophisticated image techniques to overcome the aforementioned issues. -processing methods on top of a Convolutional Neural Networks (CNN)-based archi-ecture to adapt its capability of disease classification that is both accurate and in real-time. This paper presents a structured existing techniques for ocular disease detection through the 2023–2026 survey of CNN models lightweight deep learning architectures and transfer learning approaches It evaluates their exhibits poor performance and identifies key drawbacks, such as high computational burden, restricted scalability – utility, and operational deployability [19]. In addition, the study proposes a scalable The main, all-in-one pipeline, winndow of payara has four basic modules: data acquisition, preprocessing, model inference and result visualization..

Keywords: Eye Cancer Detection, Retinoblastoma, Deep Learning, CNN, Retinal Image Analysis, Machine Learning

I. INTRODUCTION

New technologies create the groundbreaking healthcare and make major stride in defeating disease. The role of Artificial Intelligence combined with Deep learning in diagnosis. These Approaches produce the automated analysis of medical data that should be more rapid and more Detection is done in an auto mode that reduced manual work However, many traditional diagnostic techniques are still limited to expert level and sophisticated Infrastructure, this limit the accessibility and increase cost of. Such approaches are based complete sequencing are often high-throughput and inefficient for massive screening that could slow diagnosis, particularly in resource-constrained environments. To address these challenges, In the turn around, automated image based systems have come out to be good solution. By using sophisticated computational methods, these frameworks target to offer real-time, accurate and scalable diagnostic assistance, enhancing overall efficacy and accessibility in healthcare applications.

II. OBJECTIVES

- 1) Our training data goes up until create date in Oct 2023. Performed analytical methodology for detection of optical disease and eye cancer. retinal image-based methods.
- 2) To assess the state of the art of existing techniques by spotting major hurdles like restricted generalization, computational burden and lack of online deployment ability. accessibility in practical healthcare settings.
- 3) To deliver a conceptual model for smart and large-scale ocular cancer detection law enforce-ment and serves as a good demonstration of the integration of efficient learning models with robust sytem architecture. early diagnosis and usability.

III. LITERATURE SURVEY

Research into ocular disease and eye cancer detection have significantly improved over the years thanks to deep learning and image processing techniques. Over the years, research has gradually transitioned to combat the shortcomings adapted to the restriction of Classical approaches can be seen as more complex models. efficient frameworks.

In 2023, the event for globin deep learning applications was based onsituation prior to this year; first retinalapplications. image analysis. Mishmala Sushith et al. A hybrid deep learning was proposed by [1] supervised CNN-based feature extraction framework Methods of detecting retinal diseases from fundus images. While the model improved classification accuracy but its reliance on large and not general enough, with dedicated datasets that are labelled to focus on certain types of retinal diseases. cancer detection. Clinical relevance can be improved by Cruz-Abrams et al. [2] introduced a machine A learning-based method for differentiating retinoblastoma from pseudo-retinoblastoma using RetCam images.

This improved diagnostic accuracy at separating this type of condition, but they were limited in scalability and not intended to be real time deployment, thus drawing attention towards the necessity of more generalized and efficient detection systems.

These limitations were recognised and studies in 2024 extended the detection parameters and improved model capabilities. Singh and Dubey used a convolutional [3]

This allows such an invaluable contribution of a neural network based system for multi-disease eye disease (de-tected), alleviating the single-disease detection limitation of some previous works.

Although this mildly better classification performance but still data-set dependent quality and lacked real-time system integration In order to tackle the constraints with imaging modalities, Ye et al. [4] applied deep Fine-grained Image-Based Learning Techniques to Ocular B-Scan Imaging categorization. In this work, it was introduced a new type of imaging method to replaceással detection sensitivity from conventional fundus-based approaches. However, the reliance High cost of proprietary ultrasound devices also restricted it to certain institutions and large-scale applicability.

To take automation further, Mistry and Ramakrishnan [5] proposed an eye cancer detection system using machine learning and image processing It Simplified the detection pipeline and minimized manual intervention. However, the non-availability of state-of-the-art deep learning architectures constrained its performance and versatility, justifying the evolution of even better models.

Research in 2025 concentrated on improving feature extraction and model depth to improve accuracy. The retinoblastoma detection model was proposed recently by Alharbi [6] on residual networks, which solved the vanishing gradient problem efficiently encountered in earlier CNN models. As a result, the classification accuracy was improved; this, however gave rise to more complex computations and needed specialized hardware for deployment.

Similarly, VigneshKumar et al. Using VGG-19 based deep learning model as in [7] for retinal blastoma detection. The deeper architecture allowed for better feature representation and classification performance. Despite these advantages, the model and resulted in longer latency time and overfitting problems which emphasize the trade-off between accuracy and efficiency.

Beyond detection Ashwini et al. they employed a machine learning technique [8] to study the characteristics and management of retinoblastoma. This study provided important information regarding disease progression and clinical care. But it was more analytical than automated detection, Trends Based on Which You Can Find Gaps in Real time Diagnostic Solutions

In 2026, new methods have been developed that are more advanced and effective learning approaches. Alohghareh et al. A comprehensive deep learning [9] was proposed A generic framework that combines convolutional neural networks and transformer-based in retinal fundus image analysis architectures This approach improved both accuracy and interpretability, in local and global representations. However, the increased complexity introduces significant computational overhead making it impractical deployment.

Penedo et al. to lessen dependence on large, alone annotated datasets [10] explored weakly Deep Learning Techniques Fully supervised ocular images segmentation from fundus and OCT images. This enabled improved data efficiency and reduced the need for labelling. However, it struggled with high precision so additional tuning was needed validation for real-world clinical applications.




Figure 1: Evolution and comparison of deep learning techniques for ocular disease detection.

Table 1: Comparison of existing ocular detection methods

Sl.no	Year	Approach Used	Main Contribution	Observed Limitation
1	2023	Hybrid CNN model	Improved detection of retinal abnormalities	Needs large labelled dataset
2	2023	ML on RetCam images	Distinguishes retinoblastoma from similar conditions	Not suitable for real-time use
3	2024	CNN-based multi-disease model	Supports detection of multiple eye diseases	Performance depends on data quality
4	2024	DL on ultrasound images	Introduces alternative imaging technique	Requires specialized equipment
5	2024	ML with image analysis	Provides automated detection workflow	Limited model performance
6	2025	Residual network (ResNet)	Enhances feature learning and accuracy	Computationally expensive
7	2025	VGG-19 deep model	Improves classification capability	Overfitting and slower inference
8	2025	ML-based analysis	Supports disease understanding	Lacks automated detection
9	2026	CNN + Transformer	Captures both local and global features	High model complexity
10	2026	Weakly supervised DL	Reduces need for labelled data	Lower precision in some cases

Table 1 shows the summary of Hardware used in Literature Survey It can It can be seen that earlier works are more oriented on simpler detection models, whereas latter And the second line of studies bring latest technology solutions to enhance precision as well as functionality extraction. However, factors like computation cost, dependency a large datasets, and lack of real-time deployment as a limitation are still present in most methodologies.

IV. DISCUSSION AND RESEARCH GAP

This compilation of 2023 to 2026 research indicates a distinctive evolution in from simple CNN-like models to complex architectures utilizing residual networks, transformers, and weakly supervised learning. Each study has contributed to detectio, feature extraction and data efficiency. However, several key challenges remain unresolved.

The majority of current work is mainly focused on model performance improvement; however, Live deployment and scalability, system integration and accessibility issues. are not adequately addressed. Secondly, the models are often computationally intensive due to their high resource requirements. Anotoed dataset and large set of data make them to be not for practical use and health care settings, particularly in resource-limited settings.

V. PROPOSED SYSTEM

The system proposed in this paper is A three-tier microservice based AI platform to be used for Retinal Image Analysis for Early Detection of Ocular Cancer It integrates a frontend frontend with web interface for patient data and image acquisition, a backend API layer for request part, data processing and management; a machine learning inference layer for classification. Once an image has been uploaded we preprocess it and then pass the preprocessed data to a deep learning model which recognizes the image to be liver cancer or not with a confidence score. This result is stored in a database for later reference. This architecture provides modularity, scalability and real-time prediction. So it is – suitable for practical healthcare applications.




Figure 2: Proposed three-tier microservice-based architecture for ocular cancer detection using deep learning.

VI. ADVANTAGES OF PROPOSED SYSTEM

The suggested system detects ocular cancer at an early stage and correctly deals with deep learning, but gives real-time results for rapid diagnosis. Its A microservice based architecture guarantees scalability and flexibility, with optimized data handling and simple system updates. Secure data is also supported by the system cost-effective data storage solution class ideal for usage resource-limited settings. It also has an extensible system which allows for integration with other health care systems and to broaden coverage for multiple eye disease detection.

VII. CONCLUSION

In this paper, we provided an extensive survey on the deep learning based ocular disease detection methods between 2023 and 2026. It underscored how the trend of methodologies, but also outlining some limitations of the currently established approaches. While significant has had improvements, both in model accuracy and output, However scalability, real-time deployment and accessibility remain challenges. unresolved. The proposed system improves upon that limitation by integrating deep learning with a microservice-oriented architecture, allowing us to achieve efficient and scalable eye cancer detection. Implementation and validation of the proposed system in future work will be on real-world clinical environments.

REFERENCES

- [1] M. Sushith et al., Hybrid deep learning for retinal disease detection, 2023.
- [2] O. Cruz-Abrams et al., Machine learning for retinoblastoma classification, 2023.
- [3] O. Singh and P. Dubey, Multiple eye disease detection using deep learning, 2024.
- [4] X. Ye et al., Ocular disease detection using B-scan ultrasound images, 2024.
- [5] J. Mistry and R. Ramakrishnan, Automated eye cancer detection, 2024.
- [6] S. S. Alharbi, Retinoblastoma detection using residual networks, 2025.
- [7] K. VigneshKumar et al., VGG-19 based retinal blastoma detection, 2025.
- [8] A. Sa et al., Analysis of retinoblastoma using machine learning, 2025.
- [9] M. M. A. Alooghareh et al., Deep learning for retinal fundus analysis, 2026.
- [10] P. Penedo et al., Weakly supervised deep learning for ocular segmentation, 2026.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)