iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** III **Month of publication:** March 2026

DOI: https://doi.org/10.22214/ijraset.2026.78597

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue III Mar 2026- Available at www.ijraset.com

Face Recognition Attendance Monitoring System

Ms. A. Preethi[1], Pavithra P[2], Priyadharshini S[3], Sasmitha G[4], Francina S[5]
[1]*Assistant Professor, Department of EEE, Vivekanandha College of Engineering for Women (Autonomous), Tiruchengode*
[2, 3, 4, 5]*IV-EEE Student, Vivekanandha College of Engineering for Women (Autonomous), Tiruchengode*

Abstract: ***Face recognition technology has become an efficient and secure method for automated attendance systems. Traditional attendance methods such as manual registers and RFID cards are time-consuming and prone to proxy attendance. This paper presents the design and implementation of a Face Recognition Attendance System using an ESP32-CAM module, display unit, and buzzer. The system captures the facial image of a person through the ESP32-CAM camera and compares it with the stored database using a face recognition algorithm. When a registered face is detected, the system automatically records the attendance and displays the person's name on the display module. A buzzer provides an audio indication confirming successful authentication. If the face is not recognized, the system denies access and generates a different alert signal. The attendance data can also be stored or transmitted to a connected server for monitoring and record keeping. The proposed system is compact, low-cost, and easy to implement, making it suitable for applications in educational institutions, offices, and secure workplaces. By eliminating manual processes and preventing proxy attendance, the system improves accuracy, efficiency, and security in attendance management.***

Keywords: Face Recognition, ESP32-CAM, Attendance System, Image Processing, IoT, Embedded System.

I. INTRODUCTION

Attendance management plays a vital role in educational institutions, offices, and many other organizations where monitoring the presence of individuals is necessary. Maintaining accurate attendance records helps institutions track participation, improve discipline, and evaluate performance. Traditionally, attendance has been recorded manually using paper registers or sign-in sheets. Although this method has been used for many years, it has several limitations such as time consumption, human errors, data manipulation, and the possibility of proxy attendance. Teachers or administrators often spend valuable time recording and verifying attendance, which could otherwise be used for more productive tasks.

With the rapid advancement of technology, automated attendance systems have been introduced to overcome these challenges. These systems use modern technologies such as biometric authentication, radio frequency identification (RFID), smart cards, and mobile applications to record attendance automatically. Among these technologies, biometric-based systems have gained significant popularity because they rely on unique physical characteristics of individuals, making them more reliable and secure compared to traditional methods. Face recognition is one of the most widely used biometric technologies for identification and authentication. It works by analyzing and comparing facial features captured through a camera with stored facial data in a database. Every human face has unique characteristics such as the distance between the eyes, shape of the nose, contour of the face, and other facial landmarks. These unique features allow the system to differentiate one person from another. Face recognition systems have been widely used in various applications including security systems, mobile phone authentication, surveillance, access control, and attendance management. One of the major advantages of face recognition technology is that it is a contactless method of identification. Unlike fingerprint or iris scanners, which require users to physically interact with a device, face recognition systems can identify individuals from a distance using a camera. This makes the system more convenient, hygienic, and faster, especially in environments where a large number of people need to be identified in a short period of time. Contactless systems also reduce wear and tear on devices and minimize maintenance requirements.

In recent years, the development of embedded systems and IoT technologies has enabled the creation of smart and cost-effective automated systems. These systems can be integrated with sensors, cameras, and communication modules to create intelligent applications. The integration of embedded systems with biometric technologies has opened new possibilities for smart attendance monitoring solutions.

The ESP32 microcontroller is one of the most popular embedded platforms used for developing IoT and smart device applications. It is a powerful and affordable microcontroller developed by Espressif Systems, featuring built-in Wi-Fi and Bluetooth connectivity, high processing speed, and multiple input/output pins for connecting various peripherals. The ESP32 is widely used in applications such as smart home systems, environmental monitoring, industrial automation, and security systems.

©IJRASET: All Rights are Reserved

A special variant known as the ESP32-CAM module includes an integrated camera, which makes it particularly suitable for image processing and face recognition applications. This module is capable of capturing images and performing basic image processing tasks while maintaining low power consumption. The ESP32-CAM also supports external storage and communication with other devices, enabling real-time data transmission and monitoring.

The combination of ESP32 technology and face recognition algorithms provides an efficient platform for developing an automated attendance system. Such a system can capture the image of a person, analyze facial features, compare them with stored data, and mark attendance automatically without manual intervention. This not only saves time but also ensures higher accuracy and reliability.

The Face Recognition Attendance System proposed in this project uses an ESP32 camera module to capture facial images of individuals. When a person stands in front of the camera, the system detects the face and compares it with a database of registered faces. If the face matches an existing record, the system marks the attendance automatically. This process happens within a few seconds, making the system highly efficient for real-time attendance tracking.

II. LITERATURE REVIEW

Face recognition technology has become an important biometric method for automated attendance systems due to its accuracy, reliability, and non-contact nature. Traditional attendance systems based on manual registers, RFID cards, or fingerprint sensors often suffer from issues such as proxy attendance, time consumption, and hygiene concerns. As a result, researchers have proposed several automated attendance systems using image processing and embedded hardware. Several studies have explored the use of face recognition with microcontrollers and IoT devices. A study on an ESP32-CAM based attendance management system demonstrated that the microcontroller can capture real-time images and recognize faces using algorithms such as Haar Cascade and Principal Component Analysis (PCA). The recognized face is compared with stored images, and the attendance is automatically recorded in a centralized database. This system improves accuracy and reduces manual work in attendance management.

IJRASET

Another research proposed a microcontroller-based face recognition attendance system using ESP32-CAM with wireless connectivity. In this system, facial images of students are stored in the internal memory of the ESP32-CAM module. When a person stands in front of the camera, the system detects and compares the face with stored data and sends the attendance information to a remote database through Wi-Fi. This approach provides an efficient and low-cost solution for educational institutions and organizations.

Journal

Recent research on IoT-based attendance systems shows that integrating ESP32-CAM with web databases enables real-time attendance monitoring and remote access to records. Such systems can also display messages like “Attendance Recorded” on an LCD or OLED display and provide feedback through indicators such as buzzers or LEDs. These features improve user interaction and confirm successful recognition.

IJRASET

A bibliometric analysis of research trends between 2019 and 2024 revealed that facial recognition attendance systems are becoming increasingly popular in smart education environments. The research trend indicates growing interest in combining deep learning, IoT devices, and embedded systems to build efficient and automated attendance solutions.

Journal ISB Atma Luhur.

III. METHODOLOGY

1) The ESP32-CAM module is used as the main hardware component for capturing images and processing facial recognition.
2) The ESP32-CAM camera captures the live face images of students or users when they stand in front of the device.
3) The captured images are processed using a face detection and recognition algorithm stored in the ESP32 memory.
4) The system compares the detected face with the pre-stored facial dataset to identify the authorized user.
5) If the face matches with the stored database, the system marks attendance automatically in the monitoring system.
6) The attendance data can be stored or transmitted to a server or local database for record maintenance.
7) A Piezo Buzzer is connected to the ESP32-CAM to provide an audio alert during successful or unsuccessful recognition.
8) When a valid face is recognized, the buzzer gives a short beep indicating successful attendance marking.
9) If an unknown face is detected, the system does not register attendance and may trigger a warning beep.
10) The entire system works as a real-time hardware-based attendance monitoring solution, improving accuracy and reducing manual effort.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue III Mar 2026- Available at www.ijraset.com

IV. EXISTING SYSTEM

In many educational institutions and organizations, attendance monitoring is still carried out using traditional or semi-automated methods. The most commonly used system is the **manual attendance register**, where teachers or supervisors record the presence of students or employees on paper.

Although this method is simple to implement, it has several limitations. Manual attendance recording consumes valuable time during class or working hours. In large classrooms, verifying the presence of every individual takes significant effort and may interrupt the normal teaching process. Additionally, manual systems are prone to human errors such as incorrect marking, duplicate entries, or missing records.

Another commonly used approach is the RFID-based attendance system. In this system, each user is provided with an RFID card which must be scanned at an RFID reader to mark attendance. While this method reduces manual work, it still has certain drawbacks. Users may forget their RFID cards, lose them, or intentionally give them to another person to mark attendance on their behalf. This leads to the problem known as proxy attendance, which reduces the reliability and accuracy of the system.

Similarly, biometric attendance systems, such as fingerprint-based systems, have been widely implemented in offices and institutions. These systems require users to place their finger on a fingerprint scanner for identity verification. Although biometric systems improve accuracy compared to manual methods, they also face several challenges. The fingerprint sensors may fail to recognize users due to dirt, moisture, cuts, or improper finger placement. In addition, when many users attempt to mark attendance simultaneously, long queues can form, causing delays and inconvenience.

In recent years, software-based face recognition systems have been developed using computer vision technologies such as OpenCV. These systems use cameras connected to computers to capture images and compare them with stored facial data for identification. While these solutions provide contactless authentication and reduce proxy attendance issues, many of them rely on high-performance computers and continuous internet connectivity.

This increases the overall system cost and power consumption. Moreover, some existing systems require complex setup, including dedicated servers and high-resolution cameras.

Another limitation of many existing systems is the lack of real-time hardware integration. Most software-based attendance systems are designed for desktop environments and may not be suitable for small-scale or low-cost deployments. They may also require manual supervision or periodic maintenance to ensure proper functioning.

Furthermore, existing systems often do not provide immediate feedback to users during the attendance process. For example, if a face is not recognized or if the attendance is successfully recorded, the user may not receive a clear indication. This can lead to confusion and repeated attempts to mark attendance.

Due to these limitations, there is a need for a low-cost, automated, and reliable attendance monitoring system that can operate efficiently with minimal hardware resources. The integration of embedded devices such as the ESP32-CAM with additional components like a Piezo Buzzer can provide a compact and efficient solution. Such systems aim to overcome the drawbacks of traditional attendance methods by offering real-time face recognition, reduced human intervention, improved accuracy, and immediate feedback during attendance marking.

V. PROPOSED SYSTEM

The proposed system is a hardware-based face recognition attendance monitoring system designed using the ESP32-CAM module, a compact microcontroller with an integrated camera and Wi-Fi capability. The system captures real-time images of individuals standing in front of the camera and processes them using face detection and recognition algorithms. During the enrollment stage, facial images of authorized users are stored in the system database.

When a person appears in front of the camera, the captured image is compared with the stored facial dataset to identify the user. Once the face is successfully recognized, the system automatically records the attendance along with the timestamp. The attendance information can be stored locally or transmitted through Wi-Fi to a database or cloud platform for monitoring and record management.

Additionally, a Piezo Buzzer is integrated to provide an audio indication when attendance is successfully marked attendance monitoring solution.

©IJRASET: All Rights are Reserved

VI. BLOCK DIAGRAM




Fig 1- Block diagram

VII. SYSTEM DESIGN




Fig 2- System design

VIII. HARDWARE MODEL




Fig 3- Prototype

IX. RESULT & DISCUSSION

The face recognition attendance system using the ESP32 hardware was successfully developed and tested. The system captures images through the camera module and processes them to detect and recognize registered faces. When a registered person appears in front of the camera, the system automatically identifies the face and records the attendance, which is displayed on the connected screen.

The results show that the system works effectively in real-time and reduces the need for manual attendance methods. It also minimizes errors and prevents proxy attendance. The wireless capability of the ESP32 allows easy data transfer and integration with IoT platforms.

However, the accuracy of the system may depend on lighting conditions, camera positioning, and facial changes such as masks or accessories. Overall, the developed system provides a low-cost, efficient, and reliable solution for automated attendance management in educational institutions and organizations.

X. CONCLUSION

The face recognition attendance monitoring system provides an efficient and automated solution for recording attendance in educational institutions and workplaces. Traditional attendance methods such as manual registers, RFID cards, and fingerprint scanners have several limitations including time consumption, proxy attendance, and maintenance issues. To overcome these problems, the proposed system uses the **ESP32-CAM** module to capture and recognize facial images of individuals in real time.

The system automatically identifies registered users and records their attendance without the need for physical contact or manual intervention. The integration of a **Piezo Buzzer** provides an instant audio indication to confirm successful or unsuccessful recognition. This improves user interaction and ensures that the attendance process is clear and reliable.

Overall, the proposed hardware-based system offers a low-cost, compact, and accurate attendance monitoring solution. It reduces human errors, prevents proxy attendance, and saves valuable time. Therefore, the system can be effectively implemented in schools, colleges, offices, and other organizations for secure and efficient attendance management.

XI. FUTURE SCOPE

The face recognition attendance monitoring system using an ESP32 controller, camera module, and display can be further improved with several advanced features in the future. One of the main improvements is integrating the system with cloud storage so that attendance data can be automatically stored and accessed from anywhere. This will allow teachers or administrators to monitor attendance remotely through web or mobile applications.

Another future enhancement is the addition of real-time notification systems. When a student or employee marks attendance, the system can send instant notifications through mobile apps or email. This improves communication and ensures transparency in attendance monitoring.

The project can also be expanded by integrating Artificial Intelligence (AI) and Machine Learning (ML) techniques under the field of Computer Vision to improve the accuracy and speed of face recognition. Advanced algorithms can help the system recognize faces even with changes in lighting, facial expressions, or partial occlusions such as masks.

In addition, the system can be connected with IoT platforms so that multiple attendance devices installed in different locations can be managed from a central server. This would make the system suitable for large institutions, offices, and organizations.

Another possible extension is adding liveness detection to prevent spoofing attempts using photos or videos. This will increase the security and reliability of the attendance system.

Finally, the system can be integrated with automatic report generation, biometric databases, and institutional management software to produce daily, weekly, and monthly attendance reports. These improvements will make the system more efficient, scalable, and suitable for real-world applications in educational institutions and workplaces.


REFERENCES

[1] Z. Zhang, Q. Li, and Y. Wang, “Face Recognition Based Attendance Management System Using Deep Learning,” *IEEE Access*, vol. 8, pp. 159–167, Jan. 2020.
[2] A. Kumar and S. Singh, “Automated Attendance System Using Face Recognition Technology,” *Int. J. Eng. Res. Technol.*, vol. 9, no. 5, pp. 104–108, May 2020.
[3] M. A. Hossain, M. Rahman, and S. Islam, “Smart Attendance System Using Face Recognition and IoT,” *IEEE Int. Conf. Smart Comput.*, pp. 45–50, 2021.
[4] P. Sharma and R. Gupta, “Real-Time Face Detection and Recognition Using OpenCV,” *Int. J. Comput. Appl.*, vol. 177, no. 30, pp. 12–16, Feb. 2021.
[5] L. Chen and H. Zhao, “Deep Learning-Based Face Recognition for Smart Attendance Systems,” *IEEE Trans. Ind. Informatics*, vol. 17, no. 4, pp. 2345–2353, Apr. 2021.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

[6] R. K. Mishra and S. Patel, "IoT Based Smart Attendance Monitoring System Using ESP32," *Int. J. Adv. Comput. Sci. Appl.*, vol. 12, no. 3, pp. 256–262, Mar. 2021.
[7] K. Nguyen and T. Pham, "Edge Computing-Based Face Recognition Using Embedded Systems," *IEEE Access*, vol. 10, pp. 45120–45130, Apr. 2022.
[8] S. Verma and A. Singh, "Design of Automated Face Recognition Attendance System Using OpenCV," *Procedia Comput. Sci.*, vol. 167, pp. 259–267, 2022.
[9] D. Patel, P. Shah, and R. Desai, "Real-Time Smart Attendance System Using ESP32-CAM," *Int. J. Eng. Res. Technol.*, vol. 11, no. 4, pp. 587–592, Apr. 2022.
[10] M. Ahmed and F. Khan, "Development of Embedded Face Recognition System Using IoT Devices," *Sensors*, vol. 22, no. 8, pp. 1–15, May 2022.
[11] T. Brown and S. Miller, "Face Recognition Based Smart Classroom Attendance System," *IEEE Int. Conf. Comput. Commun.*, pp. 112–118, 2023.
[12] Y. Liu and X. Chen, "Low-Cost Embedded Face Recognition System Using ESP32-CAM," *IEEE Access*, vol. 11, pp. 24560–24568, Feb. 2023.
[13] R. Gupta and M. Jain, "IoT-Based Smart Attendance Monitoring Using Facial Recognition," *Int. J. Comput. Appl.*, vol. 185, no. 12, pp. 25–30, Mar. 2023.
[14] A. Rahman, S. Karim, and M. Hasan, "Deep Learning Approach for Real-Time Face Recognition Attendance System," *Comput. Electr. Eng.*, vol. 105, pp. 1–10, Apr. 2023.
[15] H. Park and J. Kim, "Smart Surveillance and Attendance Monitoring Using Embedded Vision Systems," *IEEE Sensors J.*, vol. 23, no. 6, pp. 4560–4568, Jun. 2023.
[16] S. Das and P. Roy, "Face Recognition-Based Automated Attendance System Using Convolutional Neural Networks," *Expert Syst. Appl.*, vol. 217, pp. 119–128, 2024.
[17] M. Ali and K. Hussain, "Real-Time Embedded Face Recognition Using Edge AI Devices," *IEEE Access*, vol. 12, pp. 50210–50220, 2024.
[18] J. Wang and L. Zhang, "Efficient Face Recognition Algorithm for Smart IoT Applications," *Future Gener. Comput. Syst.*, vol. 146, pp. 322–331, 2024.
[19] S. Karthik and R. Prakash, "Design of Smart Attendance Monitoring System Using ESP32-CAM and IoT," *Int. J. Smart Sensor Technol.*, vol. 3, no. 2, pp. 75–82, Jan. 2025.
[20] A. Singh, P. Sharma, and N. Verma, "IoT Enabled Face Recognition Attendance System for Smart Institutions," *IEEE Int. Conf. Artif. Intell. Smart Syst.*, pp. 210–215, Feb. 2025.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)