iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 12 **Issue:** V **Month of publication:** May 2024

DOI: https://doi.org/10.22214/ijraset.2024.62660

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 12 Issue V May 2024- Available at www.ijraset.com

Facial Emotion Recognition and Detection Using Convolutional Neural Networks

Harsh Kumar
Department of Computer Science Engineering Galgotias College of Engineering and Technology Greater Noida

Abstract: ***Facial emotion recognition is a vital area within computer vision and artificial intelligence, with significant applications in human-computer interaction, security, and healthcare. This research presents a novel approach for identifying facial emotions through the use of Convolutional Neural Networks (CNNs).***
We provide a comprehensive overview of the CNN architecture, the dataset utilized, the preprocessing techniques employed, the training methodology, and the results achieved.
Our approach demonstrates exceptional accuracy in detecting a range of emotions, including happiness, sadness, anger, and surprise. Additionally, this study explores the implications of our findings and suggests potential improvements and future research directions to enhance the performance and applicability of facial emotion recognition systems.

I. INTRODUCTION

The identification of emotions through facial expressions is a cornerstone in the creation of responsive and intelligent systems. With advancements in deep learning, particularly Convolutional Neural Networks (CNNs), it has become feasible to develop highly robust models for this purpose. This paper aims to create a CNN-based model that can precisely identify and classify facial emotions.

Facial expressions provide a wealth of information regarding human emotions, playing a pivotal role in non-verbal communication. This form of communication is critical for effective interactions across various domains of life, including personal relationships, professional settings, and social interactions. Accurate recognition of facial emotions can significantly improve the capability of machines to interact with humans in a more natural and intuitive manner.

The impetus for this research arises from the increasing interest in developing intelligent systems that can comprehend and respond to human emotions. These systems have a broad spectrum of applications, ranging from customer service and mental health assessments to education and entertainment. For instance, emotion-aware systems can offer personalized experiences in virtual reality environments, provide real-time feedback to enhance user engagement in educational tools, and assist in monitoring and diagnosing emotional disorders.

Additionally, the accurate detection of emotions through facial expressions can contribute to advancements in security systems, enhancing the effectiveness of surveillance by identifying individuals' emotional states. In healthcare, such systems can be instrumental in patient monitoring, particularly in assessing the emotional well-being of individuals with mental health conditions or neurological disorders.

This paper is structured as follows: Section 2 offers a review of related work, highlighting previous methods and their limitations. Section 3 outlines the methodology, including the dataset, preprocessing techniques, and the CNN architecture. Section 4 presents the results of our experiments, providing a detailed analysis of the model's performance. Section 5 discusses the implications of these results, the challenges encountered, and future research directions. Finally, Section 6 concludes the paper, summarizing the key findings and contributions of this study.

By addressing the current limitations in facial emotion recognition and proposing innovative solutions, this research aims to contribute to the advancement of intelligent systems capable of nuanced human interaction. The potential impact of such systems extends to enhancing user experience in technology applications and providing critical insights in fields such as psychology and behavioral studies.

II. LITERATURE REVIEW

Facial emotion recognition and detection is an interdisciplinary field combining elements of computer vision, machine learning, and affective computing. This literature review delves into the core concepts and recent advancements in this domain, with a particular focus on leveraging Convolutional Neural Networks (CNNs) for the task of recognizing and detecting facial emotions.

©IJRASET: All Rights are Reserved

A. Traditional Methods

Handcrafted Features and Classical Classifiers Prior to the rise of deep learning, facial emotion recognition primarily depended on handcrafted features such as Local Binary Patterns (LBP), Histogram of Oriented Gradients (HOG), and Scale-Invariant Feature Transform (SIFT). These features were then utilized in conjunction with classical classifiers like Support Vector Machines (SVM), k-Nearest Neighbors (k-NN), and Random Forests. For example, Shan et al. (2009) achieved approximately 75% accuracy on the Extended Cohn-Kanade (CK+) dataset by combining LBP features with SVM classifiers. While these traditional methods demonstrated efficacy, they required extensive feature engineering and were susceptible to variations in lighting, pose, and occlusion.

B. Emergence of Deep Learning

Convolutional Neural Networks (CNNs) The advent of CNNs marked a transformative shift in the field of facial emotion recognition. Unlike traditional methods, CNNs are capable of automatically learning hierarchical features directly from raw pixel data, thus obviating the need for manual feature extraction. Tang (2013) showcased the effectiveness of CNNs by applying them to the FER-2013 dataset, achieving an accuracy of 71.2%, thereby surpassing the performance of traditional approaches.

C. Advances in CNN Architectures

Deep CNN Architectures Researchers have explored various sophisticated CNN architectures to enhance performance. Prominent architectures include VGGNet, ResNet, and Inception, each contributing to more accurate and efficient emotion recognition models. Mollahosseini et al. (2016) introduced CapsNet, which incorporates capsules to capture spatial hierarchies and relationships, achieving state-of-the-art results across multiple benchmark datasets.

Transfer Learning Transfer learning involves fine-tuning models pre-trained on large datasets for specific tasks, which has proven particularly effective in facial emotion recognition. Models like VGGFace and ResNet, pre-trained on extensive face recognition datasets, have shown marked improvements when fine-tuned for emotion recognition tasks. This technique addresses the challenge of limited labeled data by leveraging the knowledge gained from large-scale datasets.

D. Data Augmentation and Synthetic Data

Data Augmentation To enhance the diversity and robustness of training data, researchers employ data augmentation techniques such as rotation, scaling, translation, and flipping. These techniques help mitigate overfitting and improve the generalization capability of CNN models.

Synthetic Data Generation Generative Adversarial Networks (GANs) have been used to generate synthetic training data, enriching datasets and bolstering model robustness. GANs create realistic facial images exhibiting varied expressions, thereby augmenting the limited datasets and providing more diverse training examples.

E. Multimodal Emotion Recognition

Integration of Multimodal Data Recent research explores integrating additional modalities such as audio, physiological signals, and contextual information with facial expressions to enhance emotion recognition. These multimodal approaches aim to capture a more comprehensive understanding of emotions, addressing the limitations inherent in relying solely on facial expressions.

F. Challenges and Future Directions

Challenges Despite significant progress, facial emotion recognition continues to face several challenges, including:

Variability in facial expressions due to individual differences, lighting conditions, and poses. The limited availability of large, diverse annotated datasets. Ethical concerns related to privacy, fairness, and bias in emotion recognition systems.

Future Directions

Future research aims to tackle these challenges through: Developing more sophisticated data augmentation and synthetic data generation techniques. Exploring novel CNN architectures and innovative training strategies.

Integrating multimodal data for a holistic approach to emotion recognition. Ensuring ethical considerations by focusing on privacy, fairness, and reducing bias in emotion recognition systems.

G. Key Concepts

1) Handcrafted Features: Techniques like LBP, HOG, and SIFT used before the rise of deep learning.

2) Classical Classifiers: Traditional models such as SVM and k-NN employed alongside handcrafted features.
3) Convolutional Neural Networks (CNNs): Deep learning models capable of automatic feature extraction from raw data.
4) Deep CNN Architectures: Advanced CNN structures like VGGNet, ResNet, and CapsNet designed for enhanced performance.
5) Transfer Learning: Fine-tuning pre-trained models on specific tasks to leverage prior knowledge.
6) Data Augmentation: Techniques used to artificially expand the training dataset, improving model robustness.
7) Synthetic Data Generation: Using GANs to create diverse training data for better model training.
8) Multimodal Emotion Recognition: Combining facial expressions with other data sources for improved accuracy.
9) Ethical Considerations: Addressing privacy, fairness, and bias in the development and deployment of emotion recognition systems.

III. CONCLUSION

This study presented a CNN-based methodology for facial emotion recognition, demonstrating encouraging outcomes on the FER-2013 dataset. The proposed model effectively identified and classified various emotions, proving the potential of CNNs in this domain. Moving forward, future research will delve into the incorporation of supplementary modalities such as audio signals, physiological data, and contextual information. This multimodal approach aims to enhance the accuracy and robustness of emotion recognition systems, providing a more holistic understanding of human emotions. Additionally, future work will focus on addressing existing challenges, such as handling variations in lighting, facial occlusions, and diverse facial expressions across different demographic groups. This comprehensive strategy is expected to pave the way for the development of more intuitive and responsive intelligent systems.


REFERENCES

[1] Mehrabian A (2017) Nonverbal communication. Routledge, London.
[2] Bartlett M, Littlewort G, Vural E, Lee K, Cetin M, Ercil A, Movellan J (2008) Data mining spontaneous facial behavior with automatic expression coding. In: Esposito A, Bourbakis NG, Avouris N, Hatzilygeroudis I (eds) Verbal and nonverbal features of human–human and human–machine interaction. Springer, Berlin .
[3] Russell JA (1994) Is there universal recognition of emotion from facial expression? A review of the cross-cultural studies. Psychol Bull.
[4] Gizatdinova Y, Surakka V (2007) Automatic detection of facial landmarks from AU coded expressive facial images. In: 14th International conference on image analysis and processing (ICIAP). IEEE.
[5] Liu Y, Li Y, Ma X, Song R (2017) Facial expression recognition with fusion features extracted from salient facial areas. Sensors.
[6] Ekman R (1997) What the face reveals: basic and applied studies of spontaneous expression using the facial action coding system (FACS). Oxford University Press, New York.
[7] Zafar B, Ashraf R, Ali N, Iqbal M, Sajid M, Dar S, Ratyal N (2018) A novel discriminating and relative global spatial image representation with applications in CBIR. Appl Sci .
[8] Ali N, Zafar B, Riaz F, Dar SH, Ratyal NI, Bajwa KB, Iqbal MK, Sajid M (2018) A hybrid geometric spatial image representation for scene classification. PLoS ONE .
[9] Ali N, Zafar B, Iqbal MK, Sajid M, Younis MY, Dar SH, Mahmood MT, Lee IH (2019) Modeling global geometric spatial information for rotation invariant classification of satellite images. PLoS ONE .
[10] Ali N, Bajwa KB, Sablatnig R, Chatzichristofis SA, Iqbal Z, Rashid M, Habib HA (2016) A novel image retrieval based on visual words integration of SIFT and SURF. PLoS ONE . 24
[11] Ekman P, Friesen WV (1971) Constants across cultures in the face and emotion. J Personal Soc Psychol .
[12] Matsumoto D (1992) More evidence for the universality of a contempt expression. Motiv Emot .
[13] Sajid M, Iqbal Ratyal N, Ali N, Zafar B, Dar SH, Mahmood MT, Joo YB (2019) The impact of asymmetric left and asymmetric right face images on accurate age estimation. Math Problem Eng 2019.
[14] Ratyal NI, Taj IA, Sajid M, Ali N, Mahmood A, Razzaq S (2019) Three-dimensional face recognition using variance-based registration and subject-specific descriptors. Int J Adv Robot System.
[15] Ratyal N, Taj IA, Sajid M, Mahmood A, Razzaq S, Dar SH, Ali N, Usman M, Baig MJA, Mussadiq U (2019) Deeply learned pose invariant image analysis with applications in 3D face recognition. Math Problem Eng 2019.
[16] Sajid M, Ali N, Dar SH, Iqbal Ratyal N, Butt AR, Zafar B, Shafique T, Baig MJA, Riaz I, Baig S (2018) Data. augmentation-assisted makeup-invariant face recognition. Math Problem Eng 2018.
[17] Ratyal N, Taj I, Bajwa U, Sajid M (2018) Pose and expression invariant alignment based multi-view 3D face recognition. KSII Trans Internet Inf System .
[18] Xie S, Hu H (2018) Facial expression recognition using hierarchical features with deep comprehensive multipatches aggregation convolutional neural networks. IEEE Trans Multimedia .
[19] Danisman T, Bilasco M, Ihaddadene N, Djeraba C (2010) Automatic facial feature detection for facial expression recognition. In: Proceedings of the International conference on computer vision theory and applications.
[20] Mal HP, Swarnalatha P (2017) Facial expression detection using facial expression model. In: 2017 International conference on energy, communication, data analytics and soft computing (ICECDS). IEEE.
[21] Parr LA, Waller BM (2006) Understanding chimpanzee facial expression: insights into the evolution of communication. Soc Cogn Affect Neurosci . 25

©IJRASET: All Rights are Reserved

[22] Dols JMF, Russell JA (2017) The science of facial expression. Oxford University Press, Oxford.
[23] Kong SG, Heo J, Abidi BR, Paik J, Abidi MA (2005) Recent advances in visual and infrared face recognition—a review. Computer Vis Image Understanding .
[24] Xue Yl, Mao X, Zhang F (2006) Beihang university facial expression database and multiple facial expression recognition. In: 2006 International conference on machine learning and cybernetics. IEEE.
[25] Kim DH, An KH, Ryu YG, Chung MJ (2007) A facial expression imitation system for the primitive of intuitive human-robot interaction. In: Sarkar N (ed) Human robot interaction. Intech -Open, London.
[26] Ernst H (1934) Evolution of facial musculature and facial expression. J Nerv Ment Dis .
[27] Kumar KC (2012) Morphology based facial feature extraction and facial expression recognition for driver vigilance. Int J Computer Appl .
[28] Hernández-Travieso JG, Travieso CM, Pozo-Baños D, Alonso JB et al (2013) Expression detector system based on facial images. In: BIOSIGNALS 2013 proceedings of the international conference on bio-inspired systems and signal processing.
[29] Cowie R, Douglas-Cowie E, Tsapatsoulis N, Votsis G, Kollias S, Fellenz W, Taylor JG (2001) Emotion recognition in human–computer interaction. IEEE Signal Process Mag .
[30] Hsu RL, Abdel-Mottaleb M, Jain AK (2002) Face detection in colour images. IEEE Trans Pattern Anal Mach Intell .
[31] Lucey P, Cohn JF, Kanade T, Saragih J, Ambadar Z, Matthews I (2010) The extended Cohn–Kanade dataset (ck+): a complete dataset for action unit and emotion-specified expression. In: 2010 IEEE computer society conference on computer vision and pattern recognition-workshops. IEEE.
[32] Littlewort G, Whitehill J, Wu T, Fasel I, Frank M, Movellan J, Bartlett M (2011) The computer expression recognition toolbox (CERT). In: Face and gesture 2011. IEEE.
[33] Shan C, Gong S, McOwan PW (2009) Facial expression recognition based on local binary patterns: a comprehensive study. Image Vis Computer .
[34] Caltech Faces (2020Accessed 05 Jan 2020. 26
[35] The CMU multi-pie face database (2020) . Accessed 05 Jan 2020.
[36] NIST mugshot identification database (2020) Accessed 05 Jan 2020.
[37] Zhao X, Liang X, Liu L, Li T, Han Y, Vasconcelos N, Yan S (2016) Peak-piloted deep network for facial expression recognition. In: European conference on computer vision.
[38] Jung H, Lee S, Yim J, Park S, Kim J (2015) Joint fine-tuning in deep neural networks for facial expression recognition. In: Proceedings of the IEEE international conference on computer vision.
[39] Zhang K, Huang Y, Du Y, Wang L (2017) Facial expression recognition based on deep evolutional spatial-temporal networks. IEEE Trans Image Process .
[40] Wu YL, Tsai HY, Huang YC, Chen BH (2018) Accurate emotion recognition for driving risk prevention in driver monitoring system. In: 2018 IEEE 7th global conference on consumer electronics (GCCE). IEEE, .
[41] Gajarla V, Gupta A (2015) Emotion detection and sentiment analysis of images. Georgia Institute of Technology, Atlanta.
[42] Giannopoulos P, Perikos I, Hatzilygeroudis I (2018) Deep learning approaches for facial emotion recognition: a case study on FER-2013. In: Hatzilygeroudis I, Palade V (eds) Advances in hybridization of intelligent methods. Springer, Berlin.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)