



IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 10 Issue: VI Month of publication: June 2022

DOI: https://doi.org/10.22214/ijraset.2022.44447

www.ijraset.com

Call: 🕥 08813907089 🔰 E-mail ID: ijraset@gmail.com

# Facial Expression Recognition Using Convolutional Network

Narinder Kaur<sup>1</sup>, Kiranjeet Kaur<sup>2</sup>, Abdul Hafiz<sup>3</sup>

<sup>1</sup>Assistant Professor, Computer Science and Engineering, Chandigarh University, Gharuan, India

Abstract: This paper focuses on Emotion Recognition using facial expressions. It aims to detect facial expressions accurately and efficiently. Convolutional Neural Network has developed to help in recognizing emotions through facial expressions and classify them into seven basic categories which are: happy, sad, neutral, surprise, fear, disgust, and angry. So, Convolutional Neural Network is implemented to extract relevant features of the input images and classify them into seven labels. For evaluating the proposed model, Facial Emotion Recognition 2013 dataset is used to the model achieves the best accuracy rate. Facial expression recognition has been an activearea of research over the past few decades, and it is still challenging due to the high intra-class variation.

Keywords: Convolutional Neural Network (CNN), Facial Emotion Recognition 2013 (FER 2013), Extended Cohn-Kanade (CK+), Japanese Female Facial Expressions (JAFFE), Emotional FacialAction Coding System (EMFACs), Action Units (AUs).

#### I. INTRODUCTION

All of us at some point of time in our daily life feel happy, sad, angry, love etc. These feelings areactually emotions. An easy way to criticize a person's emotions is his or her face as the facial expression determines how that person is affected. This paper focuses on seven different categories of emotions: happiness, neutrality, surprise, sadness, disgust, anger, and fear. Emotions are desires that play a vital role in the lives of mortals. It allows people to create multiple effects such as self-awareness and interaction with others. Most importantly, emotions have a major role to play in people's learning and behavior. There are many kinds of emotions you may want to have such as love, joy, inspiration, or pride. Emotions play a major role in affecting our moods. Life would be miserable without such pleasures as joy and sorrow, love and fear, breakdown and disappointment.Emotions add color and spice to life. Emotions such as happiness, disappointment, and grief often have both physical and mental beginnings affecting the geste. The word emotion is derived from the Latin word 'Emover' which means to move or entertain. Emotions can be defined as the state of being mentally or emotionally disturbed. Emotions are based on two things Awakening and Valence where valence is a positive or negative effect while happiness measures how comforting or motivating information is.



Fig-1: Valence Arousal Model

With the rapid growth of the use of intelligent technology in society and its development, the needfor technology that can fulfill the needs of everyone and select the best results from it is increasing exponentially. Automatic emotional testing is important in areas such as marketing, education, robotics, and entertainment.



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 10 Issue VI June 2022- Available at www.ijraset.com

The function is used to perform colorful simulations:

- 1) To robots to design interactive or service robots to communicate with humans;
- 2) Advertising for the production of technical announcements, based on the client's emotionalstate;
- 3) In education used to perfect learning processes, knowledge transfer, and cognitive[3]processes;
- 4) On active entertainment to promote the most appropriate entertainment for targeted fans.

#### II. RELATED WORK

[4] stated the machine learning approach for recognizing emotions using facial expressions. [4] had implemented the depth channel approach using depth data. Microsoft Kinetic Sensor had been used which works on the algorithm that uses local movements detection within the face area to recognize actual facial expressions. This approach had been validated on the Facial Expressions and Emotions Database using 169 recordings of 25 persons. According to the evaluated system's performance had given an overall successful detection rate of 78.8%. [5] had presented a fuzzy logic-based emotion recognition system. The fuzzy logic-based system emphasizes Action Units and relevant facial features. had first processed two images to extract relevant facial features. The differences in the position of the different feature points were then fuzzified to obtain the strength of exhibited AU's [6]. The strengths were then fed through fuzzy rule sets and defuzzified to obtain the exhibited strength of the emotions.[7] had proposed the method of using the empirical mode decomposition (EMD) technique for detecting facial emotion recognition. The EMD algorithm can decompose any nonlinear and non-stationary signal into several intrinsic mode functions (IMFs). Facial feature extraction through preprocessing of the image is a crucial process in emotion recognition so it had been implemented at first so that only intrinsic features were selected for the classification of the emotions. [8] had proposed the decision tree method for recognizing emotionsthrough facial expressions. Relevant facial features had been extracted using a geometric approach and an automatic supervised learning method called decision tree had been applied. Viola-Jones algorithm had been applied to detect the face, basically to distinguish faces from non-faces. A machine learning approach, called Classification and Regression Tree [9] had been used to classifyfacial expressions into seven different emotions.

#### **III. DATASET COLLECTION**

The database for images used for measuring the performance of the system was the FER2013. It contains approximately 30,000 different facial RGB images with different expressions of size restricted to 48x48. The whole dataset is comprised of seven different expressions. These seven expressions include Angry, Disgust, Fear, Happy, Sad, Surprise, and Neutral. For each subject, there are approximately 900 images present depicting each classified emotion.



HappySurpriseDisgustFig-5: Different emotion images of dataset

		-				
S.no	Author Name	Year	Technique Used	AccuracyRate	Classifier used	Dataset
[4]	Mariusz Szwoch etal.	2015	Depth Channel	50%	SVM	Facial Expressions and
						Emotions
						Database
[5]	Austin Nicolai et al.	2015	Fuzzy System	78.8%	Fuzzy Classifier	JAFFE
[7]	Hasimah Ali et al.	2015	Empirical Mode	99.75%	k-NN,	JAFFE, CK
			Decomposition		SVM, ELM-	
					RBF	
[9]	Fatima ZahraSalman et al.	2016	Decision Trees	89.20%	Classification and	JAFFE, CK+
					RegressionTree	
[10]	Lucy Nwosu et al.	2016	Deep Convolutional	95.72%	CNN	JAFFE, CK+
			Neural Network			
[11]	Neha Jain et al.	2018	Hybrid Deep Neural	92.07%	RNN	JAFFE, MMI
			Network			

Table-1: Comparison Table of different techniques used by different authors



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 10 Issue VI June 2022- Available at www.ijraset.com

### IV. PROPOSED WORK AND TECHNOLOGY USED

1) Deep Learning: It is a field of machine learning mainly concerned with algorithms inspired by Artificial Neural Network. It is an Important element of data science, which includes model prediction and its statistics. In deep learning, each algorithm works in the hierarchy and applies anonlinear transformation to its input and uses what it learns to create a statistical model as output. Algorithms performed various iterations until the output has reached an acceptable level of accuracy. Deep learning is used in detecting the emotions as it provides various models and algorithms for image preprocessing, training dataset and classifying the images and finallyrecognizing their emotions.



Fig-4: Depicting Deep Learning Model

- 2) *Keras:* As we have used the concept of deep learning, Keras provides a complete framework to create any type of neural network. It is very easy to learn and is very innovative. It supports simpleas well as large and complex type of neural network. It can be divided into three main categories:
- a) Model
- b) Layer
- c) Core Modules

Using Keras, any algorithm like CNN which we have used in this project can be represented in a very simple and efficient manner. Keras provides two types of model: Sequential Model and Functional model.

- 3) Load\_Model: In order to load our model we use load\_model function specified in the keras.models library. .h5 is an extension which has to be used while specifying the location of file.
- 4) *OpenCV:* It is an open source library which is very useful for computer vision applications such as video analysis and image processing. We have used it as it plays a major role in real-time operation. It helps in image processing by reading the image and extracting the region of interest. It also helps in rotating the images to analyze them through various angles.
- 5) *NumPy:* It stands for numerical python. It is one of the most useful scientific python library. It provides support for large multidimensional array objects and various tools to work with them. As any image is just a function of two variables if it is a gray-scale image. If in case colors are present, then it will be 3-D image. As numpy is best suitable for handling matrices therefore we have used numpy so that it will help in preprocessing of the image detected by webcam for further detection of emotions.



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 10 Issue VI June 2022- Available at www.ijraset.com

- 6) *Cascade Classifier:* Haarcascade is the popular algorithm for recognizing emotions through facial expressions. It is computationally less expensive, a fast algorithm and give high accuracy. We have used Haarcascade\_frontalface.xml file in this project for detecting emotions. Classifierworks in following ways:
- *a) Haar-feature Selection:* This feature consists of dark regions and light regions. It produces a single value by taking the difference of the intensities of dark regions and the sum of intensities of light regions. It is done to extract useful elements necessary for identifying image and detect its emotions.
- b) Creation of Integral Images: Integral image reduces the time needed to complete this task significantly.
- *c)* Cacade Classifier: It is a method for combining increasing more complex classifiers in a cascade which allows negative input such as non-face features to be quickly discarded while spending more computation on promising or positive face-like regions. It significantly reduces the computation time and makes the process more efficient.
- 7) *CNN model:* It is basically a deep learning algorithm that is specially designed for working withimages and videos. It takes images as input, extracts and learns the features of the image, and classifies them based on the learned features. CNN has various filters which extracts some information from the images such as edges, different kinds of shapes and then all these are combined to identify the image.



(Convolution + Max Pooling Layers) X 6 Fig-5: Depicting CNN model

This model works in two steps:

- a) Feature Extraction
- b) Classification



Fig-6: Working of CNN model



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 10 Issue VI June 2022- Available at www.ijraset.com

#### V. CONCLUSION AND RESULT ANALYSIS

Through this paper we were able to recognize emotions in real time and of static images as well. We tried it out various images and through data sets well. The emotion recognition system was able to access the web cam of the system too so as to detect the real time emotions of the subjects.



Fig-7: Depicting Happy emotion

Here, we have a static image of a happy person, we can see that emotion has been detected and displayed on the screen itself. The factors that help us know if the person is happy are the broad lips, squinting eyes and a lift on a person's face. The same factors came to play here as well.



Fig-8: Depicting Fear emotion

Here we have a person who is afraid. This emotion could be detected by the droopy eyebrows andother factors. The emotion has been recognized correctly and has been displayed on the screen.



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 10 Issue VI June 2022- Available at www.ijraset.com



Fig-9: Depicting Angry emotion

Now we see a visibly angry person, the frown on the face, the eyebrows help you recognize the specific emotion and the squinting of the eyes showcase that the person is angry. The emotion hasbeen detected and has been displayed on the screen.

Here, we have the emotion of surprise, the raised eyebrows and wider eyes help us recognize this emotion. The emotion has been detected and has been displayed on the screen.



Fig-10: Depicting Surprise emotion



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 10 Issue VI June 2022- Available at www.ijraset.com



Fig-11: Depicting Sad emotion

The next emotion being showcased here is of sadness. The droopy face and eyebrows help us recognize this emotion. The squinting face and other factors come into play as well. The emotionhas been recognized and displayed on the screen. Since we can see that all these emotions were detected accurately, hence the Emotion Recognition System works efficiently. These outcomes can help us deduce that the project doesn't have any bugs as well. With our project we'll be able to detect human emotions through facial expressions and we hope that it helps various fields in easing their tasks.

#### REFERENCES

- [1] L. Santamaria-Granados, M. Munoz-Organero, G. Ramirez-Gonzalez, E. Abdulhay, and
- [2] N. Arunkumar, "Using Deep Convolutional Neural Network for Emotion Detection on aPhysiological Signals Dataset (AMIGOS)," IEEE Access, vol. 7, no. c, pp. 57–67, 2019.doi: 10.1109/ACCESS.2018.2883213.
- M. Spezialetti, G. Placidi, and S. Rossi, "Emotion Recognition for Human-Robot Interaction: Recent Advances and Future Perspectives," Front. Robot. AI, vol. 7, no.December, pp. 1–11, 2020, doi: 10.3389/frobt.2020.532279.
- [4] S. Kusal, S. Patil, K. Kotecha, R. Aluvalu, and V. Varadarajan, "Ai based emotion
- [5] detection for textual big data: Techniques and contribution," Big Data Cogn. Comput., vol. 5, no. 3, 2021, doi: 10.3390/bdcc5030043.
- [6] M. Szwoch and P. Pieniazek, "Facial emotion recognition using depth data," Proc. 20158th Int. Conf. Hum. Syst. Interact. HSI 2015, no. D, pp. 271–277, 2015, doi: 10.1109/HSI.2015.7170679.
- [7] A. Nicolai and A. Choi, "Facial Emotion Recognition Using Fuzzy Systems," Proc. -2015 IEEE Int. Conf. Syst. Man, Cybern. SMC 2015, pp. 2216–2221, 2016, doi: 10.1109/SMC.2015.387.
- [8] D. Canedo and A. J. R. Neves, "Facial expression recognition using computer vision: Asystematic review," Appl. Sci., vol. 9, no. 21, pp. 1–31, 2019, doi: 10.3390/app9214678.
- [9] H. Ali, M. Hariharan, S. Yaacob, and A. H. Adom, "Facial emotion recognition using empirical mode decomposition," Expert Syst. Appl., vol. 42, no. 3, pp. 1261–1277, 2015,doi: 10.1016/j.eswa.2014.08.049.
- [10] P. M. Ashok Kumar, J. B. Maddala, and K. Martin Sagayam, "Enhanced Facial EmotionRecognition by Optimal Descriptor Selection with Neural Network," IETE J. Res., 2021,doi: 10.1080/03772063.2021.1902868.
- [11] F. Z. Salmam, A. Madani, and M. Kissi, "Facial Expression Recognition Using DecisionTrees," Proc. Comput. Graph. Imaging Vis. New Tech. Trends, CGiV 2016, pp. 125–130, 2016, doi: 10.1109/CGiV.2016.33.
- [12] L. Nwosu, H. Wang, J. Lu, I. Unwala, X. Yang, and T. Zhang, "Deep Convolutional Neural Network for Facial Expression Recognition Using Facial Parts," Proc. - 2017 IEEE 15th Int. Conf. Dependable, Auton. Secur. Comput. 2017 IEEE 15th Int. Conf. Pervasive Intell. Comput. 2017 IEEE 3rd Int. Conf. Big Data Intell. Compu, vol. 2018-Janua, pp. 1318–1321, 2018, doi: 10.1109/DASC-PICom-DataCom- CyberSciTec.2017.213.
- [13] N. Jain, S. Kumar, A. Kumar, P. Shamsolmoali, and M. Zareapoor, "Hybrid deep neural networks for face emotion recognition," Pattern Recognit. Lett., vol. 115, pp. 101–106, 2018, doi: 10.1016/j.patrec.2018.04.010.











45.98



IMPACT FACTOR: 7.129







INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 🕓 (24\*7 Support on Whatsapp)