iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** VI **Month of publication:** June 2026

DOI: https://doi.org/10.22214/ijraset.2026.83774

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue VI June 2026- Available at www.ijraset.com

Fatigue Monitoring Detecting System Using ML and AI

G. Manoj Kumar, P.L.V. Mahesh[2]
[1]*Assistant Professor,* [2] *MCA Final Semester, Master of Computer Applications, Sanketika Vidya Parishad Engineering College, Vishakhapatnam, Andhra Pradesh, India*

Abstract: ***Fatigue detection plays a crucial role in preventing accidents, especially in transportation systems where driver alertness is essential. This project proposes a Fatigue Monitoring Detection System using Artificial Intelligence and Machine Learning to identify early signs of drowsiness in real time. The system is designed to be non-intrusive and continuously monitors the driver's facial features using a camera. The proposed system utilizes computer vision and machine learning techniques to analyse parameters such as eye closure, blinking rate, and head movement. By applying algorithms like face detection and eye aspect ratio (EAR), the system can accurately detect fatigue conditions. When signs of drowsiness are identified, an alert is generated in the form of an alarm or pop-up notification to warn the driver and prevent potential accidents. Additionally, the system includes a manual deactivation mechanism that requires user interaction, ensuring that the driver regains alertness before continuing. The system can also record and analyse fatigue patterns over time, which helps in performance monitoring. This project demonstrates an effective, real-time, and cost-efficient solution for improving road safety using AI and ML technologies.***

Keywords: Deep Learning, Eye Detection Algorithm, Keras--Models

I. INTRODUCTION

Fatigue is a major concern in many industries such as transportation, healthcare, manufacturing, and industrial operations. Continuous work, lack of rest, stress, and long working hours can lead to fatigue, which negatively affects human performance and safety. Fatigued individuals often experience reduced concentration, slower reaction times, decreased alertness, and poor decision-making ability, increasing the possibility of accidents and operational errors. Among all sectors, driver fatigue is considered one of the leading causes of road accidents worldwide. Drivers who remain active for long periods without adequate rest may become drowsy and lose attention while driving. Traditional fatigue detection methods such as self-reporting, manual observation, and periodic monitoring are often unreliable because they depend on human judgement and may fail to provide immediate warnings. To address these limitations, advanced technologies such as Artificial Intelligence (AI), Machine Learning (ML), and Computer Vision are increasingly used for automated fatigue detection. These technologies enable real-time monitoring and analysis of human behaviour without causing inconvenience to the user. The proposed Fatigue Monitoring Detection System is designed as a non-intrusive and intelligent solution that continuously monitors the user through a camera. The system analyses facial features such as eye closure, blinking rate, and head movement using computer vision techniques and the Eye Aspect Ratio (EAR) algorithm. Based on these observations, the system determines whether the user is in an alert or fatigued state. When fatigue is detected, the system immediately generates an alert in the form of an alarm or notification to regain the user's attention and reduce the risk of accidents. The system also supports continuous monitoring and data recording for future analysis and performance improvement. This project provides an efficient, accurate, and cost-effective approach for improving safety through real-time fatigue detection.

II. LITERATURE SURVEY

The motivation behind a fatigue monitoring system is to improve safety and productivity in industries where fatigue can pose a risk to individuals and others around them. Fatigue is a significant problem that can lead to accidents, injuries, and even fatalities, particularly in safety-critical environments such as transportation and healthcare. A reliable and accurate fatigue monitoring system can help mitigate these risks by detecting signs of fatigue in real-time and providing timely alerts to individuals and relevant stakeholders. This can enable individuals to take appropriate action, such as taking a break, changing tasks, or seeking medical attention, to prevent potential risks. In addition to improving safety, a fatigue monitoring system can also enhance productivity by ensuring that individuals are alert and focused on their tasks. By identifying and addressing fatigue-related issues in real-time, the system can help prevent errors, delays, and rework, which can result in improved efficiency and reduced costs for organizations.

©IJRASET: All Rights are Reserved

Overall, the motivation behind a fatigue monitoringsystem is to create a safer and more productive environment for individuals and organizations, while also reducing the potential risks and costs associated with fatigue-related incidents.

III. CHALLENGES

The objective of a fatigue monitoring detection system is to identify and prevent situations where an individual's level of fatigue may lead to impaired performance, accidents, or errors. Such a system typically utilizes sensors, algorithms, and data analytics to continuously monitor and analyze various physiological and behavioral indicators of fatigue, such as eye movements, and reaction time. Increase safety and reduce the risk of accidents: Fatigue is a major contributor to accidents, particularly in high-risk industries such as transportation, manufacturing, and healthcare. By detecting and alerting individuals and supervisors to signs of fatigue, the system can help prevent accidents and reduce the associated costs and liabilities.

IV. PROPOSED METHODOLOGY

The primary objective of the **Fatigue Monitoring Detection System** is to detect and prevent fatigue conditions that may reduce an individual's alertness, concentration, decision-making ability, and overall performance, which can lead to accidents, operational errors, and safety risks. The system is designed to provide a **real-time, intelligent, and non-intrusive monitoring solution** by utilizing **Artificial Intelligence (AI), Machine Learning (ML), Computer Vision, and image processing techniques**. Through continuous observation and analysis of facial and behavioral indicators, the system can identify early signs of drowsiness and take appropriate action before fatigue becomes dangerous.The proposed system captures live video input through a camera and continuously monitors important fatigue-related parameters such as **eye movements, eye closure duration, blinking rate, Eye Aspect Ratio (EAR), facial expressions, head movement, and reaction patterns**. These parameters are analysed using machine learning algorithms to determine whether the user is in an alert or fatigued state. By performing continuous monitoring, the system ensures timely identification of fatigue conditions and improves the reliability of detection. One of the major objectives of the system is to **increase safety and reduce the risk of accidents**, especially in transportation and other safety-critical environments where human attention and alertness are essential. Driver fatigue is recognized as a significant cause of road accidents and operational failures. By detecting fatigue at an early stage and immediately generating alerts through alarms, notifications, or warning messages, the system helps users regain attention and avoid dangerous situations. Another important objective is to provide an **automatic alert mechanism** that responds immediately whenever fatigue is detected. The alert remains active until the user interacts with the system through a manual deactivation process, ensuring that the user becomes attentive before continuing the activity. This approach increases the effectiveness of fatigue prevention and minimizes false recovery conditions. The system is also designed to support **data recording and performance analysis** by storing fatigue events, monitoring history, and user responses. These collected records can be used for future analysis, identifying fatigue patterns, evaluating system performance, and improving prediction accuracy over time. Such analysis helps organizations and individuals better understand fatigue behaviour and develop preventive measures. In addition, the fatigue monitoring detection system supports **integration with other safety and monitoring systems** to create a more comprehensive safety environment. It can work alongside existing monitoring technologies to provide enhanced protection and improved operational management. To maintain user trust and system reliability, the project also focuses on **privacy and security measures** to protect collected data and ensure compliance with data protection standards. Overall, the objective of this project is to develop an **effective, accurate, secure, and cost-efficient real-time fatigue detection solution that enhances safety, improves performance, and reduces fatigue-related accidents and risks.**

©IJRASET: All Rights are Reserved

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue VI June 2026- Available at www.ijraset.com




Figure 1: Flow chart of the proposed methodology

FIG 1: Flow chart of the proposed methodology

V. ALGORITHMS AND TECHNIQUES

1) Face Detection (Haar Cascade Algorithm)

This algorithm is used to detect the driver's face from the live camera feed. It identifies the position of the face in each video frame and provides input for further facial analysis. It works efficiently in real-time and helps the system continuously monitor the driver.

2) Facial Landmark Detection

Facial Landmark Detection is used to locate important facial points such as eyes, nose, and mouth. These landmarks help track facial movements and support accurate fatigue detection.

3) Eye Aspect Ratio (EAR) Algorithm

EAR is the main algorithm used to detect eye closure. It calculates the ratio between eye width and height. When the eyes remain closed for a certain period, the system identifies it as drowsiness and activates an alert.

4) Machine Learning Classification

Machine Learning techniques are used to classify whether the driver is in an **alert state** or **fatigue state** based on facial features and eye behaviour. This improves detection accuracy.

5) Alert Generation Technique

Once fatigue is detected, the system generates an alarm sound or notification to alert the driver. The alert remains active until the driver responds.

VI. ARCHITECTURE

The architecture of the proposed **Fatigue Monitoring Detection System** is designed to provide an intelligent and real-time solution for detecting driver drowsiness using **Artificial Intelligence (AI), Machine Learning (ML), Computer Vision, and Image Processing techniques**. The main purpose of the system is to continuously monitor the driver's facial behavior and identify early symptoms of fatigue to reduce accidents and improve overall road safety. The system follows a structured process consisting of data acquisition, preprocessing, feature extraction, fatigue analysis, alert generation, and continuous monitoring.Initially, the system uses a **web camera** to capture live video input from the driver. The captured video is divided into multiple frames and processed continuously in real time.

©IJRASET: All Rights are Reserved

These video frames undergo **preprocessing operations** such as resizing, grayscale conversion, frame enhancement, and noise reduction to improve image quality and increase the efficiency of further processing stages. Preprocessing helps reduce computational complexity and improves detection accuracy under different lighting conditions.After preprocessing, the system performs **face detection** to locate and isolate the driver's face from each video frame. Face detection is implemented using computer vision algorithms such as **Haar Cascade Classifier**, which identifies facial regions quickly and efficiently. Once the face is detected, the system applies **Facial Landmark Detection** to identify key facial points, particularly around the eyes, nose, and mouth regions.These landmarks provide important information required for monitoring facial behavior and detecting signs of fatigue.The extracted facial landmarks are then used for **feature extraction**, where important fatigue indicators are calculated and analysed. The primary feature used in this system is the **Eye Aspect Ratio (EAR)**, which measures eye opening and closing patterns. EAR values continuously indicate whether the eyes remain open or closed over time. In addition to EAR, the system analyses **blinking rate, eye closure duration, and head movement patterns** to improve the reliability and accuracy of fatigue detection. These behavioural indicators provide better performance compared to relying on a single parameter.Once the required features are extracted, they are processed using **Machine Learning classification techniques** and predefined threshold values to determine the driver's condition. The system classifies the driver into two states: **Alert State** and **Fatigued State**. If the measured values exceed the fatigue threshold, the system immediately identifies the condition as drowsiness.When fatigue is detected, the **alert module** becomes active and generates warning signals in the form of **alarm sounds, pop-up notifications, or visual alerts** to attract the driver's attention. To ensure effectiveness, the system includes a **manual deactivation mechanism**, requiring user interaction before stopping the alert. This feature confirms that the driver regains attention and prevents accidental dismissal of warnings.In addition to real-time monitoring, the architecture includes a **data storage and analysis module** that records fatigue events, alert history, timestamps, and performance information. The collected data can be used for future analysis, behaviour tracking, system evaluation, and performance improvement. This historical information helps improve fatigue prediction and supports long-term monitoring.The complete architecture operates in a **continuous real-time loop**, where video capture, analysis, detection, and alert generation are repeated continuously during system operation. The integration of AI and machine learning techniques enables the system to provide a **cost-effective, efficient, scalable, and accurate fatigue detection solution**. Overall, the proposed architecture enhances driver safety, minimizes fatigue-related risks, and contributes significantly to accident prevention.

VI. ARCHITECTURE




Figure: Architecture of Fatigue Monitoring Detection System

FIG:2

VII. OUTPUTS




FIG3: HOME SCREEN

The above figure shows the implementation and output of the Fatigue Monitoring Detection System. The system captures live video input through a webcam and continuously monitors the user's facial features in real time. Facial landmark detection and the Eye Aspect Ratio (EAR) algorithm are applied to analyse eye movements and determine the level of alertness. In the output window, the user's face is successfully detected and the calculated EAR values are displayed continuously on the screen. These values indicate the state of the eyes and help identify signs of fatigue or drowsiness. If the EAR value falls below the predefined threshold for a specific duration, the system triggers an alert mechanism to notify the user and prevent accidents. This demonstrates that the proposed system performs real-time fatigue monitoring effectively using Artificial Intelligence, Machine Learning, and Computer Vision techniques.

OUTPUT:2




FIG:4FACE IDENTIFICATION

©IJRASET: All Rights are Reserved

The above figure shows the **output of the Fatigue Monitoring Detection System** during real-time execution. The system captures live video input through a webcam and continuously analyses the user's facial features to detect signs of fatigue and drowsiness. Facial detection and eye monitoring techniques are used to track eye closure and calculate the **Eye Aspect Ratio (EAR)** value for determining the alertness level of the user.In this output, the system identified that the user's eyes remained closed for a specific duration and classified the condition as **drowsiness**. As a result, the message **"DROWSINESS ALERT!"** is displayed on the screen, and an alarm sound is activated to immediately warn the user. The terminal window simultaneously shows the calculated EAR values and confirms that the alert sound file is being executed. This output demonstrates the successful implementation of the proposed system in performing **real-time fatigue detection, automatic alert generation, and continuous monitoring**. The generated warning helps improve safety by reducing the possibility of accidents caused by reduced attention and fatigue.




FIG:5 AFTER SYSTEM GIVE ALERT SOUND

The above figure shows the console output generated by the Fatigue Monitoring Detection System during execution. The terminal window continuously displays the calculated Eye Aspect Ratio (EAR) values obtained from the real-time analysis of the user's eye movements. EAR is an important parameter used to determine whether the eyes are open or closed and plays a major role in detecting fatigue and drowsiness conditions.During system execution, live video frames captured through the webcam are processed continuously, and EAR values are calculated for each frame. These values are printed in the command prompt window to monitor changes in eye behaviour over time. A decreasing EAR value generally indicates eye closure or reduced alertness, while stable values indicate normal attention levels. The displayed output confirms that the system is successfully performing real-time data processing, facial feature extraction, and fatigue analysis. The command line also indicates that the monitoring process was completed successfully and the program stopped after execution. This console output demonstrates the internal working of the system and verifies that the fatigue detection algorithm continuously analyses eye activity to support accurate drowsiness detection and alert generation.

VIII. CONCLUSION


The Fatigue Monitoring Detection System was successfully designed and implemented to detect driver drowsiness and improve safety through real-time monitoring. The proposed system utilizes Artificial Intelligence (AI), Machine Learning (ML), Computer Vision, and Image Processing techniques to continuously analyse facial features and identify fatigue conditions accurately and efficiently.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

The system captures live video through a camera and processes facial information using face detection, facial landmark detection, and Eye Aspect Ratio (EAR) techniques. By monitoring eye closure, blinking rate, and head movement, the system determines whether the user is in an alert or fatigued state. When signs of drowsiness are detected, the system immediately generates an alert in the form of an alarm or notification to attract the user's attention and reduce the possibility of accidents. The implementation results demonstrate that the system performs effectively in real-time conditions and provides reliable fatigue detection with minimal hardware requirements, making it a cost-effective solution. The inclusion of a manual deactivation mechanism ensures user interaction and confirms attentiveness before continuing operation. Additionally, the ability to record and analyse fatigue-related data supports future performance evaluation and system improvements. Overall, the developed Fatigue Monitoring Detection System provides an efficient, accurate, and practical approach for preventing fatigue-related incidents and enhancing road safety. In the future, the system can be extended with advanced deep learning models, cloud-based monitoring, mobile integration, and improved environmental adaptability to achieve higher accuracy and broader real-world applications.

REFERENCES

[1] Kim, M., Jeong, J., & Kim, J. (2020). A drowsiness detection system for driving safety using a lightweight convolutional neural network. Sensors, 20(2), 322.
[2] Nisi, M., Penza, R., & Riccio, D. (2019). Design and implementation of a wearable drowsiness detection system for safety-critical applications. IEEE Sensors Journal, 19(10), 4040-4049
[3] Huang, C. M., & Iwata, T. (2019). Development of a Driver Drowsiness Detection System Based on Heart Rate Variability Analysis. IEEE Journal of Biomedical and Health Informatics, 23(3), 981-990.
[4] Kato, S., Sugimoto, K., & Bird, R. G. (2019, July). Development of an Eye Blink-Based Drowsiness Detection System for Heavy Vehicle Drivers. In Proceedings of the 20th Congress of the International Ergonomics Association (IEA 2018): Volume VII: Ergonomics in Design, Design for All, Activity Theories for Work Analysis and Design, Affective Design (pp. 376-386). Springer.
[5] Bisht, R. S., & Sengupta, S. (2019). A real-time driver drowsiness detection system using EEG signals and machine learning. Journal of Ambient Intelligence and Humanized Computing, 10(7), 2601-2618.
[6] Tefft B. Prevalence of motor vehicle crashes involving drowsy drivers, United States, Accessed November 2020.
[7] Uehli K, Mehta A, Miedinger D, et al. Sleep problems and work injuries: a systematic review and meta-analysis. *Sleep Med Rev.* 2014;18(1):61-73.
[8] Di Milia L, Smolensky MH, Costa G, Howarth HD, Ohayon MM, Philip P. Demographic factors, fatigue, and driving accidents: An examination of the published literature. *Accident Analysis & Prevention.* 2011;43(2):516-532.
[9] Kundinger, T., Yalavarthi, P. K., Riener, A., Wintersberger, P., and Schartmüller, C. (2020b). Feasibility of smart wearables for driver drowsiness detection and its potential among different age groups. *Int. J. Pervasive Comput. Commun.* 16, 1–23. Doi: 10.1108/IJPCC-03-2019-0017
[10] Lamti, H. A., Ben Khelifa, M. M., and Hugel, V. (2019). Mental fatigue level detection based on event related and visual evoked potentials features fusion in virtual indoor environment. *Cogn. Neurodyn.* 13, 271–285. Doi: 10.1007/s11571-019-09523-2



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)