



IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 11 Issue: XII Month of publication: December 2023 DOI: https://doi.org/10.22214/ijraset.2023.57507

www.ijraset.com

Call: 🕥 08813907089 🔰 E-mail ID: ijraset@gmail.com



# Finding the Most Dominant Color in an Image using K-Means Algorithm Based on Machine Learning

T. Vamshi Krishna<sup>1</sup>, G. Manoj<sup>2</sup>, R. Vishnu Priya<sup>3</sup>, S. Karthik<sup>4</sup>, S. Ashritha Priya<sup>5</sup>, Sonali Mourya<sup>6</sup>, Senthil Kumar<sup>7</sup> <sup>1, 2, 3, 4, 5, 6</sup>Students, <sup>7</sup>Professor, School of Engineering Department of AIML, Malla Reddy University, Hyderabad

Abstract: The research project, titled "Finding the Most Dominant Color in an Image Using K-Means Algorithm," leverages machine learning techniques to extract fundamental color information from digital photographs. Employing the K-Means clustering methodology, this research identifies the most prominent colors in an image by grouping pixels with similar color values. This innovative approach holds significant real-world implications across various domains, including text analysis, graphic design, and image processing. By automating the color extraction process, this study enhances the efficiency of tasks such as image classification, object detection, and the generation of visual content. It demonstrates the power of machine learning in simplifying complex image processing procedures, offering the potential to enhance a wide range of visual-based applications.

#### INTRODUCTION

"Finding the Most Dominant Color in an Image Using K-Means Algorithm, "a research project, explores the fields of image processing and machine learning to present a method for obtaining basic color information from digital photos. The study groups pixels with similar color values to identify the most prevalent colors in an image using the K-Means clustering algorithm. This project has significant consequences for a variety of fields, including graphic design, image processing, and text analysis. The main goal is to automate color extraction so that it may be used more effectively for tasks like object recognition, image classification, and creating visual content. This study highlights how machine learning can simplify image processing processes, opening up a promising path for the advancement of numerous visual-based applications.

I.

# II. LITERATURE REVIEW

The project, "Finding the Most Dominant Color in an Image using K-Means Algorithm Based on Machine Learning," explores the application of K-Means clustering for identifying and visualizing dominant colors in images. The literature review outlines key research areas related to image clustering, color analysis, and visualization techniques.

# A. Image Clustering Techniques

Jain, A. (2010). Data Clustering: 50 Years Beyond K-Means. Pattern Recognition Letters. Jain's comprehensive review provides insights into the evolution of clustering techniques, emphasizing the significance of K-Means and its variants. Understanding the advancements in clustering algorithms informs the choice of K-Means in the project.

#### B. Color Representation and Analysis

Cheng, Z., Yang, J., Shi, Y., & Huang, T. (2001). Color Image Segmentation: Advances and Prospects. Pattern Recognition. Cheng et al. delve into color image segmentation, discussing various methods for extracting meaningful information from color images. The review aids in understanding the complexities of color representation and segmentation, which are fundamental to the project's objectives.

#### C. Applications of K-Means in Image Processing

Huang, K., & Aviyente, S. (2015). K-Means-Based Clustering Approach for Color Image Segmentation. EURASIP Journal on Image and Video Processing. This study specifically explores the application of K-Means clustering for color image segmentation. The insights provided contribute to the rationale behind using K-Means for color dominance analysis in the project.



International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 11 Issue XII Dec 2023- Available at www.ijraset.com

#### D. Visualization in Image Analysis

Ware, C. (2012). Information Visualization: Perception for Design. Elsevier.

Ware's work on information visualization is crucial for understanding principles that enhance the interpretability of visual representations. The project benefits from these principles to effectively communicate dominant colors through graphical outputs.

#### E. Evaluation of Unsupervised Learning Results

Milligan, G. W., & Cooper, M. C. (1985). An Examination of Procedures for Determining the Number of Clusters in a Data Set. Psychometrika. While not directly related to image processing, Milligan and Cooper's examination of clustering evaluation methods provides insights into considerations for assessing the quality of clustering results, which is relevant for the unsupervised learning task in the project.

Identified Gaps and Opportunities: The existing literature provides a strong foundation for image clustering, color analysis, and visualization techniques.

Overall, the project integrates insights from diverse literature sources to create a comprehensive framework for color dominance analysis in images, contributing to the broader understanding of image processing and unsupervised learning techniques.

#### III. PROBLEM STATEMENT

Traditional color analysis techniques often focus on extracting the average color of an image, which may not accurately represent the diverse color distribution within the image. This can lead to inaccurate results in applications where understanding the dominant colors and their proportions is crucial. So this project aims to train a model to predict dominant color clusters in an image using K-means clustering, and provide insights into color proportions.

- 1) Data Preparation: Collect a dataset of images with labeled dominant color clusters. Preprocess the images to a consistent size.
- 2) Feature Extraction: Extract features from images (possibly using color histograms, K-means cluster centers, etc.).
- 3) Model Training: Train a machine learning model (e.g., a classifier) on the labeled dataset to predict the dominant color clusters.
- 4) Evaluation: Evaluate the model's performance on a test set using appropriate metrics (accuracy, precision, recall).
- 5) Application: Integrate the trained model into an application for automatic color quantization.

#### IV. METHODOLOGY

- 1) Image Acquisition: Obtain the target image for color dominance analysis. The image should be in a format compatible with the OpenCV library (commonly JPEG or PNG).
- 2) *Image Resizing:* Use the imutils library to resize the image to a specified height while maintaining the aspect ratio. This step ensures uniformity in the analysis and reduces computational complexity.
- 3) *Flatten Image:* Flatten the resized image to create a feature vector. Reshape the image to a 2D array where each row represents a pixel and each column represents the RGB values
- 4) *K-Means Clustering:* Apply the K-Means clustering algorithm to the flattened image. Choose the number of clusters based on the desired level of color granularity. The scikit-learn library provides the K-Means class for this purpose.
- 5) *Dominant Colors Extraction:* Retrieve the cluster centers, which represent the dominant colors in the image. These centers are the average color values of pixels assigned to each cluster during the clustering process.
- 6) *Color Proportions Calculation:* Calculate the proportion of each dominant color in the image by computing the percentage of pixels assigned to each cluster. This information is crucial for understanding the color composition.
- 7) *Visualization:* Utilize Matplotlib to create visualizations of the dominant colors. This may include subplots displaying each dominant color and a bar chart illustrating the proportions of each color.
- 8) *Image Overlay:* Resize the original image to a desired display size, maintaining the aspect ratio. Create a copy of the resized image and overlay it with a white rectangle to display information about the most dominant colors.
- 9) *Final Visualization:* Combine the original image with the overlaid information, creating a final visualization that highlights the dominant colors. Add text annotations to convey relevant details about the color analysis.
- 10) Display and Save Results: Display the final visualization using OpenCV. Optionally, save the resulting image to a file (e.g., 'output.jpg') for future reference.



International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 11 Issue XII Dec 2023- Available at www.ijraset.com

#### V. EXPERIMENT RESULTS





# VI. CONCLUSION

The proposed methodology provides a systematic approach to analyze dominant colors in images using K-Means clustering. Each step contributes to the overall goal of understanding the color composition of an image and visually presenting the results. Adjustments to parameters, such as the number of clusters or visualization styles, can be made based on specific requirements and preferences.

- A. Implications
- 1) Accuracy of Color Clustering: The k-means algorithm is effective in identifying dominant colors, providing a basis for understanding the primary color composition of an image.
- 2) Visual Representation: Visualization techniques, such as color blocks and bar charts, enhance the interpretability of color distribution, aiding users in comprehending the image's overall color characteristics.

International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538



Volume 11 Issue XII Dec 2023- Available at www.ijraset.com

- 3) User Interaction: The inclusion of user inputs for the image file and cluster count allows for flexibility, enabling users to tailor the analysis based on specific requirements.
- 4) Applications: The script's ability to identify dominant colors has potential applications in image processing, computer vision, and design, where understanding color distribution is crucial.
- B. Main Contributions
- 1) Integration of Algorithms: The script integrates the k-means clustering algorithm seamlessly with image processing libraries, providing a comprehensive solution for color analysis.
- 2) Visualization Techniques: The use of Matplotlib for visualizing color information enhances the user's ability to interpret and derive insights from the dominant color analysis.
- 3) User Interaction: The inclusion of user inputs makes the script adaptable to various scenarios, promoting user engagement and customization.

# VII. FUTURE WORK

- 1) Optimization of Clustering Algorithm: Investigate and implement advanced clustering algorithms beyond K-Means, such as DBSCAN or spectral clustering, to assess their performance in capturing intricate color distributions in images.
- 2) *Perceptual Color Analysis:* Explore perceptually uniform color spaces and metrics to improve the accuracy of color representation in the analysis. Consider integrating color difference formulas that align with human perception.
- *3)* Dynamic Number of Clusters: Develop a mechanism to dynamically determine the optimal number of clusters based on image characteristics. This can enhance adaptability to diverse images with varying color complexities.
- 4) *Handling Image Variations:* Enhance the algorithm's robustness to handle variations in lighting conditions, shadows, and diverse image types. Consider preprocessing techniques to normalize images for consistent color analysis.
- 5) *Comparison with Other Color Analysis Techniques:* Conduct a comparative analysis with other color analysis methods, such as histogram-based approaches or machine learning-based methods, to assess the strengths and weaknesses of the K-Means clustering approach.
- 6) User Feedback Integration: Incorporate user feedback mechanisms to validate the accuracy of the identified dominant colors. This could involve user annotations or preferences to refine the clustering results based on human perception.
- 7) *Handling Large Image Datasets:* Optimize the code and algorithms to efficiently handle large image datasets, considering parallel processing or distributed computing techniques for scalability.
- 8) Automatic Image Type Detection: Implement a mechanism to automatically detect the type of image (e.g., portrait, landscape, product) and adjust clustering parameters accordingly for more context-aware color analysis.
- 9) Deployment as a Service: Develop the project into a web-based or cloud service, allowing users to upload images and receive color dominance analysis results in real-time. Consider integration with popular platforms for broader accessibility.

#### REFERENCES

[1] Git Hub: https://github.com/sharmaji27

- [2] Images: <u>https://www.google.com/imgres?imgurl=https%3A%2F%2Fcdn.pixabay.com%2Fphoto%2F2022%2F01%2F28%2F23%2F47%2Fafrica-6976090\_640.png&tbnid=2XD6JRx-3wHhKM&vet=1&imgrefurl=https%3A%2F%2Fpixabay.com%2Fillustrations%2Fafrica-continent-geography-earth-6976090%2F&docid=\_9jBaZWP8RpbJM&w=640&h=622&itg=1&hl=en-IN&gl=IN&source=sh%2Fx%2Fim%2Fm1%2F2</u>
- [3] K-means and hierarchical clustering with Python by Joel Grus Released on August 2016.
- [4] YouTube: https://youtu.be/AAmye1qwwwQ?si=t709ZOTYfoSJUwZE











45.98



IMPACT FACTOR: 7.129







# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 🕓 (24\*7 Support on Whatsapp)