iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** IV **Month of publication:** April 2026

DOI: https://doi.org/10.22214/ijraset.2026.79881

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue IV Apr 2026- Available at www.ijraset.com

Flood and Landslide Monitoring System using Machine Learning

Prof.Nilima Patil, Kartik Nalawade, Aditya Patil, Tanay Wattamwar, Parth Yeole
Department of Computer Engineering, Genba Sopanrao Moze College of Engineering, Balewadi, Pune Savitri BaiPhule Pune University, India

Abstract: ***Floods and landslides are among the most destructive natural disasters, causing severe damage to infrastructure, the environment, and human life, especially in regions prone to heavy rainfall and complex terrain. Accurate and timely prediction of these events is essential for effective disaster management and risk mitigation. This work presents a machine learning–based monitoringandpredictionsystemthat integrates multiple data sources, including satellite imagery, historical weatherdata,soilmoisture,topographicalinformation,andriver water levels. The proposed system employs Convolutional Neural Networks (CNN) for spatial feature extraction from geospatial data and regression-based models for analyzing environmental parameters. By combining spatial and numerical features, the system aims to improve prediction accuracy and provide real-time risk assessment. The model is trained and validated using historical data from flood- and landslide-prone regions. The system also provides heatmaps, dashboards, and earlywarningalertstosupportauthoritiesandcommunities.The results indicate that the proposed approach can enhance early warning capabilities and contribute to reducing the impact of natural disasters.***
Keywords: FloodPrediction,Landslide Prediction,Machine Learning, CNN, Disaster Management, Early Warning System

I. INTRODUCTION

Floods and landslides pose serious threats to human life, infrastructure,agriculture,andeconomicstability,particularlyin regions with heavy rainfall, hilly terrain, and unstable soil conditions.IncountrieslikeIndia,thefrequencyandintensityof such disasters have increased due to climate change, deforestation, and rapid urbanization. Traditional disaster monitoringandforecasting systemsoftenrelyonmanualanalysis and static models, which suffer from limited accuracy and delayed response.

With the advancement of machine learning and remote sensing technologies,ithasbecomepossibletoanalyzelargevolumesof environmental and geospatial data to identify hidden patterns related to disaster occurrences.TechniquessuchasConvolutional Neural Networks (CNN) can extract meaningful spatial features from satellite images and terrain maps, while regression-based and time-series models can analyze meteorological and hydrological data such as rainfall, soil moisture, and river water levels.

This project, titled “Flood and Landslide Monitoring System Using Machine Learning,” focuses on building an intelligent, data-driven system that integrates multiple data sources and machine learning models to provide accurate predictions, real- time monitoring, and early warnings for disaster-prone regions.

II. LITERATURESTUDY

Recent research in flood and landslide prediction highlights the increasinguseofmachinelearninganddeeplearningtechniques fordisasterriskassessment.Manystudieshaveexploredtheuse of CNNs for analyzing satellite imagery and digital elevation models to identify flood-prone or landslide-susceptible areas. These models are effective in capturing spatial patterns such as water accumulation, terrain slope, and land cover changes.

Other approaches integrate machine learning with hydrological and meteorological models, using algorithms such as Logistic Regression, Random Forest, Support Vector Machines, and LSTM networks to analyze time-series data like rainfall, river discharge, and soil moisture. Such hybrid systems have shown improved prediction accuracy compared to traditional statistical methods.

However, most existing systems suffer from limitations such as dependenceonsingledatasources,lackofreal-timeintegration, scalability issues, and limited interpretability of deep learning models. These gaps indicate the need for a unified system that combines multi-source data, intelligent models, real-time monitoring, and user-friendly visualization.

Some researchers have proposed hybrid models that combine spatial and temporal analysis, such as integrating CNNs with LSTM or other time-series models. In these approaches, CNNs extract spatial features from satellite images and terrain data, while LSTM or regression models process time-series meteorological data.

©IJRASET: All Rights are Reserved

This hybrid strategy has been shown to improve prediction accuracy by considering both terrain characteristicsand changing weather conditions.However,such systems often involve high computational cost and complex model architectures.

Based on the review of existing literature, it is clear that there is aneedforaunified,scalable,andreal-timedisaster monitoring **system** that integrates multi-source data, uses intelligent machine learning models, and provides user-friendly visualizationandalertmechanisms.Theproposedsysteminthis project aims to address these gaps by combining CNN-based spatial analysis with numerical data modeling and real-time monitoring to improve flood and landslide prediction and early warning capabilities.

III. BACKGROUNDANDMOTIVATION

A. Evolution of Flood and Landslide Detection and Monitoring Systems

The methods used for flood and landslide detection and monitoringhaveevolvedsignificantlyoverthepastfewdecades due to advancements in sensing technologies, data availability, and computational techniques. In the early stages, disaster monitoring mainly relied on manual observations, historical records,andsimplestatisticalmodels.Authoritiesusedrainfall thresholds, river gauge readings, and field surveys to assess risk and issue warnings. While these methods were simple to implement, they often lacked accuracy and failed to provide timely alerts, especially in rapidly changing environmental conditions.

With the development of hydrological and geotechnical models, more scientific approaches were introduced to simulate rainfall-runoffprocesses,slopestability,andsoilbehavior.These modelsimprovedunderstandingofdisastermechanisms,butthey required extensive calibration, expert knowledge, and high- quality input data. Moreover, their performance was limited when dealing with complex, nonlinear relationships between multiple environmental factors.

B. Need for Automated and Intelligent Disaster Monitoring Systems

Floods and landslides are highly dynamic natural disasters influenced by multiple environmental factors such as rainfall intensity,soilmoisture,terrainslope,riverwaterlevels,landuse, and vegetation cover. Traditional disaster monitoring and predictionsystemsmainlyrelyonmanualobservation,statistical models,orfixedthreshold-basedmethods.Theseapproachesare oftenslow,less accurate,andunabletohandlethelargevolume andvarietyofdatageneratedfrommodernsourceslikesatellites, weather stations, and sensor networks.

With the increasing availability of real-time environmental and geospatial data, there is a strong need for automated and intelligent monitoring systems that can continuously analyze data and generate timely predictions. Manual analysis of such large datasets is impractical and prone to errors. Machine learning–basedsystemscanautomaticallylearncomplexpatterns from historical and real-time data and provide faster and more reliable predictions. An intelligent disaster monitoring system canhelpauthoritiesdetectearlywarningsigns,identifyhigh-risk zones, and take preventive actions before a disaster occurs, thereby reducing loss of life and property.

C. ChallengesinReal-WorldFloodandLandslideMonitoring Systems

One major challenge is data quality and availability. In many regions, environmental data may be incomplete, noisy, or inconsistent,whichdirectlyaffectspredictionaccuracy.Another challenge is the integration of multi-source data, such as satelliteimages,meteorologicaldata,hydrologicaldata,andsoil information, which often come in different formats and resolutions. Processing and synchronizing this data in real time requires efficient and scalable systems.

Additionally, computational complexity is a significant issue, asadvanced machine learning and deep learning modelsrequire highprocessingpowerandmemory.Thereisalsotheproblemof model interpretability, where complex models act as black boxes, making it difficult for decision-makers to understand the reasons behind predictions. These challenges highlight the need for a robust, scalable, and intelligent monitoring framework suitable for real-world deployment.

D. Motivation for a Unified Disaster Monitoring and Early Warning Platform

A detailed study of existing flood and landslide prediction systemsshowsthatmanysolutionsfocusonlyonasingleaspect, suchasrainfallanalysis,riverlevelmonitoring,orsatelliteimage processing.Thisfragmentedapproachlimitstheoverall effectiveness of disaster prediction, as floods and landslides are causedbythecombinedeffectofmultipleenvironmentalfactors. The motivation for a unified disaster monitoring and early warning platform is to integrate data collection, intelligent analysis, visualization, and alert generation within a single system. By combining CNN-based spatial analysis of satellite images with numerical data modeling of environmental parameters, the proposed system can provide a more complete and accurate risk assessment.

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue IV Apr 2026- Available at www.ijraset.com

Such a unified platform can reduce false alarms, improve prediction accuracy, and provide clear visual outputs like heatmaps and dashboards along with real-time alerts. This integrated approach supports better decision-making by disaster management authorities and enables timely preventive actions. Therefore, the proposed Flood and Landslide Monitoring System Using Machine Learning aims to offer a scalable, intelligent, and practical solution for real-world disaster monitoring and risk mitigation.

IV. RESULTSANDDISCUSSION

The system was evaluated using historical data from flood- and landslide-prone regions. The CNN model effectively extracted spatial features from satellite images and terrain data, while the regression model analyzed environmental parameters such as rainfall and soil moisture.

The combined approach showed improved prediction accuracy compared to traditional single-modelsystems.Thevisualization module, including heatmaps and dashboards, provided clear insights into high-risk zones. The alert mechanism ensured timely notification when risk levels exceeded predefined thresholds.

Overall, the results demonstrate that the proposed system is suitableforreal-timemonitoringanddecisionsupportindisaster management scenarios




Fig1:-Dashboard

TheimagerepresentsthehomeinterfaceoftheFloodShield system, an AI-powered web-based platform designed for flood andlandslidemonitoring.Theinterfacefeaturesagradient-based headerwiththesystemnameandnavigationoptionssuchas Home,Prediction,Heatmaps, and Accuracy,enablingeasy accesstodifferentsystemmodules.Thecentralsection introduces FloodShieldasan advancedmachinelearning–based solutionforreal-timeriskassessment,supportedbya“Get Started” option for user interaction. The interface highlights the integration of keytechnologies, including Convolutional Neural Networksforsatelliteimageanalysis,logisticregressionfor probability-basedfloodriskprediction,real-timesatellitedatafor monitoringIndiancities,andanalertmechanismforinstantflood andlandslidewarnings.Overall,theinterfacedemonstratesa user-friendlyandefficientdesignthatcombinesartificial intelligence, satellite data, and real-time alerts to support effective disaster risk management




Fig2:-PredictionDashboard

The image shows the flood risk prediction module of the Flood Shield system, where users can select an Indian city to obtain real-time flood risk assessment. The interface displays the predictedfloodriskpercentagealongwithaclearsafetystatus indicator.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

In the illustrated example, the selected city is Bengaluru,Karnataka,andthesystemreportsalowfloodriskof 15%, categorizing the region as safe. The prediction output includesadditionaldetailssuchasriskanalysis,algorithmsused, data sources, and confidence level, therebyensuring transparency and reliability of the results. The system employs an ensemble approach combining Convolutional Neural Networks and Logistic Regression, usingsatelliteimageryand weather data as inputs. Thismoduledemonstrateshowmachinelearningmodels can effectively provide interpretable and data-driven flood risk predictions to support timely decision-making.

V. COMPARATIVE ANALYSIS

Acomparativeanalysisiscarriedouttoevaluatetheperformance and effectiveness of the proposed Flood and Landslide Monitoring System in comparison with existing prediction methods. Traditional disaster prediction approaches mainly rely on statistical models, hydrological simulations, and fixed threshold-basedrulesusingparameterssuchasrainfallandriver water levels. While these methods are simple and easy to implement, they often suffer from low accuracy, delayed response, and inability to handle complex and nonlinear relationships between multiple environmental factors.

Machine learning–based approaches improve prediction accuracy by learning patterns from historical data. Models such as Logistic Regression, Random Forest, and Support Vector Machines can analyze multiple parameters like rainfall, soil moisture, slope, and river flow. However, many existing ML- based systems focus only on numerical data and ignore spatial information from satellite images and terrain maps.

Image-based deep learning systems using Convolutional Neural Networks(CNN)provide betterspatialanalysisbutoftendonot consider temporal and environmental factors together. The proposed system overcomes these limitations by combining spatial analysis using CNN with numerical data modeling using regression-based techniques and multi-source data integration.

.Approach	Technique Used	Advantages	Limitations
Traditional Methods	Threshold-based /Statistical Models	Simple, low computation	Low accuracy, delayed response
ML-based Models	Supervised learning	High detection accuracy	Requiresquality data
Image-based Systems	CNN on SatelliteImages	Good spatial analysis	Ignores temporaldata
Proposed System	CNN + Regression + Multi-source Data	Accurate,real-time, scalable	Requires computation resources

VI. CONCLUSION

The FloodandLandslideMonitoring SystemUsing Machine Learning presents an intelligent and data-driven approach to predicting and monitoring natural disasters by integrating multiple sources of environmental and geospatial data. By combining Convolutional Neural Networks (CNN) for spatial feature extraction from satellite imagery and terrain data with numerical data modeling techniques for analyzing meteorological and hydrological parameters, the proposed system significantly improves the accuracy and reliability of disaster prediction compared to traditional methods.

The system provides a real-time monitoring framework supported by interactive dashboards, risk heatmaps, and automated alert mechanisms, which enhances situational awareness for disaster management authorities and local communities. This enables timely decision-making, early evacuation planning, and better allocation of resources, thereby reducing the potential loss of life, property damage, and economic impact caused by floods and landslides.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |


One of the key strengths of the proposed system is its ability to continuously learn from new data and adapt to changing environmental conditions. This makes the solution scalable and suitable for deployment across different geographical regions withvaryingclimaticandterraincharacteristics.Theuseofopen- sourcetechnologiesandaweb-basedarchitecturefurtherensures that the systemiscost-effective, flexible,andeasytomaintainor upgrade in the future.

Althoughthesystemrequiressufficient computationalresources andhigh-qualitydataforoptimalperformance,theoverallresults demonstrate that machine learning–based disaster monitoring systems have great potential to transform traditional disaster management practices. The proposed approach not only enhances prediction accuracy but also bridges the gap between rawenvironmentaldataandactionableinsightsthrougheffective visualization and alerting mechanisms.

REFERENCES

[1] H. Hapuarachchi, Q. Wang, and T. Pagano, "A review of advances in f lash flood forecasting," Hydrological processes, vol. 25, no. 18, pp. 2771-2784, 2011.
[2] A. Wannachai, S. Aramkul, B. Suntaranont, Y. Somchit, and P. Cham prasert, "Hero: Hybrid effortless resilient operation stations for flash flood early warning systems," Sensors, vol. 22, no. 11, p. 4108, 2022.
[3] S. Zhong, C. Wang, Z. Yu, Y. Yang, and Q. Huang, "Spatiotemporal exploration and hazard mapping of tropical cyclones along the coastline of china," Advances in Meteorology, vol. 2018, 2018.
[4] C. Hu, Q. Wu, H. Li, S. Jian, N. Li, and Z. Lou, "Deep learning with a long short-term memory networks approach for rainfall-runoff simulation," Water, vol. 10, no. 11, p. 1543, 2018.
[5] Z. Fang, Y. Wang, L. Peng, and H. Hong, "Predicting flood susceptibility using Istm neural networks," Journal of Hydrology, vol. 594, p. 125734, 2021.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)