



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** XII **Month of publication:** December 2025

DOI: <https://doi.org/10.22214/ijraset.2025.76074>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Forensic Face Sketch Construction and Recognition

Dr. S. Pushpalatha¹, Shashank V², Shreyank K J³, Sri Ranga B K⁴, Pavan T M⁵

Department of Information Science & Engineering, Dr. Ambedkar Institute of Technology, Bengaluru-India

Abstract: *In forensic science, it is seen that hand-drawn face sketches are still very limited and time consuming when it comes to using them with the latest technologies used for recognition and identification of criminals. In this paper, we present a standalone application which would allow users to create composites face sketch of the suspect without the help of forensic artists using drag and drop feature in the application and can automatically match the drawn composite face sketch with the police database much faster and efficiently using deep learning and cloud infrastructure.*

Keywords: *Forensic Face Sketch, Face Sketch Construction, Face Recognition, Criminal Identification, Deep Learning, Machine Learning, Two Step Verification*

I. INTRODUCTION

A criminal can be easily identified and brought to justice using a face sketch drawn based on the description been provided by the eye-witness, however in this world of modernization the traditional way of hand drawing a sketch is not found to be that effective and time saving when used for matching and identifying from the already available database or real-time databases.

During the past there were several techniques been proposed to convert hand-drawn face sketches and use them to automatically identify and recognize the suspect from the police database, but these techniques could not provide the desired precise results. Application to create a composite face sketches were even introduced which too had various limitations like limited facial features kit, cartoonistic feel to the created suspect face which made it much harder to use these applications and get the desired results and efficiency. The above applications and needs motivated us into thinking of creating an application which would not just provide a set of individual features like eyes, ears, mouth, etc. to be selected to create a face sketch but also would allow user to upload hand-drawn individual features on the platform which would then be converted in to the applications component set. This in turn would make the created sketch much more similar to the hand-drawn sketch and would be much easier for the law enforcement departments to adapt the application. Our application would even allow the law enforcement team to upload previous hand-drawn sketch in order to use the platform to identify and recognize the suspect using the much more efficient deep learning algorithm and cloud infrastructure provided by the application. The machine learning algorithm would learn from the sketches and the database in order to suggest the user all the relatable facial features that could be used with a single selected feature in order the decrease the time frame and increase the efficiency of the platform.

II. RELATED WORK

There are lot of studies on face sketch construction and recognition using various approaches. Dr. Charlie Frowd along with Yasmeen Bashir, Kamran Nawaz and Anna Petkovic designed a standalone application for constructing and identifying the facial composites, the initial system was found to be time consuming and confusing as the traditional method, later switching to a new approach in which the victim was given option of faces and was made to selected similar face resembling the suspect and at the end the system would combine all the selected face and try to predict automatically the criminal's facial composite. The Results where promising and 10 out of 12 composite faces where named correctly out of which the results 21.3% when the witness was helped by the department person to construct the faces and 17.1% when the witness tried constructing faces by themselves.

Xiaoou Tang and Xiaogang Wang proposed a recognition method of photo-sketch synthesized using a Multiscale Markov Random Field Model the project could synthesis a give sketch into photo or a given photo in to sketch and then search the database for a relevant match for this the model divided the face sketch in to patches. In this they first synthesized the available photos in to sketch and then trained the model making the model to decrease the difference between photos and sketch this enhanced the overall efficiency of the recognition model. For testing this they took few samples in which the photos where synthesized in to sketch and the same faces where drawn from sketch artist and then the model was trained from 60% data and remaining 40% data for testing the model. The overall results where impressive but not up to the mark as expected. Another proposed method was sketch to photo matching proposed by Anil K Jain and Brendan Klare which used SIFT Descriptor, the method proposed displayed result based on the measured SIFT Descriptor distance between the face photos in the database and the sketches.

The algorithm first converts the face photos using linear transformation which was based on Tang and Wang proposed model and then the sketch was used to measure the SIFT descriptor distance compared to the face photo and in some cases distance between images in the databases too where measured for better accuracy. The experimental result shows that the dataset used where very similar to the those used by Tang in their experiment and the addition in the algorithm was the measurement of the descriptor which gave a better result and accuracy from the model proposed by Tang and Wang.

P. C. Yuen and C. H. Man too proposed a method to search human faces using sketches, this method converted sketches to mug shots and then matched those mugshots to faces using some local and global variables been declared by the face matching algorithms. However, in some cases the mugshots where hard to be matched with the human faces in the databases like FERET Database and Japanese Database. The proposed method showed an accuracy of about 70% in the experimental results, which was fair decent but still lacked the accuracy needed by the law enforcement department.

The common issue with all the proposed algorithm where that they compared the face sketches with human face which were usually front facing making it easier to be mapped both in drawn sketch and human face photograph, but when a photograph or sketch collected had their faces in different direction the algorithms were less likely to map it and match with a face from the database which is front facing.

There are even system been proposed for composite face construction but most system used facial features which where been taken from photographs and then been selected by the operator as per described by the witness and at last complied to form a single human face making it much more complicated for human as well as any algorithm to match it with a criminal face as every facial feature was been taken from the separate face photograph having various dissimilarity and when combined together made it harder to recognize.

Thus, all the previous approaches proved either inefficient or time consuming and complicated. Our application as mentioned above would not only overcome the limitations of the mentioned proposed techniques but would also fill in the gap between the traditional hand-drawn face sketch technique and new modernized composite face sketch technique by letting user to upload the hand-drawn face sketches and facial features.

III. OVERVIEW AND FEATURES

A. Security and Privacy

The major concern of the law enforcement department before adapting any system is security and privacy. Keeping this in mind the application is designed to be protect the privacy and carry out the security measures in the following ways.

- 1) Machine Locking: The Machine locking technique would ensure that the application once installed on a system could not be tampered and could not been operated on any other system, for which the application uses two locking parameters i.e. one software and one hardware locking parameter. HD ID – Volume serial of hard-drive with OS. NET ID – Hardware ID – MAC Address.
- 2) Two Step Verification: Every law enforcement authorized user would be given an official E-Mail ID which would use to login on to the application, thus using this step would require the user to enter a random code been shared with them on their mobile/desktop in order to complete the logging process.
- 3) Centralized Usage: The system which has the application been installed would be connected to a centralized server of the law enforcement department campus containing the database and the other important feature set of the application, thus the application could not be operated once disconnected from the server.

B. Backward Compatibility

The major drawback in adapting any new system is the complication been involved in completing migrating from the previous technique to the new technique, hence resulting in the wastage of time resources. To overcome this issue, we have designed our application in such a way that even the hand-drawn sketches can be uploaded and the user can use the deep learning algorithms and cloud infrastructure to identify and recognize the criminal using the hand-drawn sketch.

C. Face Sketch Construction using Drag and Drop

In this application, accurate composite face sketch can be constructed using the predefined facial feature sets provided as tools allowing to be resized and repositioned as per requirement/described by the eye-witness.

Here, the human face is be categorized into various facial features such as head, eyes, eyebrow, lips, nose, ears, etc. and some important wearable components such as hats, specs, etc. too are been available in the application for use.

Every facial feature when selected would open a wide range of options to choose from based on the requirement/description of the eye-witness. The machine learning algorithm would learn and in future try to suggest all the facial features which could suit the single selected feature and would try to help in completing the composite face sketch much sooner and much efficiently.

Fig. 1. Shows the sketch of the facial feature viz. Head Fig. 2. Shows the sketch of the facial feature viz. Eyes Fig. 3. Shows the sketch of the facial feature viz. Ears




Fig. 1. Face Feature – Head



Fig. 2. Face Feature – Eyes



Fig. 3. Face Feature – Ears

Such are the facial features which can be used in the application to create the composite face sketch of the suspect based on the description been provided by the eye-witness to the law enforcement and forensic department.




Fig. 4. User Interface of the application (with blank canvas)




Fig. 5. User Interface of the application (with facial features been dragged on to the canvas)

The Fig. 4. shows the user interface of the application been presented to create composite facial sketch with the set of facial features on the right-hand side to be selected and tools for resizing, repositioning, saving, etc. are on the left-hand side.

Fig. 5. shows the user interface of the application with the facial feature been dragged on to the canvas from the right-hand side and to be used with other facial features to create a composite face sketch.

D. System Flow

The Fig. 6. Illustrates the overall flow of the system starting with the login section which ensuring the two-step verification process. Further the application can either be used with a hand-drawn sketch or a composite face sketch can be created using the drag and drop feature, Either of the images would then go under features extraction process which would help the application to apply image processing and computer vision algorithm and finally match the sketch with the database and then display the ratio of similarities between the sketch and the database photograph.




Fig. 6. System Flow of the application

IV. OVERVIEW AND FEATURES

In this application, Operations is performed in two stages.

A. Face Sketch Construction

The flowchart illustrates the users flow been followed by the platform to provide a construct accurate face sketch based on the description, the dashboard is designed simple in order to encourage no professional training to go through before using this platform already saving the timeframe which would have been taken a lot time and resources of the Department.



Fig. 7. Flow Chart for Creating a sketch in the application The dashboard consists of Five main modules, First the important module is the Canvas been shown at the middle of the dashboard which would house the face sketch components and the elements of the face sketches helping in the construction of the face sketch.

Creating the face sketch would be a complicated thing if all the face elements are given all together and in an unordered manner making the process difficult for the user and complicated to construct an accurate face which would be against the agenda aimed in the proposed system. So, to overcome this issue we planned on ordering the face elements based on the face category it belongs to like head, nose, hair, eyes, etc. making it much easier for the user to interact with the platform and construct the face sketch. This is available in the column in the left on Canvas on the dashboard click on a face category allows user to get various other face structure.

Coming to the various face elements in a particular face category we could have multiple and n number of elements for a single category, so to solve this our platform would use machine learning in future to predict the similar face elements or predict an suggest the elements to be selected in the face sketch but this would only work once we have appropriate data to train the model on this algorithm and work to enhance the platform.

So, now when the user clicks on a particular face category and then a new module to the right of the canvas opens and lets user to select an element from the option of face elements to construct a face sketch. This option can be selected based on the description provided by the eye witness.

The elements when selected are shown on the canvas and can be moved and placed as per the description of the eye witness to get a better and accurate sketch and the elements have a fixed location and order to be placed on the canvas like the eye elements would be placed over the head element irrespective of the order the were selected. Same for every face element.

The final module is the options to enhance the use of the dashboard, suppose in cases the user selects an element which is not to be selected so that could be rectified using the option to erase that particular element which would be seen when selecting the face category from the left panel. The major important buttons are placed in the panel on the right which has a button to completely erase anything on the canvas of the dashboard making it totally blank.

Then we have a button to save the constructed face sketch, saving the face sketch as a PNG file for better future access. This could be any location on the host pc or on the server depending on the Law Enforcement Department.

B. Face Sketch Recognition

The flowchart illustrates the users flow been followed by the platform to provide an recognize accurate face sketch based on the description, the dashboard is designed simple in order to encourage no professional training to go through before using this platform already saving the timeframe which would have been taken a lot time and resources of the Department.




Fig. 8. Flow Chart for Recognizing a sketch in the application




Fig. 9. Feature extraction by the Platform

The above image demonstrates the first part before using the platform to recognize faces is making the existing records in with the law enforcement department suitable for our platform by training and making the platforms algorithm recognize and assign ids to the face photo to the user in the existing records in with the law enforcement department. For this the platforms algorithms gets connected to the records and breaks each face photo in to various smaller feature and assign an ID to the multiple features generated for a single face photo.

Now, the Module which is majorly designed to be run on the Law enforcements server for security protocols, is been executed where in the user first opens either the hand drawn sketch or the face sketch constructed on our platform saved in the host machine, after which the opened face sketch is been uploaded to the Law enforcements server housing the recognition module so that the process or the data of the record are not tampered and are secure and accurate.

Once the sketch is uploaded on to the server the algorithm first traces the sketch image in order to learn the features in the sketch and map the features as shown in the below figure in order to match those with the features of the face photos in the records.




Fig. 10. Face Sketch been mapped on the Platform

After mapping the sketch and matching the face sketch with the records and finding a match the platform displays the matched face along with the similarity percentage and other details of the person from the records. The platform displaying all this and the matched person is shown in the below figure.




Fig. 11. Face Sketch matched to Database Record

V. RESULTS & CONCLUSION

The Project 'Forensic Face Sketch Construction and Recognition' is been designed, developed and finally tested keeping the real-world scenarios from the very first splash screen to the final screen to fetch data from the records keeping security, privacy and accuracy as the key factor in every scenario. The platform displayed a tremendous result on Security point of view by blocking the platform use if the MAC Address and IP Address on load didn't match the credentials associated with the user in the database and later the OTP system proved its ability to restrict the use of previously generated OTP and even generating the new OTP every time the OTP page is reloaded or the user tries to relog in the platform. The platform even showed good accuracy and speed while face sketch construction and recognition process, provided an average accuracy of more than 90% with a confidence level of 100% when tested with various test cases, test scenario and data sets, which means a very good rate according to related studies on this field. The platform even has features which are different and unique too when compared to related studies on this field, enhancing the overall security and accuracy by standing out among all the related studies and proposed systems in this field.

VI. FUTURE SCOPE

The Project 'Forensic Face Sketch Construction and Recognition' is currently designed to work on very few scenarios like on face sketches and matching those sketches with the face photos in the law enforcement records.

The platform can be much enhanced in the future to work with various technologies and scenarios enabling it to explore various media and surveillances medium and get a much wider spread and outputs, The platform can be modified to match the Face sketch with the human faces from the video feeds by using the 3D mapping and imaging techniques and same can be implemented to the CCTV surveillances to perform face recognition on the Live CCTV footage using the Face Sketch.

The platform can further be connected to social media has social media platforms acts has a rich source for data in today's world, this technique of connecting this platform with the social media platform would enhance the ability of the platform to find a much more accurate match for the face sketch and making the process much more accurate and speeding up the process.

In all the platform could have features which could be different and unique too and easy to upgrade, when compared to related studies on this field, enhancing the overall security and accuracy by standing out among all the related studies and proposed systems in this field.

REFERENCES

- [1] Hamed Kiani Galoogahi and Terence Sim, "Face Sketch Recognition By Local Radon Binary Pattern: LRBP", 19th IEEE International Conference on Image Processing, 2012.
- [2] Charlie Frowd, Anna Petkovic, Kamran Nawaz and Yasmeen Bashir, "Automating the Processes Involved in Facial Composite Production and Identification" Symposium on Bio-inspired Learning and Intelligent Systems for Security, 2009.
- [3] W. Zhang, X. Wang and X. Tang, "Coupled information theoretic encoding for face photo-sketch recognition", in Proc. of CVPR, pp. 513-520, 2011.
- [4] X. Tang and X. Wang, "Face sketch recognition", IEEE Trans. Circuits and Systems for Video Technology, vol. 14, no. 1, pp. 50-57, 2004.
- [5] B. Klare and A. Jain, "Sketch to photo matching: a featurebased approach", SPIE Conference on Biometric Technology for Human Identification, 2010.
- [6] P. Yuen and C. Man, "Human face image searching system using sketches," IEEE Trans. SMC, Part A: Systems and Humans, vol. 37, pp. 493-504, July 2007.
- [7] H. Han, B. Klare, K. Bonnen, and A. Jain, "Matching composite sketches to face photos: A component-based approach," IEEE Trans. on Information Forensics and Security, vol. 8, pp. 191-204, January 2013.
- [8] P. Isola, J.-Y. Zhu, T. Zhou, and A. A. Efros, "Image-to-image translation with conditional adversarial networks," in Proc. IEEE Conf. Comput. Vis. Pattern Recognit., 2017, pp. 5967-5976.
- [9] J.-Y. Zhu, T. Park, P. Isola, and A. A. Efros, "Unpaired image-to-image translation using cycle-consistent adversarial networks," in Proc. IEEE Int. Conf. Comput. Vis., 2017, pp. 2242-2251.
- [10] Y. Song, J. Zhang, L. Bao, and Q. Yang, "Fast preprocessing for robust face sketch synthesis," in Proc. 26th Int. Joint Conf. Artif. Intell., 2017, pp. 4530-4536.
- [11] Y. C. Lai, B. A. Chen, K. W. Chen, W. L. Si, C. Y. Yao, and E. Zhang, "Data-driven npr illustrations of natural flows in chinese painting," IEEE Trans. Vis. Comput. Graph., vol. 23, no. 12, pp. 2535-2549, Dec.2017.
- [12] F.-L. Zhang, J. Wang, E. Shechtman, Z.-Y. Zhou, J.-X. Shi, and S. M. Hu, "PlenoPatch: Patch-based plenoptic image manipulation," IEEE Trans. Vis. Comput. Graph., vol. 23, no. 5, pp. 1561-1573, May2017.
- [13] A. Krizhevsky, I. Sutskever, and G. E. Hinton, "ImageNet classification with deep convolutional neural networks," Commun. ACM, vol. 60, no. 6, pp. 84-90, 2017.
- [14] M. Zhu, N. Wang, X. Gao, and J. Li, "Deep graphical feature learning for face sketch synthesis," in Proc. 26th Int. Joint Conf. Artif. Intell., 2017, pp. 3574-3580.
- [15] N. Wang, X. Gao, L. Sun, and J. Li, "Bayesian face sketch synthesis," IEEE Trans. Image Process., vol. 26, no. 3, pp. 1264-1274, Mar.2017.
- [16] Y. Song, L. Bao, S. He, Q. Yang, and M.-H. Yang, "Stylizing face images via multiple exemplars," Comput. Vis. Image Understanding, vol. 162, pp. 135-145, 2017.
- [17] N. Wang, X. Gao, and J. Li, "Random sampling for fast face sketch synthesis," Pattern Recognit., vol. 76, pp. 215-227, 2018.
- [18] Y. J. Huang, W. C. Lin, I. C. Yeh, and T. Y. Lee, "Geometric and textural blending for 3d model stylization," IEEE Trans. Vis. Comput. Graph., vol. 24, no. 2, pp. 1114-1126, Feb.2018.
- [19] S. S. Lin, C. C. Morace, C. H. Lin, L. F. Hsu, and T. Y. Lee, "Generation of escher arts with dual perception," IEEE Trans. Vis. Comput. Graph., vol. 24, no. 2, pp. 1103-1113, Feb.2018.
- [20] N. Wang, X. Gao, and J. Li, "Random sampling for fast face sketch synthesis," Pattern Recognit., vol. 76, pp. 215-227, 2018.
- [21] Bin Sheng, Ping Li, Chenhao Gao, Kwan-Liu Ma, "Deep Neural Representation Guided Face Sketch Synthesis", IEEE Trans. Vis. Comput. Graph., vol. 25, no. 12, pp. 3216-3230, Dec.2019.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)