



# **iJRASET**

International Journal For Research in  
Applied Science and Engineering Technology



---

# **INTERNATIONAL JOURNAL FOR RESEARCH**

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume: 13    Issue: V    Month of publication: May 2025**

**DOI: <https://doi.org/10.22214/ijraset.2025.71802>**

**[www.ijraset.com](http://www.ijraset.com)**

**Call:  08813907089**

**E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)**

# Formulation and Evaluation of Herbal Antifungal Cream

Bhakti Rajabhau Borade<sup>1</sup>, Prof. Manoj Shere<sup>2</sup>, Prathamesh Mahadev Bichewar<sup>3</sup>, Raj Ramchandra Shelke<sup>4</sup>, Sai Asaram Sakhare<sup>5</sup>, Neha Vishnu Wanare<sup>6</sup>

Rajesh Bhaiyya Tope College of Pharmacy CHH, Sambhajinagar

**Abstract:** Fungal diseases become a major medical problem. Fungal disease is difficult to manage because they tend to be chronic, hard to diagnosis. The fungal infection is a common condition caused by fungi. The herbal antifungal cream was formulated by using various herbs such as neem and aloe vera. Herbal medicine is one of the oldest and most universal system of health care system. The herbal antifungal cream is very helpful and it is fewer side effects. All herbal ingredients are easily available in market. The herbal antifungal cream is used to treat fungal infection which most commonly affect our skin, hair and nails. Herbal antifungal cream are used to treat fungal skin infection such as athletes foot, ringworm and jock itch. This herbal antifungal cream represents a natural and safe to use, and this herbal antifungal cream is beneficial in reduction of fungal infection.

**Keywords:** Herbal Antifungal Cream; Fungal Disease; Herbs; Herbal Ingredient; Skin Infection

## I. INTRODUCTION

Fungal infections Of skin, such as athletes foot, ringworm and candidiasis are common dermatological conditions that affect millions Of people worldwide. these infections as typically caused by dermatophytes, yeasts, or molds ,and can leads to symptoms such as itching ,redness, and scaling. While conventional anti-fungal treatments, including topical creams, powders, and oral medications ,are widely used ,they Often come with side effects, such as skin irritation or allergic reactions-The increasing resistance Of fungal pathogens to synthetic antifungal drugs poses asinignificant challenges in treatment effectiveness. The response to these concerns, there has been growing interest in alternative treatments using herbal remedies . many plants have demonstrated antifungal, antimicrobial ,and anti inflammatory properties that can help to treat and prevent fungal infections. for centuries, traditional medicine has utilized herbs such as neem ( azadirachta indica) ,turmeric (curcuma longa), and garlic (allium sativum) for their healing properties, especially in skin-related disorders. These plant contain bioactive compound like terpenoids, flavonoids, and alkaloids, which exhibit These plant contain bioactive compound like terpenoids, flavonoids, and alkaloids, which exhibit strong antifungal activity and can be effectively inhibit the growth of common skin fungi herbal cream Offer a natural safe, and effective alternative to chemical-based treatments.

## II. DISEASE

### A. Athlete's Foot Infection

Many people will have athletes foot at some points in their lives. It usually affects the gaps between the toes . athletes foots (tinea pedis) is particularly common between the little



Fig. 1.1

Toe and the toe next to it. The fungus can cause the skin to redden and crack. The affected areas are flaky and sometimes itchy. This skin can also turn white and thicken, and is then often slightly swollen. If the infection spreads across the sole of the foot it is referred to as moccasin athlete's foot.

The sole of the feet, the heels and the edges of the feet are then dry, scaly, and may be itchy.

Moccasin athlete's foot is sometimes mistaken for other conditions such as eczema. A rare kind of athlete's foot causes an acute.

#### Treatments

Herbal ointments have gained popularity in recent years as a natural alternative for treating various skin conditions, including fungal infections. Fungal infections are common in athletes due to factors like excessive sweating, sharing equipment, and close contact in sports. Ointments with antifungal properties, derived from herbal ingredients, can offer effective treatment with fewer side effects compared to synthetic antifungals.

Below is a comprehensive outline of the process for an herbal ointment aimed at treating fungal infections:

#### B. Ringworm

Ringworm is a fungal infection causing a red or silver ring-like rash on your skin. The rash usually affects your arms and legs, but it can be anywhere on your body, including your scalp. The rash is paler in the middle and has a clear, swollen and scaly outside edge. Over time, the rash spreads outwards and the circle looks as if it's growing.

Sometimes, you may have more than one circular rash.



Fig. 1.2

#### C. Jock Itch

Jock itch, also known as tinea cruris, is a fungal skin infection that causes an itchy, red, and often ring-shaped rash in warm, moist areas of the body, particularly the groin, inner thighs, and buttocks. It is a common infection, especially among athletes, and is caused by dermatophytes, a type of fungus that thrives in damp environments.

Key characteristics of jock itch:

Cause: Fungal infection (dermatophytes).

Location: Groin, inner thighs, buttocks.

Appearance: Red, itchy, scaly rash, often ring-shaped.

Symptoms: Itching, burning, stinging, sometimes with a musty odor.

Transmission: Skin-to-skin contact, especially in warm, moist environments.

Medical term: Tinea cruris.

Relationship to Athlete's Foot: Can be spread from the feet to the groin if the individual has athlete's foot.



Fig. 1.3

### III. MATERIALS & METHODS

#### A. Drug Profile

Catheranthous roseus

- Kingdom: Plantae
- Division: Magnoliopsid a
- Class: Magnoliopsida
- Family: Apocynacea
- Species: C.roseus
- Synonyms: Vinca rosea, Madagascar. Plan of Work

- 1) Collection of herbal ingredients
- 2) Extraction of herbal ingredients
- 3) preparation of herbal cream
- 4) Evaluation (PH determination, patch test, spreadability test, viscosity.)

Neem

- Scientific Name: Azadirachta indica A. Juss.
- Family: Meliaceae (Mahogany family)
- Common Names:
  - Neem
  - Indian lilac
  - Margosa
  - Quercetin

Uses

- Medicinal: Neem has been used in traditional medicine for its antibacterial, anti-inflammatory, and antiviral properties.
- Agricultural: Neem is used as a natural pesticide and fertilizer.
- Skincare: Neem is used in skincare products due to its antibacterial and anti-inflammatory properties.

.Aloe Vera

Aloe vera's scientific name is Aloe barbadensis Miller, and it belongs to the following classification:

- Kingdom: Plantae
- Family: Asphodelaceae (previously classified under Liliaceae or Xanthorrhoeaceae)
- Genus: Aloe
- Species: Aloe vera or Aloe barbadensis Miller

**Turmeric**

Turmeric is scientifically known as *Curcuma longa* Linn. It belongs to the following classification:

- Kingdom: Plantae
- Family: Zingiberaceae (Ginger family)
- Genus: *Curcuma*
- Species: *Curcuma longa*

**Tween-20**

The Tween-20 study investigates the properties and applications of a surfactant known as Tween-20, which is commonly used in various industries including pharmaceuticals, food, and cosmetics. Tween-20 is a nonionic surfactant belonging to the Tween series, produced by ethoxylation of sorbitan monolaurate. Tween-20 exhibits amphiphilic properties, meaning it has both hydrophilic and hydrophobic regions.

**Beeswax**

Beeswax, a natural substance secreted by honeybees, plays a vital role in the hive's construction and maintenance. It is composed primarily of esters, fatty acids, and hydrocarbons, making it a complex mixture with various applications. Beeswax has a unique combination of properties that make it valuable in numerous industries.

**Borax**

Borax, also known as sodium borate, is a versatile compound with various applications across industries and households. Its chemical formula is  $Na_2B_4O_7 \cdot 10H_2O$ . Borax is primarily mined from natural deposits in countries like Turkey, the United States, and Chile.

**Silica gel**

Silica gel is a porous form of silica dioxide, synthetically manufactured from sodium silicate. It appears as small, translucent beads or granules and is known for its high adsorption capacity.

**Bentonite**

Bentonite is a versatile clay mineral renowned for its unique properties and wide-ranging applications across various industries. It is primarily composed of montmorillonite, a swelling clay mineral, along with other minerals such as quartz, feldspar, and gypsum.

**Methyl paraben**

Methyl paraben is a commonly used preservative in cosmetics, pharmaceuticals, and food products due to its ability to inhibit microbial growth and extend product shelf life. Chemically, it belongs to the paraben family, which are esters of parahydroxybenzoic acid.

**Rose oil**

Rose oil, also known as rose Otto or rose essential oil, is extracted from the petals of various types of roses, primarily *Rosa damascena* or *Rosa centifolia*. The extraction process typically involves steam distillation or solvent extraction, yielding a concentrated oil with a strong, floral scent. Rose oil is often used in aromatherapy for its calming and mood-enhancing effects.

**B. Material and method**

The dried Neem leaves powder was prepared with the air dried leaves of neem plant.

Material:-] Neem leaves were randomly collected from local area of and

Parbhani. The plant leaves were identified. The freshly collected leaves of plant neem . on the date [13-3-2025]

Formulation method of Herbal Antifungal Cream: -

Sr.no	Ingredients	Quantity
01	Catheranthus roseus extraction	20ml
02	Neem extraction	10ml
03	Turmeric extraction	5ml
04	Aloe vera gel extraction	5ml
05	Glycerine	5ml
06	Tween -20	10ml
07	Beeswax	2.5gm
08	Silica gel	0.2gm
09	Bentonite	3gm
10	Methyl parabean	0.1 gm
11	Borax	0.1gm
12	Rose oil	9.5ml

Table no 1 :- Ingredients

### C. Extraction process of turmeric

extraction process was modified from the previous study . Ground turmeric (5 g) was extracted with 100 mL Of water, for 2 h at 1000C. the supernatant was filtered through filter paper .

filtered solution

## IV. ALOEVERA GEL EXTRACTION

Steps:

1. Choose a mature leaf: Select a thick, mature leaf from the outer section of the aloe vera plant. The Older the leaf, the more gel it usually contains.

2. Wash the leaf: Rinse the leaf thoroughly under running water to remove any dirt or debris.

3. Trim the edges: Using a knife, carefully cut Off the serrated edges (spiky sides) Of the leaf.

4. Cut the leaf open: Slice the leaf lengthwise to expose the gel inside.

5. Scoop out the gel: Use a spoon to scrape the clear, slippery gel from inside the leaf. Avoid the yellowish latex layer just beneath the skin, as it can be irritating to the skin and digestive system.

6. Blend (optional): For a smoother consistency, blend the gel for a few seconds.

7. Store: Pour the gel into a Clean, airtight container. It Can be stored in the refrigerator for about 1—2 weeks. Add a few drops of vitamin E or C as a natural preservative to extend shelf life.

Neem decoction (Distilled Azadirachta indica leaves were collected and washed under running tap water and rinsed with distilled water to remove dust and debris. The leaves were crushed In a mortar and pestle to a coarser particle size. The crushed leaves(50gm) added with 40ml of distilled water and boiled till the volume reduces to 20 ml. Decoction was passed through muslin cloth and allowed to cool down at room temperature. The prepared decoction was passed through muslin cloth and filtrate used for further research study.

Method Of Extraction ( Neem extract)

Mixed with 500 ml Of distilled water

Boiled for 30 min.

Take 50 gm Of dried leaf powder.

Boiled solution were filtered using filter paper.

Clear aqueous leaf extract was obtained-

Beaker A



Beaker A

Turmeric extract


Take 20 g Of dried turmeric

Mixed with 100 ml Of distilled water

Boiled min.

Boiled solution were filtered using filter paper

Beaker B



Beaker B

#### Method Of preparation

Take two beaker A and B,wash and clean properly

In Beaker A

- Take aloevera gel & boil on water bath
- Add neem extract and turmeric extract with continuous stiring

In Beaker B

- Take glycerine & boil
- Add bees wax & twin 20 with continuous stiring
- Add borax & silica gel with continuous stiring
- Then add methyl paraben
- Mix beaker A & B together with constant mechanical stirring
- Add bentonite with continuous stiring
- Then the formulation cool in room temperature for 5 min
- Then add rose Oil for fragrance

## V. EVALUTAION TEST

### A. Patch Test

A patch test for a herbal antifungal cream involves applying a small amount Of the product onto a small area of the skin, typically on the forearm or behind the ear. The purpose Of this test is to evaluate the cream's potential for causing irritation or allergic reactions in sensitive individuals. After application, the area is observed for any signs Of redness, swelling, itching, or Other adverse reactions over a period Of 24 to 48 hours. This test helps to assess the cream' s safety profile and determine if it is suitable for use on larger areas Of the skin without causing harm or discomfort

Sr. NO. Properties Observation

1. Colour - Pale yellow
2. Odour- Characteristic
3. Appearance- Semi- solid
4. Texture -Smooth pH determination

The pH Of various semi-solid (cream) formulation were determined by using digital pH meter. Weight 2.5g Of cream and dispersed in 25ml Of distilled water and stored for 2 hours. Then measurement Of pH by using digital pH meter [ 12].

### Spreadability test



Fig. no1.4 :-Spreadability

The spreadability test for a herbal antifungal cream assesses its ability to evenly distribute and cover a given surface area upon application. This test typically involves placing a fixed quantity of the cream onto a standardized surface, such as glass or a skin mimic substrate, and measuring the diameter of the spread after a specified time period.

#### Homogeneity

The homogeneity of herbal antifungal cream is crucial for consistent effectiveness and application. Manufacturers utilize techniques like blending, emulsification, and particle size reduction to achieve desired consistency.

#### Viscosity

The viscosity of formulated antifungal creams was measured by Brook field Viscometer using 4 spindle at varying speed and shear rates. This viscosity ensures uniform coverage, facilitating the absorption of active ingredients into the skin for maximum efficacy against fungal infections.

#### B. PH Determination

The pH of the cream was found to be in range of 5.6 to 6.5 which is good for skin pH. The herbal formulation was shown pH nearer to skin required i.e pH



Fig no.1.5 :-pH

### C. Viscosity

Viscosity of formulated cream was determined by brook field viscometer at 21801 mpa using spindle number (needle number).

### 4. Spreadability Test

The spread ability test showed that the formulated cream has good spreadable property.

$$s = M \times L / T$$

Where,

S = spreadability (g.cm/s)

M weight applied (in grams)

L = length of the cream spread (in cm)

T Time taken for spreading (in seconds)

M = 200gm

L = 6.8 cm T= 120 sec  $s = 200 \times 6.8 / 120$  S = 11.33g. cm Is From above calculation the spread ability of antifungal cream is 11.33 gm.cm/s.

5. Microbial test When applied the Cream it inhibit the growth Of fungi

### 6 . Homogeneity

Cream are uniform distribution on the skin

## VI. CONCLUSION

The increasing global awareness Of the environmental impact Of pharmaceuticals and a growing desire for sustainable, natural solutions have propelled herbal remedies into the spotlight. Herbal antifungal creams, harnessing the power Of plant extract, represent a compelling alternative to synthetic medications, offering a balance between efficacy and safety-one of the key strengths lies in the generally well-tolerated nature of herbal formulation, Often associated with synthetic counterparts. Scientific advancements in herbal medicine research further substantiate the efficacy Of specific plant compounds against fungal pathogens. This intersection Of traditional herbal knowledge and modern scientific validation enhances the credibility Of herbal antifungal remedies, paving the way for great integration into mainstream health care practices. The future trajectory Of herbal antifungal creams is marked by sustainability, safety and efficacy making them a compelling choice in the evolving landscape Of antifungal treatments.

## REFERENCES

- [1] Jincy V Varghese., et al. "A Review on Formulation Andevaluation Of Polyherbal antifungal Cream". International Journal Of Creative Research Thoughts (Ijcr) 10.4 (2022).
- [2] Nisha Devi., et al. "A review on Herbal Cosmetics". World Journal Of Pharmaceutical Research 7.08 (2022): 298-310.
- [3] Arati D Powar and Dr. Sachin A. "Nitave Polyherbal Antifungal Cream". World Journal of Pharmaceutical Research 11.5 (2022): 904-920.
- [4] Mohit Solanki., et al. 'Formulation and evaluation Of antifungal cream using Nelumbo Nucifera and azadirachta inmdica". Bulletin Of Pharmaceutical Research 9.13 (2019): 167.
- [5] Nikhil Nitin Navindgikar., et al. 'formulation And Evaluation Of Multipurpose Herbal Cream". International Journal Of Current Pharmaceutical Research 12.3
- [6] Amol Pimpale. "Formulation and evaluation Of antibacterial, antifungal cream Of garlic Oil". International Journal of Trend in Research and Development 3.1 (2018).
- [7] Sheraz Khan Azher., et al. "Formulation And Evaluation Of Herbal Anti Bacterial, Anti Fungal Cream". International Journal Of Pharmaceutical Research and Applications 8.3 (2023):
- [8] .Veena S., et al. "Formulation and Evaluation Of Antifungal Cream Of Chlorphenesin". International Journal Of current Pharmaceutical Research 13.5 (2021).
- [9] Kumbhar Abhishek Somanath., et al. 'Trepuration And Evaluation Of Herbal Anti Fungal Cream". International Journal Of Creative Research Thoughts (Ijcn) 9.12 (2021).
- [10] Marcin Rozewicz and Marta Wyzinska. 'The most important fungal diseases Of cereals- problems and possible solution". Agronomy 11 (2021): 714.
- [11] Jason E Stajich and Mary L Berbee. 'The fungi". Current Biology 19.18 (2018): R840.
- [12] Peter C I-wel and Ishwor Thapa. "Review Of methods for identification Of Zygomycota". Labmedicine 42.5 (2011).
- [13] Cristian J Zambrano., et al. "Diversity and distribution Of macro fungi (Ascomycota)". Biodiversity Data Journal 11 (2023): e 104307.
- [14] G Kiran Kumar Reddy and Alwar Ramanujam Padmawati. "Fungal infections: pathogenesis, anti fungal and alternate treatment approaches". Current Research in Microbial Sciences3 (2022): 100137.
- [15] Kusum Kaushik and Shweta Agarwal. 'Role Of herbal antifungal agents for the management Of fungal diseases". Asian Journal Of Pharmaceutical and Clinical Research 12.7 (2019).
- [16] Ramdas B Darade and Krushna K Zambare. "An overview on pharmacotherapy Of jock itch". World Journal ofPharmaceutical Research 9.1 (2019): 851-856.
- [17] Denning DW, Hope WW. Therapy for fungal diseases:opportunities and priorities. Trends in
- [18] Lim SMS, Sinnollareddy M, Sime FB. Challenges inantifungal therapy in diabetes mellitus. Journal Medicine.
- [19] Jamadar MJ, Shaikh RH. Preparation and evaluation otherbal gel formulation. Journal Of PharmaceuticalResearch & Education. 2017;1 (2):201-224.



- [20] Khandelwal KR. Practical Pharmacognosy Techniques and Experiments. 9th Ed. Pune: Nirali Prakashan; c2002,149-160.
- [21] Sahu RK, Roy A, Kushwah P, Sahu A. Formulation and development Of face cream containing natural products. Research Journal Of Topical and Cosmetic
- [22] Goyal S, Sharma P, Ramchandani V, Shrivastava SK, Dubey PK. Novel anti-inflammatory topical herbal gels containing Withania somnifera and Boswellia serrata. International Journal Of Pharmaceutical and Biological Archives.
- [23] Mishra US, Murthy PN, Mishra D, Sahu K. Formulation and standardization Of herbal gel containing methanolic extract Of Calophyllum inophyllum. Asian Journal of Pharmaceutical and Clinical Research. 2011
- [24] Dixit G, Misal G, Gulkari V, Upadhye K. Formulation and evaluation Of polyherbal gel for anti-inflammatory activity. International Journal Of Pharmaceutical Sciences and Research. 2013;4(3):1186-119
- [25] Mishra US, Murthy PN, Pasa G, Nayak RK. Formulation and evaluation Of herbal gel containing methanolic extract Of Ziziphus xylopyrus. International Journal Of Biomedical and Pharmaceutical Research. 2011 ;
- [26] Balouiri M, Sadiki M, Ibsouda SK. Antimicrobial activity testing methods. Chemist Notes. Available from: <https://chemistnotes.com/biochemistry/antimicrobialactivity-by-agar-well-diffusion/>.
- [27] Alderman DJ, Smith P. Development Of draft protocols of standard reference methods for antimicrobial agents susceptibility testing Of bacteria associated with fish diseases. Aquaculture.
- [28] Anonymous. Antimicrobial susceptibility testing: a system for standardisation. Becton Dickinson and Company, Hong Kong; c 1986.
- [29] Bailey WR, Scott EG. Diagnostic Microbiology. 2nd ed-Japan: Toppan Company Ltd.; el 966, 257-270.31. Finegold SM,



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)