



iJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 Issue: III Month of publication: March 2025

DOI: <https://doi.org/10.22214/ijraset.2025.67501>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Gender Detection Using CNN, Python, Keras, and OpenCV

Ms. Akshara P¹, Mr. C. Balaji²

¹Third Year Bachelor of Commerce with Business Analytics, Dr.N.G.P. Arts and Science College, Coimbatore - 48

²Assistant Professor, Department of Commerce with Business Analytics, Dr. N. G. P. Arts and Science College, Coimbatore - 48

Abstract: This project presents a gender detection system using Convolutional Neural Networks (CNN), Python, Keras, and OpenCV. The system employs OpenCV for face detection, alignment, and preprocessing, while a CNN model built with Keras is used for feature extraction and gender classification. Trained on a diverse dataset, the model achieves high accuracy and real-time performance, making it suitable for applications like surveillance, marketing, and human-computer interaction. The integration of deep learning and computer vision techniques ensures robust and efficient gender detection, with the project providing a scalable solution for real-world deployment.

Keywords: Gender Detection, Convolutional Neural Networks (CNN), Python, Keras, OpenCV, Face Detection, Deep Learning, Computer Vision, Real-Time Processing.

I. INTRODUCTION

Gender detection is a crucial task in computer vision, with applications spanning security systems, personalized marketing, human-computer interaction, and demographic analysis. Traditional methods for gender detection often rely on handcrafted features and machine learning algorithms, which can struggle with variations in lighting, pose, and facial expressions. With the advent of deep learning, particularly Convolutional Neural Networks (CNNs), automated gender detection has seen significant improvements in accuracy and robustness. This project focuses on developing a gender detection system using CNNs, implemented with Python, Keras, and OpenCV, to address these challenges and provide a reliable solution for real-world applications.

The proposed system leverages the power of CNNs to automatically extract and learn discriminative features from facial images, enabling accurate gender classification. OpenCV is used for preprocessing tasks such as face detection, alignment, and normalization, ensuring that input images are optimized for the CNN model. Keras, a high-level neural networks API, simplifies the implementation of the CNN architecture, making the system efficient and scalable. By combining these technologies, the project aims to deliver a robust and real-time gender detection system capable of handling diverse datasets and operating effectively in practical scenarios. The following sections detail the methodology, implementation, and evaluation of the system, highlighting its potential for deployment in various domains.

II. REVIEW OF LITERATURE

Levi and Hassner (2015) Levi and Hassner pioneered the use of Convolutional Neural Networks (CNNs) for age and gender classification, achieving state-of-the-art results on the Adience benchmark dataset. Their work demonstrated that CNNs could automatically learn discriminative features from facial images, outperforming traditional methods that relied on handcrafted features. This study laid the groundwork for applying deep learning to gender detection tasks.

Eidinger et al. (2014) Eidinger et al. introduced the Adience dataset, a benchmark specifically designed for age and gender classification. Their work highlighted the challenges of real-world images, such as variations in pose, lighting, and occlusions, and provided a baseline for evaluating gender detection algorithms. This dataset became a standard for training and testing gender detection models.


Zhang et al. (2017) Zhang et al. proposed a hybrid approach combining CNNs with facial landmark detection for gender classification. By incorporating geometric features of the face, such as the distance between eyes and jawline shape, their method achieved higher accuracy. This work demonstrated the benefits of integrating traditional computer vision techniques with deep learning for improved performance.

Ranjan et al. (2017) Ranjan et al. developed DeepFace, a unified framework for facial attribute analysis, including gender detection. Using a large-scale dataset and a deep CNN architecture, their model achieved high accuracy. They also emphasized the importance of dataset size and diversity in training robust gender detection systems, providing insights into the scalability of such models.

Kumar et al. (2018) Kumar et al. explored transfer learning for gender detection, utilizing pre-trained CNN models like VGG16 and ResNet. Their approach significantly reduced training time and computational resources while maintaining high accuracy. This study made gender detection more accessible for real-time applications, especially in resource-constrained environments.

III. METHODOLOGY

The research entails gathering a labelled dataset of male and female faces, preparing the data by reducing photographs to a consistent size, normalising pixel values, and using augmentation techniques such as flipping and rotation to increase diversity. To evaluate the model, the dataset is divided into three sets: training, validation, and testing. A Convolutional Neural Network (CNN) is created with Keras, including layers for feature extraction, dimensionality reduction, and classification. The loss function for the model is binary cross-entropy, and Adam is used to optimise it. Python is used for implementation, and OpenCV enables real-time image processing. The trained CNN model is linked with OpenCV to determine gender from webcam streams or picture inputs. The system's performance is measured using measures such as accuracy and F1-score to ensure reliable and efficient real-time gender categorisation.



Methodology for Saving and Loading Models in .h5 Format in TensorFlow for Gender Detection

The methodology for saving and loading models in .h5 format in TensorFlow involves a straightforward process that ensures the trained gender detection model can be preserved and reused efficiently. After training the Convolutional Neural Network (CNN) for gender detection, the model is saved using the `model.save()` function, which stores the entire model, including its architecture, learned weights, and optimizer state, in a single .h5 file. This file encapsulates all the necessary information to recreate the model, making it portable and easy to share or deploy across different environments. Once saved, the model can be loaded back into TensorFlow using the `load_model()` function, which reconstructs the model from the .h5 file.

This eliminates the need to retrain the model or redefine its architecture, saving time and computational resources. The .h5 format is widely supported and ensures compatibility with various platforms, making it an ideal choice for deploying gender detection models in real-world applications such as security systems, retail analytics, or human-computer interaction.

The algorithm for saving and loading models in .h5 format begins with training the CNN model on a dataset of labeled facial images. After training, the model is saved using the `model.save()` function, which generates an .h5 file containing the model's architecture, weights, and optimizer state. To reuse the model, the .h5 file is loaded using the `load_model()` function, which reconstructs the model for inference or further training. This process ensures that the model can be deployed in real-time applications without retraining, making it highly efficient for tasks like gender detection. The .h5 format's portability and compatibility make it a reliable choice for preserving and sharing deep learning models, enabling seamless integration into various systems and workflows. This methodology not only simplifies the deployment process but also ensures that the model's performance remains consistent across different environments.

IV. INPUT

The main focus of this project is to make the complete system less difficult and faster. In order to get the output rapidly, there are alternatives to feed the data into the algorithm. First, the user can use the system webcam or another webcam digital tool to capture the data without delay.

V. FACE DETECTION

Automated facial recognition was pioneered in the 1960s. Woody Bledsoe, Helen Chan Wolf, and Charles Bisson worked on using computers to recognize human faces. Their early facial recognition project was dubbed "man-machine" because the coordinates of the facial features in a photograph had to be established by a human before they could be used by the computer for recognition. Face recognition has a long history of research. Yang et al. compared several prominent facial recognition algorithms in 2002, but the study did not use prominent algorithms such as hair classifiers. Haar Classifier is one of the most prominent and accurate object detection approaches described by Viola and M. Jones.


For a face recognition system or face input system to work properly, face recognition must be properly implemented. There are some natural changes (lighting, pose angle, face markings) and digital (noise, interference) changes that are imposed when detecting a face in a frame. The difficulty of recognizing a human face lies in two characteristics of the human face as a template:

- 1) The number of templates, that is, the faces to be classified, is huge and probably infinite.
- 2) Almost all patterns are very similar.

To fix this issue and make the algorithm more efficient, we used different types of variations of audience records. The audience set also serves as a benchmark for gender detection classification in neural networks.

VI. OUTPUT

The output of this gender detection system is a real-time classification of individuals' gender based on facial recognition. The trained model processes images from a webcam feed or stored images, detects faces using OpenCV, and classifies them as male or female. The system displays the results on the screen along with confidence scores. Performance evaluation includes accuracy on test data, real-time inference speed, and robustness under different lighting conditions. The system has been tested in various scenarios, demonstrating high accuracy but showing limitations in handling occlusions and extreme facial expressions.




VII. CONCLUSION

Human gender classification is an important resource for collecting information from and about individuals. The human face provides enough data to be used for many purposes. Gender classification of humans is very important to reach the right audience. This study demonstrated a CNN-based approach that improves efficiency and accuracy in gender classification tasks. The main goal was to create a system that is both accurate and computationally efficient. Future improvements include refining dataset diversity, improving model generalization across various demographics, and integrating additional biometric data for enhanced recognition. The findings of this study highlight the importance of deep learning in gender classification, paving the way for future advancements in the field.



REFERENCES

- [1] Levi, G., & Hassner, T. (2015). Age and gender classification using convolutional neural networks. Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition Workshops, 34-42.
- [2] Eiding, E., Enbar, R., & Hassner, T. (2014). Age and gender estimation of unfiltered faces. IEEE Transactions on Information Forensics and Security, 9(12), 2170-2179.
- [3] Zhang, K., Zhang, Z., Li, Z., & Qiao, Y. (2017). Joint face detection and alignment using multitask cascaded convolutional networks. IEEE Signal Processing Letters, 23(10), 1499-1503.
- [4] Ranjan, R., Sankaranarayanan, S., Castillo, C. D., & Chellappa, R. (2017). An all-in-one convolutional neural network for face analysis. Proceedings of the IEEE International Conference on Automatic Face & Gesture Recognition, 17-24.
- [5] Kumar, N., Verma, H. K., & Kumar, A. (2018). Gender classification using transfer learning in deep convolutional neural networks. Procedia Computer Science, 132, 1835-1843.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)