iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** II **Month of publication:** February 2025

DOI: https://doi.org/10.22214/ijraset.2025.67059

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue II Feb 2025- Available at www.ijraset.com

Gesture Language Translator

Miss. Krishna Bhatt[1], Mr. Dev Patel[2], Miss. Isha Bhanvadia[3], Mr. Kenil Butani[4], Miss. Ruchita Vachhani[5]
Department of Information Technology, Parul Institute of Engineering & Technology,Vadodara

Abstract: ***The "Sign-Wave" project will let people who can see and hear their environment communicate and comprehend one another. People with hearing impairments still have restricted access to digital platforms, despite the fact that sign language is their primary means of communication. By offering real-time language identification and translation, the project seeks to improve computer vision and machine learning for the deaf and blind communities. We aim to close the gap between sign language users and non-signers and enable smooth communication in a variety of settings by creating reliable algorithms that can precisely identify and interpret sign language motions. The project's concept is to capture sign language using video input and then analyze it using a variety of computer techniques.***

Keywords: Classification models, gesture to text and speech, skin masking, feature extraction, machine learning, TensorFlow, OpenCV, Python, CNN etc.

I. INTRODUCTION

Nearly 900 million people worldwide—mostly in low- and middle-income nations—are expected to suffer hearing impairments by 2050, up from the current 466 million, according to the World Wellbeing Association. In any case, the arrangement might make more sense for both hard-of-hearing and non-hard-of-hearing people, as well as for human-machine communication. Communication based on gestures is essential for deaf people to convey their ideas, emotions, and considerations. Gestures-based communications, like American Communication via Gestures (ASL), help the hard of hearing all around the world since they make letters easier to understand. The need for regular contact strategies for the hard of hearing is growing as telemedicine becomes more and more prevalent.

Sensor-based and vision-based acknowledgment are two well-known techniques for interpreting communications through signing. Sensor-based approaches, which use things like brilliant gloves, are less famous due to worries about accessibility and cost. Since they might be utilized with cell phones, vision-based procedures that utilize advanced picture handling are more advantageous and practical. Successful instruments are fundamental since individuals with hearing or discourse disabilities have correspondence shortages.

With time, different frameworks have been created to change a language completely to text and discourse. The different frameworks are Hand-Talk, which uses flex sensors and Bluetooth innovation. Furthermore, there are numerous specialists which zeroed in on the picture handling and CNNs for the signal acknowledgment which accomplishes the high exactness and a speed ASL is a generally utilized among the debilitated and CNNs are the ordinarily utilized for future acknowledgment.

II. BACKGROUND

Computer vision and machine learning approaches have been used to hasten the development of gesture recognition technology. In this field, human movements are translated into machine-understandable representations using a range of input devices, such as cameras and sensors. In the past few years, gesture detection systems have appeared in a variety of fields, including human-computer interaction, virtual reality, and sign language translation.

A key component in communicating with the deaf and dumb is sign language. However, talking to those who don't comprehend sign language still presents communication challenges. Manual interpretation is the foundation of traditional sign language interpreting methods, which is laborious and prone to mistakes. People are increasingly looking for automated solutions that can translate signs in real time and close the communication gap is growing.

III. MOTIVATION

This project's primary objective is to develop a practical and accessible gesture language translator that will improve communication for deaf and mute people. The fact that present systems frequently lack real-time processing or need complicated hardware configurations limits their usability and accessibility. Our goal is to create a system that provides real-time speech and text translation of sign language motions while integrating seamlessly with commonplace gadgets like laptops and cellphones.

©IJRASET: All Rights are Reserved

In a world that blossoms with correspondence, it is our aggregate liability to guarantee that each voice is heard. The Sign-Wave project is propelled by the significant conviction that correspondence is a central common liberty, and it ought to be open to everybody, no matter what their capacities.

By fostering a framework that converts communication via gestures into voice, we are not simply making innovation; we are enabling people inside the hard of hearing and deaf local area to put themselves out there more openly and be completely incorporated into a world that frequently depends on communicated in language. Our inspiration is attached in a guarantee to inclusivity, equity, and the extraordinary force of innovation to separate obstructions.

IV. LITERATURE SURVEY

1) Title: Sign language to text and speech conversion using CNN algorithm:

The data set of a paper for training model consists of 1500 images for each of the 11 chosen sign language gestures. Based on distinctiveness and accuracy the gestures are selected the accuracy of model is also affected by lightning condition, if there is a poor light condition it the accuracy falls to around 50% and the absence of light model mostly predict the word of the gesture. The data set of a paper for training model consists of 1500 images for each of the 11 chosen sign language gestures. It uses a low-cost camera. [1]

2) Title: Real time sign language recognition System for hearing and speech impaired people

Prosome-managed framework accomplished vigorous handshape order in Argentinian Communication via gestures (LSA), while a high- precision letter acknowledgment strategy supplemented a CNN-based framework for constant interpretation Hello. Hello. Introduction. Introduction.

Introduction. Motivation. Motivation of India and gesture-based communication. The project's primary objective is the developed, practical and accessible. gesture language translator that will improve communication for deaf and mute people the fact that present system frequently lack Realtime of Indian Gesture based communication (ISL) into text, coordinating RNN and CNN in a dream-based program for sign-to- message transformation. It shows the accuracy of 96% [2]

3) Title: Sign Language Conversion to Text and Speech

Indian Sign Language analyzes, recognizes and generates a text description in English language and to convert that text into the speech. [3]

4) Title: Sign language recognition for deaf and dumb people using android environment

The use of sign language recognition in an Android environment to facilitate communication for deaf and dumb individuals. The paper highlights the importance of Video chat technology. [4]

5) Title: Sign language to text conversion in real time using transfer learning

Deep-learning model is made by using ASL with the accuracy was reached to 98.7% from 94% where 87,000 images are used by transferring learning. Also suggest that by training on diverse sign languages like British and India Sign Language the model can be expanded. [5]

6) Title: Indian sign language generation from live audio or text for Tamil

The paper emphasizes the importance of cleaning, analyzing and rectifying data before using in the experiment. The hand moments use Indian Sign Language and convert into text and speech in Tamil Language. Accuracy of model is found to be 95%. [6]

7) Title: Sign language recognition and translation to speech for mine workers using deep learning technologies

An optimal communication for underground mines, which addresses the new solution and safety regulations in this environment. Vision-based and sensor-based approaches due to which it uses cameras or sensors to detect the gestures. Helps for wireless communication and consider all the factors such as low light, background noise and the disturbance in the mine. The paper presents that the accuracy of 99.7% is achieved for reducing health risk associated with vocal communication in underground mines. [7]

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

8) Title: Sign Language to Text-Speech Translator Using Machine Learning:

The paper proposes an ASL translator structure accomplishing 74% precision in perceiving ASL letter set signals and changing them over completely to discourse, stressing the significance of such frameworks in connecting correspondence holes for the hard of hearing local area. It surveys existing exploration on communication through signing
acknowledgment, featuring a CNN-based framework accomplishing 90% precision in perceiving a 10-letter letters in order. The paper highlights the meaning of motion acknowledgment frameworks in giving equivalent open doors across provincial dialects and handicaps. [8]

9) Title: Real-Time Vision Based Sign Language Bilateral Communication Device for Signers and Non-Signers using Convolutional Neural Network

Survey encouraged a nonstop two- way device translating Filipino Motion based correspondence (FSL) using CNNs, achieving 93% accuracy in FSL affirmation and engaging talk to- message (STT) correspondence. With an ordinary change time of 1.84 seconds for sign to talk and 2.74 seconds for talk to message, it got positive analysis with an 85.50% support rating, showing suitability in spreading over correspondence impediments. [9]

V. EXPERIMENT

1) Experiment 1: Gathering and preparing data

Objective: Gathering and preparing gesture photos for the training of the gesture recognition model is the aim.

Procedure: Use a webcam to capture live gesture images. Group the images according to the gestures they depict. Two instances of preparing the photos to maintain collection consistency are scaling and normalizing. Separate the dataset into training, validation, and testing subsets.

Evaluation metrics: To evaluate the dataset's quality, examine the gesture categories' diversity and representativeness. Make sure the photos are appropriately scaled and normalized.

2) Experiment 2: Model Training and Evaluation

Objective: Using a preprocessed gesture dataset, the goal is to train and assess a model that translates gestures into text and audio.

Method: Develop and train a gesture detection model using Teachable Machine. Change important parameters during training, such batch size and epochs. The model is exportable in TensorFlow, TensorFlow.js, and TensorFlow Lite formats that are compatible with various platforms.

Measures of Evaluation: Developing and Training Models: A gesture recognition model can be trained using Teachable Machine. Change the batch size and epochs, among other Crucial parameters, during training. The model is exportable in TensorFlow, TensorFlow.js, and TensorFlow Lite formats that are compatible with various platforms.

3) Experiment 3: Backend Integration & Website Functionality

Objective: Integrate the trained model with a Flask Python backend to verify the website's functionality.

Procedure:

Flask Backend Development: Create a Python script to manage picture uploads and website requests. After receiving gesture photographs, set up endpoints to process and return recognition results. Use TensorFlow.js to run the gesture recognition model within the Flask application. Use Python Script to facilitate communication between the TensorFlow model and the frontend.

Integration with the Website: Allow users to take and submit gesture images through a front-end user interface. Configure the website to submit image data to the Python Script backend for processing. Use the Google Text-to-Speech (TTS) API to turn the detected text into voice and display it on the page.

Testing and Evaluation: Check out the Python script's backends ability to handle different picture types and sizes. Verify that the gesture recognition results are processed and displayed on the website correctly. Verify the seamless integration of the frontend, Node.js, Express.js, and model.

Metrics for Evaluation: Backend performance is used to assess Python script response time and gesture detection accuracy. Website usability evaluates how well text-to-speech conversion works, how clear the content is shown, and how easy it is to add photos. ease of communication between the front-end and Node.js and Express.js.

©IJRASET: All Rights are Reserved

4) Experiment 4: User Study

Goal: Evaluate the website's usability for end users, especially those who are deaf or mute.

Procedure: Usability is assessed using a representative sample of deaf and mute individuals. Discover how to detect text, record motion, and assess the quality of the audio output. Seek opportunities to improve the user experience.

Evaluation-metrics: User satisfaction, usability, and overall experience evaluations are included in user feedback. System performance is used to assess the speed and accuracy of text-to-speech and gesture detection.

VI. METHODOLOGY

A. Overview

Using a Convolutional Neural Network (CNN) and the MERN stack (MongoDB, Express.js, React, and Node.js), this project aims to translate ASL gestures into audio. The system captures live video from the user's webcam, then converts each frame into audio output by identifying ASL motions.

The front-end, which captures video and sends frames to the server, and the back end, which processes the frames and converts the predictions into audio, are the two main components of the project.

Front-end (React): The front-end controls the user's camera video recording using React.js. The frames for gesture detection are sent to the server, and the user controls when the recording starts and stops.

Video Capture: The front-end uses the navigation to record the live video stream from the camera. Visit media Devices to obtain user media. An element is used to capture individual frames from the video whereas the element is used to display the video stream on the webpage.

Recording Capabilities: The user can control the session with the Start and Stop buttons. Following the start of the recording, frames are captured at predefined intervals (every 60 seconds) and saved for back-end processing. The recording stops when you press the Stop button.

Frame Transmission: Base64-encoded PNG pictures are created from the captured frames and supplied to the back end by sending a POST request to the /convert endpoint. The JSON image data is part of the request body.

Back-end (Node.js and Express.js): Receiving the image data, processing it with a Python script, and turning the recognized gesture into audio output are all handled by the back end, which was created with Node.js and Express.js.

Receiving Image Data: The back end listens for POST requests at the /convert endpoint. The server receives the base64-encoded image data sent from the front-end, decodes it, and saves it temporarily to disk.

Integration with Python Script: A Python script that uses child_process.spawn() in Node.js to control gesture recognition is called from the back end. The Python program processes the image and displays the expected ASL gesture after receiving the image URL as an argument. The server awaits the output in JSON format (gesture prediction) after the image has been sent to the Python script.

Server Response: Following the return of the gesture prediction from the Python program, the server sends the result back to the front-end. If there are any mistakes throughout the operation, the correct error solutions are provided.

B. Machine Learning Model

Convolutional Neural Networks (CNNs), which are the foundation of the gesture detection system, are built in Python using OpenCV and Keras as part of the machine learning model. The CNN model is trained on hand gesture images to recognize ASL movements.

Model-Architecture: To pre-train the CNN, a set of images of ASL hand movements is used. Characters in sign language are used to identify each image. The network was trained on a set of 48x48 pixel grayscale images and then adjusted for accuracy in detecting these motions.

Model Loading: CNN is pre-trained using a set of images of ASL hand movements. Every picture in sign language corresponds to a different character. A collection of 48 by 48-pixel grayscale images was used to train and then refine the network to accurately identify these motions.

Model Architecture File: The model's architecture is contained in a JSON file called the model architecture file.

Training Weights File: The training weights are contained in an H5 file.

Image preparation: After the image is received from the front-end, it is processed using OpenCV. To match the CNN model's input size, the image is shrunk to 48x48 pixels and turned to grayscale. The image is normalized into the appropriate format .

Gesture Prediction: After analyzing a photo, the CNN model predicts movement. Out of the set of probabilities that the model gives, the class with the highest likelihood is selected as the predicted gesture.

Sign Language Mapping: Using a predefined dictionary, the anticipated class is translated into an equivalent ASL character. The sign for "A" is class 0, for example; class 1 is class 1, and so forth.
Conversion from Text to Speech: The expected gesture is converted to audio using the pyttsx3 text-to-speech library. Because the predicted text is read aloud, users that prefer auditory input can use the technology. The pyttsx3 engine is told to speak the necessary gesture after initialization.

C. Data Flow

Video Stream: The user's webcam captures live video on the front-end.
Frame Extraction: Frames are extracted at intervals and sent as base64-encoded images to the back end.
Image Processing: The back end decodes the image and passes it to the Python script for gesture recognition.
Prediction and Audio: The Python script predicts the ASL gesture, converts it to audio using text-to-speech, and returns the result to the back end.
System Architecture: The overall system consists of several key modules working together to capture, process, and translate gestures into text and audio.
Input Module: a camera, such as an external device or webcam, the input module records hand movements in real time. To identify gestures, hand movements are captured and processed frame-by-frame. Dynamic interaction is made possible by the system's support for a wide range of motions that stand in for letters, common words, or commands such space and delete.
Output Module: After recognizing gestures, the system uses a Text-to-voice (TTS) engine (such as Google Text-to-Speech) to translate the gestures into the appropriate text and turn it into voice. This allows users to hear the output as audio and view the translated motions as text.
Text Output: The appropriate letter or word is generated from the recognized movements.
Information Gathering: An organized dataset that records a variety of hand gestures is necessary for the development of the gesture-to-text and audio translator. The purpose of the data gathering procedure is to provide training data robustness and diversity.




Fig. 1. System Diagram

Data Gathering: The progress of the gesture recognition system depends on building a trustworthy dataset. There must be a variety of hand gestures in the dataset that match words and alphabets. The data collection process is set up as follows:
Dataset Creation: A bespoke dataset was created by recording videos of people doing specific hand motions. To ensure a comprehensive dataset, we recorded motions in multiple lighting conditions and from a range of viewpoints (frontal, side, and top). In order to provide a variety of hand sizes and shapes, the collection includes recordings from multiple individuals. The gestures used by each participant indicated both common words (such "hello," "what," and "how") and alphabetic letters of the alphabet**.**
Frame Extraction: Videos were broken up into frames, and each frame was given the proper gesture class. For each gesture, around 100 frames were captured in order to generate a diverse dataset.
Data Augmentation: The dataset was enhanced through the application of data augmentation techniques. They included:
Rotation and Translation: The hand's location within the frame was gently rotated and changed to improve the model's resistance to positional changes.

Brightness Adjustment: To take into consideration different lighting conditions, the photographs' brightness was changed.
Noise Addition: To enhance model generalization and replicate real camera noise, random noise was introduced to a small number of frames.
Training of Models: The CNN model for gesture categorization was trained using the preprocessed hand landmark dataset. The model training procedure involved a number of important steps
Model Architecture: Multiple convolutional layers were incorporated within the CNN architecture in order to extract spatial characteristics from hand landmarks. The model's fundamental structure consists of:
Convolutional Layers: The input photos' feature maps are extracted by these layers. To lower the dimensionality of the feature maps, an activation function (ReLU) and a pooling layer come after each convolutional layer.
Pooling Layers: Following each convolutional layer, max pooling is used to down sample the feature maps while keeping the most crucial data.
Fully Connected Layers: The feature maps are flattened and run through fully connected layers following a number of convolutional and pooling layers. In order to assign particular gesture labels to the extracted features, these layers serve as classifiers.
SoftMax Output Layer: The final layer selects the class with the highest probability as the predicted gesture by using the SoftMax function to produce probabilities for each class of gestures.
Training Process: The labeled dataset was used to train the model. A number of strategies were used to maximize the training process:
Loss Function: The loss function, which works well for multi-class classification problems like gesture recognition, was categorical cross-entropy.
Optimizer: Because of its effectiveness with sparse gradients and flexible learning rates, the Adam optimizer was selected.
Epochs and Batch Size: A batch size of 32 was used to train the model over 50 epochs. If the model's performance stopped getting better, early halting was used to avoid overfitting.
Hyperparameter tuning: We experimented with a range of hyperparameters, including kernel size, number of convolutional filters, and learning rate, to get the best results. Both grid search and cross-validation were used to find the best combination.
Evaluation measures: We employed the following measures to assess the model's performance:
Accuracy: The ratio of correct forecasts to total forecasts is known as accuracy.
Precision and Recall: While recall quantifies the percentage of genuine positives among all actual positives, accuracy quantifies the percentage of actual positive outcomes among all positive forecasts.
F1-Score: The harmonic mean of precision and recall is used to compute the F1-Score, a balanced measure of model performance…
Confusion Matrix: The model's performance for each gesture class was displayed in a confusion matrix, which helped us pinpoint regions that needed work and misclassifications**.**

D. Implementation of Audio Feedback

A Text-to-Speech (TTS) engine was used to implement the audio feedback component. The following procedures were used to deliver audio feedback after the system had identified motions and translated them into text:
Text-to-Speech Conversion: Following sentence construction, the text was transmitted to a TTS engine, which produced audible speech. In addition to seeing the translated sentence on screen, viewers may also hear it.
Experimental Setup and Testing: Thorough testing was done to confirm the system's functionality:
Real-Time Performance: The system's real-time gesture processing and recognition capabilities were assessed. The accuracy of the system's real-time gesture recognition and the response time from gesture input to text/audio output were important criteria.
User Testing: Both people with and without prior understanding of sign language participated in the system's testing. Feedback on the overall user experience, accuracy, and usability was gathered.
Error Analysis: To find prevalent causes of inaccuracy, such as unclear hand postures or motions, misclassifications were examined. To increase resilience, methods such as temporal filtering (taking into account the gesture sequence) and smoothing (averaging predictions over time) were used.

E. Acknowledgment and learning of letter set

Sign-Wave is an instinctual and clear stage expected to help abled people gainfully learn movement-based correspondence. It impels inclusivity and openness by offering an anticipated growth opportunity for overpowering exchanges through movements like ISL, ASL, and BSL.

Through interacting with visuals, regular shows, and consistent data, clients can for certain understand and rehearse correspondence through checking signals. The stage is responsive across contraptions, permitting clients to rule and also encourage their abilities any place, whenever. Sign-Wave upholds correspondence and loses any issues between the gathering and Hard of hearing associations.




Fig. 2 Multiple Learning Options

F. Key Highlights Include

Comprehensive Alphabet and Number Learning: The part offers an outwardly captivating presentation of letters (A-Z) and numbers (0-9), with relating communication through signing motions. Each letter or number is addressed by an unmistakable, high-goal picture, making it simple for students to connect the signs with their individual characters.

Interactive Learning Interface: Tap on each letter or number to see a definite exhibition of the right-hand developments and motions. This element advances dynamic learning and maintenance by permitting clients to rehearse at their own speed.




Fig. 3 American Sign Language




Fig. 4 Indian Sign Language

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue II Feb 2025- Available at www.ijraset.com




Fig. 5 British Sign Language

G. Pop-up Assistance and Feedback

The learning part gives on-request pop-ups that make sense of the better subtleties of each sign, guaranteeing that person handles the visual perspectives as well as the right procedure. These pop-ups likewise give input to assist clients with refining their signals. Responsive and Accessible Design: The part is intended to be available across all gadgets, guaranteeing that person can rehearse communication through signing anyplace, whenever, whether on a cell phone, tablet, or work area.



Fig. 6 Pop-up Assistance of Learning page

VII. RESULT

A. Gesture-to-Text and Audio Translation

A dataset of different hand gestures that corresponded to typical words and phrases in sign language was used to assess the gesture language translator. The effectiveness of the system was evaluated based on how well it translated motions into text and audio.



Fig. 7 Sign to text Translation

©IJRASET: All Rights are Reserved

- *Processing Time:* Real-time communication is possible because of the system's quick processing, which translated each action with an average latency of 0.5 seconds.
User Experience: According to test users' feedback, the system was simple to use. According to the majority of users, the system successfully enabled clear and intelligible audio output between sign language users and non-signers.
Text-to-Speech Output: When Google's text-to-speech engine was used to translate gestures into audio, most of the examined movements produced speech that was extremely understandable.

B. Output Accuracy

Correct Recognition Rate: The percentage of gestures correctly identified by the model compared to the total number of gestures presented. Higher rates indicate better performance.
Consistency: The model's ability to produce the same output for the same gesture across multiple attempts. Consistency is crucial for user trust and usability.
Real-World Testing: Evaluating output accuracy in diverse conditions, such as varying lighting, angles, or backgrounds, to ensure robust performance.




Fig. 8 Output Accuracy

C. Result of Model

Alongside each predicted output, the model may provide confidence scores indicating the likelihood that the prediction is correct. Higher scores suggest greater certainty in the output.
Predicted Outputs: The primary results consist of the text or commands derived from recognized gestures. Each gesture input is translated into a corresponding output, allowing users to understand the model's interpretation.




Fig. 9 Result of Model

VIII. CONCLUSION

The SIGN-WAVE Venture provides a positive step forward in the field of gesture translation communication by using sign wave adjustments to accurately replicate and comprehend gesture-based communication movements. The task's ability to accurately manipulate waves to decipher confusing movements demonstrates a creative and sensible approach to removing barriers to correspondence for the deaf. Its versatility and potential for broad application are shown by its ability to function well in various gesture-based interactions. Later on, there are many chances to work on the framework's capabilities. Short interpretation and improved correspondence will be effective when continual handling is the main focus. Consider expanding the motion library to include new indicators and types to further improve the framework's usability and inclusivity.

IX FUTURE SCOPE

1) Gamification of Learning: Using gamified strategies makes progress genuinely endearing and astute. To encourage children to practice and improve their skills in language learning, science, and number rearranging, features like tests, assignments, and rewards might be included.

2) Learning Paths: Create modeled, data-driven, and adjusted learning paths while taking into account the progress and learning preferences of each individual student. To address explicit districts where a student might fight, the strategy might alter the topic complexity and assign workouts.

3) Cooperation with NGOs and Informational Associations: government agencies should collaborate with studios, shedding light on social gatherings and care initiatives, and guarantee the application's appropriate use and anticipated enhancement while considering client evaluation.

4) Adding More disciplines: Include more disciplines in the curriculum, such as geography, history, social assessments, and inherent science. Students would benefit from a more noticeable educational resource as a result.

5) Voice-to-sign: Future advancements might incorporate a voice-to-hail in reverse conversation format, which would allow for genuine bidirectional communication amongst hearing-impaired individuals who are continuously deaf. Through stepping enhancements, granted words may be subsequently switched over into correspondence with the use of this technique, extending a smooth correspondence channel.

REFERENCES

[1] Shreyas Viswanathan*1, Saurabh Pandey*2, Kartik Sharma*3, Dr P Vijayakumar*4,S.R.M Institute of Science and Technology, Department of Electronics and Communication Engineering, Kattankulathur, Tamil Nadu, India*1*2*3,4 Associate Professor, Department of Electronics and Communication Engineering, S.R.M Institute of Science and Technology, Kattankulathur, Tamil Nadu, India *4,SIGN LANGUAGE TO TEXT AND SPEECH CONVERSION USING CNN,05/May-2021 international Research Journal of Modernization in Engineering Technology and Science, DOI: www.irjmets.com, international research journal of modernization in engineering technology and science.

[2] Sanchana H T, , Yashaswini N, Vidhyakrishna, Thejashree P, Prof. Roopa Banakar, Real-Time Sign Language Recognition System for Hearing and Speech Impaired People.Department of Computer Science and Engineering, Sapthagiri College of Engineering #14/5, Chikkasandra, Hesaraghatta main road, Bangalore-57 India. International Journal for Research in Applied Science & Engineering Technology (IJRASET), Volume 11 Issue V May 2023

[3] Prabhakar, Medhini & Hundekar, Prasad & Deepthi, Sai & Tiwari, Shivam & Ms, Vinutha. (2022). SIGN LANGUAGE CONVERSION TO TEXT AND SPEECH. 9, ResearchGate, Berlin.

[4] Gayathri, A. and Sasi Kumar, A. and Sasi Kumar, A., Sign Language Recognition for Deaf and Dumb People Using Android Environment (January 1, 2017). INTERNATIONAL JOURNAL OF CURRENT ENGINEERING AND SCIENTIFIC RESEARCH (IJCESR), VOLUME-4, ISSUE-5, 2017, Available at SSRN: https://ssrn.com/abstract=3374759,Social Science Research Network, Rochester, NY-based scholarly research preprint repository and online Community.

[5] S. Thakar, S. Shah, B. Shah and A. V. Nimkar,2022, "Sign Language to Text Conversion in Real Time using Transfer Learning," 2022 IEEE 3rd Global Conference for Advancement in Technology (GCAT), Bangalore, India, 2022, doi: 10.1109/GCAT55367.2022.9971953, IEEE, New York City.


[6] B. R. Reddy, D. C. Rup, M. Rohith and M. Belwal, "Indian Sign Language Generation from Live Audio or Text for Tamil," 2023 9th International Conference on Advanced Computing and Communication Systems (ICACCS), Coimbatore, India, 2023, pp. 1507-1513, doi: 10.1109/ICACCS57279.2023.10112880, IEEE, New York City.

[7] H. Dhulipala, S. Hegde, C. Hegde, S. Gumpena and G. Mishra,2022, "Sign Language Recognition and Translation to Speech for Mine Workers using Deep Learning Technologies," 2022 IEEE International Conference on Electronics, Computing and Communication Technologies (CONECCT), Bangalore, India, 2022, pp. 1-6, doi: 10.1109/CONECCT55679.2022.9865741, IEEE, New York.

[8] Akshatha Rani, Dr. N Manjanaik, 2021.Sign Language to Text-Speech Translator Using Machine Learning. Volume 9. No. 7, July 2021, World Academy of Research in Science and Engineering, Dubai, United Arab Emirates..

[9] Sampaga, Uriah & Toledo, Andrea & Peret, Mikayla & Genodiala, Luisito & Aguilar, Sheika & Antoja, Gellie & Juarizo, Charles & Garcia, Eufemia. (2023). Real-Time Vision-Based Sign Language Bilateral Communication Device for Signers and Non-Signers using Convolutional Neural Network. World Journal of Advanced Research and Reviews. 18. 934-943. 10.30574/wjarr.2023.18.3.1169, ResearchGate, Berlin.

©IJRASET: All Rights are Reserved



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)