iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** VII **Month of publication:** July 2025

DOI: https://doi.org/10.22214/ijraset.2025.73203

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue VII July 2025- Available at www.ijraset.com

GIS and Remote Sensing in Watershed Planning: Applications and Innovations

Anand Kumar[1], Chinmaya R[2], Jayatheertha S G[3], Utkarsh Bharathi[4], Gowtham Prasad M E[5]
[1, 2, 3, 4]*UG – Research Scholar, Department of Civil Engineering, RV College of Engineering, Bengaluru – 560059, Karnataka, India*
[5]*Assistant Professor, Department of Civil Engineering, RV College of Engineering, Bengaluru – 560059, Karnataka, India*

Abstract: ***Watershed management is a holistic technique for the sustainable conservation and management of natural resources such as soil, water, and vegetation that are facing tremendous pressure due to rising biotic demands. Geographic Information Systems (GIS) and Remote Sensing (RS) technologies have become crucial techniques for monitoring, analysing, and managing these intricate ecosystems. This extensive review delves into GIS and Remote Sensing's diverse applications and innovations in watershed planning, synthesizing the results of recent studies to provide a current understanding of GIS and Remote Sensing. The paper identifies essential uses of these technologies in mapping and describing watershed ecosystems, simulating hydrological processes and forecasting events, and informing resource planning and implementation of management approaches. In addition, it explains how these technologies increase stakeholder involvement and public awareness, preparatory to more informed and efficient decision- making and supporting the sustainability and resilience of water resources. Emerging innovations such as high-resolution sensors, artificial intelligence integration, and citizen science applications are reviewed while highlighting implementation challenges and future research agendas.***

Keywords: Watershed management, GIS, Remote sensing, Hydrological modelling, Land use mapping, Water resource planning, Decision support systems.

I. INTRODUCTION

A. Background and Rationale

Watersheds, or catchment areas or drainage basins, are natural hydrological units with specified areas where all water flows to a single outlet. Watersheds are ideal units for the integrated management of soil, water, and vegetation resources. Watersheds are vital sources of water, energy, and biological diversity, and supply basic resources such as forests and agricultural produce while providing recreational amenities. Watersheds depict the intricate and interconnected ecology of our world and are the basis of the survival of the world's ecosystems. The term watershed management involves the entire process of directing and coordinating the utilization of land and other resources in a watershed to preserve and enhance water quality and other natural resources.

B. Background and Rationale

Watersheds, or catchment areas or drainage basins, are natural hydrological units with specified areas where all water flows to a single outlet. Watersheds are ideal units for the integrated management of soil, water, and vegetation resources. Watersheds are vital sources of water, energy, and biological diversity, and supply basic resources such as forests and agricultural produce while providing recreational amenities. Watersheds depict the intricate and interconnected ecology of our world and are the basis of the survival of the world's ecosystems. The term watershed management involves the entire process of directing and coordinating the utilization of land and other resources in a watershed to preserve and enhance water quality and other natural resources

C. Contemporary Challenges in Watershed Management

Global environmental deterioration, especially the impairment of major watersheds, has garnered much attention from policymakers and scientists. Human activities such as oil and gas drilling, agriculture, logging, fuelwood harvesting, and greater dependence on rivers for electricity generation place tremendous pressure on the watershed system. These activities create issues such as deforestation, loss of biodiversity, and water pollution. The Niger Delta in Nigeria is the best example of these problems, which are subjected to a high level of pressure from oil and gas exploitation, leading to reduced agricultural productivity, loss of vegetation, laterally emitted pollutants, soil acidification, and loss of marine life and fish populations. Adding to these environmental problems is inefficient inventorying, mapping, and accurate data required for sustainable watershed management.

©IJRASET: All Rights are Reserved

D. Emergence of GIS and Remote Sensing as Essential Tools

Given these increasing demands, there has been a felt need for appropriate technology tools to support watershed management. Remote Sensing (RS) and Geographic Information Systems (GIS) have become potent and essential scientific tools for this endeavor. These technologies provide faster and cheaper analysis with high precision for numerous planning applications.

Remote sensing gives us a tool to obtain information regarding Earth's surface properties by measuring electromagnetic radiation, whereas GIS is a computer system used for the gathering, management, analysis, and representation of spatially referenced data. The combination of these two technologies offers a powerful tool for observing land degradation, land use change, and soil and water resources changes through space and time, and gives a global representation by combining various datasets for understanding complex watershed processes.

II. LITERATURE REVIEW AND METHODOLOGY

Remote Sensing applications for watershed planning. The review aggregates studies from different geographic locations and deals with multiple aspects of watershed management, such as hydrological modeling, land use analysis, resource planning, and stakeholder participation. Literature surveyed consists of research from various watersheds such as the Niger Delta region, Yavatmal district of Maharashtra, India, Medak District, and Balesar block of Jodhpur, presenting a global overview of the uses and efficacy of these technologies in varying environmental and socio- economic settings.

III. APPLICATIONS OF GIS AND REMOTE SENSING IN WATERSHED PLANNING

A. Mapping and Characterization

1) Watershed Delineation and Topographic Analysis

Watershed delineation is an inherent component of watershed management, since watersheds are defined as hydro-geological units. Digital Elevation Models (DEMs), developed from inputs like digitized contours or SRTM data, are necessary for the determination of watershed boundaries and understanding terrain profiles. GIS allows for thorough analysis of slope properties, which are essential for land and water resource planning as they regulate soil genesis, land use patterns, and groundwater recharge processes. A study in the Yavatmal district of Maharashtra illustrated that nearly 73.19% of the geographical terrain had very gentle slopes, which was an influential factor in water runoff patterns and management strategies. Such a detailed topographic analysis is helpful for planners to formulate focused interventions based on local topography.

2) Land Use and Land Cover (LULC) Mapping

Land Use and Land Cover classification is among the first and most firmly established remote sensing applications in water resource research. Satellite images from several sensors such as LandsatTM, ETM+, IRS LISS-III, SPOT, and ASTER yield current information on LULC changes, which is necessary for monitoring the anthropogenic influences within watershed systems.

Longitudinal analyses within the Niger Delta area indicated substantial land use transformations between 1985 and 2000, as agricultural activities rose by 45.34% and settlement areas expanded by 106.16%, while mangrove and closed forests decreased markedly. These transformations, if left unchecked and unmanaged, can result in heightened runoff and sedimentation, ultimately causing water quality degradation. LULC maps are useful tools for facilitating discussion with planners and stakeholders in watershed management planning exercises.

Table 1.Areal Extent of Various Land use/Land cover

Mapping Unit	Land use/Land cover category	Area in Sq.Km	% Area
1	Built-up land	8.36	2.12
2	Agriculture Land	143.5	36.5
3	Fallow Land	42.1	10.7
4	Waste Land	92.2	23.4
5	Land with / without scrub	6.38	1.62
6	Water bodies	18.82	4.78
7	Forest	81.69	20.8
Total:		393.05	100

3) Soil Characteristics and Land Capability Assessment

Soil information, such as soil type, permeability, and erosion hazard, is indispensable for land suitability assessment and efficient management of agricultural activities. Soil maps derived by GIS offer valuable information on water retention capacity, drainage, and erosion. The principle of land capability classification, which refers to the risk of soil and water erosion or waterlogging, is a fundamental principle of watershed management.

GIS allows land to be categorized under various land use capabilities based on spatial information integrated together, such as slope conditions and soil types. Medak District research found that 36% of the area was under land capability class II and 21.86% under class III, for which vital information is important for sustainable land use planning.

4) Drainage Network and Water Body Mapping

The GIS methods provide for automatically creating stream networks from DEMs, which is essential in developing integrated water resource management schemes and determining areas susceptible to water quality decline. The Niger Delta area, with its many creeks and rivers, illustrates the significance of proper drainage network mapping to ensure effective watershed management. Remote sensing is highly effective for surface water body identification and mapping because of the distinct spectral reflectance difference between land and water surfaces, where water usually appears darker in infrared bands. The ability is widely used in applications including flood monitoring and water resource inventory development.

B. Hydrological Modeling and Prediction

1) Runoff and Erosion Modeling

GIS-based models are widely used to calculate runoff on the basis of the integrated analysis of land use patterns, soil map units, and rainfall. The Universal Soil Loss Equation (USLE), when integrated with GIS capabilities, facilitates the identification of erosion-prone areas and directs measures for conservation to control soil health and avoid sedimentation in water courses. Watershed runoff is greatly impacted by the intensity and duration of rainfall, as well as by soil texture properties. GIS allows spatial diffusion modeling of environmental and hydrological change, which is very useful for making decisions regarding watershed management.

2) Flood Risk Assessment and Forecasting

Satellite remote sensing methods offer critical functionality in precise and timely estimation of the extent of flood inundation, assessment of damage, and delineation of flood-prone areas, especially when ground-based evaluation is challenging in the wake of hostile weather conditions or accessibility constraints. GIS facilitates all-encompassing modeling of flood-prone regions through examination of elevation information, historical flood occurrences, and land use behavior, thus facilitating the marking of high-risk zones and planning of corresponding mitigation measures.

Radar remote sensing has specific strengths since its signals can penetrate vegetation and clouds, rendering it very effective during poor weather conditions, often found with flood occurrences. This ability guarantees continuous observation and evaluation abilities irrespective of the weather.

3) Drought Monitoring and Assessment

Remote sensing technology in drought monitoring offers extensive spatial and temporal frequency of observation, resulting in better knowledge regarding the areal extent and duration of drought conditions. Satellite remote sensing methods have the capability to sensibly sense drought onset, duration, and magnitude, especially for agricultural drought monitoring, using vegetation condition indices like NDVI and soil moisture observations.

The combination of GIS and RS technologies enables

the mapping of areas of water scarcity and assists planning of storage reservoirs and water harvesting structures in water-deficit areas, thus helping in proactive drought management measures.

4) 3.2.4 Water Quality Assessment

GIS is critical in the assessment of the effect of land use patterns on water quality through modeling of pollutant transport and detection of critical source areas for non-point source pollution. Optical remote sensing, through the measurement of changes in water's optical properties as a result of contaminants, is routinely used to estimate parameters like chlorophyll content, turbidity, and suspended solids concentrations. Thermal remote sensing also offers other possibilities for estimating the water surface temperature of lakes and estuaries. Such detailed water quality data are essential in formulating focused intervention measures to avoid pollution and effectively safeguard water resources.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

C. Resource Planning and Management


1) Irrigation Management

Remote sensing contributes greatly to irrigation management by means of crop classification, irrigated area mapping, and assessment of irrigation system performance. These technologies enable capturing spatial and temporal changes in crop evapotranspiration (ET) and soil moisture, which are important parameters for simulating crop production and estimating irrigation efficiency. The union of GIS and RS can enable irrigation
advisory services (IAS) by offering dynamic crop characteristics and spatio-temporal changes in irrigation
water demand, resulting in more effective irrigation
scheduling and water resource usage.

2) Groundwater Assessment and Potential Mapping

Remote sensing groundwater applications center on the retrieval of geomorphologic parameters, estimation of groundwater storage changes, and delineation of groundwater potential zones. Direct estimation of groundwater storage is still restricted because of signal penetration limitations, yet new methods like GRACE satellites quantify temporal changes in the gravity field to estimate Terrestrial Water Storage (TWS) changes.

GIS is widely applied to overlay thematic layers of hydro-geological attributes such as lithology, landforms, lineaments, drainage pattern, slope features, and soil types to effectively identify and map groundwater potential zones.



3) Rainwater Harvesting and Site Selection

Remote sensing and GIS technologies have distinct advantages in analyzing water harvesting potential and determining locations for water harvesting structures because of their ability to identify surface and geomorphologic characteristics. A study carried out in the Balesar block of the district of Jodhpur entailed studies to determine water surplus and deficit zones, resulting in precise recommendations for water harvesting structures such as check dams and percolation tanks to meet the water needs of humans, animals, and agriculture.

4) Action Plan Development for Sustainable Development

The layering of several thematic layers, such as land use/land cover, geomorphology, slope classification, soil type, and drainage pattern in a GIS environment, is necessary for producing comprehensive action plans that are ideally attuned to local terrain and resource endowment for continued production. These plans often consist of specific details for soil and water conservation measures like contour bunds, continuous contour trenches, mini percolation tanks, and sub-surface dams, based on meticulous examination of local parameters.

D. Stakeholder Engagement and Public Participation

GIS and remote sensing technologies have greatly improved stakeholder participation in water-quality management initiatives, especially over the last ten years. Both technologies successfully communicate complex technological data in easy-to-understand formats, enabling more participation in decision- making processes.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

GIS software, together with web-based Graphical User Interfaces (GUIs), is widely applied to display spatial data products and model outputs in order to facilitate greater involvement in watershed management programs. This ability allows stakeholders to view their property or contribution to environmental degradation on maps, promoting an element of representation and ownership in management activities.

Opening up data collection processes and technologies to public access via web-based platforms supports justifying management efforts and enhances public approval of watershed management practices. GIS-based dashboards and web portals enable the sharing of model outcomes and analytic results, enabling stakeholders to engage with models and comprehend different what-if situations.

IV. TECHNOLOGICAL INNOVATIONS AND EMERGING TRENDS

A. *Advances in Remote Sensing Data Acquisition*

1) *High-Resolution Optical and Hyperspectral Imagery*

The ongoing provision of finer-resolution satellite imagery from missions like IKONOS, Quickbird, Sentinel-2, PlanetScope, and Worldview facilitates the production of land use/land cover maps with sub- meter spatial precision. Hyperspectral remote sensing, employing multiple narrow, continuous spectral bands, offers enhanced detection of contaminants and organic matter in waterbodies with superior finer spatial resolution for precise soil moisture monitoring and crop classification applications.


2) *Active Sensor Technologies*

Active sensors like Radar systems (e.g., Synthetic Aperture Radar - SAR) are capable of emitting pulses of electromagnetic radiation and measuring reflected energy, thus overcoming many disadvantages of optical remote sensing, such as cloud cover and vegetation penetration problems for flood detection and snow coverage mapping purposes.

LiDAR (Light Detection and Ranging) technology is yet another active remote sensing method that employs laser pulses to measure distances, creating high-resolution Digital Elevation Models (DEMs) that are important for flood modeling, pollution modeling, and proper watershed delineation. Ground- Penetrating Radar (GPR) finds application in proper estimations of glacier thickness and soil moisture by detecting differences in soil dielectric constants.

3) *Unmanned Aerial Vehicle (UAV) Applications*

The deployment of Unmanned Aerial Systems (UAS), or drones, has dramatically lowered the cost of imagery acquisition but provided flexible low- altitude platforms for tracking vegetation growth, soil moisture levels, flood inundation area, and water quality factors, including suspended solids and turbidity. The systems offer required input data to many hydrological models and enable localized pollution source location and counting.


An example of UAV platform

RGB (up), Multispectral (left) and thermal images (right)

B. *Integration with Advanced Modeling and Decision Support Systems*

GIS is a basis for the Decision Support Systems (DSS) in watershed management, incorporating multiple data types, models, and analysis tools for decision-making processes. Specialized software tools like ArcSWAT, InfoSWMM, and BASINS incorporate GIS functionalities for preprocessing input data, mapping functionality, and visualization of modeling outputs for water quality management studies. Hydrological models, fueled by RS and GIS information, may reproduce past occurrences and forecast future situations, allowing sound predictions of low-probability events and enabling proactive planning of management.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

C. Big Data and Web-Based Platform Integration

The last decade has seen tremendous improvements in remotely sensed data accessibility and affordability, with Google Earth Engine, USGS Earth Explorer, and NASA Earth Observatory being some of the platforms that have searchable access to massive amounts of satellite imagery and analysis-ready data products. The platforms enable near-real-time global imagery processing for various environmental applications, such as surface water mapping and water quality evaluation.

The explosion of web-based technologies and intelligent applications, including EPA's CyAN app for cyanobacterial bloom monitoring, is democratizing RS and GIS data access for watershed decision support, thus augmenting decision-making capacity at the community level. Managing "big water data" through such combined systems, by connecting disparate spatially distributed datasets comprising physical,ecological, and socio-economic data, generates compelling insights for enhancing monitoring programs and managing opportunities.

D. Citizen Science and Machine Learning Integration

Citizen science initiatives are becoming more integrated into remote sensing technologies as a means of enabling information acquisition and stakeholder contribution, validating satellite-based products of water quality, and backing water storage projections. This participatory process complements conventional monitoring practices while promoting neighborhood pride and responsibility in watershed management.

Future incorporation of machine learning algorithms holds the promise of enhanced predictive modeling capabilities, with the incorporation of citizen science data augmenting monitoring coverage and community participation in watershed management initiatives.

V. IMPLEMENTATION CHALLENGES AND LIMITATIONS

A. Data Quality and Availability Issues

Although GIS and remote sensing technologies provide considerable benefits, there are still significant challenges to their implementation. GIS applications are highly reliant upon the quality and availability of spatial data, which is usually incomplete and out-of-date, and hence restricts the accuracy of analysis and decision making. The huge amount of data produced by remote sensing systems proves to be difficult to manage and process, especially under disaster response scenarios where timely information is imperative. In addition, processing high-resolution data, especially hyperspectral imagery, is complicated and expensive, requiring special handling techniques and sophisticated image processing software.

B. Technical and Environmental Limitations

Optical remote sensing, with its very good fine spatial resolution, is challenged by the inability to penetrate cloud cover, which is one of the typical problems of tropical areas or flooding situations. These systems are also not very good at mapping water resources under dense vegetation cover, especially in densely forested watersheds.

Even though microwave sensors can be immune to cloud penetration limitations, they normally provide poorer spatial resolution than optical systems, establishing trade-offs between temporal availability and spatial detail in remote sensing applications.

C. Socio-Political Integration Challenges

Today's GIS-based decision support systems tend to concentrate mainly on spatial and technical information while overlooking essential social and political aspects of watershed management. To obtain meaningful stakeholder buy-in and continued participation, one must comprehend behavioral reactions to environmental conditions and policy management, which may be multifaceted and at times seemingly irrational from exclusively technical standpoints.

Closing the gap between advanced technical models and the complex requirements of local populations is still a great challenge that needs interdisciplinary solutions and cultural sensitivity in implementation procedures.

D. Capacity Building Requirements

There is ample demand for capacity building and training among stakeholders in order to efficiently use GIS tools in watershed management. The development of technical skills at local levels will empower decision-makers as well as communities to become involved more effectively in sustainable management.

Despite more user-friendly interfaces, proper training and follow-up support are frequently necessary for successful interaction with such technologies, especially in developing areas where technical infrastructure and experience might be scarce.


©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

VI. FUTURE DIRECTIONS AND RESEARCH OPPORTUNITIES

A. Technological Advancements


Future innovation in GIS and remote sensing in watershed management is expected to be directed towards greater integration of machine learning and artificial intelligence methodologies for better predictive modeling and automated interpretation of advanced environmental data sets. Ongoing developments in sensor technologies, such as hyperspectral and thermal imaging properties, will enable never-before-seen detail in observing watersheds' condition and processes.

The coupling of Internet of Things (IoT) sensors with remote sensing observations will provide real-time monitoring networks that are capable of delivering continuous feedback on conditions in the watersheds, enabling adaptive management strategies and early warning systems for environmental disasters.



B. Enhanced Stakeholder Engagement

Future work needs to aim at enhancing more effective techniques of unifying technical GIS and remote sensing capabilities with participatory planning. This involves designing user-friendly interfaces through which non-technical stakeholders can meaningfully engage with sophisticated spatial data and modeling outputs. The growth of citizen science initiatives, facilitated through smartphone apps and easy-to-use data- collection tools, will increasingly be involved in watershed observation and management, necessitating novel data validation and integration strategies.



C. Policy and Governance Integration

Research possibilities include establishing guidelines for the integration of GIS and remote sensing capabilities into policy making and governance systems. This involves recognizing how technical data can most effectively be translated into information understandable by policymakers and how spatial analysis can be utilized to facilitate evidence- based policy formation for watershed management. The establishment of standardized procedures and best practices for implementing these technologies at the watershed level will promote wider uptake and consistency of application across various geographic and institutional settings.

VII. CONCLUSION

GIS and Remote Sensing technologies have radically transformed watershed management by offering fundamental tools for integrated data analysis, advanced modeling, and evidence-based decision- making in many dimensions of watershed planning and management. From describing complex hydrological processes to facilitating targeted conservation, these technologies provide synoptic perspectives, multi-resolution and multi-spectral capabilities, and repetitive imaging that allow rapid and unbiased mapping and monitoring of natural resources at both spatial and temporal scales.

The synergy of these advanced tools allows effective comprehension of watershed hydrology, enabling the formulation of focused and economical management strategies for solving priority issues such as water scarcity, soil erosion, and water pollution. Critical technological advances, such as high-resolution optical and hyperspectral data, state-of-the-art active sensors such as Radar, LiDAR, and GPR, and Unmanned Aerial Vehicles, are continuously improving data collection abilities and delivering unparalleled detail and temporal frequency for monitoring watershed status.

When married with advanced hydrological models and decision support systems, such technology on to more precise forecasts and better-informed management decisions based on sound scientific evidence. The web-based democratization of spatial data and the growing contribution of citizen science initiatives are encouraging greater transparency, inclusivity, and community engagement in watershed planning and management practices.

Even with continued difficulties involving data quality, processing issues, and socio-political integration, increased research and development in GIS and Remote Sensing technologies, especially with the addition of machine learning and artificial intelligence functions, hold out the promise to further improve their usefulness and availability. The further development of these technologies, along with increasing appreciation for the importance of GIS and Remote Sensing for sustainable management of resources, lends credence to the expectation that their application to watershed planning will grow and increase.

By utilizing these advanced technological instruments in conjunction with holistic methods that duly consider both environmental and socio-political considerations,


watershed managers can greatly enhance the sustainability and resilience of water resources, making them available and safe for future and current generations. The effectiveness of such initiatives will ultimately be determined by ongoing technological innovation, capacity building, and the establishment of efficient mechanisms for integrating technical capability with participatory management methods.

Subsequent research needs to build on overcoming existing limitations while developing new applications and integration possibilities, with emphasis on real-time monitoring, predictive model building, and involving stakeholders. As these technologies develop further and become increasingly available, their potential for enhancing sustainable watershed management will only increase, providing hope for managing increasingly growing challenges facing water resources around the world.

REFERENCES

[1] Sharada S. Tanavade, P. A. Hangargekar, “A Case Study of Watershed Development in Sangola, Maharashtra”, Department of Civil Engineering, Fabtech College of Engineering &Research, Sangola- Maharashtra, India,Volume 4 Issue 6, June 2015.
[2] Pandurang D. Jankar, Dr.Mrs.Sushma S. Kulkami, “A Case Study Of Watershed Management For Madgyal Village”,PG Student, Department of Civil Engineering, Director, Department of Civil Engineering, Rajarambapu Institute of Technology, Rajaramnagar, Islampur, Dist. Sangli, Maharashtra, India, Int. J. Adv. Engg. Res. Studies/IIdV/July Sept.2013/69-72.
[3] Krunali Vora, “Application of remote sensing & GIS in watershed land use development”, ME (WRM) LDCE, May 2011.
[4] Sumant Mallavaram Lawler, Matusky & Skelly Engineers, “Application of GIS Technology in Watershed-based Management and Decision Making”, New York,Vol.1 No 5, July 2003.
[5] Mustaq Shaikh & Faijana Biradar, Groundwater survey & Development Agency, Pune, Maharashtra, “Analysis of watershed characteristics using remote sensing and GIS techniques Vol.. 4, Issue.4, April 2015.
[6] P. D. Aher, J. Adinarayana, “Information system for integrated watershed management using GIS & Remote sensing”, Vol. 6, Issue 8, Dec 2014.
[7] Murali Krishna Gumma, Birhanu Zemadim, Birhanu Irshad, A. Mohammed, Ramadjita Tabo and Anthony M., “Prioritization of Watersheds across Mali Using Remote Sensing Data and GIS Techniques for Agricultural Development Planning”, Whitbread,18 June 2017(article).
[8] Schmugge TJ, Kustas WP, Ritchie JC, Jackson TJ, Rango A (2002). “Remote sensing in hydrology” Adv. Water Resour.,25, pp. 1367-1385.
[9] Salomonson VV, Rango A (1983). Chapter 18. In Remote Sensing in Geology, (Seigal, B.S., Gillespie, A.R. Eds.). John Wiley & Sons, New York.
[10] 3. Lillesand TM, Kiefer RW, Chipman JW (2004). Remote Sensing and Image Interpretation, Wiley India (P.) Ltd., New Delhi.
[11] Short NM (1999). Remote Sensing Tutorial— Online Hand-book, Goddard Space Flight Center, NASA, USA.
[12] Govender M, Chetty K, Bulcock H (2007). “A review of hyperspectral remote sensing and its application in vegetation and water resource studies” http://www.wrc.org.za/Pages/KnowledgeHub.aspx. Last accessed on 12th March, 2013.
[13] Petty GW, Krajewski WF (1996). “Satellite estimation of precipitation over land” Hydrol. Sci. J., 41(4), pp. 433—451.
[14] Kidd C, Levizzani V (2011). “Status of satellite precipitation retrievals” Hydrol. Earth Syst. Sci., 15, pp. 1109— 1116. Doi: 10.5194/hess-15-1109-2011.

[15] Kalma JD, McVicar TR, McCabe MF (2008). "Estimating land surface evaporation: A review of methods using remotely sensed surface temperature data" Surv. Geophys,29, pp. 421—469.
[16] Kondratyev KY, Pozdnyakov DV, Pettersson LH (1998)."Water quality remote sensing in the visible spectrum" Int. J. Remote Sens., 19 (5), pp. 957—979.
[17] Ritchie, JC, Zimba PV, Everitt JH (2003). "Remote sensing techniques to assess water quality" Photogramm. Eng. & Remote Sens., 69 (6), pp. 695-704
[18] Odermatt D, Gitelson A, Brando VE, Schaepman, M (2012). "Review of constituent retrieval in optically deep and complex waters from satellite imagery" Remote Sens.Environ., 118, pp. 116-126.
[19] Schultz GA (1996). "Remote sensing applications to hydrology: Runoff' Hydrol. Sci. J., 41(4), pp. 453— 475.
[20] Sanyal J, Lu X X (2004). "Application of remote sensing in flood management with special reference to monsoon Asia: a review" Nat. Hazards, 33, pp. 283—301.
[21] McVicar TR, Jupp DLB (1998). "The current and potential operational uses of remote sensing to aid decisions on drought exceptional circumstances in Australia: A review"Agric. Syst., 57 (3), pp. 399—468.
[22] Ozdogan M, Yang Y, Allez G, Cervantes C (2010). "Remote Sensing of Irrigated Agriculture: Opportunities and Challenges" Remote Sens., 2, pp. 2274—2304. doi:10.3390/rs2092274
[23] Belmonte AC, Jochum AM, Garcia AC, Rodriguez AM,Fuster PL (2005). "Irrigation management from space: towards user-friendly products" Irrig. Drain. Sys., 19, 337-353.
[24] Rango A (1994). "Application of remote sensing methods to hydrology and water resources" Hydrol. Sci. J., 39 (4), pp. 309—320.
[25] Sharma KD, Singh S, Singh N, Kalla AK (1989). "Role of satellite remote sensing for monitoring of surface water resources in an arid environment" Hydrol. Sci. J., 34(5), pp. 531—537.
[26] Brisco B, Short N, van der Sanden J, Landry R, Raymond D (2009). "A semi-automated tool for surface water map-ping with RADARSAT-l" Can. J. Remote Sens., 35(4).doi:336—344, 10.5589/m09—025.
[27] Hess LL, Melack JM, Simonett DS (1990). "Radar detection of flooding beneath the forest canopy—A review" Int.J. Remote Sens., 11 (7), pp. 1313-1325.



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)