



# **iJRASET**

International Journal For Research in  
Applied Science and Engineering Technology



---

# **INTERNATIONAL JOURNAL FOR RESEARCH**

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume: 13    Issue: IV    Month of publication: April 2025**

**DOI: <https://doi.org/10.22214/ijraset.2025.68365>**

**[www.ijraset.com](http://www.ijraset.com)**

**Call:  08813907089**

**E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)**

# Green Building for Sustainable Development

Azad Joshi<sup>1</sup>, Rajkiran Singh<sup>2</sup>, Vishnu Kumar<sup>3</sup>

<sup>1</sup>Research Scholar, <sup>2,3</sup>Assistant professor, Department of Civil Engineering, Mangalayatan University

**Abstract:** Green buildings are becoming increasingly essential in the context of environmental sustainability and climate change. This paper examines the concept of green buildings and their contribution to sustainable development. It covers the principles of green building design, the materials used, and the energy efficiency practices that reduce the environmental impact. The paper also highlights the economic and social benefits of adopting green building strategies.

**Keywords:** Net-zero energy buildings (NZEBS), U.S. Green Building Council (USGBC), LEED (Leadership in Energy and Environmental Design), Life Cycle Assessment (LCA), Indoor Air Quality (IAQ), Volatile Organic Compounds (VOCs), Green Building Council of Australia (GBCA)

## I. INTRODUCTION

Green building, also known as sustainable or eco-friendly building, refers to the design, construction, and operation of buildings that are resource-efficient, environmentally responsible, and economically viable. The concept of green buildings aligns with the broader principles of sustainable development, aiming to minimize negative impacts on the environment while promoting the well-being of occupants and communities.

Sustainable development focuses on meeting the needs of the present without compromising the ability of future generations to meet their own needs. In the context of buildings, this involves adopting practices that reduce energy consumption, minimize waste, conserve water, improve indoor air quality, and use renewable or non-toxic materials. Green buildings utilize advanced technologies, eco-friendly materials, and energy-efficient systems to reduce their carbon footprint and overall environmental impact.

## II. OBJECTIVES OF STUDY

- 1) To understand the concept of green buildings
- 2) To evaluate the role of green buildings in sustainable development
- 3) To analyze the environmental, economic, and social benefits of green building practices.

## III. HISTORICAL BACKGROUND OF GREEN BUILDING

**Early stage (Pre-20th Century)** The origins of green building can be traced back to traditional building techniques and indigenous architecture in ancient civilizations such as Greece, Rome, Egypt, and China. These structures often utilized local materials, natural ventilation, and passive heating and cooling techniques, which were energy-efficient and environmentally friendly. Examples include thick stone walls for insulation and the strategic use of natural light.

**The Industrial Revolution and Early 20th Century (1900s)** The rise of industrialization led to the mass production of building materials like steel, concrete, and glass, facilitating rapid urban growth. However, this period also saw the emergence of environmental concerns due to industrial pollution, deforestation, and resource depletion. While green building practices were not widely recognized, there was growing awareness about the need for sustainable urban planning.

**Post-World War II (1940s-1960s)** After World War II, the rapid expansion of cities and mass production of buildings led to increased energy consumption and environmental degradation. Early attempts to integrate energy-saving measures included better insulation and heating systems, but the concept of sustainable building practices was still in its infancy.

**Environmental Movement and the 1970s Energy Crisis (1970s)** The 1970s marked a turning point, driven by the environmental movement and the global energy crisis. The oil shortages spurred interest in energy efficiency and alternative energy sources. Efforts to reduce energy consumption in buildings grew, focusing on energy-efficient design and passive solar architecture. The Passivhaus standard in Europe promoted highly energy-efficient homes. During this period, the first environmental building codes were introduced, and sustainable practices gained momentum.

1980s-1990s: Formalization and Standardization The green building movement became more formalized with the establishment of organizations and standards. In 1989, the U.S. Green Building Council (USGBC) was founded, later creating the LEED (Leadership in Energy and Environmental Design) certification system. Initiatives like the Energy Star program encouraged energy-efficient appliances and systems in buildings.

2000s-Present: Global Adoption and Innovation The 2000s saw a dramatic increase in global adoption of green building practices, driven by concerns over climate change, resource scarcity, and urbanization. Green buildings became mainstream, with governments, corporations, and developers integrating sustainability into projects. LEED Certification became a global standard, shaping approaches to energy efficiency, water conservation, indoor environmental quality, and sustainable materials. Technological innovations, such as solar panels and energy-efficient HVAC systems, made it easier to achieve sustainability goals. Green building principles expanded to include the triple bottom line (people, planet, profit)

#### IV. BENEFITS OF GREEN BUILDINGS

##### 1) *Cost Savings Through Energy and Water Efficiency:*

- **Efficient HVAC Systems:** High-performance heating, ventilation, and air conditioning systems consume less energy while maintaining indoor comfort.
- **LED Lighting:** Replacing conventional lighting with LED systems, which use up to 75% less energy, can lead to substantial savings on electricity bills.
- **Insulation and Efficient Windows:** Proper insulation and high-performance windows minimize heat loss in winter and reduce cooling demands in summer, reducing the need for heating and air conditioning.
- **Smart Building Technologies:** These systems monitor and control energy usage in real-time, automatically adjusting lighting, temperature, and other factors to reduce waste. By significantly cutting energy consumption, green buildings can reduce energy costs by as much as 30-50%, translating into substantial savings over time.
- **Low-Flow Fixtures:** Toilets, faucets, and showerheads with low-flow designs consume less water, resulting in lower water bills.
- **Rainwater Harvesting:** Collecting and using rainwater for non-potable uses, such as irrigation or toilet flushing, reduces dependence on municipal water sources.
- **Greywater Recycling:** Reusing water from sinks, showers, and washing machines for irrigation or flushing toilets cuts water usage. These water-saving practices can reduce water bills by 30-50%, depending on the building's design and efficiency measures

##### 2) *Increased Property Value and Marketability:*

- **Attracting Premium Tenants and Buyers:** Buildings that are energy-efficient, resource-conscious, and environmentally friendly attract tenants and buyers who value sustainability.
- **Corporate Tenants:** Companies looking to reduce their environmental impact or meet sustainability goals often prefer leasing green buildings. This demand can lead to higher rental rates and lower vacancy rates, providing owners with a consistent revenue stream.
- **Sustainability Preferences:** Homebuyers increasingly consider sustainability when choosing homes, particularly in markets where eco-friendly homes are in demand. Green buildings often command a premium price compared to traditional properties.


##### 3) *Long-Term Savings on Maintenance and Operation*

###### a) *Indoor Air Quality (IAQ):*

- **Low-VOC Materials:** Green buildings typically use low-VOC paints, adhesives, finishes, and flooring materials that minimize indoor pollution.
- **Advanced Air Filtration Systems:** Many green buildings include HEPA filters or other air filtration systems that improve air circulation and remove harmful particles.
- **Natural Ventilation:** Design elements that maximize natural ventilation ensure a steady flow of fresh air, improving indoor air quality and reducing respiratory and allergic conditions.

### Air contaminants can be classified into three (3) broad groups

Contaminants	Sources
<ul style="list-style-type: none"> <li>Gases &amp; vapour <ul style="list-style-type: none"> <li>CO<sub>2</sub></li> <li>Butyric Acid</li> <li>Carbon monoxide</li> <li>Nitrogen dioxide</li> <li>VOCs</li> </ul> </li> <li>Inert particles</li> <li>Microorganism <ul style="list-style-type: none"> <li>Fungus</li> <li>Bacteria</li> <li>Mold</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>Human beings</li> <li>Cigarette Smoke</li> <li>Road &amp; highways</li> <li>Adjacent parking lots and garages</li> <li>Industrial area</li> <li>Paints, wood panelling, office equipment, air fresheners, cleaning agents, pesticide sprays.</li> <li>Man made fibres, dust, etc.</li> <li>Damp corners, Behind insulation, Virus. Under carpets.</li> <li>Evaporative/desert/swamp coolers, cooling towers, air washers, human beings.</li> </ul>



#### b) Access to Natural Light:

- Improved Mood: Natural light helps regulate circadian rhythms, improving sleep patterns and reducing stress and anxiety.
- Enhanced Productivity: People working in naturally lit spaces are more productive, creative, and focused.
- Vitamin D: Access to natural light helps occupants absorb Vitamin D, essential for overall health and well-being.
- Optimizing natural light through larger windows, skylights, and light wells creates bright, inviting environments.

#### c) Biophilic Design:

- Reduces Stress: Contact with nature lowers cortisol levels (the stress hormone) and promotes relaxation.
- Improves Mental Health: Surrounding natural elements enhance mood, reduce anxiety, and increase feelings of calm and well-being.
- Incorporating indoor plants, green walls, and views of natural landscapes fosters a connection to nature and enhances mental health.

#### d) Environmental Resilience:

- Energy Independence: Renewable energy systems, such as solar panels, reduce reliance on external energy sources and ensure a stable energy supply.
- Water Conservation: Technologies like rainwater harvesting and greywater recycling reduce the strain on municipal water systems.
- Sustainable design practices that conserve resources, reduce waste, and protect ecosystems help communities mitigate the effects of climate change.

#### e) Social Resilience:

- Affordable Green Housing: Incorporating green building principles into affordable housing projects ensures low-income populations benefit from healthier, more efficient living spaces.
- Community Spaces: Shared spaces like community rooms, gardens, and recreational areas promote social interaction and foster a sense of belonging among residents.
- By promoting health, sustainability, and social equity, green buildings enhance the resilience of individuals and communities, especially in urban areas prone to environmental stressors like heatwaves, flooding, and air pollution.



4) *Comfort and Thermal Regulation:*

- Thermal Comfort: High-performance insulation, efficient windows, and passive heating and cooling strategies maintain consistent indoor temperatures.
- Reduced Noise Pollution: Materials that minimize noise transmission provide a quieter, more peaceful environment.
- Aesthetic Value and Sense of Place:
- Connection to Nature: Integrating gardens, courtyards, and green spaces offers access to nature and outdoor activities, promoting physical health and mental well-being.
- Cultural and Social Integration: Considering local cultural elements and community needs in design enhances the building's social value and fosters a sense of pride and connection among residents.

5) *Increased Community Engagement:*

- Sustainability Education: Educational programs and resources teach occupants about sustainable living, energy conservation, and water management, fostering environmental responsibility and engagement.
- Initiatives like shared gardening spaces, sustainability programs, and neighborhood-focused events build stronger community bonds.

## V. ENVIRONMENTAL IMPACT OF BUILDINGS: ANALYSIS AND SOLUTIONS

1) *Overview of Building Environmental Impact:*

The built environment represents one of humanity's largest environmental footprints. Buildings and construction account for:

- 40% of global energy consumption
- 33% of greenhouse gas emissions
- 40% of raw material use
- 25% of global water consumption
- 40% of solid waste generation

2) *Major Environmental Impacts:*

a) *Energy Use and Climate Change: Operational Energy*

- HVAC systems consume 40-60% of building energy
- Lighting accounts for 15-20% of energy use
- Equipment and appliances use 10-15%
- Average commercial building wastes 30% of consumed energy

b) *Embodied Carbon*

- Manufacturing of building materials generates 11% of global CO<sub>2</sub> emissions
- Concrete production alone accounts for 8% of global CO<sub>2</sub> emissions
- Steel manufacturing for construction contributes 7% of global emissions
- Transportation of materials adds 3-5% to building carbon footprint

c) *Resource Consumption: Raw Materials*

- Construction uses 3 billion tons of raw materials annually
- 40% of global stone, gravel, and sand used in construction
- 25% of virgin wood harvested for building materials
- 40% of processed metals used in buildings

d) *Water Resources*

- Building construction uses 1000-3000 liters per square meter
- Concrete production requires 150 liters per cubic meter
- Building operations consume 17% of global freshwater

- Landscape irrigation wastes up to 50% of water used
- e) *Waste Generation: Construction Waste and Operational Waste*
  - 30% of building materials delivered to sites become waste
  - Construction and demolition generate 40% of solid waste globally
  - Only 20-30% of construction waste typically recycled
  - Packaging waste accounts for 15% of construction waste
  - Commercial buildings generate 13% of total municipal solid waste
  - 60% of building operational waste could be recycled but isn't
  - E-waste from building systems growing 5% annually
  - HVAC replacement creates significant hazardous waste
- 3) *Environmental Degradation from Construction*
  - a) *Land Impact*
    - Construction causes 80% of soil displacement in urban areas
    - Site clearing destroys natural habitats and ecosystems
    - Soil contamination affects 60% of construction sites
    - Urban heat island effect increases by 2-3°C due to building density
  - b) *Air and Water Pollution*
    - Construction dust accounts for 10% of airborne particulates
    - Runoff from construction sites pollutes 40% of water bodies
    - VOCs from building materials persist for years
    - Noise pollution from construction affects urban wildlife
- 4) *Solutions and Best Practices*
  - a) *Design Solutions: Energy Efficiency*
    - Passive solar design reduces energy needs by 30%
    - Natural ventilation can cut HVAC energy by 50%
    - Daylighting reduces lighting energy by 40%
    - High-performance envelopes save 20-30% energy
  - b) *Water Conservation*
    - Low-flow fixtures reduce water use by 30%
    - Rainwater harvesting cuts potable water need by 50%
    - Greywater systems save 30% of water consumption
    - Native landscaping reduces irrigation needs by 60%
- 5) *Material Solutions*
  - a) *Sustainable Materials*
    - Recycled steel reduces embodied carbon by 60%
    - Mass timber buildings store carbon long-term
    - Low-carbon concrete cuts emissions by 50%
    - Bio-based materials reduce environmental impact by 40%
  - b) *Waste Reduction*
    - Prefabrication reduces waste by 90%
    - Materials optimization saves 20% resources



- Deconstruction recovers 70% of materials
- Recycling programs divert 60% of waste
  
- 6) *Construction Practices*
  - a) *Site Management*
    - Erosion control prevents 90% of sediment runoff
    - Dust suppression reduces air pollution by 70%
    - Waste sorting increases recycling by 50%
    - Protected storage reduces material damage by 80%
  
  - b) *Process Efficiency*
    - BIM reduces material waste by 30%
    - Just-in-time delivery cuts storage waste by 40%
    - Lean construction saves 15-20% resources
    - Quality management reduces rework by 25%
  
- 7) *Implementation Framework*
  - a) *Planning Phase*
    - Conduct environmental impact assessments
    - Set specific sustainability targets
    - Choose appropriate green building certification
    - Develop comprehensive waste management plan
  
  - b) *Construction Phase*
    - Implement strict environmental controls
    - Monitor and verify performance metrics
    - Train workers in sustainable practices
    - Document and report environmental impacts
  
  - c) *Operational Phase*
    - Commission all building systems properly
    - Train facility managers in efficient operation
    - Monitor and optimize performance
    - Engage occupants in sustainability efforts
  
  - d) *Moving Forward:*
    - Success in reducing buildings' environmental impact requires:
    - Integration of sustainability from earliest design stages
    - Commitment to life-cycle environmental performance
    - Investment in innovative materials and technologies
    - Collaboration among all stakeholders
    - Regular monitoring and optimization of performance

## VI. GREEN BUILDING STANDARDS AND CERTIFICATIONS

### A. LEED Certification Categories

LEED evaluates buildings in several critical areas of sustainability:

- 1) *Energy and Atmosphere:* Focuses on energy efficiency, renewable energy use, and overall reductions in energy consumption and carbon emissions.

- 2) **Water Efficiency:** Encourages water-saving strategies such as low-flow fixtures, rainwater harvesting, and drought-resistant landscaping.
- 3) **Materials and Resources:** Emphasizes sustainable materials, waste reduction, and recycling efforts during construction.
- 4) **Indoor Environmental Quality:** Focuses on improving indoor air quality, natural light, acoustics, and ventilation to enhance occupant health and comfort.
- 5) **Sustainable Sites:** Evaluates site selection and development practices, such as reducing the urban heat island effect and managing stormwater runoff.
- 6) **Innovation and Regional Priorities:** Rewards innovative designs and region-specific strategies that address local environmental challenges.

LEED offers four levels of certification based on the total points earned:

- Certified (40-49 points)
- Silver (50-59 points)
- Gold (60-79 points)
- Platinum (80+ points)



#### B. BREEAM Certification Process

BREEAM, similar to LEED, evaluates buildings across a set of key sustainability categories:

- 1) **Energy:** Evaluates energy efficiency and efforts to reduce carbon emissions through the use of renewable energy and energy-saving technologies.
- 2) **Water:** Focuses on reducing water consumption and promoting water-efficient technologies, such as low-flow fixtures and water recycling systems.
- 3) **Materials:** Assesses the sustainability of building materials, emphasizing those with low environmental impact, such as recycled and locally sourced materials.
- 4) **Waste:** Evaluates waste management strategies, encouraging reuse and recycling of materials during construction.
- 5) **Health and Well-being:** BREEAM emphasizes the importance of occupant health, evaluating indoor air quality, natural lighting, and overall comfort.
- 6) **Pollution:** Measures efforts to minimize environmental pollution, including air and water pollution, as well as light pollution from the building.
- 7) **Management:** BREEAM places importance on the building's ongoing operational management, ensuring that sustainability practices are maintained post-construction.

BREEAM uses a point-based system, where buildings can achieve one of five certification levels:

- Pass
- Good
- Very Good



- Excellent
- Outstanding

➤ *BREEAM's Reach and Adaptation*

While BREEAM originated in the UK, it has spread to over 80 countries, with significant adoption in Europe and the Middle East. BREEAM's ability to tailor its standards to regional needs has made it particularly effective in various geographical contexts, encouraging sustainable construction practices that reflect local environmental conditions and priorities.

➤ *Other Green Building Certifications*

❖ **Green Star**

Developed by the Green Building Council of Australia (GBCA), **Green Star** is a prominent green building certification system in Australia and New Zealand. It evaluates buildings on a range of sustainability criteria, including energy efficiency, water use, indoor environmental quality, and materials. Green Star also addresses social sustainability, acknowledging the importance of the building's contribution to the community.

❖ **WELL Building Standard**

The **WELL Building Standard**, developed by the International WELL Building Institute (IWBI), focuses on the health and well-being of building occupants. Unlike other certification systems that emphasize environmental impact, WELL prioritizes the design of buildings to improve human health, including air quality, lighting, acoustics, and other factors that contribute to mental and physical well-being.

➤ *Other Regional Standards*

Many regions have their own green building standards, including:

- ❖ GRIHA (Green Rating for Integrated Habitat Assessment) in India, which focuses on reducing the environmental impact of buildings in the context of India's specific climate and cultural needs.
- ❖ CASBEE (Comprehensive Assessment System for Built Environment Efficiency) in Japan, which evaluates buildings on energy efficiency, indoor air quality, and other factors tailored to the country's construction practices.

➤ *Comparing Green Building Standards*

While LEED, BREEAM, Green Star, WELL, and other certifications share common goals, they differ in approach, geographic focus, and emphasis on certain sustainability aspects.

- ❖ LEED is internationally recognized and provides a flexible framework applicable to different building types. It is especially prominent in North America and globally.
- ❖ BREEAM is a comprehensive system widely adopted in Europe, with a strong emphasis on operational performance and post-construction management.
- ❖ Green Star focuses primarily on the Australian context but has gained recognition internationally due to its environmental and social sustainability criteria.

## VII. TECHNOLOGIES AND PRACTICES IN GREEN BUILDING DESIGN

Green building design integrates innovative technologies and sustainable practices to minimize environmental impact and optimize energy use. As the construction industry moves toward sustainability, various technologies have been developed to improve energy efficiency, reduce carbon emissions, and enhance the overall environmental performance of buildings. This paper explores key technologies and practices in green building design, focusing on:

- Energy-efficient systems: solar panels, wind turbines, geothermal energy
- Passive design techniques: building orientation, shading, insulation
- Smart building systems and automation

### Energy-efficient Technologies

#### 1) *Solar Panels*

Solar panels, or photovoltaic (PV) systems, are widely used in green building design. They convert sunlight into electricity, reducing dependence on grid electricity and leading to significant reductions in carbon emissions and energy costs.

- Benefits:
  - Reduction in Energy Consumption: Generates a significant portion of a building's energy.
  - Cost Savings: Offsets installation costs over time.
  - Environmental
- Impact:
  - Clean and renewable energy source.
- Challenges:
  - Initial Cost: High installation costs for quality systems.
  - Weather Dependence: Efficiency varies based on location and weather conditions.

## 2) Wind Turbines

Wind turbines harness wind power to generate electricity. While often associated with large-scale production, small-scale turbines are increasingly popular in residential and commercial buildings.

- Benefits:
  - Renewable Energy Source: Does not contribute to pollution.
  - Energy Independence: Reduces dependency on external power sources.
  - Energy Storage: Can store excess energy when paired with battery systems.
- Challenges:
  - Site Suitability: Requires specific conditions for optimal performance.
  - Noise and Aesthetic Concerns: Potential disruption from noise and visual impact.

## 3) Geothermal Energy

Geothermal energy utilizes the Earth's natural heat for heating and cooling. Geothermal heat pumps are efficient options for thermal regulation in green buildings.

Benefits:

- Energy Efficiency: Leverages stable ground temperatures for comfort.
- Low Operational Costs: Reduces energy bills post-installation.
- Long-term Sustainability: Renewable resource with long system lifespans.

## 4) Passive Design Techniques

Passive design techniques utilize natural environmental elements to reduce mechanical heating and cooling needs.

## 5) Building Orientation

Optimizing building orientation maximizes natural light, solar gain, and ventilation while minimizing heat loss.

- Benefits:
  - Reduced Energy Demand: Lowers heating and cooling needs.
  - Natural Light Enhancement: Increases daylighting, reducing artificial lighting needs.

## 6) Shading

Shading devices control sunlight entry, reducing cooling needs while allowing natural daylight.

- Benefits:
  - Energy Conservation: Lowers cooling loads in summer.
  - Improved Comfort: Enhances thermal comfort by preventing excessive heat gain.
- Challenges:
  - Design Integration: Must fit aesthetically within the overall design.
  - Climate-Specific Needs: Effectiveness varies by climate conditions.

## 7) Insulation and Air Sealing

Proper insulation maintains indoor temperatures and improves energy efficiency by preventing heat loss or gain.

- Benefits:
  - Reduced Energy Consumption: Stabilizes indoor temperatures.
  - Increased Comfort: Regulates temperature evenly throughout spaces.

#### 8) *Smart Building Systems and Automation*

Smart building systems integrate digital technologies for real-time monitoring and control of energy use, enhancing efficiency while minimizing waste.

#### 9) *Building Energy Management Systems (BEMS)*

BEMS optimize energy use by adjusting systems based on occupancy patterns and other variables.

- Benefits:
  - Energy Efficiency Optimization: Matches real-time needs to reduce consumption.
  - Operational Savings & Predictive Maintenance: Extends lifespan of systems through data analysis.
- Challenges:
  - High Implementation Cost: Significant upfront investment needed.
  - System Complexity: Requires specialized expertise for integration.

#### 10) *Smart Lighting Systems*

These systems adjust lighting based on occupancy or natural light levels to save energy.

- Benefits:
  - Energy Savings: Reduces unnecessary lighting use.
  - Enhanced Comfort: Improves visual comfort based on occupant needs.

#### 11) *HVAC Automation*

Automated HVAC systems optimize operation based on real-time conditions like occupancy levels and air quality.

- Benefits:
  - Energy Savings: Reduces waste by optimizing system operation.
  - Improved Indoor Air Quality: Maintains optimal air quality for occupants.

Energy-efficient technologies, passive design techniques, and smart building systems are essential for creating sustainable buildings. Technologies like solar panels, wind turbines, geothermal systems, combined with passive strategies such as proper orientation and insulation significantly reduce a building's environmental impact. Smart systems enhance these technologies by optimizing performance. Despite high initial costs, the long-term benefits—reduced consumption, enhanced comfort, and lower operational costs—underscore their importance in green building design as the industry evolves to address climate change challenges.

#### 12) *Water Conservation Technologies*

Green building design integrates innovative technologies and sustainable practices to minimize environmental impact and optimize resource use. Among the various aspects of sustainability, water conservation is crucial for addressing the challenges of water scarcity and ensuring efficient water management in buildings. This paper explores three key technologies for water conservation: rainwater harvesting systems, low-flow fixtures and water-efficient appliances, and greywater recycling. Each technology contributes to reducing the demand for potable water, promoting environmental sustainability, and lowering operational costs in buildings.

- Rainwater Harvesting Systems
  - Catchment Area: The surface (usually a roof) where rainwater is collected.
  - Gutters and Downspouts: Channels that direct rainwater from the catchment area into storage tanks.
  - Storage Tanks: Containers that hold harvested rainwater for later use.
  - Filtration System: Ensures that collected rainwater is free from debris and contaminants before use.
- Low-flow Fixtures and Water-efficient Appliances
  - Low-flow Toilets: Use less than 1.6 gallons per flush (GPF), compared to traditional toilets that use 3.5 GPF or more.

- Low-flow Showerheads: Limit flow rates to 2.5 gallons per minute (GPM) or less, compared to standard showerheads that can use up to 5 GPM.
- Water-efficient Faucets: Reduce flow rates while maintaining adequate pressure, often using aerators to mix air with water.
- Greywater Recycling
  - Collection System: Directs greywater from fixtures to a storage tank.
  - Filtration and Treatment System: Removes contaminants from greywater to make it safe for reuse.
  - Distribution System: Delivers treated greywater to irrigation systems or toilets.

### 13) Daylighting and Natural Ventilation:

- Daylighting: Maximizing Natural Light
  - Energy Efficiency: By reducing the need for artificial lighting during daylight hours, buildings can significantly lower their electricity consumption. Studies suggest that buildings with effective daylighting systems can reduce lighting energy use by up to 40%.
  - Improved Health and Productivity: Natural light has been shown to improve mental health, mood, and productivity by supporting circadian rhythms and promoting a connection with nature. In workplaces and educational environments, increased daylighting has been linked to enhanced performance and reduced absenteeism.
  - Aesthetic Appeal: Natural light enhances the aesthetic quality of indoor spaces, creating environments that feel open, airy, and inviting.
  - Challenges of Daylighting:
    - Glare and Heat Gain: Too much direct sunlight can cause glare, discomfort, and excessive heat gain, leading to higher cooling costs. Proper shading and glazing solutions are necessary to mitigate these effects.
    - Initial Design Complexity: Maximizing daylighting requires thoughtful architectural design, including the placement of windows and consideration of the building's orientation, which may increase the complexity of the design and construction process.

### • Natural Ventilation: Enhancing Indoor Air Quality

Natural ventilation involves the use of outdoor air to cool and ventilate indoor spaces without relying on mechanical air conditioning or exhaust systems. This is typically achieved through strategically placed windows, vents, and openings that allow for the free flow of air, taking advantage of natural forces such as wind and thermal buoyancy (the movement of hot air upwards).

### 14) Green Roofs and Urban Farming

#### • Green Roofs: Sustainable Vegetation on Building Tops

Green roofs, also known as living roofs, involve the installation of a vegetative layer atop a building, which can include plants, soil, and a waterproof membrane. These roofs can range from simple, low-maintenance systems to complex, multi-layered designs that include irrigation, drainage, and specialized plant species.

#### Benefits of Green Roofs:

- Energy Efficiency: Green roofs provide insulation, which can reduce the need for heating in winter and cooling in summer. This can lead to significant energy savings and reduced utility costs. In urban areas, green roofs can help mitigate the urban heat island effect, lowering ambient temperatures.
- Stormwater Management: Green roofs absorb rainwater, which reduces runoff and the pressure on stormwater systems. This is particularly important in cities where impervious surfaces contribute to flooding and water pollution.
- Biodiversity: Green roofs can provide habitats for birds, insects, and other wildlife, contributing to urban biodiversity and creating ecological corridors in cities.
- Air Quality Improvement: Plants on green roofs help filter the air by removing pollutants, contributing to better air quality in urban environments.
- Challenges of Green Roofs:
  - Initial Cost and Structural Requirements: Installing a green roof involves high initial costs, particularly in terms of materials, design, and structural reinforcement to support the added weight of soil and vegetation.

- Maintenance: Green roofs require regular maintenance, including watering, pruning, and plant care, which can increase operational costs and efforts.

- Urban Farming: Growing Food in Urban Environments

Urban farming involves cultivating food within cities, whether on rooftops, vacant lots, or in community gardens. This practice is gaining popularity as cities seek to promote food security, sustainability, and community engagement. Urban farms can grow vegetables, fruits, and herbs, often using sustainable techniques like organic farming and hydroponics.

Benefits of Urban Farming:

- Local Food Production: Urban farms help reduce the carbon footprint associated with transporting food over long distances. They provide fresh, locally grown produce to city residents, increasing food security and resilience to supply chain disruptions.
- Sustainable Resource Use: Urban farming typically utilizes sustainable practices such as rainwater harvesting, composting, and organic farming, which reduces the environmental impact of food production.
- Community Engagement: Urban farming fosters community engagement by providing opportunities for education, cooperation, and social interaction. It can also promote healthier diets and lifestyles among city residents.
- Reduction of Urban Heat Island Effect: Like green roofs, urban farming can help reduce the heat island effect by increasing green space and providing shade to urban areas.
- Challenges of Urban Farming:
- Space and Zoning Limitations: Urban space is limited, and zoning regulations may restrict where and how urban farming can be conducted. Rooftop gardens, for example, may require specialized infrastructure.
- Economic Viability: While urban farming can be environmentally beneficial, it may not always be economically viable without subsidies or support, especially for larger-scale operations.

### 15) Biophilic Design Principles

#### a) Biophilic Design: Connecting People with Nature

Biophilic design is the practice of incorporating natural elements into the built environment to promote the health, well-being, and productivity of building occupants. The principles of biophilic design draw from our innate connection to nature and aim to create environments that mimic the natural world. These elements can include the use of natural materials, access to natural light, indoor plants, water features, and views of the outdoors.

- Benefits of Biophilic Design:
  - Enhanced Well-being and Productivity: Numerous studies have demonstrated that exposure to natural elements in the workplace, schools, and homes can reduce stress, improve mood, increase creativity, and boost productivity. For example, access to nature has been linked to lower levels of anxiety and depression.
  - Health Benefits: Biophilic design can improve indoor air quality by incorporating plants that filter pollutants, enhance ventilation, and reduce toxins. These features can contribute to a healthier living or working environment, particularly in cities with poor air quality.
  - Improved Physical Health: Incorporating natural elements such as plants, natural light, and water features into the design can promote physical health by encouraging movement, reducing stress, and improving overall comfort.
  - Challenges of Biophilic Design:
  - Cost and Maintenance: The installation of biophilic elements, such as indoor plants, water features, or green walls, can be costly, and these elements require ongoing maintenance to ensure their effectiveness.
- Zero Waste Buildings
  - Material Selection and Durability: Zero waste buildings prioritize durable, long-lasting materials that minimize the need for replacement and avoid the generation of construction waste. For example, buildings might use prefabricated components that produce less waste during construction or choose materials like reclaimed wood, recycled steel, or low-impact concrete.
  - Waste Segregation: Efficient on-site waste segregation is vital for zero waste buildings. Dedicated bins for different categories of waste—such as paper, plastics, metals, and organic waste—are strategically placed throughout the building. This separation enables easy recycling, composting, or repurposing of materials.



- **Reusing and Repurposing:** Reusing building materials is a cornerstone of zero waste principles. For instance, reclaimed bricks, doors, windows, and timber can be incorporated into new buildings or repurposed for different uses.
- **Composting Organic Waste:** Zero waste buildings frequently include composting systems for organic waste, such as food scraps and landscaping debris. This reduces the amount of organic waste sent to landfills and produces compost that can be used to enrich the soil for landscaping or urban farming.

#### b) Construction Waste Management

- **Pre-construction Waste Audits:** Before construction begins, a waste audit is conducted to assess the types and quantities of waste that are likely to be generated. This allows developers to set realistic goals for waste diversion and make informed decisions about material sourcing and waste handling.
- **Deconstruction:** Deconstruction involves carefully dismantling buildings to salvage materials for reuse. Unlike demolition, which typically involves destroying structures, deconstruction preserves valuable materials like steel, timber, and bricks that can be reused in other construction projects.
- **Material Selection for Recycling:** Sustainable building materials that can be easily recycled are chosen during the design phase. Materials like steel, glass, and certain plastics are often selected because they can be reclaimed, recycled, and reused in new construction projects.
- **On-site Waste Sorting:** Construction sites can implement on-site sorting facilities, where materials are separated into different categories (e.g., wood, metal, concrete). This helps increase the efficiency of recycling processes and ensures that reusable or recyclable materials are not discarded.

#### Benefits of Construction Waste Management:

- **Resource Conservation:** By diverting waste from landfills and reusing construction materials, CWM reduces the demand for virgin raw materials, preserving ecosystems and natural resources.
- **Energy Savings:** Recycled construction materials often require less energy to process than producing new materials, leading to lower energy consumption and reduced carbon emissions.
- **Cost Savings:** Efficient waste management practices, such as material reuse, can lower construction costs by reducing the need for new materials and minimizing waste disposal fees.
- **Environmental Protection:** Reducing the amount of construction waste sent to landfills decreases the environmental impact of landfills and reduces pollution associated with waste disposal.
- **Challenges of Construction Waste Management:**
- **Logistical Complexity:** Managing construction waste requires significant coordination, including waste sorting, transportation, and recycling. This can be challenging on large construction sites or in areas without established recycling infrastructure.
- **Mixed Waste:** Construction and demolition waste is often mixed, making it difficult to separate and recycle. Proper sorting systems are necessary to ensure effective recycling, but they can be labour-intensive.

### VIII. CASE STUDIES OF GREEN BUILDING IN INDIA

SI NO	Name	Location	Square Footage	Building usage	Rating Awarded
1	CII-Sohrabji Godrej Green Business Centre	Hyderabad	20,000 sq ft	Office	Platinum
2	ITC Green Centre	Gurgaon	1,70,000 sq ft	Corporate office	Platinum
3	Grundfos Pumps India Pvt Limited	Chennai	32,000 sq ft	Corporate office	Gold
4	Wipro Tehnologies	Gurgaon	1,75,0000 sq ft	Office for Software Development	Platinum

### 1) Case Study -1 : ITC Green Centre – Gurgaon (Rating- Platinum)

The ITC Green Centre in Gurgaon is a landmark office building that has earned the prestigious Platinum LEED (Leadership in Energy and Environmental Design) rating, awarded by the US Green Building Council (USGBC). This recognition is the highest in the category and highlights the building's commitment to sustainability and environmental responsibility.

#### Key Features of ITC Green Centre:

- **Location:** The building is situated in Sector 32, Gurgaon, on a 2-acre plot with a total built-up area of 1,81,000 sq. ft. It consists of a ground floor, three upper floors, and two basements.
- **Green Building Design:**
  - **Zero Water Discharge:** The building utilizes advanced systems for water recycling and rainwater harvesting, ensuring no wastewater runoff.
  - **Energy Efficiency:** The building has achieved a 53% energy saving compared to conventional buildings.
  - **Water Conservation:** There's a 40% reduction in potable water use, with treated gray water being used for flushing and landscaping.
  - **Sustainable Materials:** Use of fly-ash in bricks and concrete, autoclaved aerated concrete (AAC) blocks, and low-VOC, rapidly renewable, and certified materials.
  - **Eco-friendly Housekeeping Practices:** The building follows strict environmental protocols, including the use of eco-friendly chemicals and products

### 2) Case Study-2: Grundfos Pumps India - Gold Rated Building (LEED-NC)

The Grundfos Pumps India corporate office in Chennai has earned a Gold LEED certification under the US Green Building Council's LEED (Leadership in Energy and Environmental Design) program, making it the first Gold-rated building in India. The building achieved 42 points out of 69 possible in the rating system, placing it among a select group of buildings globally with this distinction. The office complex, constructed on a 2-acre plot, covers approximately 35,000 sq. ft. and demonstrates significant efforts in energy efficiency, water conservation, and sustainable building practices.

### 3) Case Study – 3: CII-Sohrabji Godrej Green Business Centre (CII-Godrej GBC)


#### Platinum Rated Building (LEED-NC)

The CII-Sohrabji Godrej Green Business Centre (CII-Godrej GBC) in Hyderabad, India, is currently the greenest building in the world and has been awarded the prestigious Platinum LEED certification under the LEED-NC (New Construction) program by the US Green Building Council (USGBC). It is the first Platinum-rated building outside the United States and the first building under LEED version 2.0, setting a global benchmark for sustainable building practices.

The building, which covers 20,000 sq ft, integrates cutting-edge technologies and practices across multiple facets, making it a symbol of the green building movement in India and a model for environmental sustainability. It also serves as the Centre of Excellence for green building technology, renewable energy, water management, and climate change initiatives in India

## IX. RESULTS AND DISCUSSION

The graph below shows a steady increase in energy savings from green buildings over the years, indicating their growing effectiveness



## REFERENCES

- [1] David Rodman and Nicolas Lenssen, "A Building Revolution: How Ecology and Health Concerns Are Transforming Construction," Worldwatch Paper 124 (Washington, D.C., March 1996).
- [2] Reference to this paper should be made as follows: Küçüksayraç, E. (2017)'Design for sustainability in companies: two case studies from Turkey', J. Design Research, Vol. 15, Nos. 3/4, pp.288–308
- [3] Bandyopadhyay B. 2001. 'Energy Efficient Glazings'; Energy Efficient Buildings in India (ed. Mili Majumdar) pp 237-239; New Delhi: The Energy and Resources Institute and Ministry of Non Conventional Energy Sources; 252pp.
- [4] IPCC 1996. Technologies, Policies and Measures for Mitigating Climate Change – IPCC Technical Paper 1; Geneva: Intergovernmental Panel on Climate Change; 84pp
- [5] MNES 2001. An Introduction to Solar Water Heating Technology; New Delhi: Ministry of Non Conventional Energy Sources; 27pp
- [6] Bandyopadhyay B. 2001. 'Energy Efficient Glazings'; Energy Efficient Buildings in India (ed. Mili Majumdar) pp 237-239; New Delhi: The Energy and Resources Institute and Ministry of Non Conventional Energy Sources; 252pp.
- [7] IPCC 1996. Technologies, Policies and Measures for Mitigating Climate Change – IPCC Technical Paper 1; Geneva: Intergovernmental Panel on Climate Change; 84pp
- [8] MNES 2001. An Introduction to Solar Water Heating Technology; New Delhi: Ministry of Non Conventional Energy Sources; 27pp
- [9] TERI 2001. 'RETREAT: Resource Efficient TERI Retreat for Environmental Awareness and Training'
- [10] Energy Efficient Buildings in India (ed. Mili Majumdar) pp 111-118. New Delhi: The Energy and Resources Institute and Ministry of Non Conventional Energy Sources; 252pp.
- [11] TERI 2000. 'TERI RETREAT: Creating a Sustainable Habitat'; TERI vision; Issue No 27; New Delhi: The Energy and Resources Institute 7pp.
- [12] IEEE 802.11 WLANs. The Working Group for WLAN Standards, 2015.
- [13] IEEE 802.11 Study Group. Status of IEEE 802.11 new study group. Webpage, accessed April 2015. [Online]. Available: [http://www.ieee802.org/11/Reports/new\\_update.htm](http://www.ieee802.org/11/Reports/new_update.htm), 2015.
- [14] Boris Bellalta, Azadeh Faridi, Jaume Barcelo, Alessandro Checco, and Periklis Chatzimisios. Channel Bonding in Short-Range WLANs. In 20th European Wireless Conference European Wireless. IEEE, 2014, pp. 1–7., 2014.
- [15] FN Abinader Jr, Erika PL Almeida, Fabiano S Chaves, André M Cavalcante, Robson D Vieira, Rafael CD Paiva, Angilberto M Sobrinho, Sayantan Choudhury, Esa Tuomaala, Klaus Doppler, et al. Enabling the coexistence of LTE and Wi-Fi in unlicensed bands. Communications Magazine, IEEE, 52(11):54–61, 2014.
- [16] Sridhar Rajagopal. Power efficiency: The next challenge for multi-gigabit-per-second Wi-Fi. Communications Magazine, IEEE, 52(11):40–45, 2014.





10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)