iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** I **Month of publication:** January 2026

DOI: https://doi.org/10.22214/ijraset.2026.76709

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue I Jan 2026- Available at www.ijraset.com

Streamlining EV Travel with a Smart, Integrated Charging Network GRID UNITY

Sindhu M P[1], Abhishek M S[2], Anandhu Suresh[3], Arjun Suresh[4], Anand Raj V A[5]
Dept. Computer Science and Engineering, Sree Narayana Gurukulam College of Engineering, Kolencherry, India

Abstract: ***India's electric vehicle (EV) market is expanding quickly, but drivers still struggle with a fragmented charging landscape. Because each operator runs its own app, users often juggle multiple applications just to locate and book charging slots—an especially painful problem on long trips. This project proposes a single, unified web and mobile platform that connects charging stations from numerous providers. It will show live slot availability, enable quick booking, and support route planning by surfacing suitable charge points along the journey. Using provider APIs, the system aggregates real-time data, and can apply machine learning to forecast station demand from historical patterns—improving planning and reducing queues. The overarching aim is to make EV travel in India simpler and more dependable through one smart, integrated charging experience.***
Keywords: EV-interop, Chargemesh, SmartEVNet

I. INTRODUCTION

Environmental goals, policy incentives, and battery advances are accelerating EV adoption in India. Yet a practical obstacle remains: finding and reserving charging stations is cumbersome. Separate operator ecosystems require separate apps, complicating access and planning—particularly for intercity journeys where timing matters.

Without a unified layer, drivers face uncertainty about availability, longer waits, and a generally frustrating experience. That friction can deter new adopters and slow broader EV uptake.

This work addresses the gap with an integrated web and mobile platform that links multiple charging providers via APIs. It will display real-time availability, streamline bookings, and apply predictive models to anticipate demand—making routing and access smoother. The goal is a more convenient, efficient, and sustainable EV experience across India.

II. THEORETICAL FOUNDATION

The solution draws on principles of technology integration, smart-grid coordination, and user-centered platform design. It leverages machine learning and optimization spanning deep learning, neuro-fuzzy methods, and clustering to forecast demand, guide energy use, and inform station siting. Prior research shows that blending behavioral, spatial, and real-time signals improves the reliability and efficiency of charging networks. Collectively, the literature points to unified digital platforms, predictive analytics, and coordinated energy frameworks as key to scalable, user-friendly EV infrastructure.

A. Background

India's EV momentum is constrained by disjointed charging ecosystems, which force users to navigate multiple apps and complicate long-distance planning. Research underscores the environmental case, policy support, and urban design needs for a more seamless approach. By knitting networks together and enabling live booking, demand forecasting, and route optimization, the proposed platform targets exactly the shortcomings surfaced in recent studies—such as dynamic pricing, grid impacts, energy management, and ML-based demand forecasts—thereby enabling convenient, practical, and sustainable EV travel in the Indian context.

III. KEY TECHNOLOGIES AND ALGORITHMS

1) Python: for backend logic, ML modeling, and data processing (Pandas, NumPy, scikit-learn, TensorFlow/Py Torch).
2) Django Framework: Used to implement the web platform, including server logic, provider integrations, authentication, and database access.
3) Django REST Framework: to expose RESTful APIs for real-time exchanges with charging providers.
4) API'S Integration: Facilitates the development of RESTful APIs and integration across providers to unify station data and actions.

©IJRASET: All Rights are Reserved

5) Algorithms

- Demand Forecasting Models: Implemented in Python using machine learning techniques like regression, time series analysis, and deep learning (LSTM, CNN) to predict charging station usage patterns.
- Clustering Algorithms: Such as K-Means and Gaussian Mixture Models, utilized for user segmentation, site optimization, and resource allocation.
- Optimization Algorithms: For routing, load balancing, and dynamic pricing to minimize cost and time.
- Neuro-Fuzzy Logic: Used to accommodate uncertainty in route choice and station availability, improving decision quality.

IV. METHODOLOGICAL APPROACHES AND TECHNIQUES

1) Data Collection and Intregation: Aggregate live and historical station data through provider APIs. Manage it centrally with Django ORM for efficient queries and processing.

2) Backendand Platform Development: Use Django to build a scalable, secure system for sign-in, booking, and route planning. Implement real-time integration via DRF-based APIs.

3) Machine Learning Techniques: Employ supervised learning for demand forecasts from historical and behavioral inputs. Use clustering for site planning and user segments. Apply deep learning to capture spatial–temporal patterns. Engineer features that reflect time, location, and behavior.

4) Optimization Models: Optimize routes and energy usage by balancing distance, wait times, and price signals; use neuro-fuzzy logic for uncertainty in availability, consumption, and routing.

5) Testing and Evaluation: Validate ML via cross-validation and metrics such as accuracy, RMSE, and F1. Test end-to-end integration for API responsiveness, real-time reliability, and UX. Iteratively tune components to improve robustness and efficiency.

Comparison of Strengths and Limitations of Reviewed Studies

S. NO	PAPER	MAIN ADVANTAGES	MAIN DRAWBACKS
1	Charging EVs Today & Future	Broad review of charging strategies (conductive, wireless, swapping); strong overview of data needs	Descriptive, lacks quantitative results or cost analysis
2	2. Planning & Scheduling System	Multi-criteria optimization for EV travel routes; accurate energy use prediction	High computational load; complex to scale
3	3. EV Station Allocation using GA + K-Means	Reduces stations 60–95%; adapts to population density	Ignores land and constraint realism; parameter sensitive
4	Neuro-Fuzzy EV Routing	Integrates energy, distance, waiting using AI; improved accuracy	Static data dependence; high system cost
5	Hybrid EV Charging Management (H-EVCMS)	Combines centralized & distributed control with security; scalable	Needs strong connectivity; simulated results only

6	ML-Based Energy in Smart Grids	Machine learning forecast with user & temporal features; promotes reliable distribution	Offline dataset only; lacks real-time test
7	Hybrid DL Forecasting (HCB-Net)	CNN + XG Boost improves predictive accuracy; interpretable	Moderate R^2 (0.4); region-limited dataset
8	Dynamic Pricing & Demand Forecast	Optimizes load via day/hour pricing; CO_2 savings quantified	Assumes static user behavior; limited location scope
9	Energy in smart grids	Same optimization framework; verified model consistency	Still computationally heavy; same assumptions
10	Overall EV Infra Trends	Unified combination of AI, sustainability, grid balance	Limited real-world deployment; data dependence

V. APPLICATIONS AND USE CASES

1) Single-Window Charging Access: One platform for finding, booking, and paying across multiple networks no app hopping.
2) Live Slot Visibility: Real-time availability with reservation to reduce queues and guesswork.
3) Route Planning with Charging Stops: Paths automatically include suitable stations based on live availability and predicted demand.
4) Demand Forecasting: ML models anticipate station loads to aid planning and grid management.
5) Dynamic Pricing and Load Balancing Algorithms tune prices and distribute demand across time and locations.
6) Energy Management and Sustainability: Integrate on-site renewables and storage to ease grid strain and boost green energy use.
7) Security and Identity: Unified, secure auth and transactions across operators.

VI. CHALLENGES AND LIMITATIONS IDENTIFIED IN LITERATURE

1) Fragmented Infrastructure: Independent providers force multi-app usage—hard on long trips.
2) Data Limitations: Region-specific or simulated datasets may not generalize.
3) Computational Complexity: Advanced ML/optimization can strain real-time deployments.
4) Integration Issues: Varying standards and infrastructure complicate interoperability.
5) Security and Compliance: Multi-provider systems face ongoing cybersecurity and regulatory demands.
6) User Behavior Influence: Pricing and utilization forecasts hinge on behavior that's difficult to model and validate.
7) Grid Impact and Energy Management: Balancing charging loads with stability and renewables integration remains complex.

VII. PROPOSED SOLUTION APPROACH

Progress includes unified platforms that provide live availability, booking, and route optimization vastly improving long-distance usability. Hybrid deep learning (e.g., CNN + XG Boost) enhances demand prediction by merging spatial, temporal, and behavioral inputs even when data is sparse. Dynamic pricing and load control reduce costs and smooth grid demand; renewable-powered sites and storage aid sustainability. Newer directions include neuro-fuzzy routing, plug-and-charge authentication, and seamless session hand-off between stations. Security patterns and scalable architectures support reliability across providers. Advances in standards, such as megawatt-class charging, target ultra-fast needs for heavy vehicles. Collaboration among OEMs, government, and industry continues to expand the ecosystem toward a smart, interoperable, and sustainable EV future though real-world deployment breadth and data availability still limit generalization.

©IJRASET: All Rights are Reserved


VIII. FUTURE RESEARCH DIRECTIONS AND GAPS

Future research should work toward creating a seamless, multi-network EV charging ecosystem that supports effortless long-distance travel without requiring users to switch between multiple applications. To achieve this, larger and more diverse datasets from various regions and user groups are needed so that demand-prediction models and user-behavior analyses can become more accurate and widely applicable. Another important direction is improving the efficiency of deep learning and optimization algorithms so that they can operate in real time, even on large and complex charging networks. Better integration between charging stations, renewable energy sources, and energy-storage systems is also essential for maintaining grid stability and promoting clean energy usage. At the same time, strengthening cybersecurity, enhancing data privacy, and ensuring regulatory compliance remain critical challenges for multi-provider systems. Many existing studies still rely heavily on simulations or limited regional datasets, highlighting the need for more real-world pilot projects to validate practical performance. Achieving smooth interoperability between different charging providers, hardware types, and communication standards continues to be a significant gap. Additionally, a deeper understanding of user behavior—such as charging habits, price sensitivity, and route preferences—is necessary to improve forecasting accuracy, dynamic pricing, and route-planning strategies.

IX. CONCLUSION

A robust charging infrastructure is central to accelerating EV adoption and achieving sustainability goals. Unified, smart platforms improve convenience and make long journeys practical. Advances in ML and optimization sharpen demand forecasting, pricing, and load management, while renewable integration supports grid health and cuts emissions. Nonetheless, fragmentation, compute constraints, security, and regulatory complexity persist. Addressing data breadth, real-world validation, and interoperability—supported by strong public-private collaboration—will be critical to scaling reliable, user-centric charging systems. In short, integrating multiple networks into one coherent platform is essential to elevate the EV user experience and speed the transition to clean transport.

X. PERFORMANCE OVERVIEW



REFERENCES

[1] Jabr, O., Ayaz, F., Nekovee, M., & Saeed, N. (2025). Forecasting Infrastructure Needs, Environmental Impacts, and Dynamic Pricing for Electric Vehicle Charging. World Electric Vehicle Journal, 16(8), 410)

[2] Cavus, M., Ayan, H., Dissanayake, D., Sharma, A., Deb, S., & Bell, M. (2025). Forecasting Electric Vehicle Charging Demand in Smart Cities Using Hybrid Deep Learning of Regional Spatial Behaviours. Energies, 18(9), 3425I.

[3] S. Hamdare, D. J. Brown, Y. Cao, M. Aljaidi, O. Kaiwartya, R. Yadav, P. Vyas, and M. Jugran, "EV Charging Management and Security for Multi-Charging Stations Environment," IEEE Open Journal of Vehicular Technology, vol. 5, pp. 807-824, 2024, doi: 10.1109/OJVT.2024.3418201.

[4] P. Pałka, T. Śliwiński, P. Kaszyński, M. Kuta, B. Ruszczak, M. Malec, P. Saługa, and J. Kamiński, "Planning and Scheduling System for Electric Vehicle Charging," IEEE Access, vol. 13, pp. 113905-113923, 2025, doi: 10.1109/ACCESS.2025.3583929


[5] Leijon, J.; Boström, C. Charging Electric Vehicles Today and in the Future. World Electr. Veh. J. **2022**, *13*, 139

[6] R. Monteagudo, E. D. Castronuovo, and R. Barber, "Optimal EVs charge station allocation considering residents dispersion using a genetic algorithm and weighted K-means," IEEE Access, vol. 12, pp. 191071–191084, 2024.

[7] S. S. Varghese, S. Q. Ali, and G. Joos, "Energy management of fast charging and ultra-fast charging stations with distributed energy resources," IEEE Access, vol. 12, pp. 131638–131655, 2024

[8] A. Hafeez, R. Alammari, and A. Iqbal, "Utilization of EV Charging Station in Demand Side Management Using Deep Learning Method," in IEEE Access, vol. 11, pp. 8747-8760, 2023,

[9] F. Ramoliya et al., "ML-Based Energy Consumption and Distribution Framework Analysis for EVs and Charging Stations in Smart Grid Environment," in IEEE Access, vol. 12, pp. 23319-23337, 2024



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)