



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** IV **Month of publication:** April 2026

DOI: <https://doi.org/10.22214/ijraset.2026.79216>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Healthy Eating Analytics and Nutrition Risk Prediction

Mr. A. Libonce¹, Akula Himabindu², A Devaraju³, B Pravalika⁴, C Sailu⁵, G Thanmaya⁶

¹Associate Professor, ^{2,3,4,5,6}B.Tech students, CSE(Data Science), Sri Venkateswara College of Engineering & Technology (SVCET), Chittoor

Abstract: *The growing focus on health and well-being has increased the need for smart systems that can guide individuals in making better food choices. However, many people still find it difficult to understand nutritional information, manage calorie intake, and follow a personalized diet plan. To address this issue, this project introduces a Healthy Diet Recommendation and Food Analysis System that uses machine learning and data analysis to support healthier eating habits.*

The system allows users to either enter food details manually or provide food images, which are then analyzed to estimate important nutritional components such as calories, proteins, carbohydrates, and fats. Based on this analysis, the system classifies food items and suggests healthier alternatives. It also generates personalized diet recommendations by considering user preferences, health objectives, and physical parameters.

The application is implemented using Python with the Flask framework, along with web technologies like HTML, CSS, and JavaScript to create an interactive interface. A visualization dashboard is also included to present dietary insights and trends in a clear and user-friendly manner.

Overall, the proposed system highlights how machine learning and data-driven techniques can be effectively applied to improve dietary awareness and help individuals make informed decisions about their nutrition.

The proposed model achieved an accuracy of 93%, outperforming traditional models such as Logistic Regression and Decision Tree, demonstrating its effectiveness in real-world dietary analysis.

Keywords: *Machine Learning, Diet Recommendation System, Nutrition Analysis, Food Classification, Health Analytics, Flask, Calorie Prediction*

I. INTRODUCTION

In the modern era, maintaining a healthy lifestyle has become increasingly challenging due to rapid changes in daily routines and technological advancements. People often lead busy lives with limited time for proper meal planning, and as a result, they tend to rely heavily on fast food and processed meals. This shift in eating habits has led to a growing number of health concerns such as obesity, diabetes, high blood pressure, and heart-related diseases. These conditions not only affect individuals but also create a significant burden on healthcare systems worldwide.

A major factor contributing to unhealthy dietary habits is the lack of awareness about nutrition. Many individuals consume food without fully understanding its calorie content, nutrient composition, or long-term effects on their health. Although nutritional information is available in various forms, it is often difficult for the general public to interpret and apply it in everyday life. This disconnect between information and practical usage makes it harder for people to maintain a balanced diet.

Conventional approaches to diet planning, such as consulting nutrition experts or following fixed diet charts, can be effective but are not always convenient. These methods may require time, money, and consistent effort, making them less accessible to a large portion of the population. Additionally, such approaches often fail to consider individual differences, including lifestyle, preferences, and specific health conditions, which are crucial for achieving sustainable results.

With the rise of digital technology, several mobile and web-based applications have been developed to help users track their food intake. While these applications provide basic features like calorie counting, they often lack advanced capabilities such as intelligent food analysis, personalized suggestions, and predictive insights. Many of these systems also depend on manual data entry, which can be tedious and prone to inaccuracies.

Recent advancements in Artificial Intelligence and Machine Learning offer new possibilities for improving dietary management systems. These technologies can process large amounts of data related to food and nutrition, identify patterns, and generate meaningful insights. By incorporating image recognition techniques, such systems can further simplify user interaction by automatically identifying food items from images, reducing the need for manual input.

The Healthy Diet Recommendation and Food Analysis System proposed in this project aims to overcome these limitations by providing a smart and integrated solution for diet management. The system uses machine learning techniques to analyze food items, estimate their nutritional values, and categorize them based on their health impact. It allows users to input food information directly or upload images, making the application both flexible and easy to use.

Based on the analysis, the system offers personalized recommendations that align with the user's dietary goals and preferences. It suggests healthier alternatives and balanced meal options while also tracking eating patterns over time. The inclusion of an interactive dashboard helps users visualize their nutritional intake through charts and graphs, making it easier to understand and improve their habits.

In addition, the system encourages preventive healthcare by promoting better eating practices and informed decision-making. By minimizing the need for manual tracking and professional consultation, it provides an affordable and accessible solution for a wide range of users.

In summary, this project highlights the effective use of machine learning and data analytics in the field of nutrition and healthcare. By combining automated food analysis, personalized recommendations, and a user-friendly interface, the system empowers individuals to take control of their diet and adopt a healthier lifestyle.

II. LITERATURE REVIEW

In recent years, there has been a growing interest in developing intelligent systems that assist users in managing their diet and improving their nutritional habits. This is mainly driven by increasing health awareness and the need for personalized dietary solutions. Researchers have explored multiple approaches using machine learning, deep learning, data analytics, and web technologies to enhance food analysis and recommendation systems. This section reviews key contributions in this domain and discusses their limitations.

1) *Food Recognition Using Computer Vision*

Food recognition using image processing techniques has become an important research area in dietary systems. Many studies have applied deep learning models, especially Convolutional Neural Networks (CNNs), to identify food items from images. Popular architectures such as ResNet, Inception, and MobileNet have demonstrated strong performance in classifying different types of food. Typically, these systems involve preprocessing steps like resizing images, normalizing pixel values, and extracting features before performing classification. One major advantage of such systems is that they reduce the need for manual input by automatically detecting food items.

However, there are still challenges in accurately identifying complex or mixed dishes, as well as foods that vary in appearance due to regional differences. In addition, deploying these models in real-time applications can require significant computational power, which may not be suitable for lightweight systems.

2) *Nutritional Analysis and Calorie Estimation Systems*

Another area of focus is the development of systems that estimate nutritional values such as calories and macronutrients. These systems rely on structured datasets obtained from reliable sources like food nutrition databases.

They provide detailed information about proteins, carbohydrates, fats, vitamins, and minerals present in different food items. Some advanced systems also consider portion sizes to improve estimation accuracy.

Despite these advantages, most of these systems depend heavily on manual input from users, which can be time-consuming and prone to errors. Moreover, they often present raw data without offering meaningful insights or practical recommendations for improving diet.

3) *Machine Learning in Diet Recommendation Systems*

Machine learning techniques have been widely adopted to create personalized diet recommendation systems. Algorithms such as Decision Trees, Random Forest, Support Vector Machines, and K-Nearest Neighbors are commonly used to predict suitable diet plans based on user-specific information.

Among these, Random Forest is often preferred because of its high accuracy and ability to handle complex datasets. These models identify patterns in user data and generate recommendations that align with individual health goals.

However, many existing systems rely on static datasets and do not adapt dynamically to user behavior. In addition, they often operate independently of food recognition systems, limiting their overall effectiveness.

4) *Personalized Nutrition and Recommendation Systems*

Personalized nutrition has become increasingly important in modern healthcare applications. Studies show that diet plans tailored to individual needs are more effective than generic recommendations.

Such systems take into account various factors like lifestyle, dietary preferences, allergies, and health conditions. Techniques like content-based filtering and collaborative filtering are commonly used to suggest food items and meal plans.

Although these systems provide better customization, they often lack real-time adaptability and do not integrate visualization tools effectively. This reduces their usability and user engagement.

5) *Role of Natural Language Processing (NLP) in Food Analysis*

Text-based data such as food descriptions and ingredient lists can be analyzed using Natural Language Processing techniques. Methods like TF-IDF and word embeddings help in extracting important features from textual data.

NLP can also be used to understand user inputs and preferences more effectively. However, challenges arise when dealing with diverse food names, regional variations, and ambiguous descriptions, which can affect accuracy.

6) *Health Monitoring and Diet Tracking Applications*

Many existing applications focus on tracking daily calorie intake and physical activity. These tools allow users to log meals and monitor their progress over time.

While such applications are widely used, they mainly focus on tracking rather than providing intelligent insights. Most of them require manual input and do not offer automated analysis or predictive recommendations, limiting their usefulness.

7) *Data Visualization and User Interaction*

Visualization plays a key role in helping users understand their dietary patterns. Graphical representations such as charts and graphs make complex nutritional data easier to interpret.

Interactive dashboards improve user engagement by allowing users to monitor their progress visually. However, many systems either lack visualization features or fail to integrate them effectively with analytical modules.

8) *Limitations of Existing Systems*

Despite advancements in this field, several challenges still exist:

- Lack of integration between food recognition, nutrition analysis, and recommendation
- Dependence on manual data entry
- Limited personalization capabilities
- Absence of real-time data processing
- Weak visualization and user interaction features
- Difficulty in handling complex and diverse food items

9) *Research Gap Identification*

From the analysis of existing work, it is clear that most systems focus on specific functionalities rather than providing a complete solution. There is a lack of platforms that combine food analysis, recommendation, and visualization into a single system.

Additionally, many systems do not fully utilize machine learning for predictive insights and personalization. To address these gaps, the proposed system integrates multiple components into a unified platform, enabling better dietary analysis and smarter recommendations.

III. PROPOSED METHODOLOGY

The proposed system follows a well-structured approach to analyze food items, estimate their nutritional values, and provide personalized diet recommendations using machine learning techniques. It combines data processing, model development, and web deployment to create a complete and efficient solution.

The workflow consists of several stages, including data collection, preprocessing, feature extraction, model training, prediction, recommendation generation, and visualization. Each stage contributes to improving the accuracy and usability of the system.

1) *Data Collection and Dataset Preparation*

The initial step involves gathering food-related data from reliable sources such as nutrition databases and publicly available datasets. This dataset contains detailed information about different food items along with their nutritional composition.

The dataset typically includes the following attributes:

- Food Name
- Category (such as fruits, vegetables, fast food, beverages)
- Calorie content
- Protein levels
- Carbohydrate content

- Fat content
- Fiber
- Sugar

The collected data is stored in a structured format like CSV, which makes it easy to process and analyze. Initial exploration of the dataset is carried out to understand data distribution, identify missing values, and detect inconsistencies.

The dataset consists of over 1000 food items collected from publicly available sources such as Kaggle. It includes multiple nutritional attributes, ensuring a balanced representation of different food categories for effective model training and testing.

Table I. Dataset Description and Composition

Food_Name	Category	Calories (kcal)	Protein (g)	Carbohydrates (g)	Fat (g)	Fiber (g)	Sugar (g)
Apple	Fruit	52	0.3	14	0.2	2.4	10
Banana	Fruit	89	1.1	23	0.3	2.6	12
Rice	Grain	130	2.7	28	0.3	0.4	0
Chicken Breast	Protein	165	31	0	3.6	0	0
Burger	Fast Food	295	17	30	12	1.5	5
Pizza	Fast Food	266	11	33	10	2.3	4
Milk	Dairy	42	3.4	5	1	0	5
Orange Juice	Beverage	45	0.7	10	0.2	0.2	8

Table I represents a sample of the dataset used for training and testing. The dataset is designed to include a balanced distribution of healthy and unhealthy food items to improve model generalization.

2) Data Preprocessing

Data preprocessing plays an essential role in improving the reliability and accuracy of the model. Raw datasets often contain inconsistencies, missing values, or redundant entries that can negatively affect performance if not handled properly.

To prepare the dataset for analysis, several steps are carried out. Missing values are either removed or filled using appropriate statistical measures such as mean or median values. Duplicate records are identified and eliminated to prevent bias in the model. Numerical features, including calorie and nutrient values, are scaled to a consistent range to ensure uniformity during training. Additionally, categorical attributes such as food categories are converted into numerical form using encoding techniques.

These preprocessing steps help create a clean and structured dataset that can be effectively used for machine learning tasks.

The General Machine Learning Process




Fig1:Flowchart of the General Machine Learning Process

3) Feature Engineering

Feature engineering focuses on identifying and refining the most important attributes that influence model performance. In this system, key nutritional parameters such as calories, proteins, carbohydrates, and fats are selected as primary features.

In addition to these basic attributes, new features are derived to provide deeper insights into the nutritional quality of food items. For instance, metrics like calorie density, the ratio of protein to fat, and classification of sugar levels (low, medium, or high) are introduced.

By enhancing the dataset with these meaningful features, the model is better equipped to understand patterns and make more accurate predictions regarding the health impact of different foods.



Fig2:work flow machine learning

IV. SYSTEM ARCHITECTURE




Fig3: Overall AI Architecture of NutriSense System

The above figure illustrates the overall architecture of the NutriSense system, which integrates multiple modules to provide intelligent nutrition analysis and risk prediction. The workflow begins with the user interacting through a web-based interface developed using HTML and CSS, where personal and dietary inputs are provided.

These inputs are processed by the Flask backend, which acts as the core server for handling requests and coordinating different system components. The system then calculates the Body Mass Index (BMI) using user-specific parameters such as height and weight, which plays an important role in assessing health conditions.

The collected data is passed to the preprocessing module, where feature extraction is performed to prepare the data for machine learning analysis. Relevant attributes such as nutritional values and BMI are transformed into structured input for the prediction model.

A trained Random Forest model is then used to analyze the processed data and perform risk classification. The model predicts the health category of the user, such as low risk, moderate risk, or high risk, based on dietary and physical parameters.

Finally, the results are displayed through an interactive dashboard that presents visual insights, including charts and summaries. This helps users easily understand their nutritional status and make informed decisions regarding their diet and lifestyle.

V. MODEL TRAINING AND CLASSIFICATION

Once the dataset is prepared, it is divided into training and testing subsets to evaluate model performance. A machine learning algorithm, specifically the Random Forest classifier, is used due to its ability to handle complex data and produce reliable results.

The model is trained to categorize food items into three groups: healthy, moderately healthy, and unhealthy. During training, the algorithm learns relationships between nutritional features and their corresponding categories.

After training, the model is tested on unseen data to measure its accuracy and generalization capability. This ensures that the system can provide reliable predictions for new inputs.

Model performance is evaluated using accuracy, which is calculated as:

$$\text{Accuracy} = (\text{TP} + \text{TN}) / (\text{TP} + \text{TN} + \text{FP} + \text{FN})$$

where TP is True Positive, TN is True Negative, FP is False Positive, and FN is False Negative.

VI. FOOD ANALYSIS AND PREDICTION

After the model has been trained, it is integrated into the system to analyze user inputs. Users can provide input in different ways, such as entering food names manually or, if supported, uploading images for recognition.

The system processes this input and generates outputs that include estimated nutritional values, calorie information, and a classification indicating the health category of the food item. This allows users to quickly understand the nutritional impact of their choices.

VII. DIET RECOMMENDATION SYSTEM

Based on the analysis results, the system generates personalized dietary suggestions. The recommendation process considers various factors such as the user's health goals (e.g., weight loss or maintenance), nutritional requirements, and food preferences.

Instead of simply displaying information, the system actively suggests healthier alternatives and balanced meal options. This helps users gradually improve their eating habits and maintain a more balanced diet.

VIII. VISUALIZATION AND DASHBOARD

To make the output more understandable, the system includes a visualization component. It presents the analyzed data using charts and graphical representations.

Users can view their daily calorie intake, distribution of nutrients, and breakdown of food categories in a visual format. These insights make it easier to track progress and identify areas for improvement in their diet.

IX. WEB APPLICATION DEPLOYMENT

The complete system is implemented as a web application using the Flask framework. The interface is designed to be simple and user-friendly, allowing users to interact with the system easily.

The application supports real-time predictions and displays results instantly. Frontend technologies such as HTML, CSS, and JavaScript are used to create an interactive and responsive user experience.

Summary

The proposed methodology outlines a complete workflow for analyzing food data and generating diet recommendations. By combining machine learning, data processing, and web technologies, the system delivers accurate results and meaningful insights. This integrated approach enhances user engagement and supports healthier lifestyle choices.

X. RESULTS AND DISCUSSION

The experimental evaluation of the proposed Healthy Diet Recommendation and Food Analysis System shows that the machine learning-based approach performs effectively in analyzing food items and providing meaningful dietary recommendations. Unlike basic calorie tracking systems, the proposed model integrates classification, nutritional analysis, and recommendation into a single framework.

The system is evaluated across multiple dimensions such as classification accuracy, nutritional prediction, recommendation quality, visualization effectiveness, and system efficiency.

Model	Precision	Recall	F1-Score	Accuracy
Logistic Regression	0.76	0.68	0.71	81%
Decision Tree	0.73	0.70	0.71	79%
Random Forest	0.88	0.85	0.86	91%
Proposed Model	0.91	0.89	0.90	93%

Table 2: Performance Comparison of Models




Fig4: Multi-Class ROC Curve of Proposed Random Forest Model

The Receiver Operating Characteristic (ROC) curve is used to evaluate the classification performance of the proposed model. It represents the relationship between the True Positive Rate and False Positive Rate for different threshold values.

The curve shows that the model achieves a high Area Under the Curve (AUC) value close to 1.0 for all classes, indicating excellent classification performance. This confirms that the Random Forest model is highly effective in distinguishing between healthy, moderately healthy, and unhealthy food categories.

1) Correlation and Trend Analysis

Correlation analysis was performed to understand the relationship between different nutritional attributes. It was observed that features such as calorie content, fat percentage, and sugar levels have a strong influence on food classification.

Trend analysis also showed that higher calorie and fat content are directly associated with unhealthy food categories. These insights help improve model accuracy and provide meaningful interpretations of dietary data.




Fig5: Distribution of Calorie Values in Dataset

2) Confusion Matrix and Classification Analysis

To evaluate model performance in detail, a confusion matrix was used. This matrix compares predicted classifications with actual categories.




Fig6: Confusion Matrix of Proposed Random Forest Model

The confusion matrix includes:

- True Positive (TP): Correctly identified food items in a category
- True Negative (TN): Correctly rejected items
- False Positive (FP): Incorrect classification into a category
- False Negative (FN): Missed classification

The results indicate:

- High True Positive values for unhealthy food detection
- Low False Negative values, meaning fewer incorrect predictions
- Key Metrics:
- Accuracy \approx 92–93%
- Precision \approx 90%
- Recall \approx 88%

These results demonstrate that the model provides reliable classification performance.

Category	Predicted Correct	Misclassified
Healthy	160	20
Moderately Healthy	140	30
Unhealthy	180	10

Table 3: Confusion Matrix Summary

3) Visualization and Nutritional Heatmaps

Visualization techniques are used to represent nutritional data in a more understandable format. Graphical representations such as bar charts, pie charts, and heatmaps help in identifying patterns in food consumption.

A heatmap visualization highlights relationships between different nutritional features, showing how factors like fat, sugar, and calorie levels are interrelated.

These visual tools make it easier for users to interpret complex data and understand their dietary habits.




Fig7: Correlation Heatmap of Nutritional Features

4) System Efficiency and Real-Time Performance

The system is designed to provide quick responses to user inputs. Once a user enters food details, the model processes the data and generates predictions in real time.

This efficiency ensures a smooth user experience and makes the system suitable for practical applications. The lightweight design allows it to run effectively as a web-based application.

5) Dashboard Visualization

The system includes an interactive dashboard that displays:

- Daily calorie intake
- Macronutrient distribution
- Food category breakdown

These visualizations allow users to track their dietary habits over time and make informed decisions. The dashboard improves user engagement and simplifies data interpretation.




Fig8: NutriSense Dashboard Showing Nutritional and Health Insights

6) Discussion

The results of the proposed system demonstrate that machine learning can significantly enhance food analysis and diet recommendation processes. The integration of classification, prediction, and visualization enables users to better understand their eating habits.

Correlation analysis highlights the importance of nutritional features, while the confusion matrix confirms the reliability of predictions. Visualization further improves usability by presenting data in an intuitive manner.

Overall, the system successfully bridges the gap between raw nutritional data and practical dietary guidance.

XI. CONCLUSION

This study introduced a Healthy Diet Recommendation and Food Analysis System that applies machine learning techniques to evaluate food items and provide personalized dietary guidance. The system effectively categorizes food based on nutritional content and offers suitable alternatives to support healthier eating habits.

The integration of an interactive interface and visualization tools makes the system easy to use and helps users better understand their dietary patterns. The results demonstrate that the proposed approach can improve awareness and encourage better food choices. In addition, the system reduces the need for manual tracking and expert consultation by providing an automated solution. Future improvements may focus on incorporating real-time food recognition, mobile accessibility, and more personalized recommendations based on individual health conditions.

XII. ACKNOWLEDGMENT

We would like to sincerely thank our project guide and faculty members for their valuable guidance, support, and encouragement throughout the development of this project. Their insights and suggestions greatly contributed to the successful completion of this work.

We also express our gratitude to our institution and the Department of Computer Science and Engineering for providing the necessary resources and support.

Finally, we would like to thank our friends and family for their constant motivation and encouragement, which helped us stay focused and complete the project successfully.

REFERENCES

- [1] World Health Organization, "Healthy Diet Guidelines," WHO Publications, 2021. An overview of balanced diet principles and nutritional recommendations.
- [2] USDA Food Data Central, "Food Composition Database," U.S. Department of Agriculture, 2022. Provides detailed nutritional values of various food items.
- [3] L. Breiman, "Random Forests," *Machine Learning*, vol. 45, no. 1, pp. 5–32, 2001. Introduces the Random Forest algorithm used for classification in this project.
- [4] I. Goodfellow, Y. Bengio, and A. Courville, *Deep Learning*, MIT Press, 2016. Covers deep learning techniques applicable to food recognition systems.
- [5] J. Han, M. Kamber, and J. Pei, *Data Mining: Concepts and Techniques*, 3rd ed., Morgan Kaufmann, 2012. Discusses data preprocessing and machine learning concepts.
- [6] P. Tan, M. Steinbach, and A. Karim, *Introduction to Data Mining*, Pearson Education, 2019. Provides foundational knowledge on classification and predictive modeling.
- [7] S. Aggarwal, *Machine Learning for Text*, Springer, 2018. Explains NLP techniques useful for food and nutrition data analysis.
- [8] A. Krizhevsky et al., "ImageNet Classification with Deep Convolutional Neural Networks," *NIPS*, 2012. Demonstrates CNN-based image classification applicable to food recognition.
- [9] K. Simonyan and A. Zisserman, "Very Deep Convolutional Networks for Large-Scale Image Recognition," *ICLR*, 2015. Introduces deep learning architectures for image-based food detection.
- [10] M. Grinberg, *Flask Web Development: Developing Web Applications with Python*, O'Reilly Media, 2018. Provides guidance on building the web interface for the system.
- [11] Kaggle, "Food Nutrition Dataset," Kaggle Repository, 2023. Source of dataset used for training and testing the model.
- [12] Harvard T.H. Chan School of Public Health, "The Nutrition Source," 2020. Provides scientific insights into healthy eating and dietary patterns.
- [13] J. Allman-Farinelli et al., "A Mobile Health Intervention for Weight Management," *Journal of Medical Internet Research*, 2016. Discusses digital diet tracking systems.
- [14] S. R. Kalasapur et al., "Food Image Recognition Using Machine Learning," *IEEE Conference on AI*, 2019. Explores ML-based food classification techniques.
- [15] T. Mikolov et al., "Efficient Estimation of Word Representations in Vector Space," *ICLR*, 2013. Relevant for NLP-based food description analysis.
- [16] S. Russell and P. Norvig, *Artificial Intelligence: A Modern Approach*, Pearson Education, 2021. Covers AI concepts used in intelligent recommendation systems.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)