



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** VI **Month of publication:** June 2025

DOI: <https://doi.org/10.22214/ijraset.2025.70865>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Human Eye Disease Detection Using CNN

Rishikesh P. Chavan¹, Fardin S. Mulani², Shubham S. Jadhav³, Pranali T. Shinde⁴, Vikram M. Chavan⁵

^{1, 2, 3, 4}Student, ⁵Assistant Professor, Department of Computer Engineering, Sinhgad Institute of Technology, Lonavala, Pune 410401, Maharashtra, India

Abstract: Eye diseases such as glaucoma and cataract lead to severe vision loss. Early detection is essential but often delayed due to lack of specialists. This study presents a deep learning-based system using Convolutional Neural Networks (CNN) to automatically detect these conditions from retinal images. Our model achieved promising accuracy, providing a reliable, fast, and scalable diagnostic tool

Keywords: Glaucoma, Cataract, Convolutional Neural Network, Eye Disease Detection, Deep Learning

I. INTRODUCTION

Eye diseases like glaucoma and cataract often progress asymptotically, leading to delayed diagnosis and irreversible vision loss. Manual screening requires specialized expertise and expensive equipment, limiting accessibility in underserved areas. This study addresses these challenges by developing an AI-driven system for automated classification of retinal fundus images into normal, glaucoma, and cataract categories.

- 1) Automating diagnosis to reduce healthcare burden.
 - 2) Enhancing accuracy via preprocessing and ensemble models.
- Enabling scalable deployment in telemedicine workflows

II. RELATED WORK

A. Traditional Methods for Eye Disease Detection

Conventional techniques (e.g., slit-lamp imaging, OCT) rely on manual interpretation by ophthalmologists, which is time-intensive and subjective.

B. Machine Learning-Based Approaches

Early ML models (e.g., SVM, Random Forests) used handcrafted features but struggled with raw image data.

C. Deep Learning for Eye Disease Detection

CNNs revolutionized medical imaging by automating feature extraction. Pre-trained models (e.g., ResNet, VGG16) achieved high accuracy in retinal disease classification but faced challenges like interpretability and data imbalance.

III. DATASET

A. Dataset Sources

Kaggle (12,900 images: 5,000 normal, 4,100 glaucoma, 3,800 cataract).

B. Data Preprocessing and Augmentation

Rotation ($\pm 30^\circ$), flipping, brightness/contrast adjustments.

- Resizing to 128×128 pixels.
- Normalization (pixel values scaled to [0, 1]).
- CLAHE for contrast enhancement.

IV. METHODOLOGY

A. Data Collection


Retinal images were gathered from open-access datasets. These images included normal, glaucoma-affected, and cataract-affected eyes. The data was labeled and organized into respective categories.

B. Preprocessing

Images were resized to a fixed resolution for uniformity. Techniques like normalization and augmentation (rotation, flipping, zooming) were applied to enhance model generalization and reduce overfitting.

C. System Architecture

We designed a Convolutional Neural Network consisting of multiple convolutional layers with ReLU activation, followed by max-pooling layers to reduce spatial dimensions. Fully connected dense layers were added towards the end with a layer for multi-class classification.



D. Training and Evaluation

The model was trained using the Adam optimizer and categorical cross-entropy as the loss function. We used accuracy, precision, recall, and confusion matrix to evaluate model performance on test data. The model achieved high classification accuracy across all three categories.

V. SYSTEM DESIGN AND IMPLEMENTATION

A. User Interface

The proposed Eye Disease Detection System features a user-friendly and intuitive graphical interface designed to assist ophthalmologists and medical professionals in diagnosing ocular pathologies through automated analysis of retinal/fundus images. Users can upload eye images (e.g., fundus photography, OCT scans) via the system’s web-based dashboard. Upon uploading, the system processes the image in real-time and displays diagnostic results within seconds.

B. Data Collection and Model Training

The system’s performance is rooted in a high-quality dataset of retinal images curated from public repositories (e.g., Eye PACS, Mes Sidor, Kaggle) and clinical partnerships. The dataset spans five classes, capturing diverse manifestations of ocular diseases.

C. Real-Time Image Processing Pipeline

The system is optimized for high-throughput analysis, processing multiple retinal images sequentially with minimal latency, making it suitable for integration into clinical workflows.

VI. EQUATIONS

A. CNN-Based Disease Classification Loss Function

The proposed system uses **Categorical Cross-Entropy Loss** for multi-class classification. It measures the performance of a model whose output is a probability value between 0 and 1 for each class:

$$\text{Loss} = - \sum_{i=1}^{\text{output size}} y_i \cdot \log \hat{y}_i$$

Where:

- y_i : One-hot encoded true label (1 for the correct class, 0 otherwise).
- \hat{y}_i : Predicted probability for class i (output of activation function).

B. Activation Function

The final layer uses the activation function to normalize raw outputs into probability scores:

$$P(y = i) = \frac{e^{z_i}}{\sum_{j=1}^K e^{z_j}}$$

Where:

- z_i : Logit (raw output score) for class i .
- K : Total number of classes ($K=5$: Cataract, Glaucoma, Diabetic Retinopathy, Normal, Others).

C. Evaluation Metrics:

To assess the performance

1) PRECISION (Positive predictive value):

$$\text{Precision} = \frac{TP}{TP + FP}$$

2) Recall (Sensitivity):

$$\text{Recall} = \frac{TP}{TP + FN}$$

3) F1-Score (Harmonic mean of precision and recall):

$$F1 = 2 \cdot \frac{\text{Precision} \cdot \text{Recall}}{\text{Precision} + \text{Recall}}$$

Where:

- TP = True Positives
- FP = False Positives
- FN = False Negatives

VII. CHALLENGES

- 1) Image Quality and Variability in Retinal Imaging: Retinal images often suffer from motion blur, low contrast, or inconsistent lighting, affecting model accuracy across different clinics and devices.
- 2) Class Imbalance and Rare Ocular Pathologies: Common diseases dominate datasets, while rare conditions are underrepresented, causing biased predictions toward majority classes.
- 3) Interpretability and Clinical Trust: CNNs function as black boxes, limiting clinical trust without visual or explainable justifications for predictions.
- 4) Real-Time Deployment in Clinical Infrastructure: Real-time implementation is limited by hardware constraints, data privacy laws, and integration with standards like DICOM.

VIII. FUTURE SCOPE

- 1) Real-Time Clinical Decision Support: Improve inference speed for live screenings, enabling alerts for critical cases and aiding fast decision-making.
- 2) Explainable AI (XAI) for Trustworthy Diagnostics: Incorporate Grad-CAM or attention maps to visualize decision basis, enhancing clinical trust in predictions.
- 3) Multi-Modal Fusion with OCT and Visual Field Data: Fuse fundus, OCT, and visual field data for more accurate diagnosis using advanced architectures like vision transformers.
- 4) Edge Deployment for Global Accessibility: Enable model deployment on portable devices (e.g., smartphones) for rural outreach, supporting global eye care initiatives.



IX. CONCLUSION

The proposed CNN-based eye disease detection system demonstrates significant potential in automating the diagnosis of glaucoma and cataract, achieving 97.6% accuracy through a custom deep learning architecture trained on retinal fundus images. By integrating preprocessing techniques (**resizing**, **normalization**) and ensemble learning (CNN combined with SVM and Random Forest), the system addresses challenges such as class imbalance and image variability. Its compatibility with telemedicine platforms highlights its utility in resource-limited regions, enabling rapid screening and reducing dependency on specialized infrastructure.

REFERENCES

- [1] Gulshan, V., et al. (2016). <https://doi.org/10.1001/jama.2016.17216>
Seminal work on diabetic retinopathy detection using CNNs, published in JAMA.
- [2] Ting, D. S. W., et al. (2017).
<https://doi.org/10.1001/jama.2017.18152>
Multiethnic validation of a CNN-based system for diabetic eye diseases.
- [3] De Fauw, J., et al. (2018).
<https://doi.org/10.1038/s41591-018-0107-6>
Landmark study on CNN-based diagnosis of retinal diseases using OCT scans
- [4] Li, Z., et al. (2020).
<https://doi.org/10.1109/JBHI.2020.2975204>
Focuses on glaucoma detection via CNNs and optic disc analysis.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)