iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** IV **Month of publication:** April 2026

DOI: https://doi.org/10.22214/ijraset.2026.80577

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue IV Apr 2026- Available at www.ijraset.com

Implementation of a Hexacopter UAV for Real-Time Surveillance, Load Carrying and Environmental Monitoring

M. Durga Gayathri[1], CH. Likitha[2], K. Mohitha[3], A. Chanikya[4], CH. Rakesh[5], Mr. G. Durga Prasad[6]
Department of Electronics and Communication Engineering, Nadimpalli Satyanarayana Raju Institute of Technology

Abstract: ***This paper presents the implementation of a Hexacopter Unmanned Aerial Vehicle (UAV) designed for real-time surveillance, load carrying, and environmental monitoring applications. The hexacopter configuration offers improved stability, higher payload capacity, and better maneuverability compared to conventional quadcopters. The proposed system integrates a flight controller, GPS module, camera system, sensors, and communication modules to perform multiple tasks efficiently. For surveillance, the UAV provides live video streaming and remote monitoring of targeted areas. For load carrying, it is capable of transporting small payloads such as medical supplies, packages, or emergency materials. In environmental monitoring, sensors are used to measure parameters such as temperature, humidity, gas concentration, and air quality in real time. The system is tested under different operating conditions to evaluate flight stability, payload performance, and data accuracy. Experimental results show that the hexacopter UAV is reliable, cost-effective, and suitable for applications in disaster management, agriculture, security, and smart city operations. The project demonstrates the potential of multifunctional UAV systems for modern real-time monitoring transportation needs.***

Keywords: ***Hexacopter UAV, Unmanned Aerial Vehicle (UAV), Real-time surveillance, Environmental monitoring, Payload delivery system***

I. INTRODUCTION

Unmanned Aerial Vehicles (UAVs), commonly known as drones, have gained significant attention in recent years due to their wide range of applications in civil, industrial, and military sectors. Among the different UAV configurations, the hexacopter has emerged as an efficient and reliable platform because of its six-rotor design, which provides better stability, higher payload capacity, and safer operation compared to quadcopters. The ability to continue flight even if one motor fails makes the hexacopter suitable for critical missions. The increasing demand for advanced aerial systems has created the need for multifunctional UAVs capable of performing tasks such as surveillance, transportation, and environmental monitoring. Real-time surveillance using UAVs is highly useful for security operations, traffic monitoring, disaster response, border patrol, and search-and-rescue missions. Equipped with cameras and wireless communication systems, UAVs can capture and transmit live video from remote or inaccessible locations.

In addition to surveillance, UAVs are also being used for load carrying applications such as delivery of medical supplies, food packages, and emergency equipment. The hexacopter's higher lifting capability makes it ideal for carrying moderate payloads with improved balance and flight control.

Environmental monitoring is another important application where UAVs can be equipped with sensors to measure parameters such as temperature, humidity, air quality, gas concentration, and pollution levels. This allows real-time data collection in hazardous or hard-to-reach areas without risking human lives.

This project focuses on the implementation of a hexacopter UAV integrating real-time surveillance, load carrying, and environmental monitoring features into a single system. The objective is to develop a cost-effective, efficient, and versatile UAV that can serve multiple real-world applications with reliable performance.

II. LITERATURE SURVEY

Unmanned Aerial Vehicles (UAVs) have become an important area of research due to their flexibility, low operational cost, and ability to access remote or hazardous locations. Various UAV configurations such as quadcopters, hexacopters, and octocopters have been developed for surveillance, delivery, mapping, and monitoring applications. Among these, the hexacopter is preferred for missions requiring higher stability and payload capacity.

©IJRASET: All Rights are Reserved

Several researchers have focused on UAV-based surveillance systems using cameras and wireless communication modules. These systems provide real-time video streaming for security monitoring, traffic observation, border patrol, and disaster management. The use of high-resolution cameras and GPS technology has significantly improved tracking accuracy and situational awareness.

Load carrying using UAVs has also gained popularity in recent years. Many studies have demonstrated the use of drones for transporting medical supplies, food packages, and emergency materials. Compared to quadcopters, hexacopters offer better lifting performance because of their six-motor arrangement, which distributes weight more efficiently and ensures stable flight during payload transport.

Environmental monitoring is another growing application of UAV technology. Researchers have integrated sensors into UAV platforms to measure temperature, humidity, air quality, gas concentration, and pollution levels. These systems are useful in industrial zones, agricultural fields, forests, and urban environments where manual data collection is difficult or risky.

Recent advancements in flight controllers, battery systems, IoT communication, and sensor technology have enabled the development of multifunctional UAVs capable of performing multiple tasks simultaneously. However, challenges such as limited battery life, payload constraints, and environmental disturbances still remain.

Based on the literature, it is observed that most UAV systems focus on a single application. Therefore, this project aims to implement a hexacopter UAV that combines real-time surveillance, load carrying, and environmental monitoring in one integrated platform, making it more efficient and practical for modern applications.

III. PROPOSED METHODOOLOGY

The proposed system involves the design and implementation of a Hexacopter Unmanned Aerial Vehicle (UAV) capable of performing real-time surveillance, load carrying, and environmental monitoring. The methodology is divided into hardware integration, software control, and testing stages to ensure reliable performance.

A. System Design

A hexacopter frame with six brushless DC motors and propellers is selected to provide high stability, better lifting capacity, and balanced flight control. Electronic Speed Controllers (ESCs) are connected to each motor for speed regulation. A rechargeable Li-Po battery is used as the power source for the UAV.

B. Flight Control Unit

A flight controller is integrated to manage the motion and stability of the hexacopter. It receives data from onboard sensors such as gyroscope, accelerometer, and GPS module to control altitude, direction, and navigation. The controller ensures smooth takeoff, landing, and hovering operations.

C. Real-Time Surveillance Module

A camera module is mounted on the UAV to capture live video footage. The camera transmits real-time images and video to the ground control station through wireless communication. This module is used for surveillance, monitoring, and area inspection.

D. Load Carrying Mechanism

A lightweight payload holder is attached below the frame for carrying small loads such as medicine packets, food supplies, or tools. The system is designed to maintain flight balance while transporting payloads safely.

E. Environmental Monitoring Module

Sensors are installed on the UAV to measure environmental parameters such as temperature, humidity, gas concentration, and air quality. The collected data is transmitted in real time and stored for analysis.

F. Communication System

A remote controller and wireless telemetry module are used for controlling the UAV and receiving sensor data. GPS is used for location tracking and navigation.

G. Testing and Performance Evaluation

The developed hexacopter is tested under different conditions to evaluate:

Flight stability
Payload carrying capacity
Surveillance video quality
Sensor data accuracy
Battery backup time
The final system is analyzed for efficiency, reliability, and suitability for practical applications such as disaster management, agriculture, security, and smart city monitoring.




Fig. 1. system architecture of hexacopter uav

IV. BLOCK DIAGRAM

The block diagram of the proposed Hexacopter Unmanned Aerial Vehicle (UAV) represents the functional arrangement of all major hardware and control units required for surveillance, load carrying, and environmental monitoring applications. Each block performs a specific task and works together to ensure efficient operation of the system.
The Li-Po battery acts as the main power source of the UAV. It provides electrical energy to the flight controller, motors, sensors, camera, and communication modules. A stable power supply is essential for continuous and reliable operation.
ESCs control the speed of each brushless DC motor according to signals from the flight controller. By varying motor speed, the UAV can move in different directions and maintain balance.

A. Ground Control Station (GCS)

The Ground Control Station acts as the user interface for monitoring and controlling the UAV. It communicates with the drone through telemetry (RF/GPS), allowing operators to:
Send flight commands
Monitor real-time data (position, speed, altitude)
Receive video and sensor outputs

B. Flight Controller

The flight controller is the brain of the UAV. It processes inputs from sensors and controls motor speed using control algorithms (PID).
Ensures stability and navigation
Maintains altitude and orientation
Executes autonomous flight functions

C. *Sensor System*

The UAV uses multiple sensors for accurate positioning and stability:
IMU (Inertial Measurement Unit): Measures acceleration and angular velocity
GPS Module: Provides real-time location and navigation

Compass (Magnetometer): Determines heading direction
These sensors continuously send data to the flight controller for precise control.

D. Power Distribution System
This block consists of a battery and power distribution board.
Supplies power to all components
Distributes energy efficiently to motors, sensors, and electronics
Ensures stable voltage regulation

E. Propulsion System
The propulsion system generates lift and thrust and includes:
ESC (Electronic Speed Controllers): Control motor speed
Motors (6): Convert electrical energy into mechanical rotation
Propellers: Produce lift to enable flight
In a hexacopter, six motors provide better balance and redundancy compared to quadcopters.

F. Payload SysteMm
The payload system enables the UAV to perform multiple applications:
Camera (Surveillance): Captures real-time video/images
Load Carrier Mechanism: Used for carrying and dropping loads
Environmental Sensors: Measure parameters such as CO_2, NO_2, temperature, and humidity




Fig.2.Block diagram of hexacopter uav for real time surveillance

V. WORKING PRINCIPLES

The proposed Hexacopter Unmanned Aerial Vehicle (UAV) works on the principle of controlled lift generation, sensor-based stabilization, wireless communication, and multifunctional task execution. The coordinated operation of six motors, flight controller, sensors, camera, and payload system enables the UAV to perform surveillance, load carrying, and environmental monitoring efficiently.

A. Power Supply
A rechargeable Li-Po battery supplies electrical power to all onboard components such as the flight controller, motors, sensors, camera, and communication modules. The battery capacity determines the flight duration of the UAV.

B. Lift and Movement Generation

The UAV uses six brushless DC motors connected to propellers. When the motors rotate, the propellers generate upward thrust to lift the UAV into the air. By increasing or decreasing the speed of specific motors, the UAV can move in different directions such as forward, backward, left, right, upward, downward, and rotate about its axis.

C. Flight Stabilization

The flight controller continuously receives data from the gyroscope and accelerometer sensors. These sensors detect tilt, vibration, and orientation of the UAV. Based on this feedback, the controller adjusts motor speeds automatically to maintain balance and stable hovering.

D. Navigation System

A GPS module provides real-time position, altitude, and route information. It allows the UAV to follow predefined paths, track locations, and perform return-to-home functions during emergencies or low battery conditions.

E. Real-Time Surveillance

A camera mounted on the UAV captures live video and images of the surrounding environment. The video feed is transmitted wirelessly to the ground control station, allowing the operator to monitor remote areas in real time.

F. Load Carrying Operation

A payload holder attached below the UAV frame is used to carry lightweight materials such as medicine packets, food items, tools, or emergency supplies. The hexacopter structure ensures balanced flight while transporting the load.

G. Environmental Monitoring

Environmental sensors mounted on the UAV measure parameters such as temperature, humidity, gas concentration, and air quality. The collected data is transmitted to the control station for real-time observation and analysis.

H. Wireless Communication

A wireless transmitter-receiver system connects the UAV with the ground control station. It is used for sending control commands and receiving video, GPS data, and sensor readings.

I. Landing and Shutdown

After completing the mission, the operator commands the UAV to land safely. The motors slow down gradually, and the system is powered off after landing.

VI. RESULTS

The implemented Hexacopter Unmanned Aerial Vehicle (UAV) was successfully tested for real-time surveillance, load carrying, and environmental monitoring applications. The experimental results demonstrate stable flight performance, effective payload handling, and reliable data collection under different operating conditions.

The hexacopter achieved smooth takeoff, stable hovering, and controlled landing. The six-rotor configuration provided better balance and improved stability during flight compared to conventional quadcopter systems. The UAV responded accurately to navigation and directional control commands**.**

The onboard camera successfully captured real-time images and live video transmission to the ground control station. Clear visual monitoring was achieved for nearby areas, making the system suitable for security observation, search operations, and remote inspection tasks.

The UAV successfully carried lightweight payloads such as small packages and emergency materials without significant reduction in stability. Proper weight distribution maintained balanced flight during transportation.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue IV Apr 2026- Available at www.ijraset.com




Fig . 3 . Hexacopter uav for surveliance, load carrying and environmental monitoring

VII. CONCLUSION

The implementation of a hexacopter UAV for real-time surveillance, load carrying, and environmental monitoring demonstrates a versatile and efficient aerial platform capable of addressing multiple modern-day challenges.

Its six-rotor configuration enhances stability, payload capacity, and fault tolerance compared to conventional quadcopters, making it suitable for demanding applications. The integration of sensors, cameras, and communication systems enables accurate data collection and real-time transmission, which is critical for surveillance and environmental assessment tasks.

Furthermore, the system proves effective in carrying moderate loads, supporting applications such as delivery, disaster relief, and field operations. The adaptability of the hexacopter to various operational environments highlights its potential for future advancements, including autonomous navigation and AI-based decision-making.

Overall, this project underscores the growing importance of UAV technology in improving efficiency, safety, and accessibility across surveillance, logistics, and environmental monitoring domains.

VIII. FUTURE SCOPE

The hexacopter UAV system offers significant potential for further development and enhancement across multiple domains. Future advancements can focus on improving autonomy, efficiency, and application diversity.

One major area is the integration of artificial intelligence and machine learning, enabling the UAV to perform autonomous navigation, object detection, and real-time decision-making without human intervention. This would greatly enhance surveillance capabilities and reduce operator dependency.

Another important direction is the incorporation of advanced sensors and IoT connectivity, allowing more precise environmental monitoring such as real-time air quality analysis, temperature mapping, and gas detection. This can be highly useful in smart cities and pollution control systems.

Enhancements in battery technology and energy efficiency can significantly increase flight time and payload capacity. The use of solar-assisted charging or hybrid power systems could further extend operational range.

In terms of applications, the hexacopter can be expanded for disaster management, including search and rescue operations, medical supply delivery, and damage assessment in inaccessible areas. It can also play a key role in agriculture through crop monitoring, pesticide spraying, and soil analysis.

Future work may also explore swarm technology, where multiple UAVs operate in coordination to cover large areas more efficiently. Additionally, improvements in communication systems (such as 5G integration) can ensure faster and more reliable data transmission.

Overall, the future scope of hexacopter UAVs lies in making them smarter, more energy-efficient, and capable of handling complex real-world applications with minimal human intervention.


©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

IX. ACKNOWLEDGEMENT

I would like to express my sincere gratitude to all those who supported and guided me throughout the successful completion of the project titled “Implementation of a Hexacopter UAV for Real-Time Surveillance, Load Carrying, and Environmental Monitoring.
I am deeply thankful to my project guide and faculty members for their valuable guidance, encouragement, and continuous support at every stage of this work. Their insights and suggestions greatly contributed to the successful execution of this project.
I would also like to thank my institution for providing the necessary facilities and resources to carry out this project effectively. My heartfelt appreciation goes to my friends and teammates for their cooperation, teamwork, and constructive discussions.
Finally, I extend my gratitude to my family for their constant motivation, understanding, and moral support throughout this journey.
This project would not have been possible without the collective efforts and encouragement of all these individual.

REFERENCES

[1] Anderson, J. D. (2010). Introduction to Flight. McGraw-Hill Education
[2] Austin, R. (2010). Unmanned Aircraft Systems: UAVs Design, Development and Deployment. Wiley.
[3] Valavanis, K. P., & Vachtsevanos, G. J. (2015). Handbook of Unmanned Aerial Vehicles. Springer.
[4] Beard, R. W., & McLain, T. W. (2012). Small Unmanned Aircraft: Theory and Practice. Princeton University Press.
[5] Bouabdallah, S. (2007). Design and Control of Quadrotors with Application to Autonomous Flying. EPFL Thesis.
[6] Zhang, C., & Kovacs, J. M. (2012). “The application of small unmanned aerial systems for precision agriculture: a review.” Precision Agriculture, 13(6), 693–712.
[7] Colomina, I., & Molina, P. (2014). “Unmanned aerial systems for photogrammetry and remote sensing: A review.” ISPRS Journal of Photogrammetry and Remote Sensing, 92, 79–97.
[8] Gupta, L., Jain, R., & Vaszkun, G. (2016). “Survey of Important Issues in UAV Communication Networks.” IEEE Communications Surveys & Tutorials, 18(2), 1123–115 .
[9] Kumar, V., & Michael, N. (2012). “Opportunities and challenges with autonomous micro aerial vehicles.” The International Journal of Robotics Research, 31(11), 1279–1291.
[10] Civil Aviation Authority (DGCA India). (Latest guidelines). Unmanned Aircraft System (UAS) Rules and Regulations.
[11] Relevant IEEE and Springer research papers on UAV design, control systems, and environmental monitoring.



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)