



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** V **Month of publication:** May 2025

DOI: <https://doi.org/10.22214/ijraset.2025.70587>

www.ijraset.com

Call: ☎ 08813907089

E-mail ID: ijraset@gmail.com

Integration of Traditional and Modern Farming Practices in India and its role towards the Sustainability: A Review

Nivedha Jasrotia

Abstract: *India's agricultural landscape is a mosaic of traditional wisdom and modern innovations. India's agricultural sector, deeply rooted in centuries-old traditions and knowledge systems, plays a vital role not only in feeding its vast population but also in shaping rural livelihoods and the national economy. As the country faces increasing pressure from climate change, environmental degradation, and a growing population, there is an urgent need to adopt and promote sustainable farming practices. This review paper examines the diverse farming practices prevalent in India and their implications for environmental, economic, and social sustainability. We analyze traditional and modern practices, highlighting their impacts on soil health, water resources, biodiversity, and climate resilience. The focus is on analyzing how these practices contribute to ecological sustainability, economic viability, and social inclusion. It also discusses the opportunities and obstacles in adopting sustainable agricultural practices across India's varied agroclimatic zones, considering the role of government policies, technological advancements, and community participation. Furthermore, the paper emphasizes the importance of integrating traditional knowledge with scientific advancements to build a resilient agricultural system. The paper aims to provide a comprehensive overview of the current state of farming in India and pathways towards a more sustainable agricultural future.*

Keywords: *Sustainable Agriculture, Farming practices, Integration, Sustainability*

I. INTRODUCTION

Agriculture has been the backbone of the Indian economy for centuries, supporting livelihoods for a massive portion of the population and contributing to the national GDP. Agriculture in India is not merely an economic activity but a way of life, deeply intertwined with cultural traditions and ecological systems. The uniqueness of traditional agriculture is its eco-logically benign nature, public acceptability, environmental and economic feasibility (Wezel et al. 2009). Over time, farming practices in India have evolved, influenced by factors such as population growth, technological advancements, and the need for increased food production. With over 60% of the population dependent on agriculture, the sector faces challenges such as climate change, soil degradation, and water scarcity. Climate change has seriously weakened agricultural productivity and increased the number of hungry people from 40 to 170 million (Altieri et al. 2015). Sustainable farming practices are essential to address these issues and ensure food security for future generations.

II. OBJECTIVES

- 1) To analyze the prevalent farming practices in India, evaluating their impact on the environmental, economic, and social dimensions of sustainability.
- 2) To identify the role of traditional agricultural knowledge and its integration with modern scientific techniques in enhancing sustainable agriculture.
- 3) To assess the existing policy frameworks and institutional support mechanisms that influence the adoption of sustainable farming methods.
- 4) To identify the challenges and opportunities for promoting sustainable agricultural development in India.

III. FARMING PRACTICES

India's agricultural practices reflect its diverse geography, climate zones, cultural traditions, and evolving economic needs. Farming methods in India range from time-tested indigenous systems to modern scientific innovations. Understanding these practices is essential to evaluating their role in sustainable development. Farming practices in India are diverse and vary significantly across different regions due to variations in climate, soil, topography, and socio-economic factors. Here is a broad overview:

- 1) *Traditional Farming*: Relies on age-old practices and Indigenous knowledge. It uses natural inputs like cow dung, compost, and plant-based pesticides and emphasizes crop rotation, mixed cropping, and intercropping. Examples: Shifting cultivation in the Northeast, terrace farming in hilly areas.
- 2) *Subsistence Farming*: It Focuses on producing enough food to feed the farmer's family, with little surplus for sale. It is characterized by small landholdings and the use of family labor. It relays on traditional methods and low-input agriculture and more predominant in many parts of India, especially among small and marginal farmers.
- 3) *Intensive Farming*: Aims to maximize crop yields using high inputs such as fertilizers, pesticides, and irrigation. It involves the use of high-yielding varieties of seeds and modern machinery. Practiced in regions with assured irrigation, such as Punjab, Haryana, and parts of the Indo-Gangetic Plain.
- 4) *Commercial Farming*: Focuses on producing crops for sale in the market, often on a large scale. Involves the use of modern technologies and management practices. Examples: Plantation agriculture (tea, coffee, rubber), horticulture, and large-scale grain production.
- 5) *E.Organic Farming*: Avoids the use of synthetic inputs and relies on natural methods. Emphasizes soil health, biodiversity, and ecological balance. It is growing in popularity due to increasing demand for organic produce. and promoted by government initiatives and NGOs.
- 6) *Dryland Farming*: Practiced in arid and semi-arid regions with low rainfall. Mainly focus on water conservation techniques such as drought-resistant crops, rainwater harvesting, and soil moisture management. Important in states like Rajasthan, Gujarat, and parts of Maharashtra.
- 7) *Plantation Farming*: Involves cultivating cash crops on a large scale, typically on estates. It requires significant investments in infrastructure and management. Examples: Tea, coffee, rubber, and spices.

But broadly the farming practices are categorized into two types:




Fig 1

IV. TRADITIONAL FARMING PRACTICES

A. *Organic Compost based Agriculture*:

Organic composting is a process of microbiological degradation and recycling of waste into FYM which is a non-polluting and environment-friendly method of waste management. It is effective in managing a large amount of agriculture waste generated after harvesting (Singh and Singh 2017). Compostable waste of industrial effluent and agricultural run-offs are mixed with organic pollutants like pesticides, petroleum, and other pollutants. This compostable waste gets decomposed with the help of microbes and changes into simple organic mineral forms, which is taken up by plants as a nutrient (Ren et al. 2018). It is a cornerstone of organic farming, emphasizing sustainability and minimizing reliance on synthetic inputs.

B. Agroforestry based agriculture:

Agroforestry practices diversify the cropping system at farm or landscape level in which tree-integrated cultivation is performed. The planted tree species may be fruit or fodder, depending upon the requirement of the farmers. The intercropping of trees along with crops is one of the ancient practices as its origin is considered to the beginning of agriculture and animal husbandry (Oelbermann et al. 2004). The tree species of agroforestry system supports the societal, economic, and environmental requirements of the local people by supplying food, fuel and fodder. Tree species such as *Eucalyptus cauriana*, *Dalbergia sissoo* and *Populus* spp. are highly preferable species in agroforestry.

C. Mixed Cropping Agricultural Practices:

Biologically diverse agroecosystem is more protective towards the natural and anthropogenic threats with large production. When crop diversity is maintained, it helps to expand the soil nutrient balance and regulates natural defense against pest and extreme weather (Thrupp 2002; Scherr and McNeely 2008). Intercropping is the practice in which two or more species or genotypes grow together at the same time and same field (Brooker et al. 2015). According to cultivation practices, intercropping is known with different names such as relay intercropping, where the second crop is cultivated before the earlier crop matures, and strip intercropping, in which two crops are grown together in strips (Brooker et al. 2015). The mixed cropping is also known as polyculture, co-cultivation and intercropping. It is performed in traditional cultivation, where subsistence agriculture is dominated with minimal mechanization.

D. Crop- rotation agricultural practices:

Crop rotation is a sequence of cultivation in which two distinct categories of the crop are cultivated after a cyclic rotation, for instance cultivation of cereal and legume. It is a traditional practice which is effective in the control of weeds, pests and diseases. Rotation assists nutrient restoration of the field after cultivation of large demanding monocrop and diversifies the field with high net production (Gaudin et al. 2015). The sequence of rotation may be crop–crop or crop–animal depending upon circumstances. The crop–crop rotation is a traditional practice, while crop–animal rotation is emerging as a climate-smart approach like rice–fish cultivation.

E. Home Gardening:

It is the piece of land that is located nearer to the households and dominated by a closely layered canopy of different woody and non-wood plants with the integration of domestic animals (Peyre et al. 2006). Despite the reservoir of vegetables, home gardens are also known for depository of native diversity of fruits, ornamental and medicinal plants (Blancas et al. 2010; Parra et al. 2012). The tropical region is well known for home gardening, where trees and horticulture practices are performed together. Home garden optimally uses soil nutrients in a multi-dimensional way for sustainable yields of different crops for additional revenue.

V. MODERN FARMING PRACTICES

Modern farming practices are a set of advanced techniques and technologies employed in agriculture to enhance productivity, efficiency, and profitability. They represent a shift from traditional, labor-intensive methods to more industrialized and technologically driven approaches. The core idea is to maximize output while minimizing input through scientific advancements.

- 1) *Hydroponics*: This is a method of growing plants without soil, using mineral nutrient solutions in a water-based environment. Plant roots are submerged in the nutrient-rich solution, which provides them with the essentials for growth.
- 2) *Aquaponics*: This is a system that combines hydroponics with aquaculture (raising fish). The nutrient-rich water from fish tanks is used to feed plants in a hydroponic system, and the plants, in turn, filter the water, which is then returned to the fish. It is a symbiotic and sustainable system.
- 3) *Aeroponics*: In this system, plant roots are suspended in the air, and a nutrient-rich solution is sprayed or misted onto them. This provides the roots with ample oxygen, promoting rapid growth.
- 4) *Vertical Farming*: This practice involves growing crops in vertically stacked layers or structures, often in controlled indoor environments. It maximizes space utilization and allows for year-round production.
- 5) *Precision Farming*: This involves using technology like GPS, sensors, and data analytics to optimize inputs such as fertilizers and water, tailoring them to specific field conditions. This uses technology to fine-tune farming practices. Like GPS-guided machinery for accurate planting, fertilizing, and harvesting, Sensors to monitor soil conditions, weather, and crop health and Data analytics to make informed decisions about irrigation, pest control, and resource management.



Farming Practices

Fig 2

VI. INTEGRATING TRADITIONAL AND MODERN APPROACHES

Sustainable agriculture in India is most effective when it leverages the strengths of both traditional and modern practices. While traditional farming offers ecological balance and Indigenous knowledge systems, modern techniques provide technological advancements and efficiency. The integration of these two domains can lead to more resilient, productive, and sustainable agricultural systems.

- 1) Traditional Practices offer: Biodiversity conservation, Soil health management through organic inputs, Climate resilience via diverse and hardy crop varieties, Low input costs and farmer self-reliance.
- 2) Modern Practices contribute: Precision agriculture and mechanization, Scientific pest and disease management, Improved yields through HYV (High Yielding Varieties), Data-driven decision-making.

Combining these practices allows for location-specific, adaptive farming that honors cultural knowledge while embracing innovation.

VII. INTEGRATION STRATEGIES

- 1) Agroforestry with Drip Irrigation: Combining tree cultivation with efficient water management systems to enhance productivity and sustainability.
- 2) Revival of Indigenous Crop Varieties: Efforts to reintroduce native crops like kala cotton, integrating traditional knowledge with modern agricultural practices.
- 3) Community-Based Water Management: Leveraging traditional water harvesting.
- 4) Adding Value to Traditional Crops through Modern Processing and Marketing: Using new techniques to transform and sell these crops in a way that increases their economic worth.

Table 1: Case Studies of Successful Integration

Case Studies	Traditional Element	Modern Element	Impact
Agroforestry with Drip Irrigation	Growing multipurpose trees alongside crops.	Use of drip irrigation and moisture sensors.	Increased productivity, better water management, and carbon sequestration. Techniques alongside modern irrigation systems for optimal water use.
Kala Cotton Revival in Gujarat	Indigenous rain-fed cotton variety requiring minimal inputs.	Organic certification, supply chain development, and market linkage through fashion brands.	Promoted biodiversity and farmer income while supporting sustainable textile production.

A. *Benefits of Integration*

Enhanced Soil Fertility: Combining organic practices with modern inputs to maintain and improve soil health, Increased Biodiversity: Promoting a variety of crops and livestock to enhance ecosystem resilience, Economic Viability: Diversifying income sources through integrated farming systems and Climate Resilience: By building systems that can withstand and adapt to changing climatic conditions.

B. *Challenges to Integration*

- 1) Lack of formal documentation and scientific validation of traditional knowledge.
- 2) Skepticism or lack of awareness among farmers about modern technologies.
- 3) Inadequate infrastructure to scale hybrid models at the village or district level.

C. *Way Forward*

Development of knowledge-sharing platforms to bridge gaps between generations and disciplines and Policies that incentivize holistic models (e.g., integrated pest management, mixed cropping with smart irrigation).

Integrating traditional and modern farming approaches is not just a compromise, it is a constructive collaboration. It ensures sustainability, inclusivity, and adaptability in India's agricultural systems. With proper support, this hybrid model can serve as a blueprint for global sustainable farming efforts.

VIII. GOVERNMENT INITIATIVES PROMOTING SUSTAINABLE AGRICULTURE

The Indian government has launched several initiatives to promote sustainable agriculture, including:

- 1) National Mission on Sustainable Agriculture (NMSA): Focuses on integrated farming combining traditional resource conservation with modern techniques, water use efficiency, soil health management, and rainfed area development.
- 2) Sub-mission on Agroforestry (SMAF): Aims to promote tree integration in farming systems.
- 3) Pradhan Mantri Krishi Sinchai Yojana (PMKSY): Focuses on improving water use efficiency through micro-irrigation and other measures.
- 4) Mission Organic Value Chain Development for Northeastern Region (MOVCDNER): Promotes organic farming in the Northeastern states.
- 5) ICAR and state agricultural universities promote participatory research that involves farmer knowledge alongside scientific input.
- 6) NGOs and startups are facilitating grassroots innovations by digitizing traditional wisdom and merging it with Agritech solutions.

IX. CHALLENGES TO THE ADOPTION OF SUSTAINABLE FARMING PRACTICES

Despite the benefits, the widespread adoption of sustainable farming practices in India faces several challenges:

- 1) *Lack of Awareness and Education*: Many farmers are not fully aware of the benefits and methods of sustainable agriculture.
- 2) *Limited Access to Resources and Credit*: Transitioning to sustainable practices may require initial investments in new input and techniques which small and marginal farmers may struggle to afford.
- 3) *Inadequate Infrastructure*: Lack of proper storage, transportation, and market linkages for sustainably produced goods can discourage farmers.
- 4) *Climate Change Impacts*: Erratic weather patterns, water scarcity, and increased pest and disease pressure pose significant challenges to all farming systems, including sustainable ones.
- 5) *Policy and Market Constraints*: Inconsistent implementation of supportive policies and the lack of well-organized markets for sustainable produce can hinder adoption.
- 6) *High Labor Demand*: Some sustainable practices can be more labor-intensive.
- 7) *Time for Results*: Sustainable agriculture often requires a longer time to show significant positive impacts compared to conventional methods.
- 8) *Potential Initial Yield Reduction*: Some farmers may be hesitant to switch due to concerns about a temporary dip in yield during the transition.

X. THE WAY FORWARD: TOWARDS A SUSTAINABLE AGRICULTURAL FUTURE

Transitioning towards sustainable agriculture in India requires a multi-pronged approach:

- 1) *Enhancing Farmer Education and Awareness*: Providing training and resources to educate farmers about the benefits and practices of sustainable agriculture.
- 2) *Improving Access to Credit and Inputs*: Facilitating financial support and the availability of organic fertilizers, biopesticides, and other sustainable inputs.
- 3) *Strengthening Infrastructure and Markets*: Investing in storage, transportation, and market infrastructure to support the value chain for sustainable produce.
- 4) *Promoting Research and Innovation*: Supporting research to develop climate-resilient and resource-efficient sustainable farming technologies.
- 5) *Developing Supportive Policies*: Implementing consistent and effective policies that incentivize the adoption of sustainable practices.
- 6) *Fostering Community Participation*: Encouraging farmer-led initiatives and knowledge sharing.
- 7) *Leveraging Technology*: Utilizing AI, remote sensing, and IoT to optimize resource use and monitor crop health in sustainable systems.

XI. CONCLUSION

Indian agriculture stands at a critical juncture. While conventional practices have ensured food security, their long-term sustainability is increasingly questioned. Embracing a wider adoption of sustainable farming practices is essential to ensure environmental protection, economic viability for farmers, and social well-being. In charting a sustainable agricultural future for India, this review reveals that a balanced approach is paramount. Rather than viewing traditional practices and modern technologies as mutually exclusive, their strategic integration offers a pathway to address the complex interplay of environmental, economic, and social sustainability. The wealth of Indigenous knowledge, when synergized with scientific advancements, can enhance resource efficiency, bolster resilience, and ensure equitable outcomes. By addressing the challenges and leveraging the opportunities through concerted efforts from the government, research institutions, civil society, and the farmers themselves, India can pave the way for a resilient and sustainable agricultural future. India's agricultural future lies in its ability to forge a path that honors its past while embracing innovation for a more resilient and sustainable tomorrow."

REFERENCES

- [1] Wezel A, Bellon S, Dore T, Francis C, Vallod D, David C (2009) Agroecology as a science, a movement and a practice review. *Agron Sustain Dev* 29(4):503–515
- [2] Altieri MA, Nicholls CI, Henao A, Lana MA (2015) Agroecology and the design of climate change-resilient farming systems. *Agron Sustain Dev* 35(3):869–890
- [3] Singh R, Singh GS (2017) Traditional agriculture: a climate-smart approach for sustainable food production. *Energy Ecol Environ* 2(5):296–316
- [4] Ren X, Zeng G, Tang L, Wang J, Wan J, Wang J, Wan J, Wang J, Deng Y, Liu Y, Peng B (2018) The potential impact on the biodegradation of organic pollutants from composting technology for soil remediation. *Waste Manage* 72:138–149
- [5] Oelbermann M, Voroney RP, Gordon AM (2004) Carbon sequestration in tropical and temperate agroforestry systems: a review with examples from Costa Rica and southern Canada. *Agr Ecosyst Environ* 104(3):359–377
- [6] Thrupp LA (2002) Linking agricultural biodiversity and food security: the valuable role of agrobiodiversity for sustainable agriculture. *Int Aff* 76(2):283–297
- [7] Scherr SJ, McNeely JA (2008) Biodiversity conservation and agricultural sustainability: towards a new paradigm of 'Eco agriculture' landscapes. *Philos Trans R Soc B Biol Sci* 363(1491):477–494
- [8] Brooker RW, Bennett AE, Cong WF, Daniell TJ, George TS, Hallett PD, Hawes C, Iannetta PPM, Jones HG, Karley AJ, Li L, McKenzie MB, Pakeman RJ, Paterson E, Schob C, Shen J, Squire G, Watson CA, Zhang C, Zhang F, Zhang J, White PJ (2015) Improving intercropping: a synthesis of research in agronomy, plant physiology and ecology. *New Phytol* 206(1):107–117
- [9] Gaudin AC, Tolhurst TN, Ker AP, Janovicek K, Tortora C, Martin RC, Deen W (2015) Increasing crop diversity mitigates weather variations and improves yield stability. *PLoS ONE* 10(2):e011326
- [10] Peyre A, Guidal A, Wiersum KF, Bongers FJJM (2006) Dynamics of home garden structure and function in Kerala India. *Agrofor Syst* 66(2):101–115
- [11] Blancas J, Casas A, Rangel-Landa S, Moreno-Calles A, Torres I, Perez-Negro E, Solís L, Delgado-Lemus A, Parra F, Arellanes Y, Caballero J, Cortés L, Lira R, Davila P (2010) Plant management in the Tehuacán-Cuicatlán Valley. *Mexico Econ Bot* 64(4):287–302
- [12] Parra F, Blancas JJ, Casas A (2012) Landscape management and domestication of *Stenocereus pruinosus* (Cactaceae) in the Tehuacán Valley: human guided selection and gene flow. *J Ethnobiol Ethnomed* 8(1):32



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)