iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** X **Month of publication:** October 2025

DOI: https://doi.org/10.22214/ijraset.2025.74104

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue X Oct 2025- Available at www.ijraset.com

Intelligent Predictive Climate Control Systems for Electric and Autonomous Vehicles: A Novel Integration Framework for Enhanced Comfort and Energy Efficiency

Shankar R
Independent Researcher, Chennai, Tamil Nadu, India

Abstract: ***This paper presents a comprehensive patent filing framework for an advanced automotive climate control system that integrates artificial intelligence, multi-modal sensor fusion, and vehicle connectivity technologies. The proposed system addresses critical challenges in electric and autonomous vehicles by optimizing individual occupant comfort while maximizing energy efficiency and extending vehicle range. Through extensive prior art analysis of 82 patents and research papers, we identify key technological gaps and present a novel integration architecture that combines biometric sensing, emotional state detection, predictive AI algorithms, Vehicle-to-Everything (V2X) communication, and Vehicle-to-Grid (V2G) capabilities. The system employs Model Predictive Control with reinforcement learning to create dynamic micro-climate zones tailored to individual occupants. Our novelty assessment demonstrates significant inventive steps beyond existing technologies, particularly in the synergistic integration of diverse data streams for holistic thermal management. The paper provides detailed patent claims, comparative analysis with closest prior art, and strategic recommendations for intellectual property protection in the rapidly evolving automotive climate control domain.***

Keywords: Automotive Climate Control, Electric Vehicles, Artificial Intelligence, Patent Filing, Vehicle-to-Grid, Predictive Control, Multi-modal Sensing

I. INTRODUCTION

The automotive industry is experiencing unprecedented transformation driven by electrification, autonomous driving technologies, and increasing consumer demand for personalized mobility experiences. Within this evolving landscape, Heating, Ventilation, and Air Conditioning (HVAC) systems have emerged as critical components that significantly impact vehicle performance, energy consumption, and occupant well-being. Traditional climate control systems, designed primarily for internal combustion engine vehicles, are inadequate for addressing the unique challenges posed by electric vehicles (EVs) and autonomous vehicles (AVs).

Electric vehicles face the challenge of "range anxiety," where energy consumed by climate control systems directly reduces driving range. Unlike conventional vehicles that utilize waste heat from internal combustion engines, EVs must generate thermal energy for cabin heating, making energy-efficient climate control paramount. Simultaneously, autonomous vehicles introduce new paradigms where occupants may assume non-traditional roles, requiring adaptive systems that can optimize comfort for varying occupancy scenarios. The convergence of artificial intelligence, Internet of Things (IoT) technologies, and advanced sensor systems presents unprecedented opportunities to revolutionize automotive climate control. This paper presents a novel integration framework that addresses these challenges through intelligent predictive control, comprehensive environmental sensing, and seamless connectivity with external systems.

A. Research Objectives

This research aims to:

1) Analyze the current intellectual property landscape in automotive climate control systems
2) Identify technological gaps and opportunities for innovation
3) Present a novel system architecture that integrates AI, multi-modal sensing, and connectivity technologies
4) Develop comprehensive patent claims for intellectual property protection
5) Provide strategic recommendations for patent filing and commercialization

©IJRASET: All Rights are Reserved

B. Methodology

Our research methodology encompasses:

1) Comprehensive prior art analysis of 82 patents and research papers
2) Technology gap identification through systematic literature review
3) Novel system architecture development based on identified opportunities
4) Inventive step assessment through comparative analysis
5) Patent claim formulation following international standards

II. LITERATURE REVIEW AND PRIOR ART ANALYSIS

A. Evolution of Automotive Climate Control Systems

The evolution of automotive climate control has progressed through distinct technological phases:

1) Manual and Basic Automatic Era (1960s-1990s): Early systems relied on mechanical controls and basic thermostats for temperature regulation. The introduction of microprocessors enabled automatic temperature maintenance through simple feedback control algorithms.
2) Multi-Zone and Adaptive Era (1990s-2000s): Systems evolved to accommodate multiple occupants through zone-based control. Adaptive features were introduced using neural networks, such as CMAC (Cerebellar Model Articulation Controller) systems that learned from driver overrides and gradually adjusted parameters over time.
3) Energy-Efficient and Connected Era (2000s-2010s): The rise of electric vehicles necessitated energy-efficient solutions, leading to heat pump adoption and integrated thermal management systems. Connectivity features enabled pre-conditioning and basic predictive capabilities.
4) Intelligent and Personalized Era (2010s-Present): Current systems integrate AI, advanced sensors, and connectivity technologies for personalized comfort experiences. However, existing solutions remain fragmented, addressing individual aspects rather than providing holistic optimization.

B. Key Technology Domains

1) Artificial Intelligence and Machine Learning Applications

Our analysis reveals significant progress in AI applications for automotive climate control:

a) Adaptive Learning Systems: Early implementations used CMAC neural networks for adjusting climate control commands based on environmental conditions and user preferences. These systems demonstrated the feasibility of learning from user behaviour to improve comfort delivery.
b) Predictive Control: Model Predictive Control (MPC) strategies have emerged as powerful tools for anticipating future thermal loads. These systems leverage traffic and weather forecasts to optimize energy consumption while maintaining comfort. Deep learning approaches, particularly Long Short-Term Memory (LSTM) networks, show promise for handling unstable operating conditions and frequent system cycling.
c) Fuzzy Logic Systems: Machine learning algorithms employing fuzzy inference systems have demonstrated enhanced adaptability with low volatility and high accuracy in passenger compartment temperature monitoring.

2) Sensor Integration and Data Fusion

Modern vehicles employ sophisticated sensor arrays for comprehensive environmental understanding:

a) Occupancy Detection: Systems range from basic electric field sensors detecting presence to advanced infrared sensors measuring surface temperature and spatial position. Cabin sensing radar represents the latest advancement, detecting micro-movements and vital signs.
b) Biometric Integration: Advanced systems incorporate heart rate, respiration, and galvanic skin response monitoring. Some implementations analyse voice patterns and facial expressions to infer emotional states, enabling mood-based environmental adjustments.
c) Multi-Modal Fusion: Sensor fusion algorithms, including Kalman filters and Bayesian networks, improve system accuracy and robustness by addressing individual sensor limitations.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

3) Vehicle Connectivity Technologies

Vehicle-to-Everything (V2X) communication enables unprecedented integration with external systems:

a) V2X Communication: Encompasses Vehicle-to-Vehicle (V2V), Vehicle-to-Infrastructure (V2I), Vehicle-to-Grid (V2G), and other modalities providing real-time environmental data for proactive system optimization.

b) Calendar Integration: Synchronization with user calendars enables intelligent pre-conditioning, optimizing cabin temperature and battery thermal state before anticipated departure times.

c) Grid Integration: V2G technology allows bidirectional energy flow, enabling vehicles to participate in demand response programs and grid stabilization efforts.

C. Technology Gap Analysis

Despite significant individual advancements, current systems exhibit several limitations:

1) Fragmented Integration: Existing solutions address individual aspects (AI, sensors, connectivity) without comprehensive integration

2) Limited Personalization: Current personalization efforts focus on basic preferences rather than real-time physiological and emotional states

3) Reactive Operation: Most systems remain reactive rather than truly predictive

4) Energy Optimization Constraints: Limited integration between climate control and broader vehicle energy management systems

5) Occupancy Assumptions: Systems designed primarily for traditional driver-passenger scenarios, inadequate for autonomous vehicle applications

III. PROPOSED SYSTEM ARCHITECTURE

A. System Overview

The proposed Intelligent Predictive Climate Control System (IPCCS) addresses identified technological gaps through a novel integration framework combining:

- Multi-Modal Cabin Sensing Unit: Comprehensive biometric, environmental, and spatial monitoring
- External Data Integration Module: Real-time and forecasted information from V2X, V2G, and calendar systems
- AI-Driven Predictive Control Unit: Advanced algorithms for multi-objective optimization
- Integrated Thermal Management System: Coordinated control of cabin, battery, and powertrain thermal loads

B. Multi-Modal Cabin Sensing Unit

The sensing unit employs a comprehensive array of sensors for real-time occupant state monitoring:

Biometric Sensors

- Heart rate and heart rate variability monitoring
- Respiration pattern analysis
- Galvanic skin response measurement
- Voice pattern recognition and analysis

Visual and Spatial Sensors

- High-resolution cameras for facial expression analysis
- Infrared sensors for body temperature mapping
- Radar systems for micro-movement detection
- LiDAR for precise spatial positioning

Environmental Sensors

- Temperature and humidity monitoring
- Air quality assessment (CO2, VOCs, particulate matter)
- Cabin pressure measurement
- Solar load detection

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue X Oct 2025- Available at www.ijraset.com

C. External Data Integration Module

The system integrates diverse external data sources:

V2X Communication Data

- Real-time traffic conditions and route optimization
- Weather forecasts and current conditions
- Infrastructure status and environmental hazards

V2G Grid Integration

- Real-time electricity pricing and demand signals
- Grid stability requirements and ancillary service opportunities
- Renewable energy availability forecasts

Personal and Contextual Data

- Calendar events and schedule optimization
- User preference profiles and historical patterns
- Location-based services and points of interest

D. AI-Driven Predictive Control Unit

The control unit employs advanced AI algorithms for multi-objective optimization:

Adaptive Model Predictive Control (MPC)

- Finite-horizon optimization with adaptive prediction windows
- Multi-objective cost function balancing comfort, energy efficiency, and system longevity
- Dynamic constraint adjustment based on operating conditions

Deep Reinforcement Learning

- Continuous learning from user interactions and environmental changes
- Personalized comfort profile development
- Long-term optimization strategy refinement

Fuzzy Inference Systems

- Handling uncertainty in sensor data and user preferences
- Robust decision-making under variable operating conditions
- Smooth transitions between operating modes

E. Integrated Thermal Management System

The thermal management system provides comprehensive coordination:

Cabin Climate Control

- Individual micro-zone temperature and airflow control
- Humidity and air quality management
- Personalized comfort delivery based on occupant state

Battery Thermal Management

- Optimal charging and discharging temperature maintenance
- Pre-conditioning strategies for range optimization
- Thermal protection during extreme conditions

Powertrain Thermal Management

- Motor and power electronics cooling optimization

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

- Waste heat recovery and utilization
- System efficiency maximization

IV. NOVELTY ASSESSMENT AND INVENTIVE STEP ANALYSIS

A. *Distinct Features of the Proposed System*

The proposed IPCCS demonstrates several distinct features that differentiate it from existing prior art:

1) Holistic Multi-Modal Sensor Fusion: While individual sensor types exist in prior art, the proposed system's novelty lies in the comprehensive fusion of diverse sensor modalities specifically for climate control optimization. The system creates a real-time "digital twin" of each occupant's thermal, physiological, and emotional state, enabling unprecedented personalization depth.

2) Predictive AI with Comprehensive External Integration: The system uniquely integrates all external data sources (V2X, V2G, calendar, weather forecasts) into a single AI framework that proactively optimizes HVAC operation before conditions change. This holistic approach enables multi-objective optimization across comfort, energy efficiency, and grid stability considerations.

3) Dynamic Micro-Climate Zones: Beyond static multi-zone control, the system creates adaptive, individualized micro-climate zones that continuously adjust based on real-time occupant state analysis. This includes not only temperature control but also localized airflow, humidity, and even lighting adjustments for holistic well-being optimization.

4) Synergistic Energy Optimization: The system treats the entire vehicle as an integrated thermal energy system, coordinating cabin, battery, and powertrain thermal management with V2G capabilities for unprecedented energy efficiency and range extension.

B. *Comparative Analysis with Closest Prior Art*

1) Against AI/ML Applications in HVAC

- Prior Art Limitations: Existing AI applications address individual aspects such as adaptive control, predictive energy optimization, or mood adjustment, but lack comprehensive integration.
- Inventive Step: The proposed system's novelty lies in the breadth and depth of integrated intelligence, combining all these AI applications with multi-modal sensor fusion and extensive external data integration for unified, proactive thermal management.

2) Against Sensor Integration Systems

- Prior Art Limitations: Current sensor fusion focuses on general vehicle operation or basic occupancy detection, with limited application to climate control optimization.
- Inventive Step: The proposed system's unique combination of multiple biometric and emotional state data inputs specifically for personalized climate control creates significantly richer understanding of individual occupant well-being.

3) Against Vehicle Connectivity Technologies

- Prior Art Limitations: Existing connectivity applications primarily focus on basic pre-conditioning or general vehicle operation optimization.
- Inventive Step: The proposed system uniquely integrates V2G signals for dynamic HVAC load adjustment and grid balancing, treating the vehicle's climate system as a flexible grid resource while using predictive V2X data for proactive comfort optimization.

C. *Non-Obviousness Arguments*

The proposed system demonstrates non-obviousness through several key arguments:

1) Synergistic Integration: The combination of technologies produces results greater than the sum of individual components

2) Unexpected Benefits: The integration yields improvements in multiple domains (comfort, efficiency, grid stability) simultaneously

3) Technical Challenges: The real-time coordination of diverse data streams and control systems requires novel algorithmic approaches

4) Problem-Solution Fit: The specific combination addresses unique challenges in electric and autonomous vehicles not adequately solved by existing approaches

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

V. PATENT CLAIMS AND INTELLECTUAL PROPERTY STRATEGY

A. *Independent Claims*

Claim 1 - System Claim: An intelligent predictive climate control system for vehicles comprising:

- a multi-modal cabin sensing unit configured to acquire biometric data, emotional state indicators, and spatial occupancy data for each vehicle occupant;
- an external data integration module configured to receive real-time and forecasted environmental data, traffic data, grid status data, and calendar event data;
- an AI-driven predictive control unit configured to, based on fusion of data from said cabin sensing unit and said external data integration module, generate dynamic thermal comfort profiles for each occupant and predict future thermal loads and energy availability; and
- an integrated thermal management system configured to proactively adjust cabin climate parameters and coordinate energy flow across vehicle battery and powertrain thermal systems to optimize individual occupant comfort and vehicle energy efficiency based on output from said predictive control unit.

Claim 2 - Method Claim: A method for intelligent predictive climate control in vehicles comprising:

- continuously acquiring multi-modal cabin data including biometric and emotional state indicators for each vehicle occupant;
- receiving real-time and forecasted external data including environmental conditions, traffic patterns, grid energy status, and scheduled events;
- fusing said cabin data and said external data using artificial intelligence algorithms to generate dynamic thermal comfort profiles for each occupant and predict future thermal requirements and energy availability;
- proactively controlling an integrated thermal management system to adjust cabin climate parameters and manage energy distribution across vehicle thermal loads to maximize individual occupant comfort and vehicle range based on said predictions; and
- continuously learning and adapting control strategies based on occupant feedback and system performance metrics.

B. *Dependent Claims*

Claim 3: The system of claim 1, wherein the multi-modal cabin sensing unit comprises biometric sensors for heart rate monitoring, respiration analysis, galvanic skin response measurement, infrared sensors for body temperature mapping, cameras for facial expression analysis, and radar systems for micro-movement detection.

Claim 4: The system of claim 1, wherein the AI-driven predictive control unit employs Model Predictive Control with adaptive prediction horizons and deep reinforcement learning for personalized comfort profile development.

Claim 5: The system of claim 1, wherein the external data integration module receives Vehicle-to-Grid signals for dynamic HVAC load adjustment to participate in grid demand response programs.

Claim 6: The method of claim 2, further comprising creating individualized micro-climate zones with dynamic temperature, airflow, and humidity control based on real-time analysis of each occupant's physiological and emotional state.

C. *Intellectual Property Strategy*

1) *Patent Portfolio Development*

- Core Technology Patents: File comprehensive patents covering the integrated system architecture, AI algorithms, and novel sensor fusion approaches.
- Implementation Patents: Develop specific patents for hardware implementations, user interfaces, and integration with existing vehicle systems.
- Method Patents: Protect key algorithmic approaches and control strategies that enable the system's unique capabilities.

2) *Defensive Patent Strategy*

- Prior Art Monitoring: Implement continuous monitoring of competitor patent filings and research publications.
- Patent Landscaping: Maintain updated analysis of the evolving IP landscape to identify new opportunities and potential threats.
- Cross-Licensing Preparation: Develop patent portfolio suitable for potential cross-licensing agreements with automotive OEMs and technology partners.

VI. COMMERCIAL AND TECHNICAL IMPLICATIONS

A. Market Impact

The proposed system addresses several critical market drivers:

1) Electric Vehicle Adoption: Enhanced energy efficiency directly addresses range anxiety, a primary barrier to EV adoption.
2) Autonomous Vehicle Readiness: Adaptive occupancy management prepares for varying passenger configurations in autonomous vehicles.
3) Personalization Trends: Advanced personalization capabilities align with consumer expectations for customized experiences.
4) Grid Integration Opportunities: V2G capabilities position vehicles as valuable grid resources, creating new revenue opportunities.

B. Technical Challenges and Solutions

1) Real-Time Processing Requirements

Challenge: Processing diverse sensor data streams and external information in real-time while maintaining system responsiveness.
Solution: Edge computing architecture with distributed processing and optimized AI algorithms designed for automotive computational constraints.

2) Privacy and Security Considerations

Challenge: Protecting sensitive biometric and personal data while enabling system functionality.
Solution: On-device processing for sensitive data, encrypted communication protocols, and user-controlled privacy settings.

3) System Integration Complexity

Challenge: Integrating with existing vehicle systems and external infrastructure without compromising reliability.
Solution: Modular architecture with standardized interfaces and comprehensive testing protocols.

C. Implementation Roadmap

Phase 1: Core system development and proof-of-concept validation
Phase 2: Integration with vehicle platforms and limited field testing
Phase 3: Commercial deployment with select OEM partners
Phase 4: Full-scale market introduction and continuous improvement

VII. EXPERIMENTAL VALIDATION FRAMEWORK

A. Simulation Environment

1) Thermal Modeling: Comprehensive vehicle thermal models including cabin, battery, and powertrain thermal dynamics.
2) Traffic Simulation: Integration with traffic simulation platforms for realistic driving scenario testing.
3) Grid Interaction Modeling: V2G interaction simulation with various grid conditions and pricing scenarios.

B. Field Testing Protocol

1) Vehicle Integration: Testing in modified vehicle platforms with comprehensive sensor integration.
2) User Studies: Human factors evaluation of comfort delivery and system acceptance.
3) Energy Efficiency Validation: Quantitative assessment of energy savings and range improvement.

C. Performance Metrics

1) Comfort Metrics: Thermal comfort indices, user satisfaction scores, and physiological stress indicators.
2) Efficiency Metrics: Energy consumption reduction, range improvement, and grid interaction benefits.
3) System Metrics: Response time, prediction accuracy, and system reliability measures.

VIII. ECONOMIC ANALYSIS

A. Development Costs

- Technology Development: AI algorithm development, sensor integration, and system validation costs.
- Infrastructure Requirements: V2X communication infrastructure and grid integration capabilities.
- Regulatory Compliance: Safety certification and regulatory approval processes.

B. Market Value Proposition

- Direct Benefits: Improved comfort, extended range, and reduced energy costs for vehicle owners.
- Indirect Benefits: Grid stabilization services, reduced infrastructure requirements, and environmental benefits.
- Competitive Advantage: Differentiation in the automotive market through advanced technology integration.

C. Return on Investment Analysis

- Revenue Streams: Vehicle system sales, software licensing, and grid service revenues.
- Cost Savings: Reduced warranty claims, improved customer satisfaction, and operational efficiencies.
- Market Share Impact: Enhanced competitive position in the growing EV and autonomous vehicle markets.

IX. FUTURE RESEARCH DIRECTIONS

A. Advanced AI Techniques

1) Federated Learning: Developing privacy-preserving learning approaches that improve system performance across vehicle fleets.
2) Explainable AI: Creating interpretable AI models that provide transparency in system decision-making.
3) Quantum Computing Applications: Exploring quantum algorithms for complex optimization problems in thermal management.

B. Emerging Sensor Technologies

1) Non-Invasive Biometrics: Advanced sensing techniques for continuous health monitoring without direct contact.
2) Environmental Sensing: Next-generation sensors for air quality, allergen detection, and pathogen monitoring.
3) Predictive Maintenance: Sensor fusion approaches for predicting component failures and optimizing maintenance schedules.

C. Grid Integration Evolution

1) Smart Grid Standards: Development of standardized protocols for vehicle-grid interaction.
2) Renewable Energy Integration: Advanced algorithms for optimizing renewable energy utilization through vehicle thermal management.
3) Grid Edge Services: Expanding vehicle participation in grid services beyond simple demand response.

X. CONCLUSIONS

This paper presents a comprehensive framework for an intelligent predictive climate control system that addresses critical challenges in modern automotive applications. Through extensive prior art analysis, we identify significant opportunities for innovation in the integration of AI, multi-modal sensing, and connectivity technologies.

The proposed system demonstrates clear inventive steps beyond existing prior art through its holistic approach to thermal management, comprehensive external data integration, and adaptive personalization capabilities. The system's ability to simultaneously optimize individual comfort, vehicle energy efficiency, and grid interaction represents a significant advancement in automotive climate control technology. Our patent analysis reveals strong potential for intellectual property protection, particularly in the areas of integrated system architecture, novel AI algorithms, and unique sensor fusion approaches. The proposed patent claims provide comprehensive protection while enabling commercial flexibility. The commercial implications of this technology are substantial, addressing key market drivers including EV adoption, autonomous vehicle readiness, and grid integration opportunities. The system's modular architecture and standardized interfaces facilitate integration with existing vehicle platforms while providing a foundation for future enhancements. Future research directions include advanced AI techniques, emerging sensor technologies, and evolving grid integration standards. These developments will further enhance the system's capabilities and market value.

The intelligent predictive climate control system represents a significant step forward in automotive thermal management, providing a foundation for the next generation of vehicle comfort and efficiency optimization. Through strategic patent protection and continued development, this technology has the potential to transform the automotive climate control landscape and contribute to the broader goals of sustainable transportation and grid modernization.

XI. ACKNOWLEDGMENTS


The authors acknowledge the comprehensive prior art research that informed this analysis and the automotive industry experts who provided valuable insights into current and future climate control requirements.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

REFERENCES

[1] Adaptive Automatic Climate Control Method Using CMAC Neural Networks. Patent Filed 2003-09-09.
[2] Delco Electronics Corporation. Adaptive Climate Control System Learning from Manual Adjustments. Patent Filed 1996-04-30.
[3] Mercedes-Benz of Sarasota. Dual Zone Climate Control Technology Overview. Technical Documentation.
[4] Autotrader. Multi-Zone Climate Control Systems: Dual, Tri-Zone Technologies. Industry Analysis.
[5] DENSO CORP. Multiple Zone Automatic HVAC Control System. Patent Filed 2003-10-28.
[6] Persistence Market Research. Automotive Climate Control Market Trends: EV Impact and AI Integration. Market Research Report.
[7] University of Michigan. Model Predictive Climate Control for Connected and Automated Vehicles. Research Publication.
[8] ResearchGate. Energy Reduction Solutions for Automotive HVAC Systems. Literature Review.
[9] Ford Motor Company. Climate Control System for Electric Vehicle Pre-conditioning. Patent Filed 1994-01-04.
[10] Vehicle Service Pros. Evolution from HVAC to Integrated Thermal Management in EVs. Technical Article.
[11] Frontiers in Energy Research. Intelligent Control System for EV Heat Pump Using Machine Learning. Research Paper, 2023-08-01.
[12] MDPI. Integrated Thermal Management System for Electric Vehicles. Research Publication, 2023-02-09.
[13] General Motors LLC. Optimal Source EV Heat Pump with Extreme Temperature Capabilities. Patent Filed 2019-03-07.
[14] FORD GLOBAL TECH LLC. Autonomous Vehicle Climate Control Based on Occupancy Status. Patent Filed 2018-01-25.
[15] Individual (Arafat M.A. ANSARI). Smart Vehicle Operation Using IoT and V2X Communication. Patent Filed 2016-12-08.
[16] General Motors. Vehicle Sensors and AI for Occupant Emotional State Detection. Patent Documentation.
[17] Tesla Inc. Personalization System Based on Spatial Body Portion Locations. Patent Filed 2019-06-13.
[18] GM GLOBAL TECHNOLOGY OPERATIONS LLC. Adaptive Personal Thermal Control Using Reinforcement Learning. Patent Filed 2025-02-11.
[19] Bosch Mobility. Interior Sensing Solutions: Camera and Radar Integration. Technical Documentation.
[20] Data Insights Market. Automotive HVAC and Cabin Comfort Sensor Market Analysis. Market Report.
[References continue through 82 entries covering patents, research papers, and industry documentation as referenced in the original analysis]

Corresponding Author: Shankar.R
Email: rshankar1530@gmail.com



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)