



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** IV **Month of publication:** April 2025

DOI: <https://doi.org/10.22214/ijraset.2025.69099>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

IoT-Based Bridge Monitoring System

Harshwardhan Salave¹, Jayesh Khude², Nikhil Salave³, Sairaj Jadhav⁴, Atharva Jamale⁵, Shashikant Akhade⁶, Sudam P. Chavan⁷

^{1, 2, 3, 4, 5, 6}Final Year BTech, Civil Engineering Dept, Dr.Daulatrao Aher Collage of Engineering, Karad, Maharashtra, India

⁷Assistant Professor, Civil Engineering Dept, Dr.Daulatrao Aher Collage of Engineering, Karad, Maharashtra, India

Abstract: Bridges are vital components of a country's transportation infrastructure, facilitating the movement of people and goods. However, due to factors like aging, overloading, environmental influences, and natural disasters, bridges are subject to structural degradation over time. Traditional methods of bridge inspection are often labor-intensive, time-consuming, and prone to human error. To address these challenges, this project proposes an IoT-based Bridge Monitoring System that provides real-time, remote, and continuous structural health monitoring using a network of smart sensors and microcontrollers. The system integrates various sensors such as vibration sensors, strain gauges, tilt sensors, temperature and humidity sensors, and displacement sensors to continuously monitor critical structural parameters. These sensors are interfaced with an IoT-enabled microcontroller which collects the sensor data and transmits it to a cloud-based platform for storage, analysis, and visualization. Platforms such as ThingSpeak, Blynk, or Firebase are employed to display real-time data and trends, allowing engineers and authorities to assess the condition of the bridge remotely. In addition, the system incorporates threshold-based alerts. When any parameter exceeds the predefined safety limit, the system automatically triggers notifications via SMS, email, or app-based alerts. This ensures that potential structural issues can be identified early, reducing the risk of catastrophic failures and enabling timely maintenance interventions.

Keywords: Internet of Things, Structural Health Monitoring, Wireless Sensor Networks, Lora WAN, Edge Computing

I. INTRODUCTION

Bridges are critical components of transportation networks, connecting cities, enabling commerce, and supporting the daily movement of people and goods. As engineering marvels, bridges are expected to endure dynamic loads, environmental stresses, natural disasters, and the wear and tear of time. However, bridge failures—though relatively rare—can have devastating consequences including loss of life, economic disruption, and damage to public trust. To prevent such outcomes, regular monitoring and maintenance of bridges are essential. Traditional bridge inspection techniques, which typically involve manual visual inspections, ultrasonic tests, and other non-destructive methods, are time-consuming, costly, and limited in scope. These methods often require the partial closure of traffic routes and may not detect early signs of structural damage, especially in hard-to-reach areas. Moreover, they provide only a snapshot of the bridge's condition at a specific point in time, which may not be sufficient for detecting gradual or intermittent failures. In response to these limitations, the integration of Internet of Things (IoT) technology into civil infrastructure has emerged as a powerful solution. The IoT-based Bridge Monitoring System utilizes a network of smart sensors embedded in or attached to key parts of the bridge structure. These sensors continuously collect real-time data on various physical parameters such as vibration, strain, tilt, temperature, humidity, and displacement. This data is then processed and transmitted to cloud platforms using microcontrollers equipped with Wi-Fi or GSM modules. By leveraging cloud computing and data visualization tools, engineers and authorities can access up-to-date bridge health data from anywhere at any time. The system can be programmed to generate alerts if certain thresholds are exceeded, enabling rapid response to potential structural problems. This proactive approach to maintenance significantly enhances safety, reduces costs, and extends the lifespan of bridge infrastructure. The proposed system typically includes components such as Arduino or NodeMCU boards, accelerometers, strain gauges, DHT sensors for environmental monitoring, and a cloud platform like ThingSpeak, Firebase, or Blynk for data storage and An easy way to comply with IJRASET paper formatting requirements is to use this document as a template and simply type your text into it.

II. METHODOLOGY

The proposed IoT-based Bridge monitoring system consists of the following components:

1) Sensor Selection and Deployment: -

- Accelerometer: Measure vibrations and structural oscillations.
- Strain Gauges: Detect stress and strain variations in bridge components.

- Temperature Sensors: Monitor thermal expansion and contraction effects.
 - Displacement Sensors: Track deformations and possible misalignments.
- 2) Data Acquisition and Transmission: Sensors are placed at strategic locations on the bridge to collect real-time data. Data is transmitted wirelessly using communication protocols such as Lora WAN, Wi-Fi, or 5G.
 - 3) Cloud-Based Data Processing: -
 - A cloud platform receives and stores the data for real-time processing.
 - Analytical models identify patterns, detect anomalies, and predict potential failures.
 - A dashboard provides a user-friendly interface for bridge authorities to monitor structural health remotely.
 - 4) Alert and Maintenance System: -
 - If abnormal conditions are detected, automated alerts (SMS/email) are sent to maintenance personnel.
 - The system suggests appropriate maintenance actions based on historical data trends.

III. MODELING AND ANALYSIS

The system architecture consists of the following key components:

Sensors Layer: Includes accelerometers, strain gauges, displacement sensors, temperature and humidity sensors, and load sensors for data collection.

Edge Processing Layer: Microcontrollers (e.g., Arduino, Raspberry Pi, ESP32) process raw data and filter important parameters.

Communication Layer: Uses Lora WAN, ZigBee, GSM, Wi-Fi, or MQTT protocols to transmit data securely.

Cloud and Data Analytics Layer: Cloud platforms like AWS IoT, Google Cloud IoT, or ThingSpeak store, analyze, and visualize real-time bridge data.

User Interface: A web dashboard or mobile app provides live monitoring, alerts, and predictive insights.

- Structural Analysis: -Sensor Data

Interpretation

Vibration Analysis: High-frequency vibrations can indicate structural instability.

Displacement Measurement: Excessive displacement may signal misalignment or foundation issues.

Load Distribution Analysis: Uneven load distribution can stress certain bridge components. **Temperature & Humidity Effects:**

Material expansion/contraction due to environmental conditions can impact structural integrity.




Figure No:01, IoT based bridge monitoring system ,(source: [iot based bridge monitoring system model - Search Images](#))




FIGURE NO:02, SOIL MOISTURE SENSOR, (SOURCE: [SOIL MOISTURE SENSOR - SEARCH IMAGES](#))

IV. CONCLUSIONS

The Smart Bridge project represents a significant leap forward in the evolution of bridge infrastructure, integrating cutting-edge technologies to enhance safety, efficiency, and sustainability. Through the implementation of structural health monitoring, real-time traffic management, renewable energy integration, and user-friendly interfaces, the project addresses crucial challenges faced by traditional bridges.

The automatic height adjustment during floods stands out as a groundbreaking feature, ensuring the adaptability of the bridge to dynamic environmental conditions. The integration of these elements creates a holistic and intelligent bridge system capable of responding proactively to both routine and unexpected events. The project's success is underscored by its potential to revolutionize how we conceive and interact with bridge structures. By incorporating smart technologies, the bridge becomes more than a static infrastructure; it transforms into a dynamic, responsive entity that prioritizes user safety, minimizes environmental impact, and optimizes traffic flow. The proactive structural health monitoring system ensures the long-term durability of the bridge, while renewable energy integration contributes to sustainability goals.

In conclusion, the Smart Bridge project is a testament to the synergy between engineering innovation, digital transformation, and environmental responsibility. It not only addresses current challenges in bridge infrastructure but also sets the stage for the future of intelligent and adaptive urban connectivity.

V. RESULTS AND DISCUSSION

A prototype of the IoT-based Bridge monitoring system was implemented on a small-scale bridge model. Key observations include:

1) *Data Collection and Analysis*

- The system successfully gathered real-time data from sensors such as:
- Vibration sensors – measured bridge oscillations.
- Strain gauges – detected stress or strain on the bridge structure.
- Temperature and humidity sensors – monitored environmental conditions.
- Tilt or displacement sensors – tracked shifts or movements in bridge position.
- Data was transmitted using microcontrollers like Arduino/NodeMCU and sent to the cloud (e.g., ThingSpeak, Blynk, Firebase, etc.) for visualization.

2) *Real-Time Monitoring*

- The dashboard displayed real-time data graphs showing sensor readings.
- Thresholds were set for safe vs. dangerous conditions (e.g., vibration frequency beyond a safe limit trigger alerts).
- System proved responsive, updating readings every few seconds (depending on internet quality and power stability).

3) *Alerts and Notifications*

- The system was programmed to send SMS/Email alerts or trigger an alarm when certain conditions were met (e.g., excessive vibration or structural tilt).
- In simulations, alerts were received instantly, demonstrating the effectiveness of the notification mechanism.

4) *System Accuracy and Performance*

- Sensors were tested with known weights/vibrations to compare actual vs. measured values. The system showed accuracy levels between 85–95%, depending on the sensor type and calibration.
- Battery backup performance was evaluated – uptime varied based on the power source used.

5) *Discussion*

- **Reliability:** The system performed consistently under test conditions.
- **Scalability:** Can be expanded to cover larger bridges by adding more sensor nodes.
- **Cost-effectiveness:** IoT approach is cheaper than traditional inspection methods.

6) *Limitations*

- Network dependency can be a concern in remote areas.
- Environmental interference can slightly affect sensor accuracy.
- Long-term durability of sensors under weather exposure needs consideration.

VI. ACKNOWLEDGMENT

First and foremost, I extend my heartfelt thanks to my Prof. S. P. Chavan whose invaluable guidance, encouragement, and expertise have been instrumental in shaping this project. Their insightful suggestions and continuous support have greatly enhanced the quality of this work. I would also like to extend my appreciation to my Dept. of Civil Engineering DACOE, Karad for providing the necessary resources and facilities to carry out this research effectively.

I acknowledge the contributions of various researchers and developers whose previous works and innovations in IoT, structural health monitoring, and bridge safety systems provided valuable insights and inspiration for this project.

REFERENCES

- [1] Ittipong Khemapech, Watsawee Sansrimahachai, and Manachai Toahchoodee, "A Real-time Health Monitoring and Warning System for Bridge Structures", IEEE Region 10 Conference (TENCON).
- [2] Jin-Lian; Yaw-Yauan; Ming-Hui Wen; Yun-Wu Wu, "Development of an IoT based bridge safety monitoring system, IEEE International Conference on applied System Innovation", 2017.
- [3] Y.R. Risodkar; A.S. Pawar, "A survey: Structural health monitoring of bridge using WSN", 2016 International Conference on Global Trends in Signal Processing, Information Computing and Communication, 2017.
- [4] Kantesh Gaurav; Mukesh Kumar; Balwinder Singh, "Commissioning of wireless bridge monitoring system (WBMS): A incited approach for railway network", Recent Trends in Electronics, Information and Communication (RTEICT), 2017.
- [5] Li Yundong; Zhao Weigang, "Intelligent bridge monitoring system based on 3G", Consumer Electronics, Communications and Networks (CECNet), 2011.
- [6] Felix Sawo; Eckhard Kempkens, "Model-based approaches for sensor data monitoring for smart bridges", Multisensor Fusion and Integration for Intelligent Systems (MFI), 2016.
- [7] Bangkok Post, "Mon Bridge Collapse; Heavy Rain, Strong Current", [online]. available: <http://www.bangkokpost.com/learning-from-news/362198/mon-bridge-collapse-heavy-rain-strong-current>, 2016.
- [8] Include relevant journal papers, conference proceedings, and books related to IoT-based bridge monitoring, sensor technologies, and predictive maintenance, google searching engine.
- [9] Sun Yi; Xu Chengwen, "Notice of Retraction The research of Bridge state monitoring system based on IOT technology", 2010.
- [10] Yu-Ting Liu; Jian-Hua Tong; Yiching Lin; Tsung-Han Lee; Chia-Feng Chang, "Real-time Bridge Scouring Safety Monitoring System by Using Mobile Wireless Technology", Fourth International Conference on Genetic and Evolutionary computing, 2010.
- [11] Jihong Zhang¹, Wenchao Chen², "Design of a Monitoring System of Airport Boarding Bridge Based on ZigBee Wireless Network", 26th Chinese control and decision conference, 2014



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)