



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** III **Month of publication:** March 2026

DOI: <https://doi.org/10.22214/ijraset.2026.78027>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

IOT Controlled Drainage Monitoring System with Cloud

Vijayasekaran G, Aruna Devi K, Arjun Singh S, Noah A, Sri Sabari K
Rathinam Technical Campus, India

Abstract: *Urban drainage systems play a crucial role in maintaining public health and environmental safety. However, conventional drainage monitoring methods rely on manual inspection, which is time-consuming, inefficient, and incapable of providing real-time information. To overcome these limitations, this project presents an IoT Controlled Drainage Monitoring System with Cloud Integration for continuous and remote monitoring of drainage conditions.*

The proposed system utilizes sensors to monitor key parameters such as water level and blockage conditions within drainage channels. The collected sensor data is processed by a microcontroller and transmitted to a cloud platform through wireless communication. The cloud server stores and analyzes the data, enabling real-time visualization and alert generation when abnormal conditions are detected. This allows authorities to take timely preventive actions, reducing flooding risks and maintenance costs.

In addition, protective coatings are applied to drainage components and sensor housings to enhance resistance against corrosion, wear, and harsh environmental conditions. Coating characterization techniques such as hardness testing, surface roughness measurement, wear analysis, and scanning electron microscopy (SEM) are employed to evaluate coating performance.

The proposed system improves the reliability, efficiency, and durability of drainage infrastructure and supports smart city initiatives through intelligent monitoring and cloud-based management.

I. INTRODUCTION

Drainage systems are an essential part of urban infrastructure, responsible for the efficient removal of wastewater and stormwater to prevent flooding, environmental pollution, and public health hazards. With rapid urbanization, increasing population, and changing climatic conditions, existing drainage systems are often subjected to excessive load and operational challenges. Traditional drainage monitoring methods rely mainly on manual inspection, which is time-consuming, costly, unsafe, and ineffective in providing real-time information.

The advancement of the Internet of Things (IoT) has enabled the development of intelligent monitoring systems capable of real-time data acquisition, processing, and communication. IoT integrates sensors, microcontrollers, and communication networks to monitor physical parameters and transmit data over the internet without human intervention. When combined with cloud computing, IoT systems can store large volumes of data, perform real-time analysis, and provide remote access through web or mobile applications. An IoT Controlled Drainage Monitoring System with Cloud integration provides a smart solution to monitor drainage conditions continuously. Sensors installed in drainage channels measure parameters such as water level and blockage status. The collected data is processed by a microcontroller and transmitted to the cloud using wireless communication technologies. The cloud platform stores and analyzes the data and generates alerts when abnormal conditions are detected, enabling timely maintenance and preventive actions.

Additionally, drainage components and sensor housings are exposed to harsh environmental conditions, including moisture, chemicals, and sewage gases. To enhance durability and reliability, protective coatings are applied to critical components, reducing corrosion and wear. Overall, the proposed system improves drainage management efficiency, reduces manual intervention, and supports smart city development through intelligent monitoring and cloud-based control.

II. METHODOLOGY

The methodology outlines the systematic approach followed in the design and implementation of the IoT Controlled Drainage Monitoring System with Cloud Integration. The proposed system focuses on real-time monitoring, reliable data transmission, cloud-based analysis, and timely alert generation to improve drainage management efficiency.

A. System Design Approach

The system is designed using an integrated IoT architecture consisting of sensing, processing, communication, cloud, and application layers. Sensors are deployed within drainage channels to continuously monitor parameters such as water level and blockage conditions. These sensors are selected based on accuracy, reliability, and suitability for harsh drainage environments.

B. Data Acquisition and Processing

Sensor data is continuously acquired and transmitted to a microcontroller unit. The microcontroller processes the raw data by filtering noise and comparing sensor values with predefined threshold limits. Based on this comparison, the system identifies normal and abnormal drainage conditions.

C. Communication Method

Wireless communication is used to transmit the processed data to the cloud platform. Technologies such as Wi-Fi or GSM are employed depending on availability and coverage. This enables real-time data transfer from the drainage site to the remote monitoring system.

D. Cloud Integration

The cloud platform stores real-time and historical sensor data securely. Cloud-based analytics tools analyze the data to detect blockages, rising water levels, or abnormal flow conditions. The cloud also supports data visualization through dashboards and generates alerts when threshold values are exceeded.

E. Alert and Notification System

Alert mechanisms are implemented to notify concerned authorities during abnormal drainage conditions. Notifications are sent through web or mobile applications, enabling quick maintenance actions and preventing flooding or system failure.

F. Protective Coating Implementation

To ensure long-term durability, protective coatings are applied to drainage components and sensor housings. The coating selection and application process is carried out to improve resistance against corrosion, wear, and chemical exposure.

G. System Testing and Validation

The system is tested under various drainage conditions to validate sensor accuracy, communication reliability, cloud performance, and alert functionality. Coating characterization tests such as hardness, surface roughness, wear analysis, and SEM examination are conducted to evaluate coating effectiveness.

III. LITERATURE SURVEY

A. General

The literature survey presents a review of existing research and technologies related to drainage monitoring systems, Internet of Things (IoT) applications, cloud-based data management, and smart infrastructure solutions. It helps in understanding the current state of technology, identifying limitations in existing systems, and justifying the need for the proposed IoT-based drainage monitoring system.

B. Conventional Drainage Monitoring Systems

Traditional drainage monitoring systems primarily rely on manual inspection and scheduled maintenance. In many urban areas, drainage blockages and overflows are identified only after visible flooding occurs. Several studies have highlighted that manual inspection is time-consuming, labor-intensive, unsafe, and inefficient for large drainage networks. These systems lack real-time monitoring capability and early warning mechanisms, resulting in delayed response and increased damage.

C. Sensor-Based Drainage Monitoring

Researchers have proposed sensor-based drainage monitoring systems to overcome the limitations of manual methods. Water level sensors, ultrasonic sensors, and flow sensors have been used to detect rising water levels and blockages in drainage channels.

These systems improve monitoring accuracy but are often limited to local data display and lack remote accessibility. In many cases, data storage and long-term analysis are not addressed.

D. IoT-Based Monitoring Systems

With the advancement of IoT technology, several studies have implemented IoT-based monitoring systems for smart cities. IoT enables real-time data collection, wireless communication, and automated decision-making. Researchers have applied IoT concepts to water supply systems, sewage management, and flood monitoring. These systems allow continuous monitoring and reduce human intervention. However, some existing IoT systems face challenges such as limited scalability, power consumption, and unreliable communication.

E. Cloud Integration in IoT Systems

Cloud computing has been widely adopted in IoT-based applications due to its scalability, storage capacity, and data processing capabilities. Literature shows that cloud-integrated IoT systems can store large volumes of sensor data, perform real-time analytics, and provide remote access through dashboards. Cloud platforms also support alert generation and historical data analysis. Despite these advantages, many existing systems focus only on monitoring and do not consider component durability and environmental protection.

F. Drainage Infrastructure Protection and Coatings


Several studies emphasize the importance of protecting drainage components from corrosion, wear, and chemical attack. Drainage environments contain moisture, sewage gases, and abrasive particles that degrade materials over time. Researchers have investigated various protective coatings such as metallic, polymeric, and ceramic coatings to improve durability. However, limited research combines IoT-based monitoring with coating characterization for drainage applications.

G. Identified Research Gaps

From the literature survey, the following gaps are identified:

- Lack of real-time, cloud-based drainage monitoring systems with reliable alert mechanisms
- Limited integration of IoT monitoring with cloud analytics and remote access
- Insufficient focus on durability and protection of drainage components
- Absence of combined studies involving IoT systems and coating characterization

IV. RESULTS AND DISCUSSION



A. System Implementation Results

The proposed system was successfully implemented using drainage monitoring sensors, a microcontroller, wireless communication, and a cloud platform. The sensors continuously monitored drainage parameters such as water level and blockage conditions. The collected data was transmitted to the cloud in real time without significant delay.

The cloud dashboard displayed live sensor readings along with historical data, enabling effective monitoring and analysis. The system demonstrated reliable communication and data storage capabilities.

B. Sensor Performance Analysis

Water level and blockage sensors responded accurately to changing drainage conditions. When water levels increased beyond predefined threshold values, the system successfully identified abnormal conditions. The sensor readings were consistent and showed minimal error during repeated tests, indicating good reliability.

V. CLOUD MONITORING AND ALERT RESULTS

The cloud platform effectively stored and processed sensor data. Alerts were generated immediately when abnormal conditions such as blockages or high water levels were detected. Notifications were sent to users through the application interface, allowing timely corrective actions.

The cloud-based monitoring system improved response time and reduced dependence on manual inspection.

Coating Characterization Results

1) Hardness Results

The coated specimens exhibited higher hardness values compared to uncoated specimens. Increased hardness indicates improved resistance to wear and surface damage, making the coating suitable for drainage environments.

2) Surface Roughness Results

Surface roughness measurements showed that the coating provided a relatively smooth and uniform surface. Lower roughness values contributed to better corrosion resistance and reduced friction.

3) Wear Test Results

Wear analysis indicated a significant reduction in material loss for coated specimens compared to uncoated ones. This confirms that the applied coating enhances wear resistance and extends component lifespan.

4) SEM Analysis Results

SEM images revealed a dense and uniform coating structure with minimal porosity and no major cracks. Good bonding between the coating and substrate was observed, indicating strong adhesion and high coating quality.

VI. DISCUSSION

The results demonstrate that the proposed IoT-based drainage monitoring system operates efficiently under real-time conditions. Cloud integration enhances data accessibility, storage, and analysis. The alert mechanism ensures timely response to drainage issues, reducing flooding risks.

Coating characterization results confirm that the selected coating improves hardness, wear resistance, and surface quality of drainage components. SEM analysis validates the structural integrity of the coating, supporting its suitability for harsh drainage environments.

The combined use of IoT monitoring and protective coatings provides a comprehensive solution that improves both operational efficiency and component durability.

VII. WORKING

The IoT Controlled Drainage Monitoring System with Cloud works by continuously sensing drainage conditions and transmitting real-time data to a cloud platform for monitoring and decision-making. Sensors installed inside the drainage system measure parameters such as water level and blockage condition. These sensors convert physical changes into electrical signals.

The sensed data is collected by a microcontroller, which acts as the central processing unit of the system. The microcontroller processes the sensor data and compares it with predefined threshold values. Under normal conditions, the system continues monitoring and periodically updates the cloud database.

When abnormal conditions such as increased water level or blockage are detected, the microcontroller immediately transmits the data to the cloud platform using a wireless communication module such as Wi-Fi or GSM. The cloud server stores the data and performs real-time analysis. If threshold limits are exceeded, alert notifications are generated automatically.

These alerts are displayed on a web or mobile dashboard and sent to authorized personnel, enabling timely maintenance actions. The use of protective coatings on drainage components and sensor housings ensures reliable operation by preventing corrosion, wear, and environmental damage. Thus, the system enables efficient drainage monitoring, early fault detection, and improved response time.

VIII. CONCLUSION

The IoT Controlled Drainage Monitoring System with Cloud provides an effective and intelligent solution for real-time drainage management. The system successfully integrates IoT sensors, wireless communication, cloud computing, and alert mechanisms to monitor drainage conditions continuously. By eliminating the need for manual inspection, the proposed system reduces maintenance cost, response time, and operational risk.

Cloud integration enables remote access, data visualization, and historical analysis, supporting informed decision-making and preventive maintenance. Additionally, the application of protective coatings enhances the durability and reliability of drainage components exposed to harsh environmental conditions.

Overall, the proposed system improves drainage efficiency, minimizes flooding risks, and supports smart city infrastructure development. The system is scalable, reliable, and suitable for modern urban drainage monitoring applications.

REFERENCES

- [1] Gubbi, J., Buyya, R., Marusic, S., & Palaniswami, M., "Internet of Things (IoT): A Vision, Architectural Elements, and Future Directions," Future Generation Computer Systems, Elsevier, 2013.
- [2] Atzori, L., Iera, A., & Morabito, G., "The Internet of Things: A Survey," Computer Networks, Elsevier, 2010.
- [3] Zanella, A., Bui, N., Castellani, A., Vangelista, L., & Zorzi, M., "Internet of Things for Smart Cities," IEEE Internet of Things Journal, 2014.
- [4] Xu, X., "From Cloud Computing to Cloud Manufacturing," Robotics and Computer-Integrated Manufacturing, Elsevier, 2012.
- [5] ASTM International, "Standard Test Methods for Measurement of Surface Roughness," ASTM Standards.
- [6] Callister, W. D., & Rethwisch, D. G., Materials Science and Engineering: An Introduction, Wiley, 9th Edition.
- [7] ISO 6507-1, "Metallic Materials – Vickers Hardness Test," International Organization for Standardization.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)