



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** III **Month of publication:** March 2026

DOI: <https://doi.org/10.22214/ijraset.2026.78609>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Journey Map: An AI-Powered Intelligent Travel Planning and Route Recommendation System

Sowmiya M N¹, Sarvesh P², Dhanush P³

^{1, 2, 3} Department of Information Technology, Velammal Engineering College, Chennai, India

Abstract: *The disruptive nature of the expanding digital technologies and mobile internet has changed the way people plan and organize their traveling. However, the issue that often occurs with the traveller is the ineffective route planning system, the absence of centralized information, the impossibility of comparing the travel offers, and the search within different platforms by hand which may occupy a lot of time. The current paper will introduce a smart web-based travelling planning and route suggestion system known as Journey Map that will facilitate the travelling experience. The system combines the service connected with traveling into one platform in which customers will be able to study about the destination and buy the tickets and have offered the best route based on their preferences. The system design has managed to generate a good travel path on the basis of the user input like the starting point, destination and travelling preferences and display meaningful travel tips in order to make the user make more effective decisions. The smart route analysis combined with the web interface will ensure that Journey Map will be able to improve the balances of the travel planning process and deliver the digital traveller a convenient tool. The analysis of the observation reveals that using various parameters of travel produces more precise route solutions than the use of one parameter of travel. Journey Map is an open-ended useful system of smart travel that can simply be incorporated into the everyday web-based activities.*

Keywords: *smart travel planning; route recommendation system; journey mapping; intelligent navigation; travel data analysis; web-based travel platform; user-centered travel planning; smart mobility system*

I. INTRODUCTION

Smart phones have been taking center stage in the modern lifestyle and as digital technologies are central in shaping the manner decisions are made by the human beings, the mass travel data has been at the forefront in elucidating and defining the travel efficiency [1]. Throughout the day, the travellers come in contact with many systems and platforms, and the situation is not always that the unified system will offer the structuring of route choice, the details of the destination, or the time schedule of the travels. Inconveniently, despite the convenient nature of the constant connection, it mentally restricts the travellers because they must filter information that is piecemeal and presented on various platforms [2,7].

In comparison to the physical inconveniences, the information fragmentation accumulates over time and in most cases one can not be aware of its presence until it begins to affect the journey planning process, choice of route or arrive at decisions to travel. There is always manual planning of traditional travel in a search or simply by just clicking around. And there are also platforms that provide unpersonalized recommendations of the most optimal routes without any personalization [4,7]. Although these tool offers effective guidance enabling navigation, it has flaws in that it does not take into consideration more than one parameter at a time and therefore cannot be applied in a field setting, particularly in carrying out holistic journey planning.

The abundance of travel information is the natural consequence of the creation of smartphones and the web platforms as a result of everyday interaction by users. The location search pattern and comparing itineraries and route selections might have been viewed as the user preferences and needs in traveling [3,5]. The above interaction level cues have been found to be applicable in generating personalized travel recommendations as demonstrated by previous research.

It will not require the significant volumes of manual input which gives the ability to withstand larger scale than the traditional planning methods does.

However, under this opportunity, the majority of existing digital solutions to travel are focused on descriptive aspects of navigation, such as plain route maps, turn-by-turn instructions. They have limited knowledge about the latent requirements of the traveller and hardly reacting to the reaction of their suggestion. This implies that the suggestions on routes are usually generic and not suited to the mode of preference of routes users or it made them spend excessive time searching manually [8].

In this respect, the growing need is the development of travel planning plans that can intelligently capture the indicators of user preferences and travelling needs in the form of the regular web based usage.

These approaches must be efficient and even executable, not based on disjointed information or on the necessity to use applications. The web-based systems make available to get tailor-made travel advice in real-time and maintain their systems robust and user-friendly with the assistance of the inherently bestowed patterns of interaction.

This study issue is considered; the article will propose the application of the Journey Map which is a web-based system designed to provide smart travel planning, which is based on interaction data and travel inputs. The system integrates different traveling parameters to generate route suggestion on real-time conditions and avail architected and context-associated paths of the journey to increase efficiency and user decision-making processes. The goals of Journey Map are to allow the successful planning of the journeys, the application of adaptive recommendation techniques because of the emphasis on modular processing and the opportunities not to disrupt the daily life of people digitally.

II. RELATED WORK

The application of digital tool as smart planning in the cogniting of the actions of users and preferences has presented numerous discussions throughout the years. Web-based travel planning process uses the interaction data differently in contrast to the traditional travel planning process where the search is manually performed or the process follows a preset navigation amenity. Search of destinations, analysis of route and itinerary selection are some of the behavioral cues that have been found to be attributed to the selection made by the user and the effectiveness of the travel in addition to satisfaction of the travel [5,7]. It is possible to speak about some studies that were devoted to finding the preferences of users and the best selection of the route which relies on the characteristics of the levels of interactions. The intelligent analysis of the parameters of travels, such as distance, traveling time and route acceptability, as sketched in the strategies, could in most occasions provide more accurate planning of journeys as compared to one which is based on a particular parameter of travelling. Although such studies present findings that prove that the intelligent travel suggestion is a good idea, majority of the studies expound more on the quality of the navigation and there are no aspects that have been considered on how the real-time or adaption user support would be.

The issues of fragmentation of journeys planning as well have been suggested to be surmounted in collaboration with online travel technologies. A majority of the existing solutions can be categorized as either descriptive such as the simple route maps, or the usage reports or application based navigation reports [2,8]. Although these tools render the paths which the user can follow more sensitive to the user, they do not appease the context of the behavior and extract the preferences that underlie the decision to travel [8]. Because of this reason, their propositions are largely passive and do not change with change in behaviour of the users or their travelling needs. The subsequent study suggested worthiness in terms of adaptable and situation-aware travel recommendation. It has also been established that bad route recommendation or inappropriate time route recommendation can lead to user frustrations and low usage and high effectiveness in the long term [8].

Adaptive recommendation methods based on user behaviour and corresponding time based context and interaction of underlying behaviour were found to be more acceptable and effective [6]. Nevertheless, much of such systems utilize third-party information or cloud-computing, and the aforementioned features bring such issues to the realm of privacy, scalability, and scalability. Unlike other products, Journey Map combines investigation of goals of a multi-modal travel input and the provision of route suggestions (based on the context) in a single web-based application. The system is fully run and in terms of investigating passive engagement, and even processing on the gadget, the system does not require any extra features or a regular self-reporting mechanism. The critical failed attempts of the previous researchers can be resolved by Journey Map since it can unify immediate travelling analysis and conditional suggestions procedures of organizing the smart and privacy-aware digital travel plans.

Besides the tracking method of behavior of a particular individual, some more recent research has been conducted on the significance of the privacy preserving as well as the on-chip analysis as far as traveling tracking is concerned. The systems that imply fewer recourses on clouds and less direct self-reporting also gain popularity in real life. These trends generate new demand in light versatile designs which would not destroy the daily usage.

III. METHODOLOGY

The Journey Map system is based on a modular workflow that incorporates passive monitoring of interactions, travel data processing, route recommendation, and provision of journey information in context mode. Design is focused on web-based processing to allow real-time analysis of the process of the travel and the feedback on adaptive routes [6]. Fig. 1 describes an overview of the system workflow.




Fig. 1. Overview of the Journey Map system workflow.

A. Data Collection Module

Journey Map is designed to understand how users interact with the travel planning interface during their regular usage. It follows a user-focused approach by collecting only the information that is directly provided by the user and relevant to planning a trip. This ensures that unnecessary or sensitive personal data is not captured. The system mainly works with travel-related details such as the starting point, destination, user preferences, and the routes selected. It does not store or share any personally identifiable information beyond what is needed for generating route recommendations, maintaining a strong focus on user privacy.

The starting location is collected through input fields or by selecting a point on the map, while the destination is captured when users search for or choose a location. The system also considers user preferences, including route choices like the shortest or fastest path, as well as any specific travel constraints. In addition, it tracks how long users interact with the interface to better understand their level of engagement. All of this information is used together to improve the accuracy of route suggestions and to make the system more responsive to user needs.

B. Route Data Processing

Journey Map takes the raw travel details entered by users and turns them into useful information for planning better routes. It looks at important details like the starting point, destination, different route options, and any time-related conditions. The system also considers how efficient a route is by checking factors such as distance and estimated travel time. Along with this, it pays attention to how users interact with the application, including the routes they choose, how they compare options, and how they navigate through the interface. The system analyzes each travel session separately to understand both short-term choices and long-term user behavior. This helps Journey Map learn user preferences over time while still being flexible enough to handle new or changing travel needs. Because of this, it can offer more accurate and personalized route suggestions based on how each user plans their journeys.

C. Route Recommendation Engine

Journey Map analyzes the collected travel information to suggest the best possible routes using a combination of simple rules and deeper analysis. It first uses basic rule-based methods to quickly identify options like the shortest path or the fastest route between two locations. These methods help provide quick and easy-to-understand suggestions, making them suitable for real-time use.

For a more detailed evaluation, the system looks at multiple travel factors together instead of relying on just one. It compares different routes and classifies them as efficient, average, or less suitable based on overall performance.

By considering multiple aspects at once, Journey Map can provide more balanced and accurate recommendations. This flexible approach also allows the system to adapt to different user preferences and changing travel needs.

D. Context-Aware Journey Information Delivery

When Journey Map identifies the best possible route with a good level of confidence, it presents the information in a simple and useful way so users can quickly understand it. The system provides details such as the suggested route, estimated travel time, distance, and other alternative options. It also adjusts how and when this information is shown based on the user's input, ensuring that the most relevant details are highlighted at the right time. The recommendations are organized according to the user's travel preferences, so the most suitable route is given priority. By adapting its suggestions to the specific travel situation, Journey Map helps users plan their trips more efficiently while still allowing them to make their own decisions based on their needs and preferences.

E. Design Assumptions and Constraints

Journey Map is built on the idea that users' regular interactions with a travel planning website can reflect their actual travel needs over time. To protect user privacy and avoid being intrusive, the system does not collect personal content, health-related data, or any personally identifiable information. While this approach makes the system easier to use in real-world situations and improves scalability, it may slightly reduce its ability to clearly differentiate between very similar travel preferences. However, this limitation is acceptable since the main goal of Journey Map is to provide continuous travel analysis while maintaining strong privacy protection. All these components work together to make Journey Map a continuous, web-based travel planning system that can adapt to different user behaviors and interaction patterns. The next section focuses on how the system performs and how effective it is based on real-world usage scenarios.

IV. RESULTS AND DISCUSSION

Journey Map is built on the idea that users' regular interactions with a travel planning website can reflect their actual travel needs over time. To protect user privacy and avoid being intrusive, the system does not collect personal content, health-related data, or any personally identifiable information. While this approach makes the system easier to use in real-world situations and improves scalability, it may slightly reduce its ability to clearly differentiate between very similar travel preferences. However, this limitation is acceptable since the main goal of Journey Map is to provide continuous travel analysis while maintaining strong privacy protection. All these components work together to make Journey Map a continuous, web-based travel planning system that can adapt to different user behaviors and interaction patterns. The next section focuses on how the system performs and how effective it is based on real-world usage scenarios.

A. System Output and Application Interface

To show how Journey Map works in real-world situations, this section presents sample outputs collected during actual travel planning sessions. These examples highlight how users interact with the system, including the inputs they provide, the travel details identified by the system, and the route suggestions generated. It also demonstrates how the application delivers clear and useful journey information based on the user's inputs during the planning process.




Fig. 2: Journey Map User Input Interface




Fig. 3: Saved Trips Output

The results show that Journey Map can continuously process user travel inputs and provide optimized route suggestions without requiring users to manually search through multiple options. The dashboard and route notifications clearly reflect how the system adapts in real time based on the current travel context. This demonstrates that analyzing travel inputs through a web-based system can effectively support timely and accurate journey planning in real-world situations.

The feature extraction and recommendation process also proved to be flexible and reliable in adapting to individual user preferences. Instead of relying on fixed rules, Journey Map analyzes each user session dynamically, which helps reduce incorrect suggestions caused by differences in user behavior. This flexibility is especially important in real-world use, where travel habits can vary greatly from one person to another.

Another key strength of the system is its context-aware recommendation approach. Instead of overwhelming users with too much information, Journey Map presents route suggestions in a structured and selective way based on their inputs. Providing organized comparisons and clear journey details was found to be more helpful than simply showing a single route, as it improves both user understanding and decision-making.

From a practical point of view, the system is well-suited for real-world deployment on web platforms. Since it runs through a web interface, it remains easily accessible without the need for specialized hardware or complex software. The lightweight design ensures that the system operates smoothly without affecting normal device performance, making it suitable for long-term everyday use.

Overall, the findings suggest that analyzing travel inputs through a web-based system can provide valuable insights into user journey planning needs, especially when combined with adaptive recommendation techniques. While the current evaluation focuses on consistency and responsiveness, future improvements such as user testing and long-term analysis could further strengthen the system's effectiveness and real-world impact.

Compared to traditional travel systems that mainly provide basic route suggestions or rely on limited navigation data, Journey Map offers a more detailed and user-focused approach. It considers multiple factors such as route comparisons, user preferences, and travel patterns, allowing it to better understand and respond to complex travel needs rather than just single queries.

However, a few limitations were observed. For example, when users provide only minimal input, the system may not always have enough information to generate highly optimized routes. In addition, differences in how users express their preferences can sometimes require more time for the system to fully adapt. These challenges highlight the importance of personalization in improving continuous travel planning systems.

In conclusion, the results show that web-based travel interaction analysis can serve as a strong foundation for intelligent and scalable journey planning systems. By reducing the effort required from users and avoiding the need to switch between multiple platforms, Journey Map fits well with real-world usage. Its ability to run continuously while maintaining user trust makes it a practical solution for everyday travel planning.

V. CONCLUSION AND FUTURE WORK

This paper introduced Journey Map, a web-based system designed to make travel planning smarter and more efficient by analyzing user interactions and travel inputs. Instead of requiring users to manually search across multiple platforms, the system uses everyday actions such as location searches, destination selection, route comparisons, and itinerary planning to generate useful route suggestions. By focusing on how users naturally plan their trips, Journey Map overcomes the limitations of traditional travel tools that rely mainly on fixed or static navigation data.

The results show that combining multiple travel factors with an adaptive analysis approach leads to more reliable and practical route recommendations compared to systems that depend on a single factor. Since the system operates through a web platform, it remains easily accessible and suitable for continuous real-world use. Additionally, Journey Map simplifies the planning process by organizing and presenting information based on the user's travel context, reducing the effort required to make decisions.

Overall, the study highlights that analyzing travel inputs through a web-based system can provide an effective and scalable solution for intelligent journey planning. By presenting only the most relevant route options and avoiding unnecessary information, Journey Map improves user experience and supports everyday travel needs.

For future work, further evaluation through controlled user studies can help measure factors such as recommendation accuracy, user satisfaction, and long-term impact. Enhancements like incorporating lightweight machine learning models for personalized recommendations, studying travel behavior over time, and testing the system with a wider range of users can improve its performance. In addition, integrating real-time data such as traffic conditions, weather updates, and public transport schedules could make the system even more effective while still maintaining user privacy.

VI. LIMITATIONS AND ETHICAL CONSIDERATIONS

While Journey Map shows strong potential in using web-based travel inputs to generate smart route recommendations, there are a few limitations to consider. First, the system mainly depends on user-provided inputs and does not yet include real-time data sources like live traffic updates or public transport schedules. This keeps the system simple and scalable, but it can sometimes affect accuracy, especially when multiple route options are very similar during busy traffic conditions.

Another limitation is that the current evaluation is based on observation rather than large-scale user testing. Since travel preferences can vary from person to person, more detailed studies involving different types of users are needed to understand how well the system performs in the long run. Over time, user travel habits may also change due to lifestyle or environmental factors, so the system will need to adapt accordingly.

Ethical considerations play an important role in the design of Journey Map. The system is built to respect user privacy by only using travel-related inputs and avoiding the collection of personal content or sensitive data. Users must give consent before the system is activated, and they have the option to pause or stop it at any time. This approach helps ensure transparency and reduces the risk of unwanted data collection.

Another important aspect is maintaining a balance between helpful recommendations and user control. While Journey Map aims to make travel planning easier through smart suggestions, too many or irrelevant recommendations could overwhelm users. To address this, the system filters and organizes route options based on the user's input, showing only the most relevant information. However, future improvements could allow users to customize how recommendations are presented and filtered.

In conclusion, addressing these limitations and ethical concerns is essential for making the system more reliable and trustworthy. Future improvements such as adding explainable recommendations, increasing user customization, and conducting long-term studies will help enhance the overall performance and acceptance of Journey Map.

REFERENCES

- [1] Harari, Y.N.: *Homo Deus: A Brief History of Tomorrow*. Harper, New York (2017)
- [2] Montag, C., Lachmann, B., Herrlich, M., Zweg, K.: Addictive features of social media/messenger platforms and freemium games against the background of psychological and economic theories. *Int. J. Environ. Res. Public Health* 16, 2612 (2019)
- [3] Rooksby, J., Asadzadeh, P., Rost, M., Morrison, A., Chalmers, M.: Personal tracking as lived informatics. In: *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, pp. 1163–1172 (2014)



- [4] Sano, A., Picard, R.W.: Stress recognition using wearable sensors and mobile phones. In: Proceedings of the Humaine Association Conference on Affective Computing and Intelligent Interaction, pp. 671–676 (2013)
- [5] Zhang, Y., Li, H., Chen, X.: Multimodal travel interaction analysis for detecting route preferences and journey planning patterns. *Personal and Ubiquitous Computing* 29, 1–14 (2025)
- [6] Müller, T., Fernández, D., Rao, P.: Context-aware digital recommendations for travel planning using mobile behavioral analytics. *Mobile Networks and Applications* 30, 412–425 (2025)
- [7] Saeb, S., Zhang, M., Karr, C.J., et al.: Mobile platform interaction correlates of user preference patterns in daily-life travel behavior. *J. Med. Internet Res.* 17, e175 (2015)
- [8] Bentley, F., Tollmar, K., Stephenson, P., et al.: Travel mashups: Presenting statistical patterns between journey data and context in natural language to promote efficient route selection. *ACM Trans. Comput.-Hum. Interact.* 20, 30 (2013)



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)