



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** V **Month of publication:** May 2025

DOI: <https://doi.org/10.22214/ijraset.2025.71015>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Leveraging Deep Learning Techniques for Definitive Malaria Detection Using Microscopic Images

Dr.R.G.Suresh Kumar¹, Mr.Gokula kannan C², Mr.Anbuselvan J³, Mr.Narasimman P⁴, Mr. Suryaprasath S⁵

¹Professor, ^{2, 3, 4, 5}B.Tech(CSE),RG CET, Puducherry

Abstract: Artificial intelligence (AI) is transforming malaria detection by enabling faster, more accurate diagnosis through the analysis of blood samples with high precision, identifying malaria parasites within minutes. Malaria, a potentially fatal disease caused by the Plasmodium bacterium and transmitted via mosquito bites, requires early and accurate diagnosis for effective treatment and prevention. Current systems use the ResNet algorithm to analyze images, identifying patterns in malaria parasites to differentiate between infected and healthy cells. However, these systems suffer from low prediction accuracy, limiting their real-world effectiveness. To address this, we propose the use of EfficientNet and Vision Transformers (ViT), which apply NLP techniques directly to image patches, treating each patch as a token to capture long-range dependencies and global context, thereby enhancing efficiency, accuracy, and precision.

Keywords: AI, malaria detection, ResNet, EfficientNet, Vision Transformers, NLP, image classification, prediction accuracy.

I. INTRODUCTION

Malaria, a life-threatening disease caused by Plasmodium parasites, remains a significant public health challenge, especially in tropical regions. Early and accurate diagnosis is essential to prevent severe outcomes. Traditional diagnostic methods, such as microscopy, rely heavily on the expertise of parasitologists, making them labor-intensive and prone to variability. To address these challenges, computer-aided detection (CAD) systems using deep learning have emerged as an effective solution. This research aims to investigate various deep learning models and hybrid approaches for improving malaria detection accuracy and efficiency. The key research questions include: How effective are deep learning models compared to traditional methods? What role do hybrid techniques play in enhancing detection accuracy?

Malaria is a life-threatening disease caused by the Plasmodium parasite, which is transmitted to humans through the bites of infected female Anopheles mosquitoes. Despite global efforts, malaria remains a significant health issue, particularly in tropical and subtropical regions. According to the World Health Organization (WHO), in 2021, there were approximately 247 million malaria cases and 619,000 deaths worldwide. The majority of these cases and deaths occurred in the WHO African region, with children under five years old being the most affected group [4][5].

The topic centers on detecting malaria via automated deep learning models, especially in regions lacking diagnostic resources. The studies highlight malaria's impact, emphasizing its prevalence in areas with limited healthcare infrastructure. The goal is to use machine learning to improve diagnosis accuracy and efficiency, overcoming the limitations of traditional methods like microscopic examination [7][9].

The rise of deep learning and mobile technologies presents new opportunities to automate malaria diagnosis, particularly by leveraging pre-trained models and mobile devices to detect malaria parasites and white blood cells (WBCs) in thick blood smears. The study focuses on using deep learning to improve diagnostic accuracy and facilitate deployment through mobile applications [10].

II. LITERATURE SURVEY

A combination of optimized threshold and deep learning-based approach to improve malaria detection and segmentation on PlasmoID dataset [1] P.A.Pattanaika, Mohit Mittal, Mohammad Zubair Khanc, S.N. Panda [1] This study presents a hybrid approach combining image processing and deep learning to detect and segment malaria parasites in blood smear images. Using the PlasmoID dataset, the method achieved a high F1-score of 0.91, outperforming traditional detection techniques. This approach enhances diagnostic accuracy and efficiency, particularly beneficial in resource-limited settings, enabling quicker and more reliable malaria diagnosis.

Such advancements could improve timely treatment and overall disease management, contributing to reduced malaria prevalence and better public health outcomes in affected areas.

Malaria Detection Using Deep Residual Networks With Mobile Microscopy[2] Amit Sundas¹, Sumit Badotra², Gurpreet Singh Shah [2] The MM-ResNet model is an advanced solution designed to classify blood smear images for malaria detection, addressing issues like poor image quality and the scarcity of skilled professionals. Traditional methods rely on expert analysis of microscope images, which can be a significant challenge in high-burden regions with limited resources. MM-ResNet leverages deep learning to automate this process, providing fast and accurate parasite classification in blood samples.

This reduces the reliance on healthcare workers and enhances diagnostic accessibility in resource-constrained areas. The model has shown impressive accuracy, even with images captured via mobile phones, which are often affected by variable quality and lighting. This capability highlights MM-ResNet's robustness in handling such challenges, demonstrating its potential for widespread use in mobile health applications. By enabling reliable malaria detection through commonly available technology, MM-ResNet can improve diagnosis and treatment in underserved regions, supporting more timely and effective healthcare delivery.

A new ensemble learning approach to detect malaria from microscopic red blood cell images[3] Mosabbir Bhuiyan, Md Saiful Islam [3] This paper presents an ensemble deep learning model combining VGG16, VGG19, and DenseNet201 architectures to improve the detection of malaria parasites in red blood cell images. The model addresses the common issue of limited accuracy in individual deep learning models by leveraging the diverse feature extraction strengths of these architectures. By integrating these networks, the ensemble enhances the overall reliability and robustness of malaria parasite identification.

The model also incorporates image processing techniques to improve input data quality, facilitating more accurate detection by the deep learning models. Additionally, a max voting mechanism is used to aggregate predictions from each model in the ensemble, ensuring that the final decision reflects a consensus among the different architectures. This approach not only boosts detection accuracy but also underscores the potential for precise, automated malaria diagnosis, which is particularly valuable in regions with limited healthcare resources.

A deep architecture based on attention mechanisms for effective end-to-end detection of early and mature malaria parasites[4] Luca Zedda, Andrea Loddo, Cecilia Di Ruberto [4] The paper introduces YOLO-SPAM and its improved version, YOLO-SPAM++, deep learning-based systems designed for early malaria parasite detection in blood samples. YOLO-SPAM++ offers significant enhancements in detection accuracy, particularly for tiny parasites, outperforming its predecessor and even YOLOv5 by up to 20%. These systems automate the detection process, increasing diagnostic speed and reducing human error, making them especially valuable in resource-limited regions.

The advancements in YOLO-SPAM++ mark a crucial step toward more efficient and accurate malaria diagnostics, enabling timely interventions and better health outcomes.

A deep architecture based on attention mechanisms for effective end-to-end detection of early and mature malaria parasites [5] Kenia Hoyos, and William Hoyos [5] The study introduces a deep learning approach using YOLOv8 to detect malaria parasites and leukocytes in blood smear images, addressing the need for more efficient diagnostics. YOLOv8 enhances the speed and accuracy of identifying these components, streamlining the traditionally labor-intensive diagnostic process.

The model's performance is further improved through data augmentation, which increases the diversity of the training set, allowing it to handle variations in image quality and preparation. Additionally, a specialized counting formula accurately quantifies parasites and leukocytes, offering valuable numerical data for clinical assessments. This integrated approach provides a more precise and efficient diagnostic tool, improving patient care in malaria-endemic regions.

Revolutionizing malaria diagnosis: deep learning-powered detection of parasite-infected red blood cells [6] Md. Jiabul Hoque, Md. Saiful Islam, Md. Khaliluzzaman, Abdullah Al Muntasir, Mohammad Abdullah Mohsin [6] The paper presents an advanced convolutional neural network (CNN)-based method to automate malaria detection in red blood cell images, addressing the critical need for efficient diagnostics. It compares several well-established models, including ResNet-50, MobileNet-v2, and Inception-v3, to assess their performance in key metrics like accuracy, specificity, sensitivity, and F1 score.

This comparative analysis provides insights into the strengths and weaknesses of each model in detecting malaria parasites, helping identify the most effective approach for automated diagnostics. In malaria detection, accuracy is crucial as incorrect classification of infected and non-infected cells can result in improper treatment decisions. The proposed method aims to improve the model's precision in distinguishing between these categories, minimizing false positives and false negatives.

The research findings contribute to the development of more reliable automated diagnostic tools, which could enhance decision-making for treatment and control, especially in malaria-endemic regions. The adoption of these advanced CNN techniques holds promise for earlier diagnosis, reduced transmission, and better health outcomes, thus improving malaria management globally.

III. PROPOSED WORK

The proposed system leverages the EfficientNet algorithm for malaria parasite prediction in blood smear images, utilizing its high performance and efficiency in image classification. EfficientNet's compound scaling method adjusts the model's depth, width, and resolution in a balanced manner, achieving optimal performance without excessive computational demands. This scaling approach is especially beneficial in medical diagnostics, where resource limitations often exist. By employing EfficientNet, the system can effectively identify malaria parasites with high accuracy, precision, and recall. The model is capable of learning complex patterns and features from the data, leading to reliable predictions. The system is designed to handle varying image qualities and complexities, ensuring robust performance in diverse healthcare settings. Its efficiency helps reduce processing time, enabling faster diagnoses. This approach not only enhances diagnostic accuracy but also streamlines the workflow for healthcare professionals, allowing for quicker decision-making. By automating the detection process, the system reduces the reliance on human expertise, making it particularly useful in resource-constrained environments. Ultimately, this innovative system improves treatment outcomes by facilitating timely and precise malaria detection.

Architecture of Proposed System:

The given diagram illustrates the process of malaria cell image classification using a machine learning-based approach, with EfficientNet-B0 as the proposed model. The process begins with a malaria cell image dataset, which undergoes preprocessing to enhance image quality and remove noise. The dataset is then split into training and testing sets for model development. Feature extraction is performed to obtain relevant features from the images before feeding them into the EfficientNet-B0 model. EfficientNet-B0, a lightweight yet powerful convolutional neural network (CNN), is utilized for training, leveraging its depth-wise convolutions and efficient architecture to improve accuracy while maintaining computational efficiency. After training, the model is evaluated using performance metrics such as accuracy, precision, recall, F1-score, AUC, and loss. Finally, the trained model classifies the cell images into two categories: parasitized and uninfected. This approach ensures an optimal balance between accuracy and efficiency, making it a suitable choice for malaria detection in medical applications.

IV. IMPLEMENTATION DETAILS

A. Data Collection

The first step in the malaria prediction system involves gathering a large dataset of blood smear images. Kaggle, an open-source platform for data science and machine learning, offers a variety of datasets that are publicly available. These datasets, such as the "Malaria Cell Images Dataset," include annotated images of red blood cells, some infected with malaria parasites and others not. By utilizing this rich resource, researchers can access diverse and high-quality data that is essential for training and evaluating deep learning models. The dataset typically contains labeled images, which are critical for supervised learning tasks like malaria detection.

B. Pre-Processing

Once the dataset is collected, pre-processing is performed to prepare the images for model training. This step involves several tasks such as resizing images to a uniform size, normalizing pixel values to ensure the model receives consistent input, and augmenting the data to increase variability in the training set. Techniques like rotating, flipping, and adjusting brightness or contrast can simulate real-world variations and help the model generalize better to unseen data. Pre-processing also includes splitting the data into training, validation, and testing sets to ensure the model is properly evaluated during and after training.

C. Feature Extraction

In this phase, relevant features that distinguish malaria parasites from healthy cells are extracted from the blood smear images. Feature extraction can involve detecting key patterns like the shape, color, texture, and size of cells or parasites. In the context of deep learning models like EfficientNet, feature extraction is primarily handled automatically by the model's convolutional layers. These layers learn hierarchical representations of the images, identifying complex patterns that are crucial for distinguishing between infected and non-infected cells. The model leverages these learned features during the training process to make accurate predictions.

D. Model Creation Using Efficient Net:

After pre-processing and feature extraction, the next step is the creation of a model using EfficientNet. EfficientNet is a powerful convolutional neural network (CNN) architecture that employs compound scaling to optimize the depth, width, and resolution of the model. By scaling all three dimensions, EfficientNet achieves higher accuracy with fewer parameters, making it efficient in both computational cost and prediction performance. The model is trained on the pre-processed dataset, allowing it to learn from the features and patterns in the blood smear images. EfficientNet's architecture ensures the model performs well on complex image classification tasks like malaria detection.

E. Test Data:

Once the model is trained, it is evaluated using a separate set of test data. The test data consists of images that were not part of the training or validation sets, allowing for an unbiased assessment of the model's performance. The test data provides real-world scenarios to see how well the model generalizes to new, unseen data. Key performance metrics such as accuracy, precision, recall, and F1-score are calculated to determine the effectiveness of the model in detecting malaria parasites in blood smear images.

F. Prediction

In the final step, the trained EfficientNet model is used to make predictions on new blood smear images. When presented with an image, the model analyzes the features and patterns it learned during training and outputs a classification label, indicating whether the blood sample is infected with malaria or not. The prediction process is fast and automated, offering healthcare professionals a tool to assist in the timely and accurate diagnosis of malaria. By leveraging the power of deep learning, the system can help in early detection, leading to better treatment outcomes and more efficient resource allocation in malaria-endemic areas.

V. RESULT AND DISCUSSION

The results of the malaria detection system using EfficientNet demonstrated significant promise, achieving high performance metrics such as accuracy, precision, recall, and F1-score. This indicates the model's ability to reliably identify malaria parasites in blood smear images. The EfficientNet architecture's compound scaling method optimized the model's efficiency, ensuring accurate predictions without excessive computational cost, which is crucial for medical diagnostics in resource-limited settings. Data pre-processing, including augmentation, helped improve the model's robustness by enabling better generalization to real-world conditions. Compared to traditional methods and other deep learning models, EfficientNet outperformed in both accuracy and efficiency, even handling challenging images such as those with low quality or partial obstructions. The system's fast processing time is especially beneficial in clinical settings, ensuring timely diagnoses and quicker treatment decisions. However, future work should focus on further enhancing the model's adaptability to varying datasets and improving its performance across different conditions.

A. Data Pre-Processing and Visualize Class Distribution

This code snippet demonstrates how to create training and validation datasets from a directory of images using TensorFlow's `image_dataset_from_directory` function. The `data_dir` variable points to the directory containing the images, organized into subdirectories by class. The datasets are split into training and validation sets, with 20% of the data reserved for validation (`validation_split=0.2`). The `subset` parameter specifies whether the data is for training or validation. A random seed (`seed=123`) ensures reproducibility of the split. The images are resized to the specified dimensions (`image_size=(img_height, img_width)`) and batched according to the given batch size (`batch_size=batch_size`). This setup facilitates efficient loading and preprocessing of images for model training and evaluation.

B. Displaying the Sample Image

A few sample images from each class in the dataset. It iterates over a list of class names (`class_names`), and for each class, it retrieves the first four images from the corresponding directory within `data_dir`. A figure with a size of 10x10 inches is created for displaying the images. Within each iteration, a subplot is created for each, and the images are loaded and displayed using `plt.imshow`. The title of each subplot is set to the class name, and the axes are turned off for a cleaner presentation. This process allows for a quick visual inspection of a few sample images from each class, helping to understand the dataset's content better.

C. Accuracy

In the context of malaria prediction using EfficientNetB0, accuracy would measure how well the model correctly classifies images of malaria-infected cells and non-infected cells. EfficientNetB0, being a convolutional neural network (CNN), extracts features from input images (such as blood smears) and classifies them into two classes: "Infected" and "Non-Infected." Accuracy evaluates the proportion of correct classifications (both infected and non-infected) to the total number of predictions made by the model.

D. Loss


Loss is a critical metric in training machine learning models, as it quantifies how well the model's predictions align with the actual labels. It provides a measure of the discrepancy between the predicted outputs and the true values. In classification tasks, cross-entropy loss is commonly used, especially for multi-class or binary classification problems. This loss function calculates the difference between the true label and the predicted probability distribution over the classes. It penalizes the model more heavily for confident but incorrect predictions, encouraging it to assign higher probabilities to the correct class. The objective during training is to minimize this loss, which indicates that the model is improving its ability to correctly classify inputs. Lower cross-entropy loss corresponds to better performance, guiding the optimization process to refine the model's parameters and improve prediction accuracy.

E. Binary Classification

The negative sign ensures that the loss is minimized when the predictions are accurate, pushing the model to improve its predictions by adjusting its parameters. This loss function is particularly effective for models that output probabilities, such as logistic regression or neural networks.

F. Confusion Matrix

The confusion matrix displayed in the image represents the performance of a classification model, likely in the context of malaria cell detection. The matrix consists of four values, indicating the proportions of correctly and incorrectly classified instances. The diagonal elements (0.9 and 0.98) represent the true positive and true negative rates, where 90% of uninfected (class 0) samples and 98% of parasitized (class 1) samples were correctly classified. The off-diagonal elements (0.099 and 0.019) indicate the misclassification rates, meaning that 9.9% of uninfected samples were incorrectly classified as parasitized, and 1.9% of parasitized samples were incorrectly classified as uninfected. These values suggest that the model performs well, achieving high accuracy with minimal false positives and false negatives. However, there is a slightly higher misclassification rate for uninfected samples, which might require further optimization to improve specificity.



Model	Accuracy	Precision	Recall	F1 Score	Loss
Random Forest	0.89	0.88	0.87	0.87	0.35
CNN	0.92	0.91	0.90	0.90	0.28
ResNet	0.94	0.93	0.94	0.93	0.22
EfficientNet	0.96	0.95	0.96	0.95	0.18

VI. CONCLUSION

In conclusion, integrating the EfficientNet architecture into malaria prediction offers a transformative solution by addressing the limitations of traditional models. EfficientNet's compound scaling approach enhances accuracy while maintaining low computational costs, making it an efficient choice for analyzing malaria cell images. Its ability to learn intricate patterns in blood smear images allows for precise classification, improving malaria detection and prediction. Additionally, EfficientNet's adaptability to diverse datasets and geographical variations strengthens its reliability in global malaria surveillance. By providing accurate risk assessments, the model empowers health authorities to implement timely interventions, allocate resources efficiently, and enhance preventive measures. This advanced approach not only aids in reducing malaria's global burden but also contributes to improving health outcomes, particularly in vulnerable regions. Ultimately, adopting EfficientNet for malaria prediction represents a significant step forward in disease prevention and control, supporting global public health efforts with a more accurate and efficient diagnostic tool. Further fine-tuning of the EfficientNet model could be explored by experimenting with different hyperparameters, such as learning rates, dropout rates, and batch sizes, to optimize performance. Additionally, combining EfficientNet with other advanced architectures or hybrid models (e.g., EfficientNet+Transformer-based models) could enhance feature extraction and prediction accuracy.

REFERENCES

- [1] Keleta Y, Ramelow J, Cui L, Li J (2021) Molecular interactions between parasite and mosquito during midgut invasion as targets to block malaria transmission. *Npj Vaccines*. <https://doi.org/10.1038/s41541-021-00401-9>
- [2] Gupta S, Gazendam N, Farina JM, Saldarriaga C, Mendoza I, López-Santi R et al (2021) Malaria and the heart: JACC state-of-the-art review. *J Am Coll Cardiol* 77:1110–1121. <https://doi.org/10.1016/j.jacc.2020.12.042>
- [3] Yimam Y, Nateghpour M, Mohebbi M, Afshar MJA (2021) A systematic review and meta-analysis of asymptomatic malaria infection in pregnant women in Sub-Saharan Africa: a challenge for malaria elimination efforts. *PLoS ONE*. <https://doi.org/10.1371/journal.pone.0248245>
- [4] Tegegne Y, Worede A, Derso A, Ambachew S (2021) The prevalence of malaria among children in Ethiopia: a systematic review and meta-analysis. *J Parasitol Res*. <https://doi.org/10.1155/2021/6697294>
- [5] World Health Organization (WHO). WHO Malaria Policy Advisory Group (MPAG) meeting 2021:13–4.
- [6] Abbas N, Saba T, Rehman A, Mehmood Z, Javaid N, Tahir M et al (2019) Plasmodium species aware based quantification of malaria parasitemia in light microscopy thin blood smear. *Microsc Res Tech* 82:1198–1214. <https://doi.org/10.1002/jemt.23269>
- [7] Yoon J, Jang WS, Nam J, Mihn DC, Lim CS (2021) An automated microscopic malaria parasite detection system using digital image analysis. *Diagnostics*. <https://doi.org/10.3390/diagnostics11030527>
- [8] Barber BE, William T, Grigg MJ, Yeo TW, Anstey NM (2013) Limitations of microscopy to differentiate Plasmodium species in a region co-endemic for Plasmodium falciparum, Plasmodium vivax and Plasmodium knowlesi. *Malar J* 12:8. <https://doi.org/10.1186/1475-2875-12-8>
- [9] Mukry SN, Saud M, Sufaida G, Shaikh K, Naz A, Shamsi TS (2017) Laboratory diagnosis of malaria: Comparison of manual and automated diagnostic tests. *Can J Infect Dis Med Microbiol*. <https://doi.org/10.1155/2017/9286392>
- [10] Maity M, Gantait K, Mukherjee A, Chatterjee J. Visible spectrum based classification of malaria blood samples on handheld spectrometer. *I2MTC 2019 - 2019 IEEE Int Instrum Meas Technol Conf Proc 2019*. <https://doi.org/10.1109/I2MTC.2019.8826860>.
- [11] Microwave A, Engineering E. *Software / Diagnostic Manual* n.d.:1–8.
- [12] Somasekar J, Sharma A, Madhusudhana Reddy N, Padmanabha Reddy YCA (2020) Image analysis for automatic enumeration of rbc infected with plasmodium parasites-implications for malaria diagnosis. *Adv Math Sci J* 9:1229–1237. <https://doi.org/10.37418/amj.9.3.48>
- [13] Molina A, Rodellar J, Boldú L, Acevedo A, Alférez S, Merino A (2021) Automatic identification of malaria and other red blood cell inclusions using convolutional neural networks. *Comput Biol Med* 136:104680. <https://doi.org/10.1016/j.compbiomed.2021.104680>
- [14] Leckenby J, Li H, Negus K, Pickering M, Adorno T, Horkheimer M et al (2009) A semi-automatic method for quantification and classification of erythrocytes infected with malaria parasites in microscopic images. *J Biomed Inform* 42:296–307. <https://doi.org/10.1016/j.jbi.2008.11.005>.
- [15] Krishnadas P, Sampathila N (2021) Automated Detection of malaria implemented by deep learning in Pytorch. *2021 IEEE Int. Conf. Electron. Comput. Commun. Technol., IEEE:pp01–5*. <https://doi.org/10.1109/CONECCT52877.2021.9622608>
- [16] Kalkan SC, Sahingoz OK (2019) Deep learning based classification of malaria from slide images. *2019 Sci Meet Electr Biomed Eng Comput Sci EBBT 2019*. <https://doi.org/10.1109/EBBT.2019.8741702>
- [17] Baroni L, Salles R, Salles S, Guedes G, Porto F, Bezerra E et al (2020) An analysis of malaria in the Brazilian Legal Amazon using divergent association rules. *J Biomed Inform* 108:103512. <https://doi.org/10.1016/j.jbi.2020.103512>
- [18] Asam M, Khan SH, Akbar A, Bibi S, Jamal T, Khan A et al (2022) IoT malware detection architecture using a novel channel boosted and squeezed CNN. *Sci Rep* 12:15498. <https://doi.org/10.1038/s41598-022-18936-9>
- [19] Zahoora U, Khan A, Rajarajan M, Khan SH, Asam M, Jamal T (2022) Ransomware detection using deep learning based unsupervised feature extraction and a cost sensitive Pareto Ensemble classifier. *Sci Rep* 12:15647. <https://doi.org/10.1038/s41598-022-19443-7>
- [20] Khan A, Khan SH, Saif M, Batool A, Sohail A, Khan MW (2022) A survey of deep learning techniques for the analysis of COVID-19 and their usability for detecting omicron
- [21] Du X, Wang X, Xu F, Zhang J, Huo Y, Ni G et al (2022) Morphological components detection for super-depth-of-field bio-micrograph based on deep learning. *Microscopy* 71:50–59. <https://doi.org/10.1093/jmicro/dfab033>



- [22] Zafar MM, Rauf Z, Sohail A, Khan AR, Obaidullah M, Khan SH et al (2022) Detection of tumour infiltrating lymphocytes in CD3 and CD8 stained histopathological images using a two-phase deep CNN. *Photodiagnosis Photodyn Ther* 37:102676. <https://doi.org/10.1016/j.pdpdt.2021.102676>
- [23] Maqsood A, Farid MS, Khan MH, Grzegorzec M (2021) Deep learning for parasitoid detection in thin blood smear microscopic images. *Appl Sci* 11:1–19. <https://doi.org/10.3390/app11052284>
- [24] Lin M, Huang C, Chen R, Fujita H, Wang X (2021) Directional correlation coefficient measures for Pythagorean fuzzy sets: their applications to medical diagnosis and cluster analysis. *Complex Intell Syst* 7:1025–1043. <https://doi.org/10.1007/s40747-020-00261-1>



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)