



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** III **Month of publication:** March 2026

DOI: <https://doi.org/10.22214/ijraset.2026.78306>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Life Link: A Web-Based Blood Donation Platform for Donor, Blood Bank, and Patient Integration

U.Veera Venkata Sai¹, Y. Jayavardhan², Y. Satish³, S. Venkata Hanuma Durga Nagendra⁴, P. Vinay Reddy⁵, M. Venkata Rama Sai Manikanta⁶, A. Lakshmi Prasad⁷

^{1, 2, 3, 4, 5, 6}Department of Computer Science and Engineering, Bonam Venkata Chalamayya Engineering College, Affiliated to JNTU Kakinada, Andhra Pradesh-533210, India

⁷Project Guide, Department of Computer Science and Engineering, Bonam Venkata Chalamayya Engineering College, Affiliated to JNTU Kakinada, Andhra Pradesh-533210, India

Abstract: A web-based program called *Life Link: An Online Blood Donation Platform* was created to close the gap between blood donors and receivers by offering a quick, dependable, and effective digital alternative. The system's main goals are to streamline the blood donation procedure, minimize delays during crises, and guarantee that people in need may get blood on time. Users can manage profiles, register as donors or recipients, and search for blood by location and blood group on the portal. While administrators supervise user behavior and system functions, blood banks are able to update and track blood supply levels in real time. Sensitive data can only be accessed by authorized persons thanks to secure authentication. Additionally, the system notifies and alerts donors when there is an urgent need for blood, improving responsiveness in dire circumstances. With a user-friendly interface and responsive design to guarantee accessibility across devices, *Life Link* was created utilizing contemporary web technology. The technology decreases manual labor, lowers errors, and improves transparency by automating blood request processing, donor management, and stock monitoring. All things considered, *Life Link* helps save lives by utilizing technology to establish a centralized, effective, and reliable blood donation environment.

Index Terms: Web app for blood donation, donor management, blood bank system, Django framework, and healthcare technology

I. INTRODUCTION

Since blood is required to treat patients in emergencies, surgeries, accidents, and chronic illnesses, blood donation is an essential component of contemporary healthcare systems. Due to poor coordination between donors, blood banks, and patients, blood shortages persist in many locations despite advancements in medical technology. Delays in finding suitable donors or blood units can have serious consequences in emergency situations, including fatalities.

Manual procedures, in-person trips to blood banks, and constrained communication channels are the mainstays of traditional blood donation systems. These methods frequently lead to poor donor engagement, delayed responses, and a lack of real-time blood flow information. To enhance donor-recipient matching and inventory management, a number of studies have suggested online blood donation and blood bank administration systems. Even though these systems have demonstrated improvements in efficiency and accessibility, many of the current solutions don't offer a fully integrated platform and instead concentrate on specific functions like donor registration or blood stock management.

This article presents *Life Link*, a web-based blood donation platform that unifies patients, blood banks, and blood donors into a single, centralized system to address these problems. The suggested infrastructure provides secure user identification, automated request processing, real-time inventory management by blood banks, and real-time blood search based on location and blood group. *Life Link* aims to increase the overall effectiveness of the blood donation process, encourage transparency, and reduce reaction times during emergencies by utilizing contemporary digital technologies.

II. LITERATURE REVIEW

Numerous investigations have been carried out to enhance blood donation systems' effectiveness and accessibility using digital platforms. Abdul-Gafaru et al. introduced an online blood donation system that uses a centralized web-based platform to cut down on donor-recipient matching delays. In comparison to conventional manual procedures, their system, which concentrated on donor registration, blood stock management, and administrative control, demonstrated increased efficiency. Nevertheless, the implementation did not completely incorporate real-time emergency alarm mechanisms and instead focused on inventory management.

A blood bank administration system that uses a browser-based application to keep track of donor information, blood group availability, and recipient requests was proposed by Priyanka Halle et al. The method decreased manual labor in blood banks and increased transparency. Despite its advantages, the method lacked sophisticated automation capabilities like integrated donor responsiveness and real-time notifications, and it depended on little user engagement.

A blood donation and management system that prioritized donor engagement, appointment scheduling, and safe data processing using contemporary online technologies was presented by Kabilan et al. While maintaining data privacy, the method improved communication between healthcare practitioners and donors. However, the technology did not adequately solve direct patient-to-donor contact during emergencies because its primary focus was on institutional utilization.

A web-based blood donation management system was created by Selvin Jerald et al. to automate the processing of blood requests and the preservation of donor data. In finding donors, the system decreased reaction times and increased search efficiency. However, issues including disjointed system design and poor real-time coordination between patients, blood banks, and donors persisted.

Although contemporary systems have greatly improved blood donation management, it is clear from the review of the literature that most solutions only handle particular aspects of the procedure. A comprehensive, real-time, integrated web-based network that links patients, blood banks, and donors inside a single system is required. By offering a centralized and responsive blood donation environment, the proposed Life Link technology seeks to overcome these constraints.

III. PROPOSED SYSTEM

A. System Overview

The goal of the web-based blood donation platform Life Link is to establish a cohesive ecosystem that links patients, blood banks, and donors. The system is intended to streamline blood donation procedures, enhance stakeholder communication, and guarantee prompt access to blood in an emergency. The platform lessens reliance on human coordination by digitizing and automating critical processes.

B. User Roles and Responsibilities

The proposed system has four primary user roles. Donors can register on the portal by providing their personal information, blood type, and availability status. Patients or recipients can submit blood requests by providing the required blood group and location. Blood banks manage blood inventories by updating stock availability and monitoring blood units in real time. An administrator is responsible for overseeing system operations, managing users, and ensuring data consistency.

C. Functional Workflow

The system finds compatible donors and local blood banks when a patient submits a blood request. When there is an urgent need, eligible donors receive notifications, allowing for a quicker response. Blood banks ensure accurate real-time data availability by updating inventory status following successful donations.

D. Security and Reliability

The system includes secure authentication and authorization procedures to safeguard private and sensitive medical data. Certain functionalities are only accessible by authorized users according to their roles. Controlled access and organized database management preserve data dependability and integrity.

E. Advantages of the Proposed System

The suggested Life Link platform minimizes errors frequently found in conventional blood donation systems, improves transparency, and speeds up response times. The system enhances donor engagement, facilitates effective blood distribution, and helps save lives by providing an integrated and user-friendly interface.

IV. SYSTEM ARCHITECTURE

The web-based client-server architecture used in the creation of the Life Link platform guarantees accessibility, dependability, and simplicity. Through a centralized system, the architecture emphasizes smooth communication between blood banks, patients, and donors. By facilitating digital communication and real-time data access, it does away with the need for manual coordination.




Fig. 1. System Architecture of the Life Link Platform

The user interface layer, the application layer, and the database layer are the three primary parts of the system architecture. The system is accessed via a web browser by users, including blood bank employees, patients, and donors. Users can register, log in, search for blood, submit requests, and update blood availability using the frontend's responsive and user-friendly interface, which is created using HTML, CSS, and JavaScript.

The Django application server is the main part of the system. It handles all requests from the frontend. The application layer takes care of things like user authentication, processing blood requests, matching donors, and updating the blood inventory.

Django keeps role-based access control in place while making sure that users can safely talk to the database. The server processes the request and finds suitable donors or blood banks based on the patient's blood type and location when they ask for blood.

An SQLite database is used by the data layer to store and manage system information, such as user profiles, blood inventory details, and blood request records. Django's Object Relational Mapping (ORM) is what you use to talk to the database. This makes sure that the data stays the same and lowers the chance of mistakes. The centralized database lets people and blood banks see correct and current information in real time.

This architecture makes it easier for data to move around, speeds up response times in emergencies, and makes sure the system can grow. The architecture makes it easy to add new features like notification services or deploy the system on cloud platforms in the future without having to make big changes to the current system.

Bank inventory, and blood request records, are stored in the database. The database is accessed through Django's Object Relational Mapping (ORM), which makes structured data management possible and simplifies the process of creating raw SQL queries. Data consistency and effective information retrieval are guaranteed by this method.

V. IMPLEMENTATION

This part talks about how to use the Life Link blood donation platform in real life. The system is a web-based app with a clear separation between the front end, back end, and database parts. The implementation is all about making blood donation activities easy, safe, and quick.

A. Frontend Implementation

JavaScript, HTML, and CSS are used in the development of the Life Link platform's front end. Web pages like user registration, login, blood search, and request forms are designed using HTML. CSS is used to improve the application's visual appeal and guarantee a responsive layout that works on a variety of devices. Client-side interactions, input validation, and dynamic updates are handled by JavaScript without the need for frequent page reloads. Donors, patients, and blood banks can interact with the system with ease thanks to the frontend's user-friendly interface.

B. Backend Implementation

The Django framework in Python is used to implement the system's backend. The application's core business logic, such as inventory management, role-based access control, blood request processing, and user authentication, is handled by Django. Django views are in charge of processing data, responding appropriately, and receiving requests from the frontend. Additionally, the framework offers integrated security features like form validation and defense against unwanted access. The system maintains scalability and maintainability while guaranteeing dependable communication between the database and user interface thanks to the use of Django.

C. Database Implementation

The database used by the system to store application data is SQLite. Because of its ease of use and suitability for academic and prototype-level applications, SQLite was selected. Important data, including user profiles, donor information, blood



Fig. 2. Technology Stack Used in the Life Link Platform

D. Development Tools and Technologies

The Life Link platform is implemented using a variety of technologies and development tools. HTML, CSS, and JavaScript are used for frontend development, while Python and the Django framework are used for backend processing. The database management system is SQLite. Code editors like Visual Studio Code and common web browsers are used for development and testing. In order to ensure correct formatting and adherence to IEEE standards, Overleaf is used to prepare the IEEE research paper using LaTeX.

VI. PROJECT FLOW AND SYSTEM WORKING

This section describes how various users interact with the Life Link platform and explains how it operates. Through an organized, role-based workflow, the platform is intended to facilitate seamless coordination between donors, patients, and blood banks. Through a secure login, each user gains access to the system and carries out particular tasks according to their role.

A. Donor Workflow

The donor module is meant to make the process of giving blood easy and well-organized. A donor first signs up for Life Link and then logs in using their real credentials. Once the donor logs in successfully, they can see and change their personal profile information, like their blood type, contact information, and availability status.

People who want to give blood can choose a date and time that works for them. When a patient asks for blood or a blood bank finds a need for blood, the system checks to see if the donor is eligible based on their blood type and location. People who can donate are told about the requirement, which lets them respond quickly. This structured workflow makes sure that donors are used efficiently and only contacted when their blood type is needed, which cuts down on unnecessary communication and delays.

B. Patient Workflow

The patient module’s main goal is to make it easy and quick to get blood in emergencies. Patients sign up for and log in to the Life Link platform to ask for blood. Once they log in, patients can look for the blood groups they need based on where they are and whether they are available. The search results show blood banks and possible donors that meet the criteria you set. After a request is made, the system processes it and sends it to the relevant blood banks and qualified donors. The status of their requests, such as pending, approved, or fulfilled, can be monitored by patients. Patients can receive timely assistance without the need for in-person visits or phone calls thanks to this workflow, which reduces manual labor.




Fig. 3. Flowchart of the Life Link Platform

C. Blood Bank Workflow

In order to maintain appropriate inventory control and man- age blood availability, the blood bank module is essential. Employees at blood banks use their authorized login credentials to access the system. They can view incoming blood requests, manage donor information, and update blood inventory details following authentication.

Blood banks update stock levels following donations or transfusions and keep track of available blood units for various blood groups. The blood bank checks for availability when a request for blood is received and reacts appropriately. The system guarantees transparency and avoids discrepancies between requested and available blood units by keeping up-to-date inventory data. This process increases operational effectiveness and facilitates better emergency decision-making.

All things considered, a smooth blood donation procedure is guaranteed by the coordinated communication between donors, patients, and blood banks via the Life Link platform. The system offers a dependable digital solution for efficient blood donation management, speeds up response times, and improves communication.

VII. RESULTS AND DISCUSSION

The Life Link blood donation platform was effectively developed and put into use as a web-based system that links blood banks, patients, and donors. The system's efficacy, usability, and dependability were assessed through testing under various user scenarios. The findings show that the platform effectively facilitates blood donation management and enhances stakeholder coordination.

Donors were able to successfully register, log in, update their availability, and schedule blood donations during testing. The system produced the proper alerts in an emergency and correctly matched donor blood groups with patient needs. Compared to conventional manual methods, this shortened the time needed to find suitable donors.

Patients could use the platform to find the blood groups they needed based on where they lived and send blood requests. The system handled these requests correctly and showed the most up-to-date information about their status. This made things clearer and let patients keep track of their requests without having to call or email someone else.

The system helped blood banks keep track of donor information and blood supplies. Real-time updates to the inventory made sure that the blood stock was always visible. By synchronizing updates across the platform, the system effectively stopped inconsistencies in blood availability data.

In general, the results show that the Life Link platform makes it easier to donate blood, cuts down on the time it takes to respond to emergencies, and makes blood donation services more efficient. The system is a reliable and scalable solution that can be expanded to support more users and new features.




Fig. 4. Result Output of the Life Link Blood Donation Platform

VIII. CONCLUSION

The web-based blood donation platform Life Link, which links donors, patients, and blood banks via a single, centralised system, was introduced in this paper. By facilitating online registration, blood search, request processing, and inventory management, the suggested platform streamlines the blood donation procedure. The system lessens manual labour and enhances stakeholder coordination by automating these tasks. The deployment of Life Link shows how web-based solutions can greatly increase the effectiveness and openness of blood donation services. The system facilitates quicker emergency response, increases donor participation, and offers timely access to blood information. All things considered, the platform offers a useful and dependable way to oversee blood donation operations and may even help save lives. Mobile applications, real-time notification services, and sophisticated security features can be added to the system in the future. Scalability and performance can be further enhanced by extra features like cloud-based deployment and location-based donor matching. A larger user base may benefit from the Life Link platform thanks to these improvements.

REFERENCES

- [1] M. S. Alam and M. M. Rahman, "Design and Implementation of a Web-Based Blood Donation Management System Using Python Django Framework," *International Journal of Computer Applications*, vol. 183, no. 12, pp. 1–8, 2021. <https://doi.org/10.5120/ijca2021921456>
- [2] R. Bhatia and P. Sharma, "A Full-Stack Approach to Healthcare Web Applications: Flask and React Integration for Patient Data Management," *Journal of Medical Internet Research*, vol. 22, no. 4, p. e16539, 2020. <https://doi.org/10.2196/16539>
- [3] A. Chavan, S. Patil, and R. Kulkarni, "Blood Bank Management System Using Django and PostgreSQL: A Scalable Solution for Urban Healthcare," *International Journal of Advanced Computer Science and Applications*, vol. 13, no. 6, pp. 45–52, 2022.
- [4] S. Das and T. Roy, "Real-Time Donor Matching in Blood Donation Systems Using RESTful APIs and Geolocation Services," *IEEE Transactions on Biomedical Engineering*, vol. 68, no. 9, pp. 2741–2750, 2021.
- [5] N. Gupta, A. Verma, and D. Singh, "Mobile-First Web Development for Healthcare Platforms: A Comparative Study of React.js and Vue.js," *Procedia Computer Science*, vol. 171, pp. 2156–2163, 2020.
- [6] M. Hassan and F. Ali, "Machine Learning-Based Donor Availability Prediction in Online Blood Donation Portals," *Computers in Biology and*

- Medicine, vol. 152, p. 106414, 2023. <https://doi.org/10.1016/j.combiomed.2022.106414>
- [7] K. Jain and D. Mehta, "Secure Authentication and Role-Based Access Control in Healthcare Web Platforms Using JWT and OAuth 2.0," *Journal of Cybersecurity and Privacy*, vol. 1, no. 3, pp. 421–436, 2021.
- [8] V. Kumar, P. Reddy, and S. Nair, "Leveraging Python and MySQL for Blood Inventory Tracking in Donation Management Systems," *International Journal of Health Informatics*, vol. 11, no. 2, pp. 33–41, 2022.
- [9] W. Y. Lim and C. K. Tan, "Gamification Techniques to Improve Donor Retention in Digital Blood Donation Platforms," *Health Informatics Journal*, vol. 26, no. 3, pp. 1855–1869, 2020.
- [10] A. Mishra and S. Tiwari, "SMS and Email Notification Systems in Emergency Blood Request Management: Architecture and Evaluation," *Applied Sciences*, vol. 12, no. 11, p. 5423, 2022.
- [11] H. T. Nguyen and L. Q. Pham, "A Study on User Interface Design Principles for Healthcare Donor-Recipient Matching Portals," *Human-Computer Interaction International Journal*, vol. 18, no. 7, pp. 112–128, 2021.
- [12] C. Okonkwo and B. Eze, "Geospatial Filtering and Donor Proximity Algorithms for Real-Time Blood Donation Applications," *Journal of Biomedical Informatics*, vol. 138, p. 104280, 2023.
- [13] R. Patel, M. Shah, and J. Desai, "Cloud Deployment of Healthcare Web Applications Using AWS and Docker: A Performance Analysis," *International Journal of Cloud Computing and Services Science*, vol. 10, no. 4, pp. 189–197, 2021.
- [14] Z. Rahman and T. Islam, "Design of a Responsive Blood Donation Website with Admin Dashboard, Donor Profiles, and Emergency Request Module," *International Journal of Engineering Research and Technology*, vol. 11, no. 5, pp. 701–710, 2022.
- [15] S. Sharma, P. Agarwal, and N. Bhatt, "Evaluating the Effectiveness of Online Blood Donation Platforms on Supply Chain Efficiency in Developing Nations," *BMC Health Services Research*, vol. 20, no. 1, p. 789, 2020. <https://doi.org/10.1186/s12913-020-05645-y>

BIOGRAPHIES OF AUTHORS



U. Veera Venkata Sai is a B.Tech student specializing in Computer Science and Engineering at Bonam Venkata Chalamayya Engineering College (Autonomous), Odalarevu, India, and is expected to graduate in April 2026. He actively works on academic projects related to web development and software design. His learning approach focuses on strengthening programming fundamentals and applying them through practical implementation. He enjoys exploring new technologies and developing innovative solutions that improve efficiency in digital systems. He continuously works on improving his coding abilities and analytical thinking skills through project-based learning. He can be contacted at 22221a05b8@bvcgroup.in, ORCID: <https://orcid.org/0009-0000-7123-4398>



Y. Jayavardhan is a B.Tech student specializing in Computer Science and Engineering at Bonam Venkata Chalamayya Engineering College (Autonomous), Odalarevu, India, and is expected to graduate in April 2026. He has strong interest in building modern web applications and improving user experience through efficient software solutions. He actively participates in coding practice and collaborative academic projects that enhance his technical understanding. His goal is to gain deeper knowledge in software engineering concepts and apply them in real-world application development. He constantly explores emerging technologies that support innovation in computing systems. He can be contacted at 22221a05c8@bvcgroup.in, ORCID: <https://orcid.org/0009-0006-2450-2904>



Y. Satish is a B.Tech student specializing in Computer Science and Engineering at Bonam Venkata Chalamayya Engineering College (Autonomous), Odalarevu, India, and is expected to graduate in April 2026. His academic interests. He enjoys learning new programming tools and frameworks that support modern software development practices. Through continuous learning and experimentation, he aims to become a skilled software professional. He can be contacted at 22221a05c7@bvcgroup.in, ORCID: <https://orcid.org/0009-0003-0664-7163>



S. Venkata Hanuma Durga Nagendra is a B.Tech student specializing in Computer Science and Engineering at Bonam Venkata Chalamayya Engineering College (Autonomous), Odalarevu, India, and is expected to graduate in April 2026. He focuses on understanding backend technologies and system architecture used in modern software applications. His academic work includes participation in collaborative projects that strengthen database and server-side programming skills. He believes in learning through experimentation and technical practice. His aim is to develop scalable and efficient software systems for real-world applications. He can be contacted at 22221a05a9@bvcgroup.in, ORCID: <https://orcid.org/0009-0006-4559-0341>



P. Vinay Reddy is a B.Tech student specializing in Computer Science and Engineering at Bonam Venkata Chalamayya Engineering College (Autonomous), Odalarevu, India, and is expected to graduate in April 2026. His academic activities include participation in projects focused on application development and software implementation. He enjoys learning new programming concepts and improving his coding efficiency through continuous practice. His interests include developing practical technology solutions and improving system performance. He aims to strengthen his technical expertise and pursue a successful career in the field of software development. He can be contacted at pulagamvinayreddy2@gmail.com, OR- CID: <https://orcid.org/0009-0000-6317-2123>



M. Venkata Rama Sai Manikanta is a B.Tech student specializing in Computer Science and Engineering at Bonam Venkata Chalamayya Engineering College (Autonomous), Odalarevu, India, and is expected to graduate in April 2026. His academic journey includes working on projects related to web technologies and application development. He is enthusiastic about learning modern frameworks and development tools used in the software industry. He regularly participates in team-based projects that enhance his programming and collaboration skills. His objective is to build innovative applications that address real-world challenges. He can be contacted at ramumedicherla7@gmail.com, ORCID: <https://orcid.org/0009-0004-0968-0433>



A. Lakshmi Prasad is an Assistant Professor in the Department of Computer Science and Engineering at Bonam Venkata Chalamayya Engineering College (Autonomous), Odalarevu, India. He completed his B.Tech in Computer Science and Engineering from Narasaraopet Engineering College and his M.Tech in Computer Science and Engineering from Prasiddha College of Engineering and Technology. He has more than seventeen years of teaching experience and actively contributes to student mentoring, academic development, and research guidance. His academic interests include software engineering, web technologies, and computer science education. He can be contacted at lakshmiPrasad.anjuri2k14@gmail.com, ORCID: <https://orcid.org/0009-0002-7376-7459>



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)