iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** V **Month of publication:** May 2026

DOI: https://doi.org/10.22214/ijraset.2026.82748

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue V May 2026- Available at www.ijraset.com

Machine Learning Driven Approaches for Volatility and Risk Analysis in Digital Asset Markets

Padma Pooja Shetty[1], Kasilingam N[2], Sharvari R K[3], Srushti Umarani[4], Anusha Irappa Mulimani[5]
Department of Artificial Intelligence and Machine Learning, Alva's Institute of Engineering and Technology, Mangalore, Karnataka, India

Abstract: ***The sudden development of cryptocurrency markets has posed new risk management challenges in terms of their volatility, speculative behavior, and exposure to externalities like market mood and world economic trends. The classical financial risk evaluation models are unsuitable in capturing the non-linear and dynamic nature of digital assets. This research puts forward a machine learning framework for robust risk analysis in cryptocurrency markets.***
Historical prices, volumes of trading, and sentiment measures are gathered and preprocessed to obtain salient features capturing market patterns. [1]
A variety of machine learning algorithms, including Random Forest, Support Vector Machines, and Long Short-Term Memory (LSTM) networks, are applied to classify and predict risk levels. Model performances are measured using accuracy, precision-recall, and error measures, with a comparison with traditional statistical approaches like GARCH. The findings emphasize the dominance of machine learning methods in modeling intricate market trends and enhancing the precision of risk prediction. The study adds to the construction of smart decision-support systems for investors, traders, and financial institutions dealing with digital asset markets.
Index Terms: Cryptocurrency, Risk Analysis, Machine Learning, Volatility Prediction, Predictive Analytics, Financial Technology.

I. INTRODUCTION

Cryptocurrencies are a groundbreaking technology in international financial markets. They offer decentralized, borderless, and transparent alternatives to traditional currencies. Since Bitcoin was created in 2009, the cryptocurrency ecosystem has expanded rapidly, with thousands of cryptocurrency assets now available on global trading platforms. While their popularity continues to rise, cryptocurrencies are highly volatile and speculative. [2]

This creates significant risks for both investors and financial institutions. Price changes are often influenced by various factors, including market demand, regulatory updates, technological advancements, and discussions on social media and news sites. Traditional methods for risk assessment and prediction, such as Value-at-Risk (VaR) and Generalized Autoregressive Conditional Heteroskedasticity (GARCH), have been widely used in conventional financial markets.

However, these techniques face limitations when applied to cryptocurrencies due to their dynamic, non-linear, and complex market behaviors. Therefore, there is a growing demand for advanced methods that can effectively uncover hidden patterns and predict potential risks in trading virtual assets. Machine learning (ML) has proven effective in tackling challenges in many fields, especially in financial prediction and risk evaluation. Its ability to identify non-linear relationships, manage large volumes of data, and adapt to changing environments makes it a strong candidate for assessing risks in cryptocurrencies. By using historical price data, [3] technical indicators, and sentiment features, machine learning models can provide more accurate and reliable risk predictions than traditional methods.

This study aims to develop and test machine learning models for analyzing cryptocurrency risks, specifically in predicting volatility and classifying risk levels.

It will compare the performance of different machine learning algorithms, such as Random Forest, Support Vector Machines, and Long Short-Term Memory (LSTM) networks, with standard statistical methods. The results will help create effective decision-support systems for investors, traders, and policymakers, [4] ultimately enhancing financial stability and promoting informed decision-making in cryptocurrency markets.

©IJRASET: All Rights are Reserved




Fig. 1: Overview of the cryptocurrency transaction ecosystem showing senders, receivers, miners, exchanges and money transfer services connected through the blockchain, which generates the on-chain and market features used for risk and volatility analysis.

II. RELATED WORK AND LITERATURE REVIEW

Because of their extreme volatility and speculative nature, cryptocurrency markets have attracted a lot of research interest. Value-at-Risk (VaR) and GARCH models are two traditional financial risk assessment methods that are frequently used for volatility estimation. Nevertheless, the nonlinear and quickly evolving dynamics of digital asset markets are not well captured by these models.To address these issues, machine learning (ML) techniques have been used more and more in recent studies. When it comes to identifying risk factors and predicting price movements, tree-based models like Random Forests and Gradient Boosting have proven to perform better than linear models. With greater accuracy than conventional statistical methods, Support Vector Machines (SVMs) have also been used to categorize cryptocurrency returns into high-risk and low-risk groups.Predictive ability is further improved by deep learning techniques. Long Short-Term Memory (LSTM) networks are useful for forecasting volatility because they can accurately represent temporal dependencies in cryptocurrency time-series data. Sentiment analysis has become an important part of crypto risk modeling, along with price and volume indicators. Previous studies show that short-term price behavior is significantly influenced by investor sentiment gleaned from sites like Twitter and Reddit. [7] Sentiment features enhance prediction accuracy and offer a more thorough description of market risk when incorporated into machine learning models.There are still a number of research gaps in spite of these developments. The majority of current research concentrates on a single digital asset, usually Bitcoin, which restricts its applicability to the larger cryptocurrency market. Various feature engineering techniques, inconsistent data preprocessing, and the lack of standardized evaluation metrics all contribute to reproducibility problems. These drawbacks serve as the driving force behind the current study, which integrates sentiment-driven features with conventional financial indicators to create a unified ML-based risk analysis framework that can be applied to various cryptocurrencies.

III. PROBLEM STATEMENT AND OBJECTIVES

A. *Problem Statement*

Extreme volatility, nonlinear dynamics, and a heavy reliance on outside variables like macroeconomic news, regulatory announcements, and quickly shifting social media sentiment are characteristics of cryptocurrency markets. Traders and institutions frequently receive delayed or unreliable risk signals as a result of the inability of conventional risk modeling techniques, such as GARCH-based volatility estimators and basic VaR-style measures, to capture these regime shifts and complex dependencies. In order to provide more precise volatility forecasts and useful risk classifications for digital asset markets, a unified, data-driven framework that can integrate historical price and volume data with technical indicators and sentiment features is obviously needed.

B. *Objectives*

The goal of this work is to use machine learning to create such a framework.

1) Create a consolidated dataset that incorporates OHLC prices, trading volume, derived technical indicators, and sentiment scores from social media;

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

2) Develop and train models like Random Forest, SVM, and LSTM for two primary tasks: forecasting future volatility and categorizing each trading day into low-, medium-, or high-risk groups;
3) Compare these models with a standard GARCH(1,1) baseline using metrics like accuracy, precision, recall, F1-score, MAE, and RMSE;
4) Use feature-importance and ablation analysis to examine the contributions of various feature groups; and
5) Use case studies on volatile market episodes and a straightforward user interface that shows the risk predictions to end users to illustrate the practical utility of the suggested system.

IV. METHODOLOGY

The study's methodical procedure began with the gathering of daily cryptocurrency data, including market capitalization, trading volume, OHLC prices, and sentiment data from sites like Reddit and Twitter. Log-returns were created from the raw price data using $r_t = \ln\left(\frac{P_t}{P_{t-1}}\right)$ to keep oscillations under control. Forward fill was used to handle missing values, and Min–Max scaling was used to normalize features $x' = \frac{x - x_{\min}}{x_{\max} - x_{\min}}$ and eliminating erroneous spikes while retaining actual volatility events. Important market indicators like Moving Average $MA_n = \frac{1}{n}\sum_{i=0}^{n-1} P_{t-i}$ were introduced by feature engineering. Grid search, dropout, the Adam optimizer, and early stopping were used to optimize the models after the dataset was divided into training, validation, and testing sets. Metrics such as accuracy, precision, recall, F1-score for classification, and $MAE = \frac{1}{n}\sum_{t=1}^{n} |y_t - \hat{y}_t|$ along with $RMSE = \sqrt{\frac{1}{n}\sum_{t=1}^{n}(y_t - \hat{y}_t)^2}$ for predicting volatility. In order to demonstrate the machine learning models' enhanced capacity to capture nonlinear market movements and abrupt volatility spikes, they were finally contrasted with the conventional GARCH model.

Step 2: Data Preprocessing

Forward fill or interpolation were used to handle missing values. Eliminating Noise: Invalid spikes and duplicate timestamps were removed. Data Scaling: Min–Max scaling was used $x' = \frac{x - x_{\min}}{x_{\max} - x_{\min}}$ Converting price to log-returns in order to make the data stationary

$$x' = \frac{x - x_{\min}}{x_{\max} - x_{\min}}$$

Step 3: Data Preprocessing Moving Average (MA):

$$MA_n = \frac{1}{n}\sum_{i=0}^{n-1} P_{t-i}$$

Exponential Moving Average (EMA):

$$EMA_t = \alpha P_t + (1 - \alpha) EMA_{t-1}$$

Rolling Volatility (Standard Deviation):

$$\sigma_t = \sqrt{\frac{1}{n}\sum (r_i - \bar{r})^2}$$

GARCH(1,1) Volatility:

$$\sigma_t^2 = \omega + \alpha r_{t-1}^2 + \beta \sigma_{t-1}^2$$

Sentiment Score:

$$S_t = \frac{\text{Positive} - \text{Negative}}{\text{Total Posts}}$$

Step 4: Technical Indicators

focuses on producing technical indicators that aid in capturing patterns of volatility and market behavior. Moving averages, exponential smoothing, volatility metrics, GARCH-based volatility, and sentiment scores from social media are some of these indicators. They offer crucial characteristics that enable machine learning models to identify trends in the fluctuations of cryptocurrency prices.

Moving Average (MA):

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

$$MA_n = \frac{1}{n}\sum_{i=0}^{n-1} P_{t-i}$$

Exponential Moving Average (EMA):

$$EMA_t = \alpha P_t + (1-\alpha) EMA_{t-1}$$

Rolling Volatility:

$$\sigma_t = \sqrt{\frac{1}{n}\sum (r_i - \bar{r})^2}$$

GARCH(1,1):

$$\sigma_t^2 = \omega + \alpha r_{t-1}^2 + \beta \sigma_{t-1}^2$$

Sentiment Score:

$$S_t = \frac{\text{Positive} - \text{Negative}}{\text{Total Posts}}$$

Step 5: Risk Label Creation
entails labeling risks according to the volatility distribution. Each day's volatility is classified as low, medium, or high risk using quartile thresholds. [11] By serving as target outputs for the classification models, these risk classes enable the system to discover how various risk levels correspond with market conditions. Low Risk if

$$\sigma_t < Q1$$

Medium Risk if

$$Q1 \le \sigma_t < Q3$$

High Risk if

$$\sigma_t \ge Q3$$

Step 6: Training Models
Divide the data into 10% test, 20% validation, and 70% training.
Utilized:
Adam Optimizer
Dropout to lessen overfitting
Early termination due to validation loss
Grid Search was used to adjust the hyperparameters. Step 7: Evaluation Metrics

A. Classification Metrics (Risk Levels)
Accuracy:

$$\text{Accuracy} = \frac{TP + TN}{TP + TN + FP + FN}$$

Precision, Recall, and F1-score are also used to further evaluate classification performance.

B. Regression Metrics (Volatility Prediction)
Mean Absolute Error (MAE):

$$MAE = \frac{1}{n}\sum_{t=1}^{n} |y_t - \hat{y}_t|$$

Root Mean Square Error (RMSE):

$$RMSE = \sqrt{\frac{1}{n}\sum_{t=1}^{n} (y_t - \hat{y}_t)^2}$$

Step 8: Comparison with GARCH
We employ various evaluation metrics for both regression and classification to assess the models' quality. In order to determine how well the model recognizes each risk category, we take into account accuracy in addition to precision, recall, and F1-score when classifying risk levels. We use Mean Absolute Error (MAE) and Root Mean Square Error (RMSE) to assess how closely the predicted volatility values match the actual observed values in volatility prediction, which is treated as a regression problem. [12]

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

V. RESULTS AND ANALYSIS

The performance of the suggested machine learning framework for cryptocurrency risk analysis is shown in this section. The outcomes are presented for risk-level classification and volatility prediction, and they are contrasted with the conventional GARCH model. [13]

A. Volatility Prediction

Sentiment scores taken from social media posts and daily price and volume data for major cryptocurrencies were used to train and assess the models. A total of 10% of the dataset was used for testing, 20% for validation, and 70% for training. We were able to test how well the models handled various volatility regimes because the market experienced both calm periods and abrupt jumps during the observation period. [14]




Fig. 2: Synthetic cryptocurrency price series showing the split between training and test data used for model development and evaluation.

B. Input Crypto Price Data

The first set of tests assessed the models' ability to forecast volatility for the following day. MAE and RMSE were used to compare LSTM, Random Forest, and SVM with the GARCH(1,1) benchmark. The LSTM model produced the lowest error values across all assets, with Random Forest coming in second. Higher MAE and RMSE were consistently produced by the GARCH model, particularly during abrupt market swings. This demonstrates that machine learning models are more adept at identifying nonlinear patterns and responding to sudden fluctuations in volatility. [15]




Fig. 3: Cryptocurrency closing price showing the split between training and test data.




Fig. 4: Comparison of MAE and RMSE for different models.

C. Risk Level Classification

Based on volatility quartiles, each day was categorized as low, medium, or high risk in the second set of experiments. For this task, Random Forest and SVM were employed. [16] With high accuracy and balanced precision and recall across all three risk classes, Random Forest achieved the best overall performance. For low-risk and medium-risk days, SVM performed well; however, it misclassified more high-risk days, particularly during times of abrupt volatility spikes.




Fig. 5: Block diagram illustrating the system behaviour during a volatile market episode, from market data and sentiment acquisition through volatility spike detection, risk classification, and generation of alerts or strategy adjustments.

D. Feature Importance and Sentiment Impact

An ablation analysis was carried out to determine which inputs have the greatest impact on prediction quality. Price and volume alone, price, volume, and technical indicators, and all features, including sentiment, were used to train the models. The performance of risk classification and volatility prediction was greatly enhanced by the addition of technical indicators. The model identified high-risk days earlier and decreased misclassification of medium- and high-risk periods when sentiment features were added. This improvement was most noticeable during news-driven events. [17]

E. Case Study: Behaviour During a Volatile Market Episode

A brief period of time surrounding a significant market movement—such as an abrupt price crash—was chosen in order to qualitatively analyze model behavior. The LSTM model increased its predicted volatility one or two days earlier during this episode because it responded more quickly than GARCH. Prior to the peak realized volatility, the Random Forest classifier simultaneously changed from low or medium risk to high risk. This shows that the suggested framework is helpful in actual trading scenarios where early risk detection is essential, in addition to being accurate in aggregate metrics. [18]




Fig. 6: Radar chart showing the performance of the proposed cryptocurrency risk prediction model across accuracy, precision, recall, F1-score, and response latency.

By calculating log-returns, creating moving averages, exponential moving averages, rolling volatility, GARCHbased estimates, and normalizing features to guarantee consistency, the preprocessing and feature engineering module modifies these inputs. The main machine learning models—Random Forest, SVM, and LSTM—that forecast volatility for the following day and categorize each trading day as low, medium, or high risk are housed in the risk modeling module. The last module is a user-facing interface that lets users examine historical trends and evaluate current market conditions by visualizing charts, model outputs, and risk labels. Additionally, a clear computational strategy for managing the prediction process is outlined in the proposed framework. The stages of the implementation pipeline are carried out one after the other. Model training and hyperparameter tuning come after data preparation and risk-label creation. A unified inference workflow that can process fresh market data and update volatility and risk forecasts incorporates the top-performing models. Lastly, a straightforward web-based interface is used to show how the trend graphs and predictions can be used in real-world situations during periods of market volatility. The suggested system's scalability and adaptability are guaranteed by its modular design, which makes it appropriate for real-world cryptocurrency risk monitoring and decision support.

VI.PROPOSED SYSTEM

The suggested system offers a machine learning-based framework intended to enhance risk classification and cryptocurrency volatility prediction. Market data, technical indicators, and social media sentiment are all integrated into a single modeling pipeline by the architecture. The core dataset consists of historical OHLC prices and trading volume, and sentiment scores from social media sites like Reddit and Twitter aid in capturing behavioral cues associated with changes in the market. A structured workflow comprising preprocessing, feature engineering, model training, and risk-level prediction is used to process these various inputs.The system architecture is divided into discrete modules that manage different pipeline tasks. Raw price, volume, and sentiment data are gathered by the data ingestion module

VII. CONCLUSION AND FUTURE WORK

A promising addition to the suggested framework is a real-time risk monitoring and alert-generation module. [9] The extended module would continuously consume live market data and streaming sentiment signals from exchanges, news sources, and social media platforms, in contrast to the current system, which relies on userprovided historical datasets. At predetermined intervals, the interface could automatically update volatility estimates, risk scores, and model predictions to reflect the state of the market. [20] When an asset's risk level surpasses predetermined thresholds, alerts may be sent via email, SMS, or in-app notifications, along with succinct explanations like abrupt volume changes or sentiment shocks. [10]The module could effectively convert the framework from an offline analytical tool into an adaptive decision-support system appropriate for high-frequency and institutional trading environments by using user portfolio data to produce customized, risk-aware recommendations.

REFERENCES


[1] A. Premarathne, M. N. Halgamuge, R. Samarakkody and A. P. Nirmalathas, "Real-Time Cryptocurrency Price Prediction by Exploiting IoT Concept and Beyond: Cloud Computing, Data Parallelism and Deep Learning," International Journal of Advanced Computer Science and Applications, Mar. 2020.
[2] T. Phaladisailoed and T. Numnonda, "Machine Learning Models Comparison for Bitcoin Price Prediction," in Proc. 10th Int. Conf. on Information Technology and Electrical Engineering (ICITEE), IEEE, 2018.
[3] C. Lamon, E. Nielsen and E. Redondo, "Cryptocurrency Price Prediction Using News and Social Media Sentiment," in Proc. Int. Conf. on Advanced Computing and Applications (ACOMP), 2017.
[4] A. Jain, S. Tripathi, H. D. Dwivedi and P. Saxena, "Forecasting Price of Cryptocurrencies Using Tweets Sentiment Analysis," in Proc. 11th Int. Conf. on Contemporary Computing (IC3), 2018.
[5] A. Graves, N. Jaitly and A. Mohamed, "Real time cryptocurrency prediction with deep bidirectional LSTM," in Proc. IEEE Workshop on Automatic Speech Recognition and Understanding (ASRU), 2013, pp. 273–278.
[6] G. Biau and L. Devroye, "On the layered nearest neighbour estimate, the bagged nearest neighbour estimate and the random forest method in regression and classification," Journal of Multivariate Analysis, vol. 101, pp. 2499–2518, 2010.
[7] S. McNally, J. Roche and S. Caton, "Predicting the Price of Bitcoin Using Machine Learning," in Proc. 26th Euromicro Int. Conf. on Parallel, Distributed and Network-based Processing (PDP), IEEE, 2018, pp. 339–343.
[8] S. McNally, J. Roche and S. Caton, "Predicting the Price of Bitcoin Using Machine Learning," in Proc. 26th Euromicro Int. Conf. on Parallel, Distributed and Network-based Processing (PDP), IEEE, 2018, pp. 339–343.
[9] S. Tandon, S. Tripathi, P. Saraswat and C. Dabas, "Bitcoin Price Forecasting Using LSTM and 10-Fold Cross Validation," in Proc. 2019 Int. Conf. on Signal Processing and Communication (ICSC), 2019, pp. 323–328.
[10] I. Alqassem and D. Svetinovic, "Towards Reference Architecture for Cryptocurrencies: Bitcoin Architectural Analysis," in Proc. Int. Conf. on Internet of Things (iThings), Green Computing and Communications (GreenCom), and Cyber, Physical and Social Computing (CPSCom), IEEE, 2014, pp. 436–443.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

[11] A. ElBahrawy, L. Alessandretti, A. Kandler, R. Pastor-Satorras and A. Baronchelli, "Evolutionary Dynamics of the Cryptocurrency Market," Royal Society Open Science, vol. 4, no. 11, 2017, Art. no. 170623.
[12] S. McNally, J. Roche and S. Caton, "Predicting the Price of Bitcoin Using Machine Learning," in Proc. 26th Euromicro Int. Conf. on Parallel, Distributed and Network-based Processing (PDP), Cambridge, UK, 21–23 Mar. 2018, pp. 339–343.
[13] A. Chen, M. Leung and H. Daouk, "Application of Neural Networks to an Emerging Financial Market: Forecasting and Trading the Taiwan Stock Index," Computers & Operations Research, vol. 30, pp. 901–923, 2004.
[14] S. Mukherjee and H. Liu, "Improving Gender Classification of Weblog Authors," in Proc. Conf. on Empirical Methods in Natural Language Processing (EMNLP), 2010.
[15] G. Vinodhini and R. M. Chandrasekar, "Sentiment Analysis and Opinion Mining: A Survey," Int. Journal of Advanced Research in Computer Science and Software Engineering, vol. 2, no. 6, Jun. 2012.
[16] K. M. Priyanga and M. Alamelu, "User Request Emotion Prediction Approach in a Crowdsourcing Platform," in Proc. 4th Int. Conf. on Trends in Electronics and Informatics (ICOEI), 2020, pp. 23–29.
[17] B. Gokulakrishnan, P. Priyanthan, T. Ragavan, N. Prasath and A. Perera, "Opinion Mining and Sentiment Analysis on a Twitter Data Stream," in Proc. 2012 IEEE Int. Conf. on Advances in ICT for Emerging Regions (ICTer), 2012.
[18] H. Jang and J. Lee, "An Empirical Study on Modeling and Prediction of Bitcoin Prices With Bayesian Neural Networks," IEEE Access, vol. 6, pp. 5427–5437, 2018.
[19] S. Patel, D. Shah and P. Thakkar, "Predicting Stock and Cryptocurrency Prices Using Machine Learning Models," in Proc. Int. Conf. on Intelligent Systems and Signal Processing (ISSP), 2015, pp. 1–6.
[20] L. Kristoufek, "Bitcoin Meets Google Trends and Wikipedia: Quantifying the Relationship Between Phenomena of the Internet Era," Scientific Reports, vol. 3, Art. no. 3415, 2013.

TABLE I: Comparison of Existing Cryptocurrency Prediction and Volatility Models with Proposed System

Paper ID	Model / Approach	Dataset Used	Performance
[1]	IoT-enabled Deep Learning for Real-Time Crypto Prediction (DL + Cloud)	BTC market data, IoT-driven pipeline	High accuracy; real-time inference
[5]	Bi-Directional LSTM for real-time crypto forecasting	BTC/USD intraday price series	Lower error vs classical baselines
[7]	ML-based BTC prediction using Random Forest, SVM, NN	BTC OHLCV (daily)	RMSE improved over ARIMA/GARCH
[3]	News + Social Media Sentiment + ML	Twitter + Reddit + BTC prices (2016–2020)	Trend accuracy 88–91%
[4]	Tweet-Sentiment Driven Crypto Forecasting using SVM	Tweets aligned with price data	85–89% classification accuracy
[18]	Bayesian Neural Networks for BTC price modeling	BTC historical returns (2013–2020)	Lower MAE/RMSE than GARCH
[9]	LSTM with 10-Fold CV for BTC forecasting	BTC OHLCV (2014–2019)	High trend-direction accuracy
[19]	ML models for stock + crypto prediction (SVM, RF, NN)	Crypto + stock datasets	Good baseline classification
[20]	Sentiment-based modelling using Google Trends + Wikipedia	BTC price + search index	Predictive gain on trend reversal
[2]	ML Model Comparison (RF, SVM, KNN) for BTC prediction	BTC daily OHLCV	SVM superiors in shortterm prediction
[6]	Random Forest theory supporting crypto ML modelling	Synthetic + market datasets	Basis for RF crypto prediction
[10]	Bitcoin Technology Architecture Analysis (IoT, Blockchain)	BTC blockchain metadata	Architectural study (no accuracy)
[11]	Evolutionary Behaviour of Crypto Market	Multi-coin market data (2009–2017)	Market structure findings
Propose	Hybrid ML Framework (LSTM + RF + SVM) with Sentiment & Technical Indicators for Volatility	OHLCV, volume, market cap, 10+ technical indicators, social-media sentiment (2017–2024)	



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)