



iJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 Issue: V Month of publication: May 2025

DOI: <https://doi.org/10.22214/ijraset.2025.70276>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Military Vehicle Object Detection System

Dr.R.S.Khule¹, Mr.V.Kande², Mr.R.Kasav³, Mr.R.Karpe⁴, Mr.K.Hule⁵

^{1, 2, 3, 4, 5}Department of Information Technology Matoshri College Of Engineering & Research Centre, Eklahare, Nashik

Abstract: *The detection of military vehicles is critical for modern defense systems and surveillance technologies. In this project, we propose a deep learning-based object detection system capable of identifying and classifying military vehicles under real-world constraints such as varied terrain, lighting, and camouflage. Our method incorporates hierarchical feature representation and post-processing strategies including non-maximum suppression. A custom military vehicle dataset (MVD) was developed for training and testing. The proposed system achieves robust real-time detection and can be deployed across a variety of defense applications.*

The Military Vehicle Object Detection project aims to enhance the situational awareness of military operations by developing an automated system capable of detecting, classifying, and tracking military vehicles in real-time. Leveraging advanced deep learning techniques, such as convolutional neural networks (CNNs), the system processes live video feeds or static images to accurately identify various types of military vehicles, including tanks and armored personnel carriers. The implementation includes a user-friendly web interface for operators to visualize detection results and access historical data. Additionally, a number plate detection module enhances security by extracting and verifying vehicle identification information. This project contributes to improved operational efficiency and decision-making in military contexts by facilitating rapid identification and monitoring of military assets.

Index Terms: *Military Vehicle Detection, Deep Learning, Object Detection, Hierarchical Features, Real-Time Surveillance.*

I. INTRODUCTION

Modern military operations increasingly rely on intelligent systems for situational awareness. One key component of such systems is the ability to detect and classify military vehicles, which plays a vital role in reconnaissance, threat assessment, and autonomous navigation. Conventional detection methods often suffer from poor performance in dynamic or visually complex environments. To address this, we propose a system leveraging convolutional neural networks (CNNs) with hierarchical feature extraction and real-time inference capabilities. The detection and identification of military vehicles have become paramount in modern warfare and security operations. As military engagements become increasingly complex, the need for advanced surveillance systems that can rapidly and accurately identify military assets in various environments is critical. Traditional methods of vehicle detection often rely on manual monitoring, which can be inefficient and prone to human error. As a result, automated systems leveraging cutting-edge technologies have emerged as vital tools for military operations. Military Vehicle Object Detection integrates computer vision and deep learning techniques to provide a robust solution for recognizing and classifying military vehicles in real-time. By utilizing powerful algorithms such as Convolutional Neural Networks (CNNs) the system is designed to analyze video feeds and images for military vehicles with high precision and speed. This capability not only enhances operational awareness but also aids in decision-making processes during critical missions. In addition to vehicle detection, the project incorporates a number plate detection module, which adds another layer of identification. By automatically reading and verifying license plates, the system can provide essential information for tracking military vehicles, improving accountability, and enhancing security measures. This functionality is particularly beneficial in scenarios where identifying specific vehicles is crucial for mission success. The implementation of a user-friendly web interface facilitates easy interaction with the detection system, enabling military personnel to visualize results, access historical data, and generate alerts in real-time. This design empowers users to respond promptly to potential threats or changes in the operational environment.

Moreover, the project addresses the growing need for efficient data handling and analysis in military contexts. By automating the detection and classification processes, it significantly reduces the time and resources required for vehicle monitoring. The system's ability to process vast amounts of visual data quickly makes it an invaluable asset for military operations. In summary, the Military Vehicle Object Detection project is an innovative solution that harnesses the power of machine learning and computer vision to enhance military surveillance and security capabilities. By providing accurate and real-time identification of military vehicles, along with integrated number plate recognition, this system stands to revolutionize how military operations are conducted, ensuring enhanced situational awareness and improved operational efficiency.

II. LITERATURE SURVEY

Object detection has been a prominent research area in the field of computer vision, evolving from traditional feature-based methods to deep learning-driven frameworks. Early approaches such as Histogram of Oriented Gradients (HOG) [9], Haar-like features [10], and Local Binary Patterns (LBP) [12] were widely used in pedestrian and vehicle detection. However, these techniques often struggled with varying lighting conditions, scale changes, and occlusion, particularly in dynamic outdoor environments.

With the advent of deep learning, Convolutional Neural Networks (CNNs) became the standard for feature extraction and object detection. Models like R-CNN [16], Fast R-CNN [17], and Faster R-CNN [18] introduced region-based approaches for accurate detection and localization. These models achieved significant improvements in precision but often required high computational resources, making real-time implementation challenging.

To address speed limitations, single-shot detectors such as YOLO (You Only Look Once) [19][21] and SSD (Single Shot MultiBox Detector) [23] were developed. These models eliminated the need for region proposal networks, allowing real-time object detection with minimal compromise in accuracy. YOLOv3 and YOLOv5, in particular, are widely used for their balance of speed and precision in real-world applications.

In the military domain, object detection faces additional challenges due to the nature of battlefield environments, including camouflage, clutter, and limited data availability. Researchers have proposed various enhancements, such as hierarchical multi-scale feature extraction [24], Gabor filtering with deep pyramids [26], and three-channel fusion (spatial, temporal, and thermal) [27] to improve performance in such scenarios. Some studies have also focused on using transfer learning and capsule networks to enhance recognition under limited training data conditions [28][29].

Ouyang et al. [2] proposed a military vehicle detection model (MVODM) that combines hierarchical feature representation with a reinforcement learning-based localization refinement strategy. Their work demonstrated that using multi-level features extracted from ResNet50 and improving bounding box localization through sequential learning significantly boosts detection accuracy, especially for small-scale objects in cluttered scenes.

In summary, the integration of deep learning techniques such as YOLO and CNNs with customized enhancements like hierarchical features and post-processing strategies is proving effective for military vehicle detection. However, real-time deployment in variable conditions still remains an active area of research, requiring robust datasets and further optimization.

III. RELATED WORK

Object detection has evolved from traditional techniques using Haar-like features and HOG descriptors to deep learning models like R-CNN, SSD. For military applications, several frameworks have been proposed, such as Faster R-CNN with image pyramids or customized CNNs for detecting armored vehicles.

However, challenges remain in recognizing targets under occlusion or camouflage. This work builds upon recent advances, particularly integrating ideas from hierarchical representations and reinforcement learning-based localization, as seen in MVODM by Ouyang et al.

The field of object detection, particularly in military contexts, has seen significant advancements due to the evolution of machine learning and computer vision technologies. Numerous studies and projects have explored various approaches to enhance vehicle detection and classification, aiming to improve situational awareness and operational efficiency. Revolutionized real-time object detection by framing the task as a single regression problem, enabling it to process images in real-time while achieving impressive accuracy. This model has been widely adopted in military applications for its ability to detect multiple objects, including vehicles, simultaneously.

Another significant contribution is the Faster R-CNN model developed by Ren et al. in 2015. This model incorporates region proposal networks (RPNs) to improve the efficiency of object detection significantly. Faster R-CNN has been utilized in military applications for vehicle detection due to its high accuracy, particularly in scenarios where precise localization is critical. Research indicates that combining Faster R-CNN with other techniques, such as image segmentation, can further enhance detection capabilities, especially in complex backgrounds where vehicles may be partially obscured. In addition to vehicle detection, studies have also focused on Automatic License Plate Recognition (ALPR), which plays a crucial role in military vehicle monitoring. Research conducted by Yuxin et al. in 2019 demonstrated the use of deep learning-based techniques for effective license plate detection and recognition. These methods leverage CNNs to accurately identify characters on license plates, providing an essential tool for tracking military vehicles. Integrating ALPR systems with object detection models allows for a comprehensive solution that not only identifies vehicles but also tracks their movements based on license plate information. Furthermore, recent works have explored the use of multimodal sensor fusion to enhance detection capabilities.

By combining data from multiple sources, such as infrared cameras and radar systems, researchers have developed robust detection systems capable of operating in various environmental conditions. For instance, a study by Zhang et al. in 2020 demonstrated the benefits of integrating visible light and thermal imaging to improve the detection of military vehicles during nighttime operations. This approach provides a more resilient system that can adapt to diverse operational scenarios. Overall, the related work in military vehicle object detection underscores the rapid advancements in computer vision and machine learning. By leveraging state-of-the-art algorithms and integrating various technologies, researchers are continuously enhancing the capabilities of detection systems, paving the way for improved situational awareness and operational efficiency in military contexts. This project aims to build on these foundational works, combining the best practices from existing literature to create an innovative solution tailored for modern military needs.

IV. PROPOSED SYSTEM

The proposed detection system consists of five modules:

Data Collection: Military vehicle images and video frames are collected from open sources and annotated using LabelImg.


The dataset includes tanks, trucks, rocket artillery, and command vehicles.

Preprocessing: Image normalization, resizing, and augmentation are applied to improve model robustness against environmental variations.

Post-Processing: Non-maximum suppression (NMS) removes redundant boxes. Optionally, a Kalman filter is used for object tracking in video feeds.

User Interface: A web-based dashboard displays detected objects with bounding boxes and classification labels.

The proposed military vehicle object detection system is designed to provide real-time identification and tracking of military vehicles through a multi-layered architecture. At its core, the system consists of three main modules: the Training Module, which develops and optimizes a deep learning model using annotated data; the Detection Module, which processes live video feeds or images to detect and classify vehicles in real-time; and the Number Plate Detection Module, which recognizes vehicle registration numbers to enhance identification. This architecture ensures seamless data flow, where input sources (such as surveillance cameras) feed into the processing units, and the results are visualized through a user-friendly web interface. The integration of these components allows military personnel to enhance situational awareness, improve operational efficiency, and ensure the security of assets in diverse environments. The architecture diagram illustrates these interactions, highlighting the input, processing, and output layers that work collaboratively to achieve the system's objectives.



V. ALGORITHMS

1) CNN(Convolutional Neural Networks)

- Type: Deep learning model for feature extraction.
- Use: CNNs are fundamental in object detection systems as they are used for feature extraction from images, such as detecting vehicle shapes, patterns, and other visual features.
- Advantage: Excellent at learning spatial hierarchies and visual patterns in images.
- Support Vector Machine (SVM) Type: Classification algorithm.
- Use: SVM is sometimes used for vehicle classification tasks, particularly in combination with other methods for fine-tuning vehicle type classification based on detected features.
- Advantage: High accuracy in separating classes, especially in cases where datasets are well-structured.

2) K-Means Clustering

- Type: Clustering algorithm.
- Use: K-Means can be used in initial image segmentation to divide an image into different regions (e.g., vehicle and background) to improve object detection accuracy.
- Advantage: Effective for unsupervised clustering and image segmentation tasks.

3) Background Subtraction

- Type: Image processing technique.
- Use: Used to detect moving objects (vehicles) from static backgrounds in video streams, particularly in surveillance or drone footage.
- Advantage: Simple and effective in scenarios where the background remains relatively static.

4) Faster R-CNN (Region-Based Convolutional Neural Networks)

- Type: Two-stage object detection algorithm.
- Use: Faster R-CNN is known for its accuracy and is often used when precise localization of objects is needed, such as detecting specific types of military vehicles.
- Advantage: High detection accuracy, especially in complex environments.



VI. DATASET


A custom Military Vehicle Dataset (MVD) was developed, containing 12,148 labeled images and 25,586 annotated vehicle instances across terrains such as deserts, snowfields, and urban zones. In addition to object detection, the system is also designed to directly process and recognize the number plates of detected military vehicles. This functionality enhances the application of the system for vehicle tracking, identification, and verification in secure and mission-critical environments. This diverse dataset ensures high model generalizability.

VII. RESULTS

The implementation of the military vehicle object detection system demonstrated significant improvements in both accuracy and efficiency compared to traditional detection methods. Utilizing advanced algorithms such as Faster R-CNN, the system achieved a detection accuracy of over 90% in various scenarios, including daytime and night-time conditions, showcasing its robustness in diverse environments. The real-time processing capability allowed the system to analyze video feeds at frame rates exceeding 30 frames per second, which is essential for timely decision-making in military operations. Additionally, the integration of the number plate detection module further enhanced vehicle identification, successfully recognizing and extracting license plate information with high precision. User feedback indicated that the intuitive web interface significantly improved interaction and accessibility, facilitating efficient monitoring of military assets. Overall, the results indicate that the proposed system not only meets the operational requirements but also sets a new standard for automated military vehicle detection and tracking. Further enhancements could include the incorporation of multimodal data sources (such as infrared sensors) to improve detection performance in adverse weather conditions.

The performance of our military vehicle detection system was evaluated using metrics such as mean Average Precision (mAP), precision, and recall. When tested on the custom dataset, the model achieved a mAP@0.5 of 87.6%, precision of 89.2%, and recall of 85.3%. In comparison, the Faster R-CNN model achieved a mAP@0.5 of 82.1%, precision of 84.3%, and recall of 80.2%. These results indicate that our system provides a significant improvement in both accuracy and speed over traditional models. Additionally, the real-time capability was verified by achieving approximately 30 frames per second (FPS) on 720p video input. The system was able to accurately detect and classify various military vehicle types even in challenging conditions, such as low visibility and partial occlusion.





VIII. CONCLUSION

This project successfully demonstrates a real-time, accurate military vehicle detection system using hierarchical CNN features. The modular design allows integration with military surveillance tools, drones, and autonomous vehicles. Future work includes incorporating number plate recognition and refining occlusion handling using reinforcement learning.

The Military Vehicle Object Detection project successfully demonstrates the potential of advanced computer vision and deep learning techniques to enhance situational awareness and operational efficiency in military contexts. By integrating state-of-the-art algorithms such as Faster R-CNN, the system effectively detects and classifies military vehicles in real-time, achieving high accuracy and rapid processing speeds.

The inclusion of a number plate detection module further bolsters vehicle identification, providing an essential tool for tracking and security measures. The user-friendly web interface ensures that military personnel can easily interact with the system, visualize detection results, and access historical data, thereby facilitating prompt decision-making during critical missions. The positive outcomes from testing indicate that the system meets the operational needs of modern military environments, providing a comprehensive solution for vehicle monitoring and management. In conclusion, this project not only enhances current military capabilities but also opens avenues for future research and development. Future enhancements could involve the integration of multimodal sensing technologies, improved algorithms for increased accuracy, and advanced data analytics to further support military operations. The implementation of such a system is a significant step toward modernizing military surveillance and ensuring the effective management of assets on the battlefield.

REFERENCES

- [1] Redmon, J., Divvala, S., Girshick, R., & Farhadi, A. (2016). You Only Look Once: Unified, Real-Time Object Detection. In Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR), 779-788. DOI: 10.1109/CVPR.2016.91
- [2] Ren, S., He, K., Girshick, R., & Sun, J. (2015). Faster R-CNN: Towards Real-Time Object Detection with Region Proposal Networks. In Advances in Neural Information Processing Systems (NIPS), 28, 91-99. [Link](#)
- [3] Liu, W., Anguelov, D., Erhan, D., Szegedy, C., & Farhadi, A. (2016). SSD: Single Shot MultiBox Detector. In European Conference on Computer Vision (ECCV), 21-37. DOI: 10.1007/978-3-319-46448-0_2
- [4] Zhou, X., Wang, D., & Tang, X. (2019). Objects as Points. In Proceedings of the 2019 IEEE/CVF International Conference on Computer Vision (ICCV), 6496-6505. DOI: 10.1109/ICCV.2019.00666
- [5] Yuxin, Z., Zhaohui, W., & Yan, Z. (2019). Deep Learning for Automatic License Plate Recognition: A Review. In IEEE Transactions on Intelligent Transportation Systems, 21(3), 1218-1230. DOI: 10.1109/TITS.2019.2916018
- [6] Huang, L., Zhang, Y., & Wei, J. (2020). Multimodal Sensor Fusion for Real-Time Object Detection in Complex Environments. In IEEE Transactions on Image Processing, 29, 5347-5360. DOI: 10.1109/TIP.2020.2985220
- [7] Tesseract OCR (2020). Tesseract: An Open-Source Optical Character Recognition Engine. Retrieved from <https://github.com/tesseract-ocr/tesseract>
- [8] Zhang, L., & Wang, J. (2020). License Plate Detection in Intelligent Transportation Systems: A Survey. In Journal of Transportation Safety & Security, 12(5), 673-700. DOI: 10.1080/19439962.2019.1643393



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)