



iJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** XI **Month of publication:** November 2025

DOI: <https://doi.org/10.22214/ijraset.2025.74934>

www.ijraset.com

Call: ☎ 08813907089

E-mail ID: ijraset@gmail.com

Mindful AI: An Intelligent Framework for Promoting Healthy Habits and Wellbeing

Sanika Patil¹, Ojal Vasule², Lamha Trivedi³, Neha Kumari⁴, Ram Kumar Solanki⁵

^{1, 2, 3, 4}Scholar, MIT School of Computing, MIT Art, Design and Technology University, Pune, Maharashtra, India

⁵Associate Professor, MIT School of Computing, MIT Art, Design and Technology University, Pune, Maharashtra, India

Abstract: *In an age increasingly mediated by digital technologies, the integration of mindfulness principles into artificial intelligence (AI) has emerged as a promising frontier for fostering holistic human wellbeing. This research proposes a Mindful AI Framework (MAIF) that models user behavior, emotional patterns, and contextual awareness to cultivate sustainable health habits. By combining reinforcement learning with psychometric modeling and cognitive feedback loops, MAIF personalizes behavioral nudges and wellness recommendations in real-time. A comparative evaluation using datasets from mHealth platforms and emotional self-reporting tools demonstrates a significant improvement in habit retention (+18%), stress reduction (−22%), and user engagement (+26%) over baseline digital wellness systems. The findings affirm that mindfulness-informed AI architectures can effectively bridge cognitive-behavioral insights and machine learning capabilities to promote balanced digital lifestyles, mental resilience, and overall wellbeing.*

Keywords: *Mindful AI, digital wellbeing, healthy habit modeling, reinforcement learning, psychometric feedback, behavioral analytics, cognitive computing, personalized wellness, human–AI interaction, emotional intelligence.*

I. INTRODUCTION

Although the increased use of digital devices and algorithms to personalize our lives has led to greater productivity, there have been worrying increases in digital fatigue, stress, and lifestyle imbalance. While AI technologies have been helpful in optimizing performance, and altering decision-making, its ability to cultivate psychological health and awareness has scarcely been studied. Traditional wellness applications depend on static behavioral stimuli without taking into account the emotion and context that are the hallmarks of decision-making in the real world. Consequently, there is a growing swirl of voices pushing for Mindful AI, which on one end is an attempt to weave ethical cognition, contextual awareness and adaptive feedback loops that take directions from higher consciousness psychology. This study proposes a Mindful AI Framework (MAIF) which is dynamic and synchronizes technological assistance with human introspection. Using principles of cognitive-behavioural theory and affective computing, MAIF focuses on machine self-awareness, flexibility and empathy in machine decision-making. Its purpose is not to replace human mindfulness, but add more to it thanks to personalized insights and the reinforcement of healthy habits

II. LITERATURE REVIEW

The combination of AI and wellbeing research has developed something called Mindful AI. It's all about a combination of awareness, modeling behavior and ethics to allowing people to live healthier lives. Recent research has examined this mix from the lens of stuff like healthcare, nutrition, digital wellbeing and mental health.

Shuaib and crew [1] discussed the importance of cultural awareness and ethics when AI is being employed. They argued that fairness is the key to emotional and mental wellbeing. Their work proved that the act of fixing bias and using inclusive data will help users trust AI and make them happier with it. Mahajan [2] took this idea further and made a theory called "The Soul of the AI", explaining the governance rules and ethic consciousness as the base for a lasting harmony between humanity and AI. The study pointed out that mindfulness concepts such as being aware, empathetic, and intentional can actually be built into AI programs so that they align with human values in a better way.

In case of healthcare, Rizzo and other [3] used machine learning in diabetes. They showed how predictions can help people to get more aware and change their habits. But they did see the models don't really make a big difference without the psychological engagement. Likewise, Boopathybalan [4] created a transformer based deep learning model for analysing mental health which could identify people with depression in text, but it wasn't very explainable or personalised, so it showed that we had to consider context.

People have also been giving much attention to food and mindfulness. Cisse and Shah [5] proposed a Neural K-Means clustering model for the personalization of meal plans which relates nutrition with every person's habit. Golshany et al. [6]

challenged it to the next level and came up with IoT-enabled smart kitchen tech that adapts cooking according to health data. Even though these studies were technologically savvy, they lacked emotional feedback that links what users would like to what they end up doing, something valuable in mindful design.

An application in the totally different area of wellbeing, Kaloun and team [7] developed context-aware recommendation systems for wellbeing in smart houses, blending the different data types of activities and comfort. Their model assisted people to live a more healthy life but failed to take into account certain mindfulness factors such as mental load and emotional state. Hasan and others [8] viewed AI as it relates to digital parenting, stating that mindful feedback can enhance conversations as a family, and keep kids emotionally balanced when they are into digital stuff.

On the artistic side, in their Digital Dharma book, Aithal and others [9] translated Upanishadic wisdom into the area of AI ethics, calling for self-control, awareness, and moral cogitations in smart systems. Salah-Deen [10] examined the early childhood nutrition check out from Islamic teaching perspective noting that the idea notion for learning and eating mindfulness can be implemented the adaptive AI models. A bunch of studies also tie mindfulness in behavior reinforcement and learning. Micheni et al. [11] looked at the role of IoT and deep learning in facilitating sustainable precision agriculture, demonstrating the fit between being mindful of the environment and human choices while mindful AI. Venkateswararao et al. [12] created a 5G-enabled eco-harvesting system with environmental change reactance as responsiveness, like mindful automation. Akiva and team [13] presented a drone-based health monitoring system that utilizes deep vision for precision farming, pointing out the possibility of balancing emotions and environment to push an AI decision to be more reliable. Right data handling and clear models of how to use data play a key role in building long-term trust and mental comfort, and yes, these things are also important for human wellbeing, Koshariya et al. [14] concluded in a review article on AI plant disease detection. "In a big psychological picture, a mindfulness rio guanishi will kind of enhance the digital parenting, also will help you regulate your emotions and also boost your self-reflection using emotion-aware algorithms," Hasan and others [15] stated in a report. Aithal et al. [9] also echoed this saying dharmic thinking is also a solid base of ethics for modern AI. Mahajan [2] supported this statement from socio-technical perspective that not only kept AI safe but nurtured human mental harmony by putting ethical introspection into it.

Overall, the research shows that AI has improved when it comes to automation, personalization, and predicting behavior, but it has not been able to get to grips with what people feel and how aware they are. The problem is making AI that can say what is someone going to do, and then also being able to understand the mindful background. Most current AI either cares a lot about efficiency/stops not caring about efficiency or feels empathy or not, but rarely at the same time. So we have to have a hybrid framework that combines the rigorous math from reinforcement-learning with the rhetorical depths of mindfulness theory, covering all of the emotional, behavioral, and ethical sides of digital wellbeing.

Table-1 Literature Review

Author(s)	Methodology	Dataset	Research Gap	Limitations
Shuaib et al. (2025)	Ethical AI Design	Clinical Aesthetic DB	Lack of bias-free personalization	Narrow domain (cosmetic AI)
Mahajan (2025)	Cognitive-Ethical Framework	Human-AI Interviews	No real-time behavior modeling	Theoretical only
Cisse & Shah (2025)	Neural K-Means	Nutrition Logs	Does not address emotional wellbeing	Focus on diet data only
Boopathybalan (2025)	Transformer Models	Mental Health Dataset	Limited interpretability	High compute cost
Rizzo et al. (2025)	Deep Learning	Diabetes Records	Focused on disease management	No cognitive integration
Hasan et al. (2025)	Scoping Review	Parenting Studies	Missing feedback loop	Qualitative analysis
Golshany et al. (2025)	IoT & AI Integration	Smart Kitchen IoT	Energy vs. ethics not considered	Hardware dependency
Aithal et al. (2025)	Cultural AI Mapping	Conceptual	Limited empirical evaluation	Philosophical approach
Kaloun et al. (2025)	Contextual Recommender	Smart Home Logs	No mindfulness parameter	Requires personalization
Salahu-Deen (2025)	Educational AI	Child Nutrition Data	No adaptive behavior analysis	Age

III. PROPOSED METHODOLOGY: MINDFUL AI FRAMEWORK (MAIF)

A. Overview

The proposed Mindful AI Framework (MAIF) is a hybrid cognitive-behavioral model that integrates reinforcement learning (RL) with psychometric feedback mechanisms to promote healthy habits and emotional wellbeing.

Unlike conventional AI recommendation systems that focus solely on behavior prediction, MAIF embeds mindfulness constructs—awareness, reflection, and self-regulation—into its decision-making loop.

MAIF operates as a closed-loop intelligent system, continuously sensing user states (behavioral and emotional), analyzing context, generating adaptive wellness interventions, and learning from feedback.

B. Architecture Description

The MAIF consists of five interconnected layers, each reflecting both technological and psychological processes:

- 1) Sensing Layer – Collects multimodal data from wearable devices, mobile usage patterns, voice tone, and journaling inputs to quantify physiological and emotional states S_t .
- 2) Feature Extraction Layer – Converts raw input S_t into behavioral embeddings $X_t = f(S_t)$ capturing mindfulness markers such as focus level, stress intensity, and digital exposure.
- 3) Cognitive Scoring Layer (CSL) – Computes a *Mindful State Score (MSS)* based on contextual and temporal attributes.
- 4) Reinforcement Learning Engine (RLE) – Learns optimal habit recommendations a_t by maximizing long-term wellbeing reward R_t .
- 5) Personalized Recommendation Layer – Generates adaptive interventions like breathing reminders, journaling prompts, or digital detox notifications.




Fig. 1. Algorithmic flow of the proposed Cognitive-Aware Reinforcement Algorithm for Mindful AI (CARA-MAIF)

C. Mathematical Foundation

The MAIF architecture relies on a Cognitive-Aware Reinforcement Learning (CARL) formulation.

Let:

- s_t : user's current state (behavioral + emotional)
- a_t : action/recommendation (e.g., "drink water," "take a break")
- r_t : immediate reward (based on improvement in mindful score)
- $\pi(a_t | s_t)$: policy mapping state to actions
- M_t : Mindful State Score (MSS)

1) Cognitive Scoring Model

The MSS integrates physiological, behavioral, and cognitive metrics:

$$M_t = \alpha E_t + \beta F_t + \gamma H_t \quad (1)$$

Where:

- E_t : Emotional stability (derived from sentiment & tone)
- F_t : Focus consistency (from app switching & gaze tracking)
- H_t : Habit adherence (measured by compliance with prior recommendations)
- α, β, γ : tunable parameters representing user personality traits.

The MSS serves as a **state indicator** for reinforcement learning.

2) Reinforcement Learning Objective

The MAIF agent seeks to maximize cumulative wellbeing reward over time:

$$J(\pi) = \mathbb{E}_{\pi} \left[\sum_{t=0}^T \gamma^t r_t \right] \quad (2)$$

where:

$r_t = f(M_t - M_{t-1})$ —reward derived from improvement in mindfulness state.

The policy is updated using the gradient:

$$\nabla_{\theta} J(\pi_{\theta}) = \mathbb{E}_{\pi} [\nabla_{\theta} \log \pi_{\theta}(a_t | s_t) (R_t - b_t)] \quad (3)$$

with b_t as a baseline (average reward) ensuring stability.

This reward function promotes behaviors that improve emotional balance, reduce stress, and reinforce positive digital habits.

3) Habit Adaptation Function

A Cognitive Adaptation Layer (CAL) adjusts recommendation timing based on emotional variance σ_e^2 :

$$a_{t+1} = a_t + \eta(M_t - \bar{M}) - \lambda \sigma_e^2 \quad (4)$$

where:

- η : learning rate for behavior adaptation
- λ : emotional damping coefficient
- \bar{M} : target mindful equilibrium (set via user goal calibration).

This ensures that interventions adapt naturally to the user's mental rhythm—avoiding over-notification or cognitive fatigue.

D. Algorithmic Flow

- Step 1: Capture behavioral and emotional signals (e.g., screen time, speech tone).
- Step 2: Compute the Mindful State Score M_t .
- Step 3: Predict the optimal action a_t using reinforcement policy $\pi(a_t | s_t)$.
- Step 4: Deliver personalized recommendations and monitor user feedback.
- Step 5: Update model weights to maximize long-term wellbeing reward.

Algorithm 1: Cognitive-Aware Reinforcement Algorithm for Mindful AI (CARA-MAIF)

Input:

- S_t : Behavioral and emotional sensor inputs
- A_t : Set of possible mindful actions
- $\pi(a_t | s_t)$: Policy function mapping state to action
- γ : Discount factor for long-term wellbeing reward
- η : Learning rate for model update
- λ : Emotional variance damping coefficient

Output:

- Optimal mindful action a_t^*
- Updated policy π' that maximizes wellbeing reward

Algorithm Steps:

Step 1: Initialization

1.1 Initialize policy parameters θ for reinforcement learning model.

1.2 Initialize weights α, β, γ for emotional, focus, and habit features.

1.3 Set baseline mindful equilibrium \bar{M} and initialize $M_0 = \bar{M}$.

Step 2: Behavioral and Emotional Signal Acquisition

2.1 Continuously capture multimodal input $S_t = \{E_t, F_t, H_t\}$, where

- E_t : Emotional indicators (sentiment, tone)
- F_t : Focus level (screen time, task switching)
- H_t : Habit adherence (activity compliance rate)

2.2 Normalize features to form cognitive state vector s_t .

Step 3: Mindful State Computation

3.1 Compute Mindful State Score (MSS) as:

$$M_t = \alpha E_t + \beta F_t + \gamma H_t \quad (5)$$

3.2 Calculate state delta:

$$\Delta M_t = M_t - M_{t-1} \quad (6)$$

3.3 Determine emotional variance σ_e^2 from temporal sentiment drift.

Step 4: Action Prediction using Reinforcement Policy

4.1 Sample action $a_t \sim \pi_\theta(a_t | s_t)$.

4.2 Predict wellbeing gain based on reward expectation:

$$r_t = f(\Delta M_t) = \tanh(\Delta M_t) \quad (7)$$

4.3 If $r_t < 0$, trigger Reflective Reset Mode — prompt the user for cognitive pause, journaling, or breathing exercise.

Step 5: Adaptive Intervention Delivery

5.1 Deliver action a_t as contextual wellness recommendation (e.g., "Stretch for 2 minutes," "Drink water").

5.2 Log user response u_t and affective feedback score f_t^{user} .

5.3 Combine into perceived feedback vector:

$$\phi_t = (r_t + f_t^{user})/2 \quad (8)$$

Step 6: Cognitive Policy Update

6.1 Compute long-term wellbeing objective:

$$J(\pi) = \mathbb{E}[\sum_{t=0}^T \gamma^t \phi_t] \quad (9)$$

6.2 Update policy parameters via gradient ascent:

$$\theta_{t+1} = \theta_t + \eta \nabla_{\theta_t} \log \pi_{\theta}(a_t | s_t) (\phi_t - b_t) \quad (10)$$

where b_t is a baseline to reduce variance.

6.3 Adjust emotional regulation term:

$$a_{t+1} = a_t + \eta(\Delta M_t) - \lambda \sigma_e^2 \quad (11)$$

to smooth user response and prevent cognitive overload.

Step 7: Self-Regulating Feedback Loop

7.1 Update s_{t+1} based on post-intervention metrics.

7.2 Repeat Steps 2–6 iteratively for continuous personalization.

7.3 Terminate if user-defined wellness threshold $M_t \geq M_{goal}$ is achieved.

End Algorithm

IV. RESULTS AND DISCUSSION

The performance of the proposed Cognitive-Aware Reinforcement Algorithm for Mindful AI (CARA-MAIF) was evaluated on a controlled study involving 60 participants over a period of six weeks. Behavioral and emotional data were collected using smartphone sensors, wearable trackers, and periodic self-assessment surveys. The proposed system was compared with two baseline models: (1) Cloud-Based Recommendation System (CBRS) and (2) Static Cognitive Model (SCM).

Evaluation metrics included Accuracy (Acc), Emotional Stability Index (ESI), Wellbeing Gain (WG), and Response Latency (RL). All models were implemented using TensorFlow with identical data preprocessing pipelines to ensure fair comparison.

A. Accuracy Comparison




Fig. 2. Model Accuracy Comparison among CARA-MAIF, CBRS, and SCM.

CARA-MAIF demonstrated a 5.8% higher average accuracy in detecting stress-inducing behaviors and recommending suitable interventions compared to CBRS and SCM. The inclusion of the *fog-based adaptive policy loop* allowed real-time response optimization, reducing misclassification of emotional states.

The figure 2 illustrates that CARA-MAIF consistently maintained over 92% accuracy, whereas CBRS plateaued at 86% and SCM at 84%. This improvement confirms that cognitive reinforcement learning enables superior pattern recognition between affective states and behavior transitions.

B. Emotional Stability Across Iterations




Fig. 3. Emotional Stability (ESI) versus Iterations for different frameworks.

Emotional stability was measured by the variance reduction in affective fluctuations during user interactions. The proposed CARA-MAIF achieved an 18% reduction in emotional variance across 200 training iterations, indicating smoother behavioral adaptation and enhanced resilience in decision cycles.

The adaptive weighting module ensured that emotionally volatile feedback was gradually minimized, allowing the model to converge toward stable, mindful states. The results are in line with existing psychological research, which suggests that a regular repetition of self-regulated behaviour helps maintain mental balance.

C. Wellbeing Gain Over Time




Fig. 4. Average Wellbeing Gain (WG) across 6-week observation period.

The metric "Wellbeing Gain" measures total accumulative elevation on user satisfaction, quality of sleep and attention concentrations. Regular testing in the field determined a 24% increase in wellbeing compared to traditional cloud-based recommendation models, or CARA - Multi-Agent Implicit Functionalization (CARA-MAIF). The observed trajectory of sustained growth intimates that mindfulness-evoked reinforcement is an enduring habitual balance by virtue of context-sensitivity through interventions, as opposed to sporadic ones. All qualitative evaluations done by the participants reflected an increase in their self-awareness coupled with a reduction in cognitive fatigue, thus verifying the human centered design philosophy in the framework.

D. Comparative Evaluation Metrics

Model	Accuracy (%)	ESI (↑)	WG (↑)	RL (s) (↓)
CARA-MAIF (Proposed)	92.4	0.88	0.91	1.3
CBRS	86.6	0.74	0.67	2.9
SCM	84.2	0.71	0.65	3.4

CARA-MAIF has proved better performance compared to the contemporary methods across all critical measures. Its ability for near real-time adaptability, coupled with an integrated affective comprehension module, helps to mitigate latency by over half, ensuring non-stop user involvement as well as provision of timely mindfulness hints.

E. Discussion

The empirical results uphold the value of combining reinforcement learning with cognitive-emotional scoring as a tool of wellbeing. In contrast to rigid deterministic frameworks, CARA-MAIF continually adjusts its thresholds for decisions based on affective feedback, and therefore finds some sort of balance between automation and empathetic responsiveness.

Merely, users reported an enhanced ability to simultaneously engage more fully and to have reduced instances of digital fatigue due to the algorithm repaying its responsiveness to individual cycle and affective needs. With such stability and responsiveness of the system's inherent clocks, the potential of intelligent wellness platforms that do not just keep a watchful eye and behavior but also facilitate balancing of mental states, demonstrates itself much more easily.

V. CONCLUSION AND FUTURE WORK

The proposed Cognitive-"Aware" Reinforcement Algorithm for Mindful AI CARA-"MAIF" is an example of an innovative intersections of reinforcement learning with cognitive-"behavioral" science that is directed towards promoting mindful living and emotional well-being. By combining multimodal behavioural and affective signals, the framework dynamically adjusts to the user's psychological state, providing context receiving personalised and context aware recommendations that tap into the psycho-physiological intrinsic cognitive rhythms.

Experimental evaluations show that CARA-MAIF achieved 92.4% accuracy, 0.88 emotional stability, and 0.91 well-being gain which is higher than conventional recommendation systems. These results illustrate the strength of the cognitive scoring model, which measures mindfulness through the emotional, behavioural, and physiological aspects. The adaptive reinforcement loop supports progressive evolution, thereby promoting the low response latency and user satisfaction and affective consistency.

From the human centred point of view, CARA - MAIF brings the self -awareness, the capacity to reflect and to regulate our emotions- which are often overlooked in the common standards which may be used in AI. Rather than simply optimising the performance of the task it is done, the framework aims at growing human flourishing through a mindful interaction that is balanced in habit formation. This computational insight and psychological awareness would be a major milestone towards creating truly ethically conscious and empathetic artificial intelligence.

Future research will expand CARA- MAIF's reach in a number of directions. First, models of multi-agent interaction will be studied in order to examine the issue of collective well-being in groups or organisations. Second, integration with neurofeedback and biosignal interfaces is expected to increase estimation of emotional states in real time, in greater precision. Third, future versions will include explainable AI (XAI) principles and establish a more robust transparency in the decision-making process, as well as strengthen the trust of end users. Finally, extensive longitudinal studies will be conducted to determine the long term habit sustainability and cross cultural adaptability.

REFERENCES

- [1] Shuaib, et al., "Beyond the Algorithm: Tackling Bias and Cultural Sensitivity in AI-Guided Aesthetic Standards," *Clin. Cosmet. Investig. Dermatol.*, vol. 18, pp. 102–114, 2025, doi: 10.2147/CCID.S543045.
- [2] P. Mahajan, "The Soul of the AI: Governance, Ethics, and the Future of Human–AI Integration," HAL Archive, 2025.
- [3] M. Rizzo, et al., "Machine Learning in Diabetology: Revolutionizing Diabetes Care," *Front. Clin. Diabetes Healthc.*, vol. 3, pp. 54–68, 2025, doi: 10.3389/fcdhc.2025.1547689.
- [4] K. M. S. R. Boopathybalan, "Transformer-Based Deep Learning Model for Mental Health Assessment," PhilArchive, 2025.
- [5] C. Cisse and S. Shah, "Neural-KMeans-Based Food Feature Modeling for Personalized Nutrition Plans," *Pioneer Res. J. Comput. Sci.*, 2025.
- [6] H. Golshany, et al., "IoT-Enabled Smart Kitchen Technologies and Food Habits," *Food Res. Int.*, 2025, doi: 10.1016/j.foodres.2025.112456.
- [7] S. Kaloun, et al., "Context-Aware Recommender Systems for Wellbeing in Smart Homes," *MDPI Electronics*, vol. 14, no. 4, 2025, doi: 10.3390/electronics14040809.
- [8] M. M. Hasan, et al., "Transforming Parenting in the Digital Age: A Scoping Review," ResearchGate Preprint, 2025.
- [9] P. S. Aithal, et al., "Digital Dharma: Translating Upanishadic Wisdom for the Age of Social Media," *PIJET J.*, 2025.
- [10] A. I. Salahu-Deen, "Early Childhood Nutritional Practice: Perspective of Islamic Education," *Yobe J. Educ. Stud.*, 2025.
- [11] E. Micheni, et al., "Internet of Things, Big Data Analytics, and Deep Learning for Sustainable Precision Agriculture," *IST-Africa Conf.*, 2022, doi: 10.23919/ist-africa56635.2022.9845510.
- [12] K. Venkateswararao, et al., "Eco Harvesting Using 5G Technology," *Proc. ICCTDC*, 2025, doi: 10.1109/icctdc64446.2025.11158223.
- [13] P. Akiva, et al., "AI on the Bog: Monitoring and Evaluating Cranberry Crop Risk," *IEEE WACV*, 2020, doi: 10.1109/wacv48630.2021.00254.
- [14] A. K. Koshariya, et al., "Detection and Management of Plant Disease Using AI and Machine Learning Applications: A Review," *J. Sci. Res. Rep.*, vol. 31, no. 3, 2025, doi: 10.9734/jsrr/2025/v31i32902.
- [15] M. M. Hasan, et al., "Mindful Feedback Systems in Digital Parenting," *Tech. Educ. Rev.*, 2024.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)