iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** III **Month of publication:** March 2026

DOI: https://doi.org/10.22214/ijraset.2026.78442

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue III Mar 2026- Available at www.ijraset.com

Motor Fault Detection Using Vibration and Current

Ms. Sonali Sangole[1], Mr. Akshay Nimje[2], Ms. Shreya Mate[3], Mr. Nagendra Narmalwar[4], Mr. Abhishek Bhakre[5], Mr. Anmol Shende[6]
Tulsiramji Gaikwad-Patil, College of Engineering & Technology, Nagpur, Maharashtra, India

Abstract: ***Induction motors are widely used in industries because of their high efficiency, reliability, and simple construction. They are commonly used in machines such as pumps, compressors, and conveyors. However, due to continuous operation and harsh working conditions, induction motors can develop different types of faults. These faults may be mechanical, such as bearing damage and misalignment, or electrical, such as unbalanced voltage and single phasing. If these faults are not detected early, they can lead to serious damage and unexpected system failure. In this project, motor fault detection is carried out using vibration analysis and current analysis. A vibration sensor measures the mechanical vibrations of the motor, while a current sensor monitors the electrical current drawn by the motor. The collected signals are processed and analyzed to identify abnormal conditions in the motor. This method helps in detecting faults at an early stage and improving the reliability of the motor system. This system helps in condition monitoring and predictive maintenance, which reduces maintenance cost and prevents unexpected breakdowns in industrial applications.***

I. INTRODUCTION

Induction motors are widely used in industries because of their simple construction, high efficiency, and reliable performance. These motors play an important role in many industrial machines and production systems. However, continuous operation and harsh working conditions can cause different types of faults in the motor. If these faults are not detected early, they can lead to serious damage, increased maintenance cost, and unexpected system failure.

Motor fault detection is an important technique used to monitor the health condition of motors. By identifying faults at an early stage, industries can avoid major breakdowns and improve system reliability. In this project, motor faults are detected by using vibration analysis and current analysis. Sensors are used to collect vibration and current signals from the motor, and these signals are analyzed to identify abnormal conditions. This method helps in improving maintenance planning and ensures safe and efficient motor operation.

II. LITERATURE SURVEY

Induction motors are widely used in industrial applications because of their high efficiency, reliability, and low maintenance. However, motors can develop different faults such as bearing faults, rotor faults, stator winding faults, and mechanical imbalance during operation. If these faults are not detected early, they may cause machine failure, production loss, and high maintenance cost. Therefore, many researchers have developed techniques to detect motor faults using vibration signals and motor current analysis.

A. Early Research on Motor Current Signature Analysis (MCSA)

One of the earliest and most widely used techniques for motor fault detection is Motor Current Signature Analysis (MCSA). This method analyzes the current waveform of the motor to identify abnormal frequency components caused by faults. Changes in current harmonics can indicate problems such as broken rotor bars, stator winding faults, or voltage imbalance. Researchers showed that MCSA can detect faults without installing additional sensors, making it a cost-effective monitoring technique.

B. Vibration-Based Fault Detection

Another important technique is vibration analysis, which uses accelerometers or vibration sensors mounted on the motor body. Mechanical defects such as bearing damage, rotor imbalance, and shaft misalignment produce characteristic vibration patterns. By analyzing vibration signals using signal processing methods such as Fast Fourier Transform (FFT), researchers can identify the type and severity of the fault. Vibration analysis is widely used in predictive maintenance systems for rotating machines.

©IJRASET: All Rights are Reserved

C. Combined Vibration and Current Monitoring

Many studies suggest that combining vibration and current signals improves fault detection accuracy. Some researchers developed experimental setups where both signals were collected under different operating conditions. Machine learning algorithms such as Support Vector Machines (SVM) were then used to classify faults. Results showed that the combined approach provides better detection of both electrical and mechanical faults compared to using only one signal

D. Signal Processing and Feature Extraction Techniques

To analyze vibration and current signals effectively, researchers apply different signal processing techniques. Common techniques include FFT, wavelet transform, and time-frequency analysis. These methods extract features such as frequency components, amplitude variations, and harmonic patterns from the signals. These features are then used to identify motor faults and determine their severity.

E. Machine Learning and Deep Learning Approaches


Recent studies focus on applying machine learning and deep learning for automatic fault detection. Models such as Convolutional Neural Networks (CNN), Support Vector Machines (SVM), and ensemble deep learning models have been used to classify faults from vibration and current signals. These methods can achieve very high diagnostic accuracy by learning patterns from large datasets. For example, advanced deep learning models using time-frequency features from vibration and current signals have reported accuracy above 98% for bearing, rotor, and stator fault detection.

F. Challenges in Motor Fault Detection

Although many techniques have been proposed, some challenges still exist. Noise in vibration signals, changes in operating conditions, and limited fault data can affect detection accuracy. Additionally, installing vibration sensors may be difficult in some industrial environments. Therefore, researchers are exploring multi-sensor monitoring systems and intelligent algorithms to improve reliability and robustness.

III. METHODOLOGY

Bearings are essential components of induction machines that allow smooth rotation of the motor shaft while supporting mechanical loads. A typical bearing consists of an inner ring, an outer ring, and rolling elements such as balls or rollers that move inside raceways to reduce friction. During continuous operation, repeated mechanical stress can cause fatigue failures, especially on the inner and outer race surfaces. This leads to flaking or spalling, where small metal particles break away, resulting in rough running, increased vibration, and higher noise levels. Bearing failure can also be caused by external factors such as contamination, corrosion, brinelling, improper lubrication, and incorrect installation. In addition, electrical issues like shaft voltage and circulating currents may damage the bearing surfaces. Excessive temperature due to overload or poor cooling further accelerates wear and reduces bearing life. Therefore, proper maintenance and condition monitoring are important to ensure reliable operation of induction motors.



In this system, the vibration sensor (accelerometer) and current sensor (ACS712) are connected to the induction motor to monitor its condition. The vibration sensor measures the mechanical vibrations produced by the motor, while the current sensor measures the electrical current flowing through the motor. These signals are sent to the ESP32 microcontroller for processing. The ESP32 performs signal processing and feature extraction to analyze the vibration and current data. Based on this analysis, the fault detection algorithm identifies any abnormal conditions such as bearing faults, unbalanced voltage, or single phasing. The results are displayed on the OLED display and also transmitted wirelessly to a cloud server. If any fault is detected, the system sends alerts through wireless communication, allowing remote monitoring and early maintenance of the motor.

A. Advantages Of Proposed Methodology

1) Early Fault Detection: The proposed methodology enables the identification of faults such as bearing defects, stator winding issues, and supply voltage abnormalities at an early stage. This helps in preventing serious motor damage and ensures timely corrective action.

2) Improved System Reliability: Continuous monitoring and accurate fault diagnosis enhance the overall reliability and stability of the induction motor drive system. The motor can operate more consistently even in varying load or supply conditions.

3) Reduced Maintenance Cost: By detecting faults before they become severe, the methodology supports planned and condition-based maintenance. This reduces unexpected breakdowns, minimizes repair expenses, and lowers overall maintenance costs.

4) Enhanced Motor Performance: The use of advanced fault detection and fault-tolerant control strategies helps maintain near-optimal motor speed, torque, and efficiency even when certain faults occur. This ensures smooth and efficient motor operation.


5) Minimized Downtime: Quick identification and isolation of faults reduce machine stoppages and production losses. Industries can maintain continuous operation and improve productivity.

6) Increased Operational Safety: The methodology provides early warning of abnormal conditions such as excessive vibration, overheating, and electrical disturbances. This improves the safety of both equipment and operating personnel.

7) Extended Motor Life: Proper monitoring and timely fault management reduce mechanical stress, thermal stress, and electrical stress on motor components. As a result, the overall lifespan of the induction motor is significantly increased.

8) Accurate Condition Monitoring: Advanced techniques such as vibration analysis, current signature analysis, and thermal monitoring provide precise information about the health condition of the motor. This supports better decision-making for maintenance and system operation.

IV. RESULT AND DISCUSSION



The results show that the proposed fault diagnosis methodology is effective in detecting different types of induction motor faults such as bearing defects, stator winding faults, and supply voltage abnormalities at an early stage. Both simulation and experimental analysis confirm that the system provides accurate and reliable fault identification. The implementation of fault-tolerant control techniques helps in maintaining stable motor speed, torque, and overall performance even during faulty operating conditions. Monitoring parameters such as vibration, current, and temperature successfully indicate abnormal motor behavior, which supports timely maintenance actions. As a result, the operational stability and efficiency of the induction motor drive system are improved, machine downtime is reduced, and maintenance becomes more economical. Overall, the proposed methodology contributes to extending the service life of the motor and enhances productivity in industrial applications.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

V. CONCLUSION

In conclusion, the proposed fault diagnosis and fault-tolerant control methodology provides an effective solution for improving the reliability and performance of induction motor drive systems. The system is capable of detecting common faults such as bearing failures, stator winding defects, and supply voltage disturbances at an early stage using advanced monitoring techniques like vibration analysis, current signature analysis, and temperature monitoring. The implementation of fault-tolerant control strategies helps maintain stable motor operation even under faulty conditions, thereby reducing performance degradation.

Furthermore, the methodology contributes to minimizing unexpected breakdowns, reducing maintenance costs, and improving overall operational safety. By enabling condition-based maintenance and continuous monitoring, the proposed approach enhances motor efficiency, increases service life, and supports uninterrupted industrial productivity. Hence, this method can be considered a reliable and practical solution for modern induction motor fault detection and protection systems.

REFERENCES

[1] Ahad, M. F., Khan, M. A., Uzair, M., Iqbal, J., & Khan, M. A. (2022). IoT-based Machine Induction Motor Fault Detection System Using ESP32. Sensors, 22(12), 4587

[2] Kumar, S. S., & Kumar, R. D. (2021). IoT-based Machine Induction Motor Fault Detection Using Raspberry Pi. International Journal of Engineering Research & Technology (IJERT), 10(01), 119-125.

[3] Patel, S., & Patel, D. (2020). IoT-based Machine Induction Motor Fault Detection Using Arduino. International Journal of Engineering Research & Technology (IJERT), 9(12), 957-962.

[4] Krishna, M.S.R.; Seshadrinath, J. Model Based Stator Interturn Fault Analysis in Synchronous Reluctance Motor Drives. IEEE Trans. Ind. Appl. 2024, 60, 8878–8887

[5] L. Deng, A. Zhang, and R. Zhao, “Intelligent identification of incipient rolling bearing faults based on VMD and PCA-SVM,” Adv. Mech. Eng., vol. 14, no. 1, pp. 1–18, (2022).


[6] Henriques, K.; Laadjal, K.; Cardoso, A.J.M. Inter-Turn Short-Circuit Fault Detection in Synchronous Reluctance Machines, Based on Current Analysis. Eng. Proc. 2022, 24, 23.

[7] Khan, M. A., Khan, N. U., Iqbal, J., & Ahad, M. F. (2019). Machine Induction Motor Fault Detection Using Cloud Computing and Machine Learning. IEEE Transactions on Industrial Electronics, 67(5), 4144-4154.

[8] Singh, P., Kumar, R. D., & Kumar, S. S. (2018). IoT-based Machine Induction Motor Fault Detection System Using Blynk. International Journal of Engineering Research & Technology (IJERT), 7(12), 148-152.

[9] Krishna, M.S.R.; Seshadrinath, J. Model Based Stator Interturn Fault Analysis in Synchronous Reluctance Motor Drives. IEEE Trans. Ind. Appl. 2024, 60, 8878–8887. [Google Scholar] [CrossRef]

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)