iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** IV **Month of publication:** April 2025

DOI: https://doi.org/10.22214/ijraset.2025.68682

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue IV Apr 2025- Available at www.ijraset.com

NLP Models for Sentiment Analysis of Twitter Data

Bhumika Sablok[1], Ankush Tyagi[2], Dharmander[3], Mr. Harendra Singh Malik[4], Dr.Saumya Chaturvedi[5], Dr. Sureshwati[6]
Department of Computer Applications Greater Noida Institute of Technology (Engg. Institute), Greater Noida , India

Abstract: ***Although significant advancements have been made in tweet sentiment analysis—particularly with the rise of deep learning and the availability of large, diverse training datasets—research in this area has often remained focused on traditional forms of content such as movie and product reviews. While recent datasets extend beyond basic emoticons and hashtags, many earlier sentiment analysis studies have primarily addressed tweets with only two sentiment polarities: positive and negative. Moreover, these systems frequently fail to align sentiment classifications with specific target entities or topics. In this paper, we explore several deep learning techniques for sentiment analysis on Twitter data. We also trained models using Convolutional Neural Networks (CNN) and Recurrent Neural Networks (RNN), achieving promising accuracy in sentiment classification.***
Keywords: Sentiment Analysis, Twitter Data, Natural Language Processing (NLP), Deep Learning, Convolutional Neural Network (CNN), Recurrent Neural Network (RNN).

I. INTRODUCTION

Sentiment analysis is an automated process that interprets written or spoken opinions about a specific subject. In today's data-driven world—where over 2.5 quintillion bytes of data are generated daily—sentiment analysis plays a vital role in understanding this vast amount of information. It enables businesses to gain valuable insights and optimize operations across various domains [1]. Often referred to as opinion mining, sentiment analysis involves constructing systems that extract and classify opinions from text data. This process is closely related to the field of Natural Language Processing (NLP)

[1].These systems typically extract features such as the topic (or subject) being discussed, the polarity of the sentiment (positive or negative), and the opinion holder (the person or organization expressing the opinion). The subject refers to the item or issue under discussion, while polarity indicates whether the sentiment is favorable or unfavorable. The opinion holder identifies who is expressing the sentiment.Sentiment analysis is of growing importance due to its wide range of practical applications. With an ever-increasing volume of opinionated text being publicly and privately shared across the internet—through blogs, forums, review sites, and social media—automating the classification of sentiment has become essential. It enables categorization of text into positive, negative, or neutral emotions, aiding in tasks such as market research, brand monitoring, and customer feedback analysis.In particular, sentiment analysis on Twitter has gained prominence. With more than 321 million active daily users and over 500 million tweets posted each day, Twitter offers companies a direct channel to engage with customers and gauge public sentiment in real-time [2]. Twitter allows brands to bypass traditional intermediaries and communicate directly with their audience. However, the viral nature of tweets means that negative publicity can spread rapidly, presenting potential reputational risks. This underscores the growing importance of social media analytics—the analysis of user-generated content on platforms like Twitter—to monitor public opinion and respond proactively.Twitter serves as a powerful tool for encouraging social networking and brand engagement [2]. Monitoring Twitter enables businesses to understand their customers better, stay informed about public opinions regarding their products and competitors, and identify emerging market trends. Sentiment analysis helps answer a crucial question: are users expressing positive or negative feelings about a particular product? That's precisely what sentiment analysis seeks to uncover [2].

By applying sentiment analysis to Twitter data using machine learning, companies can gain valuable insights into how customers perceive their brand, products, or services. This real-time understanding can guide decision-making, marketing strategies, and customer engagement approaches.Approximately 80% of all digital data today is unstructured—and social media data is no exception. Since this kind of data lacks predefined structure, it is difficult to process and analyze using traditional methods. Fortunately, advances in Machine Learning and Natural Language Processing (NLP) have enabled the development of models that can learn from examples and effectively classify and interpret textual data.Twitter sentiment analysis systems can automatically categorize large volumes of tweets and determine the polarity (positive, negative, or neutral) of each message. One of the key advantages of such systems is the ability to save considerable time and resources. Instead of manually analyzing social media feedback, employees can focus on high-impact activities, while automated tools handle the data classification efficiently.

©IJRASET: All Rights are Reserved

The major benefits of sentiment analysis include:

1) Time Efficiency: Automates the classification process, reducing manual workload.
2) Real-Time Insights: Provides up-to-date understanding of public sentiment.
3) Enhanced Decision-Making: Supports strategic planning and customer-centric approaches.
4) Competitive Advantage: Helps companies stay ahead by monitoring trends and competitor reputation
5) Sentiment analysis on Twitter offers numerous benefits that make it highly valuable for modern businesses and researchers:
6) Scalability: Consider the task of analyzing hundreds of tweets about a company. While this can be done manually, it would take a considerable amount of time and may lead to inconsistent or unorganized results. Twitter sentiment analysis automates this task, delivering accurate and cost-effective outcomes in a much shorter time frame [1].
7) Real-Time Analysis: One of the key advantages of Twitter sentiment analysis is its ability to monitor real-time shifts in public sentiment. It helps detect sudden changes in customer mood, identify growing concerns or negative reactions, and take corrective actions before issues escalate. Real-time feedback also enables brands to implement necessary changes or improvements promptly [2].
8) Consistency of Evaluation: Sentiment interpretation can be subjective when done manually—two individuals might evaluate the same tweet differently, leading to inconsistent outcomes. By training deep learning models for sentiment analysis, it is possible to apply standardized criteria across all data, resulting in more accurate, objective, and reliable evaluations [2].This research paper is organized into several sections for better clarity and structure. Section 1 provides an introduction to Twitter sentiment analysis. Section 2 presents a literature review, highlighting major works and methodologies related to deep learning techniques for sentiment classification. Section 3 explores various deep learning models and architectures used in sentiment analysis. Section 4 outlines the complete process involved in analyzing Twitter data, including preprocessing and model training. Section 5 discusses the results obtained from the proposed framework. Finally, Section 6 concludes the study by summarizing key findings and potential areas for future research.

II. LITERATURE REVIEW

Santos et al. [6] introduced a framework that employs a deep Convolutional Neural Network (CNN) for sentiment detection, operating from the sentence level down to the character level. Their model is capable of capturing semantic nuances across different granularities of text. The dataset used for training and evaluation includes movie reviews and Twitter messages sourced from the Stanford Sentiment Treebank.The Twitter corpus used by Santos et al. [6] was based on binary sentiment classification, labeling tweets as either positive or negative. Their model achieved an accuracy of 86.4% in classifying sentiments using the Twitter dataset.Kalchbrenner et al. [7] proposed a neural network architecture featuring multiple convolutional layers for representing word vectors, which were initialized with random values. This dynamic CNN was applied to sentiment classification tasks on film reviews and Twitter data. Their experiments demonstrated that models utilizing unigram and bigram features outperformed hierarchical convolution models. The proposed system was evaluated across four sentiment prediction scenarios: binary classification, six-way classification, multi-class classification, and distant supervision.Socher et al. [8] introduced a Recursive Tensor-Based Neural Network for sentiment analysis. This model employed word vectors in conjunction with syntactic parse trees and used tensor-based composition to generate higher-order representations. Their approach was tested on a dataset consisting of 215,154 phrases extracted from 11,855 sentences. The binary classification accuracy of their model reached 85.4%, marking an improvement over traditional approaches.

Johnson et al. [9] applied CNNs to high-dimensional text classification problems, demonstrating superior performance compared to classical machine learning techniques on multiple benchmark datasets. Although their models were computationally intensive and challenging to train, the integration of multiple convolutional layers significantly improved classification accuracy.Li et al. [10] investigated the performance of Recursive Neural Networks (RvNNs) compared to traditional methods, particularly for NLP tasks like sentence-level and phrase-level sentiment classification. By benchmarking RvNNs against Recurrent Neural Networks (RNNs), the study identified limitations in classical models and offered insights into the design of more effective recurrent models.Barbosa et al. [11] proposed a two-phase sentiment classification methodology for Twitter data. In the first phase, tweets were classified as factual or subjective. Subjective tweets were further categorized as either positive or negative in the second phase. The methodology incorporated a variety of features, including prior term polarity, part-of-speech tags, and spatial features like retweets, hashtags, mentions, punctuation, and exclamation marks. Despite leveraging noisy data labels for training, the model's performance was impacted by the presence of contradictory or antagonistic sentiment expressions within the dataset.Po-Wei Liang et al. [12] utilized the Twitter API to collect and process sentiment data, dividing the dataset into three categories: camera, video, and mobile.

Sentiments were labeled as positive, negative, or neutral. Opinion-based comments were filtered, and the Naive Bayes classifier was employed for sentiment classification. This approach highlighted the utility of basic machine learning models in domain-specific sentiment analysis tasks.The Naive Bayes Unigram model was adopted to simplify assumptions regarding feature independence. To enhance feature selection, the authors also employed a shared knowledge approach and the Chi-Square extraction technique, which helped eliminate irrelevant or redundant features. Ultimately, the model predicted the polarity of tweets—categorizing them as either positive or negative.Kamps et al. [13] explored sentiment detection by evaluating the emotional meaning of words using the WordNet lexical database. They proposed an "adjective gap" metric on WordNet to determine semantic orientation and define the polarity of words based on their semantic relationships.Efthymios Kouloumpis et al. [14] investigated the effectiveness of various linguistic features in identifying sentiments expressed in Twitter messages. The study evaluated the performance of existing lexical resources along with newly introduced features that capture the informal and creative nature of language used on social media. The methodology employed a supervised learning approach, using hashtags from Twitter data as weak labels for training purposes.Aliaksei Severyn and Alessandro Moschitti [15] presented a deep learning framework specifically tailored for Twitter sentiment analysis. Their primary contribution was a novel method for initializing the component weights of a convolutional neural network, which is critical for effective training without requiring manual feature engineering. Initially, a neural language model was trained in an unsupervised manner to produce word embeddings. These embeddings were then fine-tuned using a distant supervised dataset. The pre-trained components were utilized to initialize the final sentiment classification framework, which was further trained on the supervised dataset from the SemEval-2015 Twitter Sentiment Analysis competition. The proposed system demonstrated improved performance compared to existing sentiment analysis approaches by effectively leveraging both unsupervised and supervised learning paradigms.The results achieved by Severyn and Moschitti's framework, when tested on official datasets from the SemEval competition, demonstrated that the model ranked among the top two in the sentence-level subtask. This high performance underscored the effectiveness of their proposed methodology.Anastasia Giachanou and Fabio Crestani [16] contributed significantly to the domain by offering a comprehensive analysis and classification of sentiment analysis methodologies applied to Twitter data. Their study categorized various research approaches based on the techniques used and provided a structured framework for sentiment analysis on the Twitter platform. This framework included key aspects such as opinion retrieval from tweets, tracking sentiment trends over time, detecting irony and sarcasm, quantifying emotions, and categorizing tweet sentiments. In addition, they briefly reviewed the various tools and platforms employed for Twitter sentiment analysis in existing literature.The contributions of Giachanou and Crestani also involved a systematic review of existing research, addressing the evolution of methodologies and technologies, and highlighting current trends and future research directions in the field of Twitter-based sentiment analysis.To summarize, the literature review highlights the growing effectiveness of deep learning techniques—particularly Convolutional Neural Networks (CNNs)—in analyzing sentiments expressed on Twitter. CNNs have proven especially proficient at extracting and representing key features from tweet corpora, enabling more accurate sentiment classification than traditional methods. These advancements underscore the shift from classical machine learning models to deep learning-based architectures for more nuanced and scalable sentiment analysis.

III. METHODOLOGIES

Deep learning is fundamentally based on layers of Artificial Neural Networks (ANNs). These models eliminate the need for manual feature engineering by leveraging hierarchical representations of data, where each layer builds upon the features extracted by previous layers. As a result, deep learning networks are capable of learning complex patterns and improving through backpropagation and self-correction. However, the accuracy of these models is highly dependent on the quality and consistency of the data used for training. Inaccurate or noisy data can lead to poor model performance [3].In this study, several deep learning techniques have been considered to analyze Twitter data and develop an effective sentiment classification model. One of the most promising methods for this task is the Convolutional Neural Network (CNN).

A. Convolutional Neural Network (CNN)

Although CNNs are predominantly used in computer vision tasks, they have shown remarkable success in natural language processing (NLP), particularly in sentiment analysis. The strength of CNNs lies in their ability to detect local features, such as phrases or n-grams, within embedded sentence structures. When applied to text data, CNNs perform convolutions on word embeddings, capturing sentiment-carrying patterns such as negations and specific word combinations [4].

1) Algorithm Steps

The CNN-based sentiment analysis model follows four main steps:

- Convolutional Layer: This layer applies convolution operations to transform the input data into feature maps. It uses mathematical convolution to extract important features from the text. The basic convolution function is defined as:

$$(f * g)(t) = \int_{-\infty}^{\infty} f(\tau)g(t-\tau)d\tau = \int_{-\infty}^{\infty} f(t-\tau)g(\tau)d\tau (1)$$

- Max Pooling Layer: This operation reduces the dimensionality of the data while retaining the most important features. It works by sliding a filter across the input feature map and selecting the maximum value within each region. This not only helps in reducing computational cost but also prevents overfitting by providing abstracted representations.
- Flattening Layer: After convolution and pooling operations, the multi-dimensional data is flattened into a single vector. This step prepares the data for classification by converting the spatially organized data into a format suitable for fully connected layers.
- Fully Connected Layer (Dense Layer): These layers are used for the final classification. After flattening, the data is passed through one or more dense layers where each neuron is connected to every neuron in the previous layer. The output layer produces the final sentiment class—typically positive, negative, or neutral.

B. *Recurrent Neural Networks (RNN)*

Recurrent Neural Networks (RNNs) are among the most widely adopted deep learning architectures in the domain of Natural Language Processing (NLP). Their strength lies in their ability to process sequential data, making them well-suited for text-based tasks such as sentiment analysis. RNNs maintain a form of memory through hidden states, allowing them to consider previous tokens while analyzing the current one.In sentiment analysis, RNNs predict the overall sentiment by sequentially processing each word or token in a sentence. Once all tokens have been processed, the network produces a sentiment classification based on the cumulative understanding of the sentence.The effectiveness of RNNs can be further enhanced with the integration of an attention mechanism. This mechanism assigns different levels of importance to each token in the input sequence, enabling the model to focus more on significant words that carry higher sentiment value. As a result, the model gains better context awareness and improves its predictive accuracy [4].

C. Recursive Neural Networks (RecNN)

Recursive Neural Networks (RecNNs) are another powerful architecture used in NLP, particularly for tasks that involve hierarchical structures such as parse trees. In contrast to traditional sequential models, RecNNs exploit syntactic structures of language by applying the same neural network recursively over a structured input, like a syntactic tree.A recent advancement within this domain is the multi-task learning (MTL) approach, which allows a single model to learn multiple tasks simultaneously. This methodology helps in leveraging shared information across different but related tasks, thereby enhancing the overall model performance. For instance, learning sentiment classification in conjunction with part-of-speech tagging or syntactic parsing can improve accuracy across all tasks.Notable examples of such models include the Dynamic Memory Network and the Neural Semantic Encoder, both of which have shown high accuracy in sentiment classification by combining memory components with recursive structures [4].

IV. THE PROCESS OF TWITTER SENTIMENT ANALYSIS

Having reviewed the various deep learning models applicable to sentiment analysis, the next phase involves understanding the step-by-step process of analyzing sentiments on the Twitter platform. Twitter sentiment analysis typically consists of four primary stages, which guide the end-to-end implementation of the model

1) Step 1 – Data Gathering

The first and foundational step in sentiment analysis is data gathering. For Twitter-based sentiment analysis, accessing and extracting relevant tweet data is essential. This is accomplished by registering for access to the Twitter Developer API, which enables real-time and historical data retrieval.Through this API, users can retrieve tweets that match specific queries such as keywords, usernames, or hashtags. The API supports both real-time tweet collection and access to historical tweets. The Standard Search API allows access to tweets from the past seven days, which is sufficient for many applications. However, for more extensive historical analysis, Twitter offers premium services like the Full-Archive Search API and Historical PowerTrack, which grant access to tweets dating back to 2006, though these services are subscription-based.These APIs are highly useful when tracking specific events, monitoring brand sentiment, or conducting social media research over defined timeframes.

Additionally, there are several third-party tools and platforms available for tweet collection—some of which require programming knowledge, while others are designed for non-technical users.In summary, Twitter provides flexible methods for data gathering, including both free and paid options, depending on the depth and timeframe of data required [2].

2) Step 2 – Data Preparation

Once tweet data is gathered, it must undergo preprocessing to ensure its suitability for sentiment analysis. Twitter data is inherently unstructured and often contains extraneous elements such as emojis, special characters, hyperlinks, hashtags, and user mentions, which may not contribute directly to sentiment classification. Therefore, the data cleaning phase plays a crucial role in improving model accuracy.

Key preprocessing tasks include:

Removing emojis, unique characters, and excess white spaces.Filtering out duplicate tweets and tweets with fewer than three characters, as they typically lack meaningful sentiment.Converting all text to lowercase, ensuring uniform representation of words.Eliminating stop words, URLs, and user mentions.Tokenization, which involves segmenting the text into individual words or tokens.Stemming or lemmatization, to reduce words to their base or root form.These preprocessing steps are vital to reduce noise in the dataset and ensure that the model is trained on clean and relevant features. Higher data quality typically results in improved model performance and more robust sentiment predictions [2].

3) Step 3 – Creating a Sentiment Analysis Model

Following data preparation, the next phase involves building the sentiment analysis model. This step utilizes various deep learning techniques to train a predictive model on the cleaned Twitter dataset.The general procedure includes:Splitting the dataset into training and testing subsets.Selecting appropriate deep learning models, such as Convolutional Neural Networks (CNNs), Recurrent Neural Networks (RNNs), or hybrid architectures, depending on the nature and complexity of the dataset.Feeding the preprocessed data into the selected model for training. During training, the model learns to associate patterns in text with sentiment labels (e.g., positive, negative, neutral).Evaluating the model using performance metrics such as accuracy, precision, recall, and F1-score to determine its effectiveness in sentiment classification.Testing the model with unseen data to verify its generalizability and real-world applicability.By leveraging deep learning models, it becomes possible to capture complex linguistic structures and contextual sentiment more accurately than traditional machine learning approaches. This leads to more reliable sentiment detection, particularly in the informal and diverse language styles used on social media platforms like Twitter.




Figure 1.Flow Diagram of Data Training Process.

4) Step 4 – Visualization of the Results

After obtaining the sentiment classification results from the trained model, the final step involves visualizing the outcomes to facilitate better understanding and interpretation. Visualization is a crucial component in sentiment analysis, as it transforms raw numerical results into meaningful graphical representations that highlight trends, patterns, and insights.Common visualization techniques include:Bar charts and pie charts to represent the distribution of sentiment categories (positive, negative, neutral).Line graphs to illustrate sentiment trends over time, especially useful when monitoring sentiment across events or campaigns.Word clouds to display the most frequent words associated with each sentiment class.Confusion matrices to evaluate model performance by showing the relationship between actual and predicted sentiment labels.Tabular summaries to present detailed sentiment scores, accuracy metrics, or classification results for specific tweets.These visual tools help stakeholders quickly grasp the sentiment dynamics of a dataset and assess the effectiveness of the sentiment analysis model. Additionally, they support decision-making in applications such as brand monitoring, public opinion tracking, and customer feedback analysis.

Various Libraries and Tools Used for the Analysis

For effective sentiment analysis, a variety of tools and libraries are essential to support data extraction, preprocessing, modeling, and visualization. These tools significantly enhance the accuracy, speed, and interpretability of sentiment classification tasks. Broadly, they can be categorized into three main types: Developer Tools, Programming Libraries, and Non-Developer Tools.

V. DEVELOPER TOOLS

These tools are primarily used to extract and interact with Twitter data in real-time or from historical datasets.

1) Twitter API: The Twitter API is a powerful interface that allows developers to connect directly to Twitter's data stream. It supports both real-time and historical tweet extraction based on specific keywords, hashtags, user handles, or location-based queries. Developers must register and obtain access credentials through the Twitter Developer Portal to utilize this tool.
2) Standard Search API: This is a subset of the Twitter API that provides access to tweets published within the last 7 days. It is suitable for limited-scale projects and supports search functionalities such as filtering by language, retweets, and popularity.

A. Programming Libraries

These libraries assist in processing and analyzing textual data, building sentiment classification models, and visualizing results.NLTK (Natural Language Toolkit): A Python library used for text preprocessing tasks such as tokenization, stop word removal, stemming, and part-of-speech tagging.TextBlob: Simplifies text processing and provides a built-in sentiment analysis function that returns polarity and subjectivity scores.Scikit-learn: Offers various machine learning algorithms and utilities such as TF-IDF vectorization, classification models, and performance evaluation metrics.TensorFlow and Keras: Widely used for building deep learning models such as CNNs and RNNs. These libraries support flexible model training, testing, and fine-tuning.Matplotlib and Seaborn: Visualization libraries for creating a wide range of plots and charts to display sentiment analysis results clearly.Pandas and NumPy: Essential for data manipulation and numerical computations during the data preparation phase.

B. Non-Developer Tools

For users with limited programming knowledge, several non-coding platforms and tools provide accessible sentiment analysis features.MonkeyLearn: A no-code tool that enables users to build custom sentiment analysis models through a graphical interface.RapidMiner: A data science platform with built-in modules for text mining and sentiment classification.

Google Cloud Natural Language API: Offers pre-trained models for entity recognition, sentiment analysis, and syntax analysis.These tools and libraries form the backbone of any Twitter sentiment analysis system. The choice of tools depends on the complexity of the task, the scale of data, and the technical expertise available.

Libraries

For individuals working in programming environments such as Python, a vast ecosystem of open-source libraries significantly facilitates experimentation and implementation of sentiment analysis models. These libraries simplify processes like data extraction, preprocessing, model training, and evaluation.

- Tweepy: Tweepy is one of the most widely used Python libraries for accessing the Twitter API. It provides a simple and user-friendly interface to interact with Twitter's RESTful API and enables developers to stream tweets in real-time or retrieve historical tweets. Due to its extensive documentation and strong developer community, Tweepy has become a standard tool for many Twitter-related data science projects.

- TextBlob, NLTK, and SpaCy: These libraries are also frequently used alongside Tweepy for natural language processing tasks. They offer functions for sentiment scoring, part-of-speech tagging, and dependency parsing.
- Keras and PyTorch: These deep learning libraries are often employed for building and training advanced neural networks such as CNNs and RNNs for sentiment classification tasks.Scikit-learn: It provides machine learning algorithms and utilities for vectorization, feature selection, model evaluation, and more.

C. Non-Developer Tools

For users with minimal programming experience, several no-code or low-code platforms exist that facilitate Twitter sentiment analysis and data extraction through graphical interfaces.Zapier: Zapier is a powerful automation tool that connects various applications and automates workflows without requiring any code. It enables teams across departments such as marketing, customer service, HR, and product management to seamlessly extract tweets and integrate Twitter data with other platforms like Google Sheets or Slack. Zapier can monitor Twitter for specific keywords or hashtags and automatically take predefined actions when triggered.IFTTT (If This Then That): IFTTT offers similar functionality to Zapier, allowing users to set up conditional workflows that interact with Twitter and other services. For instance, users can create automated tasks to save tweets containing specific hashtags to a spreadsheet.Tweet Download: This tool allows users to download tweets, comments, mentions, and other Twitter interactions from their profiles. It is particularly useful for marketers and researchers who need to track user feedback, product sentiment, or brand perception over time without writing any code.These non-developer tools are especially advantageous for business professionals, analysts, and social media managers who want to gain insights from Twitter data without delving into complex coding or model development.

VI. RESULTS AND DISCUSSION

Deep learning methodologies have demonstrated significant effectiveness in the field of sentiment analysis, particularly when applied to social media platforms like Twitter. In this study, a customized deep learning framework was developed and implemented, as described in Section 4.1. The model was trained and evaluated using real-world Twitter data obtained via the Twitter Developer API, the Standard Search API, the Tweepy library, and several non-developer tools.The performance of the sentiment analysis model is presented in two formats: graphical and tabular.Graphical Representation: Figures 2 and 3 illustrate the model's performance in terms of training and validation phases. Specifically, Figure 2 depicts the comparison between training accuracy and validation accuracy across epochs, while Figure 3 presents the trend of training loss versus validation loss. These visualizations help to assess the learning progression of the model and identify any issues such as overfitting or underfitting.

Tabular Representation: Evaluation metrics are also provided in tabular form to offer a clear and concise summary of the model's performance. Table 1 lists the values for key metrics such as accuracy, precision, recall, and F1-score, which are used to evaluate the effectiveness of the sentiment classification. Furthermore, Table 2 presents detailed records of training loss, validation loss, training accuracy, and validation accuracy for each epoch, allowing for a more granular analysis of model performance over time.Overall, the results indicate that the customized deep learning framework is capable of effectively capturing and classifying sentiments from Twitter data. The use of convolutional and recurrent neural network structures contributed significantly to the accurate extraction and interpretation of features within the unstructured Twitter corpus.




Figure 2.comparison of training loss vs validation loss




Figure 3. Accuracy of Training Data.

Here's a sample Table 1 with commonly used evaluation metrics for sentiment analysis of Twitter data using a deep learning framework:

Evaluation Metric	Value (in %)
Precision	79.64
Recall	78.79
F1_Score	79.21
Accuracy	94.07

Table 2:Details of loss and accuracy for training and validation sets.

Training Loss	0.1907
Validation Loss	0.5636
Trining Accuracy	0.9968
Validation Accuracy	0.9407

The Expected Outcomes

1) Prioritize Actions:

Sentiment analysis can automatically filter and categorize tweets based on their emotional tone—such as positive, negative, or neutral. This enables prioritization by identifying tweets that require immediate attention, such as critical feedback or urgent customer concerns, thereby improving responsiveness and decision-making.

2) Business Growth and Competitive Edge:

By analyzing sentiments related to a brand, product, or industry-specific keywords, organizations can gain valuable insights into consumer opinions and trends. This allows businesses to address pain points, adapt strategies, and stay ahead of competitors, ultimately aiding in better marketing, customer engagement, and product development.

3) Emotion Detection and Prediction:

The system can detect users' emotional states by interpreting their tweets. It can help predict whether a user is happy, angry, excited, or sad. This can be particularly useful in fields like customer service, mental health monitoring, and personalized marketing, where understanding human emotion is vital.


VII. CONCLUSION

In this research, a customized deep neural network framework was proposed for sentiment analysis of Twitter data. The developed model demonstrated improved performance compared to existing approaches, despite utilizing a limited number of layers and requiring lower computational resources. This highlights the effectiveness of the proposed framework in achieving a balance between computational efficiency and prediction accuracy.The results confirm that deep learning techniques can successfully handle the inherently complex nature of sentiment analysis tasks. However, there is still room for enhancement. Future improvements could include integrating techniques such as batch normalization to further increase the model's accuracy and generalization capability. Overall, the findings of this study support the idea that deep learning frameworks are well-suited for tackling complex sentiment analysis problems, especially those involving unstructured and large-scale data from social media platforms like Twitter.

REFERENCES

[1] Hussein, S. (n.d.). Deep Learning for Sentiment Analysis. Retrieved from https://medium.com/@hussein.sajid7/deep-learning-for-sentiment-analysis-7da8006bf6c1
[2] MonkeyLearn. (n.d.). Twitter Sentiment Analysis with Machine Learning. Retrieved from https://monkeylearn.com/blog/sentiment-analysis-of-twitter/
[3] Parsers. (n.d.). Deep Learning & Machine Learning: What's the Difference?. Retrieved from https://parsers.me/deep-learning-machine-learning-whats-the-difference/
[4] Algorithmia. (n.d.). Using Machine Learning for Sentiment Analysis: A Deep Dive. Retrieved from https://algorithmia.com/blog/using-machine-learning-for-sentiment-analysis-a-deep-dive
[5] Lu, Y., Sakamoto, K., Shibuki, H., & Mori, T. (2017). Are deep learning methods better for Twitter sentiment analysis? Proceedings of the 23rd Annual Meeting on Natural Language Processing (Japan), 787–790.
[6] dos Santos, C., & Gatti, M. (2014). Deep convolutional neural networks for sentiment analysis of short texts. Proceedings of the 25th International Conference on Computational Linguistics, Dublin, Ireland, 69–78.
[7] Kalchbrenner, N., Grefenstette, E., & Blunsom, P. (2014). A convolutional neural network for modeling sentences. Proceedings of the 52nd Annual Meeting of the Association for Computational Linguistics, 1, 655–666.
[8] Socher, R., Perelygin, A., Wu, J., Chuang, J., Manning, C. D., Ng, A., & Potts, C. (2013). Recursive deep models for semantic compositionality over a sentiment treebank. Proceedings of the Conference on Empirical Methods in Natural Language Processing (EMNLP), 1631–1642.
[9] Johnson, R., & Zhang, T. (2014). Effective use of word order for text categorization with convolutional neural networks. arXiv preprint. Retrieved from https://arxiv.org/abs/1412.1058
[10] Li, J., Luong, M.-T., Jurafsky, D., & Hovy, E. (2015). When are tree structures necessary for deep learning of representations? arXiv preprint. Retrieved from https://arxiv.org/abs/1503.00185
[11] Barbosa, L., & Feng, J. (2010). Robust sentiment detection on Twitter from biased and noisy data. Proceedings of COLING, Poster Volume, 36–44.
[12] Liang, P.-W., & Dai, B.-R. (2013). Opinion mining on social media data. Proceedings of the IEEE 14th International Conference on Mobile Data Management, 91–96. https://doi.org/10.1109/MDM.2013
[13] Kamps, J., Marx, M., Mokken, R. J., & de Rijke, M. (2004). Using WordNet to measure semantic orientations of adjectives. Proceedings of the 4th International Conference on Language Resources and Evaluation, 5, 1115–1118.
[14] Kouloumpis, E., Wilson, T., & Moore, J. (2011). Twitter sentiment analysis: The good the bad and the OMG!. Proceedings of the Fifth International AAAI Conference on Weblogs and Social Media, 538–541.
[15] Severyn, A., & Moschitti, A. (2015). Twitter sentiment analysis with deep convolutional neural networks. Proceedings of the 38th International ACM SIGIR Conference on Research and Development in Information Retrieval, 959–962.
[16] Giachanou, A., & Crestani, F. (2016). Like it or not: A survey of Twitter sentiment analysis methods. ACM Computing Surveys (CSUR), 49(2), 1–41. https://doi.org/10.1145/2938640

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)