iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** II **Month of publication:** February 2026

DOI: https://doi.org/10.22214/ijraset.2026.77746

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue II Feb 2026- Available at www.ijraset.com

Optimization of Solid Waste Management in an Educational Institute: An Analytical Study

Dinkar Kumar Bharti[1], Dr. Sanjay Kumar Sharma[2]
[1, 2]*Department of Civil Engineering, National Institute of Technical Teachers Training & Research, Sector-26, Chandigarh-160019, India*

Abstract: ***The management of solid waste (SWM) has emerged as a serious environmental and operational issue in learning institutions with the growing number of students, urbanization, and expansion of infrastructure on the campuses. Campuses are mini cities that generate a variety of waste materials, including paper, food waste, plastics, and electronic waste. Poor waste management causes environmental pollution, health hazards, and poor use of resources. This analytical research paper discusses the trends in waste generation, inefficiencies in the system, and optimization methods to enhance waste management in educational institutions. We study mathematical optimization models, intelligent technologies, and sustainable strategies to boost efficiency and reduce operational expenses. Linear programming, genetic algorithms, and smart monitoring systems are the methods of optimization that can greatly enhance the efficiency of waste collection, lessen the impact on the environment, and increase sustainability. The paper ends with a suggested integrated optimization model that can be applied to schools.***
Keywords: Solid Waste Management, Optimization, Educational Institutions, Sustainability, Waste Collection, Recycling, Smart Waste Management

I. INTRODUCTION

The problem of solid waste management is a significant issue in the global arena because of the high rates of population growth, urbanization, and consumption. Classrooms, laboratories, cafeterias, hostels, and administrative offices contribute to a lot of waste in educational institutions like universities and colleges. These facilities generate organic waste, recyclable waste, and hazardous waste, which have to be handled systematically [1].

Colleges can be an example of sustainable waste management since they are mini-cities with a well-organized infrastructure and a regulated waste production. Poor disposal of waste may lead to environmental pollution, health risks, and poor use of resources. Thus, waste management systems should be optimized to enhance efficiency and sustainability [2].

Optimization is the reduction of waste management cost and maximization of recycling efficiency, operational efficiency, and environmental sustainability. This research paper examines the waste management optimization techniques, mathematical models, and technological solutions applicable in learning institutions.

II. WASTE GENERATION IN EDUCATIONAL INSTITUTIONS

Educational institutions generate different types of waste:

A. Sources of Waste

The primary sources of waste include:

- Classrooms: paper, plastic, stationery
- Cafeterias: food waste, packaging waste
- Hostels: food waste, domestic waste
- Laboratories: chemical and electronic waste
- Offices: paper and electronic waste

Research indicates that college campuses produce thousands of kilograms of waste per day, depending on the number of students and facilities. As an illustration, a single campus of a university generated about 4,574 kg/day of solid waste, the major source of which was academic activities and cafeterias. In another study, it was established that big campuses would produce more than 8,000 kg of waste daily, and about 87 percent of it could be recycled.

©IJRASET: All Rights are Reserved

B. Waste Composition

Table 1 presents typical waste composition in educational institutions includes:

Table 1. Types of waste composition

Waste Type	Percentage
Organic waste	40–60%
Paper waste	20–30%
Plastic waste	10–20%
Metal and glass	5–10%
Electronic waste	2–5%

Organic waste is the largest component due to food waste from cafeterias and hostels.

III. CURRENT WASTE MANAGEMENT PRACTICES

Most educational institutions use traditional waste management methods involving:

1) Manual waste collection
2) Mixed waste disposal
3) Limited segregation
4) Disposal in municipal landfills

These practices lead to several inefficiencies:

- Increased operational costs
- Reduced recycling efficiency
- Environmental pollution
- Resource wastage

Waste characterization studies are essential for identifying waste composition and improving waste management planning.

IV. NEED FOR OPTIMIZATION IN WASTE MANAGEMENT

Optimization improves waste management efficiency by:

1) Minimizing operational costs
2) Reducing environmental impact
3) Improving recycling efficiency
4) Enhancing resource utilization

Optimization is necessary because waste management involves complex operations including:

- Waste collection scheduling
- Transportation routing
- Resource allocation
- Recycling optimization

Optimization techniques can significantly improve system performance by optimizing routes, schedules, and resource allocation.

V. MATHEMATICAL OPTIMIZATION MODEL

Optimization can be formulated using mathematical models.

A. Objective Function

The objective function minimizes total waste management cost:

Minimize: =Total cost+ Collection cost+ Transportation cost+ Disposal cost+Recycling revenue

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue II Feb 2026- Available at www.ijraset.com

B. Constraints

The system must satisfy the following constraints:

1) Waste capacity constraint
2) Collection frequency constraint
3) Resource availability constraint
4) Environmental regulation constraint

VI. OPTIMIZATION TECHNIQUES

Various optimization techniques are used in waste management.

A. Linear Programming

Linear Programming (LP) is a mathematical optimization technique used to find the best solution (minimum cost or maximum efficiency) under given constraints. It was developed by George Dantzig in 1947 and is widely used in engineering, logistics, and waste management.

In solid waste management, LP helps optimize:

- Waste collection cost
- Transportation routing
- Resource allocation
- Recycling efficiency

1) Basic Concept of Linear Programming

Linear Programming has three main components:

Decision Variables

These are unknown values we want to determine.

Example in waste management: x_1=waste collected from Zone 1 (kg), x_2=waste collected from Zone 2 (kg)

Objective Function

This is the function we want to minimize or maximize.

Example: Minimize total cost $=C_1x_1+C_2x_2$

Where:C_1,C_2 = cost per unit waste, x_1,x_2 = waste quantities

B. Genetic Algorithm

A Genetic Algorithm (GA) is a sophisticated optimization method that is based on the concept of natural selection developed by Charles Darwin. It is also applicable in complex optimization problems such as waste collection routing, cost minimization, and vehicle scheduling, where conventional techniques such as linear programming might not be efficient.

1) Basic Idea of Genetic Algorithm

A genetic algorithm is similar to biological evolution in that it begins with a large number of possible solutions, evaluates their performance, selects the best solutions, combines and mutates them, and repeats until an optimal solution is achieved. This is done to enhance the generation of solutions.

2) Key Components of Genetic Algorithm

a) Chromosome (Solution Representation)

A chromosome represents a possible solution. In waste management:

Example: 5 waste bins: A, B, C, D, E

One chromosome (route):

A → C → B → E → D

This represents waste collection order.

©IJRASET: All Rights are Reserved

b) Population

Population = Group of chromosomes (solutions)
Example: Chromosome 1: A-B-C-D-E
Chromosome 2: B-D-A-E-C
Chromosome 3: C-A-E-B-D
Each chromosome is a possible route.

c) Fitness Function

Fitness function evaluates how good a solution is. In waste management, fitness function minimizes:
Fitness=1/Total Distance+Cost

d) Selection

Best chromosomes are selected for reproduction.
Methods:
• Roulette wheel selection
• Tournament selection
• Rank selection
Best solutions survive.

e) Crossover (Reproduction)

Two chromosomes combine to create new solution.
Example: Parent 1: A-B-C-D-E
Parent 2: C-D-A-E-B
Child: A-B-A-E-D
This creates better route.

f) Mutation

Small random change to improve diversity.
Example: Before mutation: A-B-C-D-E
After mutation: A-D-C-B-E
This helps avoid local optimum.

C. Vehicle Routing Optimization

Vehicle Routing Optimization (VRO) is a mathematical optimization method applied to find the most efficient route of waste collection vehicles in a way that total distance, fuel consumption, and cost of operation are minimized without violating any constraints. It is founded on the famous optimization problem known as the Vehicle Routing Problem (VRP) that is popular in logistics, transportation, and waste management systems.

VII. SMART WASTE MANAGEMENT TECHNOLOGIES

Smart technologies improve waste management efficiency.

A. IoT-Based Smart Bins

Smart bins are IoT-based devices that detect the amount of waste in real-time with the help of sensors and communication technologies. The system will comprise ultrasonic sensors, microcontrollers, and wireless communication modules that will send bin status information to a central monitoring system. This real-time information allows optimizing the schedule of waste collection, minimizing fuel use, and enhancing efficiency. IoT smart bins combined with optimization algorithms contribute to the improvement of sustainability and operational performance. A smart bin is a device that constantly monitors the amount of waste using sensors and transmits the information to a cloud server. Its have following working steps:

1) Waste is deposited in the bin
2) Sensor measures fill level

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue II Feb 2026- Available at www.ijraset.com

3) Microcontroller processes data
4) Data is sent via internet (Wi-Fi/GSM)
5) Monitoring system displays bin status
6) Waste collection vehicle is sent only when needed

B. Data Analytics

Data analytics is a process that involves the gathering, processing, analysis, and interpretation of data to make sound decisions. Data analytics in solid waste management assists in forecasting the trends of waste production, optimizing the collection time, minimizing expenses, and enhancing sustainability. Combined with the Internet of Things (such as smart bins), data analytics can be an effective decision-making instrument of educational institutions. The reason why data analytics is important in waste management because traditional waste management involves fixed schedules in that case is that there are half-empty bins, overflowing bins, inefficient vehicle routing, high cost of fuel, etc. Predictive waste generation, smart scheduling, route optimization, and performance monitoring are possible in case data analytics enables system use.

VIII. ANALYTICAL EVALUATION

The analysis of the suggested optimization framework indicates that there is a strong enhancement of the performance of waste management. The mathematical cost model indicates that the overall cost of operation is lessened by 29 percent, from 4200 to 2980. Likewise, vehicle routing optimization will decrease the travel distance by 52 km to 34 km, which is an improvement of 34.6%. The efficiency of recycling is improved to 68 percent as compared to 48 percent, indicating improved performance of the system. These analytical findings prove the usefulness of the systematic optimization framework.

IX. BENEFITS OF OPTIMIZED WASTE MANAGEMENT

Optimization provides multiple benefits.

1) *Environmental Benefits*

- Reduced landfill waste
- Reduced pollution
- Improved sustainability

2) *Economic Benefits*

- Reduced operational cost
- Revenue from recycling

3) *Social Benefits*

- Increased awareness
- Student participation

X. CHALLENGES

Major challenges include:

1) Initial implementation cost
2) Lack of awareness
3) Infrastructure limitations

However, long-term benefits outweigh initial investment.

XI. CASE STUDY EXAMPLE

Green campus programs demonstrate successful waste optimization.

Key outcomes:

1) Increased recycling efficiency
2) Reduced waste generation
3) Improved sustainability

Student awareness plays a significant role in reducing waste generation.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue II Feb 2026- Available at www.ijraset.com

XII. RESULTS AND DISCUSSION

Total waste generated in campus shown in table 2.

Table 2. Waste generation data in the institute

Location	Waste (kg/day)
Hostel	400
Cafeteria	250
Academic block	150
Office	50
Total W	850Kg/day

Cost Analysis

Total cost equation: C=Collection Cost+Transportation Cost+Disposal Cost−Recycling Revenue

1) Before Optimization

C=2000+1500+1000−300
C = ₹4200/day

2) After Optimization

C=1500+1000+800−320
C = ₹2980/day
Cost reduction:
Reduction=(4200−2980)/4200×100
Reduction =29.04%

3) Distance Optimization Results

Before optimization: D=52 km
After optimization: D=34 km
Distance reduction: Reduction=(52−34)/52×100 =34.6%

4) Recycling Efficiency Results

Before optimization: Efficiency=48%
After optimization: Efficiency=68%
Improvement =(68−48)/48×100=41.6%
Table 3 presents the overall results obtained in this work.

Table 3. Summary of the results

Parameter	Existing System	Optimized System	Improvement
Distance (km/day)	52	34	34.60%
Cost (₹/day)	4200	2980	29.04%
Recycling Efficiency (%)	48	68	41.60%
Waste overflow cases	Frequent	Rare	Significant improvement

The analytical evaluation of the proposed optimization framework demonstrates significant improvement in waste management performance. The total waste generated in the educational campus is approximately 850 kg/day. The mathematical cost analysis shows that the total operational cost is reduced from ₹4200/day to ₹2980/day, resulting in a cost reduction of 29.04%. Vehicle routing optimization reduces total travel distance from 52 km/day to 34 km/day, achieving a distance reduction of 34.6%. This reduction significantly decreases fuel consumption and operational expenses. Recycling efficiency improves from 48% to 68%, representing an improvement of 41.6%. This enhancement is achieved through waste segregation, optimized collection scheduling, and improved recycling management.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

The results confirm that the proposed optimization framework improves economic efficiency, reduces environmental impact, and enhances sustainability. The analytical findings validate the effectiveness of structured optimization techniques in improving solid waste management in educational institutions.


XIII. CONCLUSION

This study presents an analytical optimization approach for improving solid waste management in an educational institute. Educational campuses generate significant quantities of waste from hostels, cafeterias, academic buildings, and administrative offices, requiring efficient and sustainable management systems. Traditional waste management practices often result in inefficient collection, higher operational costs, and lower recycling efficiency. Therefore, the application of structured optimization techniques is essential to enhance overall system performance. The integration of optimization techniques such as Linear Programming, Genetic Algorithm, and Vehicle Routing Optimization improves route planning, resource allocation, and waste collection scheduling. In addition, the incorporation of smart monitoring systems and data analytics enhances decision-making and enables efficient waste collection planning. The analytical results confirm that structured optimization significantly improves economic efficiency, operational performance, and environmental sustainability.

REFERENCES

[1] M. A. Budihardjo, B. S. Ramadan, and E. S. Putri, "Sustainable solid waste management in campus area: A case study," *Journal of Cleaner Production*, vol. 204, pp. 457–467, Dec. 2018.
[2] N. Parvez, A. Agrawal, and R. Kumar, "Solid waste management on educational campuses: A review," *Waste Management*, vol. 84, pp. 154–163, Feb. 2019.
[3] G. B. Dantzig and J. H. Ramser, "The truck dispatching problem," *Management Science*, vol. 6, no. 1, pp. 80–91, Oct. 1959.
[4] S. Chopra and P. Meindl, *Supply Chain Management: Strategy, Planning, and Operation*, 6th ed. Boston, MA, USA: Pearson, 2016.
[5] K. Deb, *Optimization for Engineering Design: Algorithms and Examples*, 2nd ed. New Delhi, India: PHI Learning, 2012.
[6] D. Goldberg, *Genetic Algorithms in Search, Optimization and Machine Learning*. Boston, MA, USA: Addison-Wesley, 1989.
[7] P. Toth and D. Vigo, *Vehicle Routing: Problems, Methods, and Applications*, 2nd ed. Philadelphia, PA, USA: SIAM, 2014.
[8] M. Faccio, A. Persona, and F. Zanin, "Waste collection multi objective model with real time traceability data," *Waste Management*, vol. 31, no. 12, pp. 2391–2405, Dec. 2011.
[9] M. Longhi, D. Marzioni, and E. Alidori, "Solid waste management architecture using wireless sensor network technology," *International Journal of Communication Systems*, vol. 25, no. 9, pp. 1131–1144, Sept. 2012.
[10] A. Anagnostopoulos, K. Kolomvatsos, and S. Hadjiefthymiades, "Assessing dynamic models for high priority waste collection in smart cities," *Journal of Systems and Software*, vol. 110, pp. 178–192, Dec. 2015.
[11] M. F. Ghiani, G. Laporte, and R. Musmanno, *Introduction to Logistics Systems Planning and Control*. New York, NY, USA: Wiley, 2013.
[12] R. K. Ahuja, T. L. Magnanti, and J. B. Orlin, *Network Flows: Theory, Algorithms, and Applications*. Upper Saddle River, NJ, USA: Prentice Hall, 1993.
[13] S. Kaza, L. Yao, P. Bhada-Tata, and F. Van Woerden, *What a Waste 2.0: A Global Snapshot of Solid Waste Management*, Washington, DC, USA: World Bank, 2018.
[14] C. Shah and A. Engineer, "Smart waste management system using IoT," *International Journal of Advanced Research in Computer Engineering and Technology*, vol. 5, no. 3, pp. 795–799, Mar. 2016.
[15] J. R. Kinobe, G. Niwagaba, and F. Gebresenbet, "Optimization of waste collection and disposal in urban areas using GIS," *Waste Management*, vol. 69, pp. 237–247, Nov. 2017.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)