



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** III **Month of publication:** March 2026

DOI: <https://doi.org/10.22214/ijraset.2026.78793>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Plant Leaf Disease Detection and Pesticide Recommendation System using Deep Learning

B. Kanaka Durga¹, C. Vishwanath², A. Vinay Vamsi³, B. Hema Sri⁴, D. Srilatha⁵, M. Shankar prabhanjan⁶

¹Professor Department of Computer Science and Engineering (AI&ML), SRK Institute Of Technology, Andhra Pradesh, India

^{2, 3, 4, 5, 6}Department of Computer Science and Engineering (AI&ML), SRK Institute Of Technology, Andhra Pradesh, India

Abstract: *An Agriculture plays a crucial role in the economy, yet crop productivity is significantly affected by plant leaf diseases that often go undetected at early stages. Farmers, especially in rural areas, face challenges in accurately identifying diseases and selecting appropriate pesticides, leading to reduced yield and increased costs. Existing solutions are either manual, time-consuming, or lack intelligent decision-making capabilities. This paper presents a deep learning-based plant leaf disease detection and pesticide recommendation system designed to address these challenges in an end-to-end manner. The system employs a Convolutional Neural Network (CNN) model trained on a large dataset of plant leaf images to accurately classify diseases across multiple crops. The trained model achieves high accuracy in identifying both healthy and diseased leaves under varied environmental conditions. Once a disease is detected, the system integrates a recommendation module that suggests suitable pesticides and preventive measures based on the identified disease. The complete solution is implemented as a user-friendly web application where users can upload leaf images and receive instant results. The system is designed for real-time usage, ensuring accessibility and ease of use for farmers without requiring technical expertise. By combining computer vision and deep learning with practical agricultural knowledge, this system provides an efficient, scalable, and cost-effective solution for early disease detection and crop management. It has the potential to reduce crop losses, improve productivity, and support sustainable farming practices.*

Keywords: *In Plant Disease Detection, CNN, Deep Learning, Image Processing, Precision Agriculture, Pesticide Recommendation.*

I. INTRODUCTION

Agriculture is a fundamental pillar of the global economy, providing food security and employment to a significant portion of the population. In countries like India, where a large percentage of people depend on farming for their livelihood, maintaining crop health is critical for economic stability and sustainable development. However, plant diseases remain one of the major challenges faced by farmers, leading to substantial reductions in crop yield and quality every year.

Plant leaf diseases are often the earliest visible indicators of infection, making their timely detection essential for effective crop management. Traditionally, disease identification relies on manual inspection by agricultural experts, which is time-consuming, labor-intensive, and often inaccessible to farmers in remote or rural areas. In many cases, incorrect diagnosis results in the improper use of pesticides, increasing production costs and causing environmental harm.

With recent advancements in Artificial Intelligence and Deep Learning, automated plant disease detection has become a promising solution. In particular, Computer Vision techniques enable machines to analyze leaf images and identify diseases with high accuracy. Convolutional Neural Networks (CNNs) have demonstrated exceptional performance in image classification tasks, making them well-suited for detecting plant diseases from leaf images. This project aims to develop an intelligent system that leverages deep learning to automatically detect plant leaf diseases and provide appropriate pesticide recommendations. The system allows users to upload images of plant leaves through a web-based interface, processes them using a trained CNN model, and generates accurate predictions in real time. Additionally, the system integrates a recommendation module that suggests suitable pesticides and preventive measures based on the identified disease.

II. RELATED WORK

A. CNN-Based Plant Disease Detection

A Deep learning has significantly improved plant disease detection by replacing traditional image processing techniques with automated feature learning. Convolutional Neural Networks (CNNs) trained on the PlantVillage dataset enable efficient classification of plant leaf diseases by extracting spatial features such as lesion texture, colour variation, and shape distortion.

Studies report accuracy levels between 92–97% for multiple crop categories. CNN-based approaches outperform traditional machine learning models by 5–10% in accuracy, particularly in multi-class disease classification tasks involving visually similar symptoms.

B. Transfer Learning for Agricultural Image Classification

Transfer learning approaches using pretrained models improve performance and reduce training time in plant disease detection systems. Architectures such as MobileNet and ResNet achieve high accuracy with fewer parameters, making them suitable for real-time applications. Implementations using TensorFlow and Keras frameworks demonstrate 3–8% higher accuracy compared to CNN models trained from scratch.

C. Web-Based Plant Disease Detection Systems

The Recent systems deploy CNN-based disease classifiers through web or mobile platforms, enabling farmers to upload leaf images and receive instant predictions. Most applications focus solely on disease classification and achieve above 90% accuracy for major crops such as tomato, potato, and corn. However, these systems lack integrated treatment recommendations and provide limited support beyond disease identification. The absence of pesticide dosage guidance and safety instructions reduces their practical applicability in real farming environments.

D. Intelligent Agricultural Decision Support Systems

India's Recent agricultural systems integrate deep learning-based disease detection with basic advisory support. Some models use rule-based mapping to recommend pesticides based on predicted diseases. However, most systems lack real-time deployment, proper dosage guidance, and complete integration between detection and recommendation modules. Therefore, there is a need for a unified Plant Leaf Disease Detection and Pesticide Recommendation System that provides accurate diagnosis along with actionable treatment support.

III. PROBLEM STATEMENT

The core problem this work addresses is straightforward: there is no accessible, freely usable, web-based system through which farmers can accurately identify plant leaf diseases and receive intelligent pesticide recommendations in real time. As a result, farmers often depend on manual inspection or expert advice, which may not always be available, leading to incorrect diagnosis and improper treatment.

Breaking this down into specific technical requirements, the system must:

- 1) Recognize plant leaf diseases from images captured using a standard camera or smartphone without requiring specialized equipment
- 2) Accurately classify the type of disease using a deep learning-based model
- 3) Process images effectively under varying real-world conditions such as lighting, background, and leaf orientation
- 4) Provide appropriate pesticide recommendations and preventive measures based on the detected disease
- 5) Deliver results in a simple, user-friendly format that can be easily understood by farmers
- 6) Operate through a web-based interface without requiring complex software installation

IV. SYSTEM ARCHITECTURE

The system follows a standard client-server architecture with a clear separation of components. The overall design ensures efficient processing of leaf images, accurate disease detection, and real-time pesticide recommendation. Figure 1 illustrates the high-level data flow of the system.

A. Frontend — React Application

The user interface of the system is developed using React, a widely used JavaScript library for building dynamic and responsive web applications. The frontend is designed as a single-page application to provide a smooth and interactive user experience for farmers. The React application allows users to upload plant leaf images directly from their device. It handles image preview, input validation, and user interaction efficiently. Once an image is selected, it is resized to the required input dimensions (224×224 pixels) and preprocessed before being sent to the backend for prediction.

The interface displays the detected disease, confidence score, and corresponding pesticide recommendations in real time. Additional features such as clear buttons, result sections, and user-friendly layouts are implemented to ensure ease of use, even for non-technical users. React’s component-based architecture enables modular development, making it easier to manage different parts of the interface such as image upload, result display, and recommendation panels. This improves maintainability, scalability, and overall performance of the application.


B. Backend — FastAPI Service

The backend of the system is implemented using FastAPI, a high-performance framework for building APIs with Python. It serves as the core component that handles communication between the frontend interface and the deep learning model.

The FastAPI server manages image processing, model inference, and response generation. It exposes several RESTful endpoints to perform different operations:

- /predict — accepts the uploaded plant leaf image and returns the predicted disease label along with a confidence score
- /recommend — provides pesticide recommendations and preventive measures based on the detected disease
- /health — checks server status and ensures the model is loaded correctly

When the server starts, the trained deep learning model is loaded into memory using TensorFlow/Keras to enable fast and efficient predictions. A warm-up inference is performed to reduce the initial response time during the first request.



The backend processes incoming images by applying preprocessing steps such as resizing and normalization before passing them to the model. After prediction, the system maps the detected disease to a predefined database of pesticides and returns structured results to the frontend.

C. Model — CNN with Transfer Learning

The core of the system is a Convolutional Neural Network (CNN) model trained using transfer learning techniques. Pretrained architectures such as MobileNetV2 or ResNet50 are used as feature extractors.

The model consists of a base pretrained network followed by a custom classification head, including layers such as Global Average Pooling, Dense layers with ReLU activation, Batch Normalization, Dropout for regularization, and a final Softmax layer for multi-class classification. Training is performed in two phases: initially, the pretrained layers are frozen and only the top layers are trained. In the second phase, selected layers are unfrozen and fine-tuned with a lower learning rate to improve accuracy. This approach enhances performance while reducing training time and overfitting.

D. Recommendation Module

The recommendation module maps the predicted disease to appropriate pesticide solutions and preventive measures. A predefined database or rule-based system is used to store information about diseases and their corresponding treatments.

Once a disease is identified, the system retrieves the relevant pesticide details and displays them along with usage instructions. This ensures that farmers not only detect diseases but also receive actionable solutions for crop protection.

V. WORKFLOW

The workflow of this project begins with the development and training of the plant disease detection model, followed by backend deployment and frontend integration for real-time prediction and recommendation. Initially, plant leaf images are collected from publicly available agricultural datasets and field sources. The dataset is preprocessed in Google Colab using image augmentation, resizing, normalization, and labeling techniques. A Convolutional Neural Network (CNN) or transfer learning model such as MobileNet is trained to learn discriminative spatial features including color variations, lesion patterns, and texture irregularities. After achieving satisfactory classification accuracy, the trained model is exported and deployed within a FastAPI backend as a prediction API service. During runtime, the frontend web application allows users to upload or capture leaf images through a camera interface. The uploaded image is transmitted to the FastAPI backend, where preprocessing is performed before passing the image tensor to the trained deep learning model for inference. The predicted disease label and confidence score are returned to the backend, which then triggers the pesticide recommendation module. This module maps the detected disease to a structured pesticide database and retrieves appropriate pesticide names. Finally, the diagnosis and treatment recommendation are displayed on the frontend interface in real time, enabling efficient and intelligent agricultural decision support.

VI. DATASET

We used the PlantVillage dataset for plant leaf disease classification. The dataset contains over 50,000 labeled leaf images covering 38 classes, including healthy and diseased categories across multiple crops such as tomato, potato, corn, grape, and apple. The images are captured under controlled conditions with uniform backgrounds and standardized resolutions, enabling effective feature extraction and classification. In addition to the image dataset, a custom disease–pesticide mapping dataset was developed containing pesticide names, dosage concentrations, application frequency, and safety precautions for each disease class. The dataset was split into 70% training, 15% validation, and 15% testing sets. This combined dataset enabled the CNN and transfer learning models to achieve high classification accuracy and support real-time pesticide recommendation for intelligent crop disease management.

Parameter	Value	Notes
Input size	224 × 224 × 3	RGB image format
Classes	Multiple	Depends on dataset
Train/Val split	80% / 20%	Stratified Sampling
Batch size	16	Optimized for System Performance
Augmentation	Flip, Brightness, Contrast	Training only
Normalization	MobileNetV2 preprocessing	Scales to [-1, 1]

VII. IMPLEMENTATION DETAILS

A. Training Environment

The model training was performed using Python-based deep learning frameworks such as TensorFlow and Keras. The experiments were conducted on platforms like Google Colab, which provides GPU acceleration for faster computation. The dataset was loaded using efficient data pipelines, and preprocessing steps such as resizing, normalization, and augmentation were applied to improve model performance.

To enhance accuracy and reduce overfitting, data augmentation techniques including random flipping, brightness adjustment, and contrast variation were used during training. The model was trained using an optimizer such as Adam with categorical crossentropy as the loss function. Early stopping and learning rate reduction techniques were applied to prevent overfitting and improve generalization.

B. Backend Environment

The backend of the system is implemented using FastAPI in Python. The trained model is loaded into the backend using Keras at server startup to ensure fast inference during runtime. The backend handles image processing, prediction, and response generation. Incoming images from the frontend are preprocessed by resizing them to the required input size and normalizing pixel values. The processed image is then passed to the trained model for prediction. The predicted class label is mapped to the corresponding disease name and pesticide recommendation using a predefined database. The backend returns structured responses in JSON format, which are displayed on the frontend.

C. Frontend Environment

The frontend is developed using React to create a responsive and user-friendly interface. It allows users to upload plant leaf images, view predictions, and access pesticide recommendations easily.

The interface is designed to be simple and intuitive so that even non-technical users, such as farmers, can operate the system without difficulty. It includes components for image upload, result display, and recommendation output. The frontend communicates with the backend through API calls and displays results in real time.

VIII. RESULTS AND OBSERVATIONS

The model training consistently achieves high validation accuracy (around 95–98%) on the plant leaf dataset after training, indicating the effectiveness of the deep learning model in classifying multiple disease categories. This performance reflects both the structured nature of the dataset and the strength of pretrained feature extraction using models like MobileNetV2.

In practical scenarios, system performance varies depending on real-world conditions. Several factors influence the accuracy of disease detection:

- 1) Lighting conditions — The model performs better under proper and uniform lighting. Poor illumination, shadows, or excessive brightness can reduce prediction accuracy.
- 2) Background complexity — A simple and clean background improves classification results, while cluttered or noisy backgrounds may lead to misclassification.
- 3) Leaf positioning and clarity — The leaf should be clearly visible and occupy a major portion of the image. Blurred or partially captured leaves reduce accuracy.
- 4) Image quality — High-resolution images produce better results, whereas low-quality or noisy images affect model performance.

The pesticide recommendation module provides relevant and useful suggestions based on the detected disease, helping users take immediate action. The integration between disease detection and recommendation ensures a complete end-to-end solution.

The system processes inputs efficiently and returns results within a short time, making it suitable for real-time usage. Overall, the proposed system demonstrates reliable performance in both controlled and practical environments, with minor limitations under challenging conditions.

IX. FUTURE WORK

While the proposed system demonstrates effective performance in detecting plant leaf diseases and recommending pesticides, several enhancements can be made to further improve its functionality and real-world applicability.

Future work may include the integration of advanced deep learning techniques such as temporal models and attention-based architectures to improve classification accuracy under challenging conditions. Expanding the dataset to include a wider variety of crops and diseases will make the system more robust and widely applicable.

The system can be extended to support real-time detection using live camera input, enabling farmers to instantly analyze plant conditions in the field. Additionally, developing a mobile application would increase accessibility, especially for users in rural areas with limited access to computers.

Another important enhancement is the integration of environmental factors such as weather data, soil conditions, and humidity levels to provide more precise and context-aware recommendations. Incorporating a feedback mechanism where users can validate predictions will also help improve the model through continuous learning.

Finally, future developments may include multilingual support and voice-based interaction, allowing users to interact with the system in their preferred language, thereby improving usability and adoption among diverse farming communities.

X. CONCLUSION

The proposed Plant Leaf Disease Detection and Pesticide Recommendation System presents an automated and intelligent framework for accurate crop disease diagnosis using deep learning techniques. By integrating Convolutional Neural Networks (CNNs) and transfer learning models, the system effectively classifies plant leaf diseases with high accuracy. The incorporation of a rule-based pesticide recommendation module enhances practical applicability by providing dosage guidance and safety precautions. The web-based deployment ensures real-time accessibility, making the system suitable for precision agriculture and decision-support applications.

Future work will focus on extending the system to real-field conditions with complex backgrounds, integrating IoT-based environmental monitoring sensors, and developing a mobile application for wider accessibility. Additionally, incorporating severity prediction using advanced segmentation models and implementing multilingual voice support can further enhance usability and farmer adoption.

REFERENCES

- [1] M. Jung et al., "Construction of deep learning-based disease detection model for tomato, bell pepper and potato using image pairs," *Scientific Reports (Nature)*, 2023. Uses CNNs (ResNet50, Efficient Net) on diseased-healthy pairs for multi-crop detection.
- [2] "Detection and identification of plant leaf diseases using YOLOv4," *Frontiers in Plant Science*, 2024. Achieves 99% accuracy with YOLOv4 for real-time detection and crop yield protection.
- [3] "Advancing plant leaf disease detection integrating machine learning and deep learning," *Scientific Reports (Nature)*, 2025. Compares VGG-19, Inception v3 hybrids for multi-crop leaves (e.g., potato, banana)
- [4] "A Review on the Detection of Plant Disease Using Machine Learning and Deep Learning," *PMC*, 2025. CNN outperforms traditional ML (98% accuracy); covers mobile deployments.
- [5] "Context-Aware Pesticide Recommendation via Few-Shot Pest Detection," *arXiv*, 2026. Lightweight CNN for pest detection tied to sustainable pesticide suggestions.
- [6] R. Patel et al., "YOLO-AgriNet: A Deep Learning-Based Model for Real-Time Plant Disease Detection," *Scientific Research Publishing Journal*, vol. 16, no. 8, Aug. 2025.
- [7] S. Ramachandran, "Indian Sign Language Dataset," *Kaggle*, 2021.
- [8] J. Liu et al., "A review of plant leaf disease identification by deep learning," *Frontiers in Plant Science*, vol. 16, Aug. 2025
- [9] X. Wang et al., "Ag-YOLO: A Real-Time Low-Cost Detector for Precise Agricultural Object Detection," *Sensors*, vol. 22, no. 1, Dec. 2021.
- [10] K. Sharma et al., "Detection and Classification of Diseases in Multi-Crop Leaves using CNN-LSTM Hybrid Model," *arXiv:2505.00741*, May 2025.
- [11] H. Chen et al., "Identification of plant leaf diseases by deep learning based on channel attention mechanism," *Computers and Electronics in Agriculture*, vol. 204, Nov. 2022



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)