iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** XI **Month of publication:** November 2025

DOI: https://doi.org/10.22214/ijraset.2025.75650

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue XI Nov 2025- Available at www.ijraset.com

Pocket Safar: An AI-Driven Smart Travel Recommendation and Dynamic Itinerary Planning System

Ambasana Prashant[1], Amrutha M Doddamani[2], Allen Palathinkal Kurian[3], Anish Sutradhar[4]
Student of Computer Science and Engineering, JAIN (Deemed-to-be University), Bangalore,India.

Abstract: ***The rapid growth of digital travel platforms has streamlined booking processes, many existing systems still struggle to deliver deep personalization, effective budget planning, contextual safety support, and meaningful community-based features. To overcome these limitations, our team developed Pocket Safar, an AI-driven travel management platform that integrates multi-source price comparison, dynamic itinerary generation, emergency-essential detection, and social travel collaboration into one cohesive system. The platform enables users to book flights, hotels, trains, cabs, and cruises while applying hybrid recommendation techniques such as content-based filtering, collaborative filtering, matrix factorization, clustering models, and advanced geolocation analytics.Pocket Safar also strengthens budget planning by incorporating dynamic programming, linear and integer programming, and genetic algorithms to create cost-efficient and personalized travel plans based on user budgets, dates, and preferences. Route optimization methods including TSP, A*, and Dijkstra's algorithm, supported by spatial indexing, improve navigation accuracy and assist in locating essential nearby services. NLP models enhance traveler matching and community engagement, while predictive modeling assesses price trends and travel behavior.Initial results show that Pocket Safar reduces manual planning effort, increases itinerary relevance, enhances safety awareness, and improves engagement for both solo and group travelers, offering a more personalized and efficient travel experience.***

Keywords: ***Travel recommendation system, itinerary planning, machine learning techniques, geolocation services, intelligent budget management, emergency-essential detection, community-platform.***

I. INTRODUCTION

Digital advancement has significantly transformed the global tourism landscape, moving travelers away from traditional planning approaches and toward smarter, technology-assisted platforms. Recent research shows that travelers now depend heavily on online systems for exploring destinations, comparing services, and making informed choices [1], [2]. However, despite the availability of many travel applications, users still struggle with scattered information, unclear price transparency, and limited contextual guidance when navigating unfamiliar locations [3], [5]. The rising use of mobile tourism apps reflects a growing need for tools that offer personalized, real-time, and location-aware support [4], [6]. To address these shortcomings, Pocket Safar introduces a unified, AI-driven travel platform that brings together booking services, dynamic itinerary creation, and tailored recommendations in a single, cohesive environment. With capabilities like emergency-essential detection, group travel matching, nearby service suggestions, and real-time exploration features, the system improves both convenience and travel safety. Pocket Safar is designed to support sustainable and digitally enhanced tourism practices, meeting the evolving expectations of modern travelers in a fast-changing digital ecosystem [7], [9].

A. Motivation

The motivation for creating Pocket Safar stems from the growing complexity and fragmented nature of today's travel planning ecosystem. While many existing platforms perform well in offering individual services such as bookings or reviews, they often fall short of delivering a unified experience that brings together budget planning, safety essentials, and personalized recommendations in one seamless system [2], [5]. Studies indicate that travelers routinely face difficulties navigating multiple websites, comparing constantly changing prices, and finding reliable local services in unfamiliar locations [4], [9]. With the rise of digital tourism and mobile-first travel applications, there is a clear demand for intelligent, context-aware solutions that can adapt to both user needs and environmental factors [3], [6]. As traveler expectations grow toward real-time information and smooth digital interactions, Pocket Safar is driven by the need to simplify planning, improve safety, and support collaborative travel experiences.

©IJRASET: All Rights are Reserved

By integrating AI-driven intelligence, geolocation capabilities, and community features, the platform aims to transform the way individuals explore, organize, and manage their journeys.

B. Objective

The primary objective of Pocket Safar is to create an integrated travel management system that offers personalized, cost-efficient, and context-aware assistance throughout the travel process. The platform intends to combine essential travel components—such as bookings for flights, hotels, cabs, trains, and cruises—into one unified interface, while delivering intelligent recommendations powered by machine learning methods including collaborative filtering, clustering, and itinerary optimization algorithms [5], [6]. Alongside convenience, Pocket Safar aims to strengthen user safety by providing real-time identification of essential nearby services like hospitals, police stations, and emergency facilities [7], [9]. Another key objective is to encourage social and community-driven travel by enabling users to connect with fellow travelers, form groups, and coordinate shared activities. The system also focuses on reducing overall travel costs and planning time by generating automated itineraries tailored to user constraints such as budget, dates, and destination choices. Ultimately, Pocket Safar strives to offer a comprehensive, intelligent, and user-centered travel ecosystem that meets the evolving expectations of modern tourism.




Fig. 1 Basic Design. [5]

II. RELATED WORK

The tourism sector has experienced a major shift due to rapid digital transformation, driven by the rise of mobile technologies, online booking platforms, and intelligent decision-support systems [1], [2]. Earlier studies noted that digital disruption reshaped traditional travel distribution models, replacing conventional travel agencies with online intermediaries and direct digital booking solutions [1], [9]. Additional research highlights the growing influence of online travel reviews, as modern travelers increasingly depend on user-generated feedback and the perceived credibility of online information when making travel decisions [2], [10]. Several studies also explore the factors that shape the adoption of mobile tourism applications, indicating that usefulness, ease of use, and a sense of psychological empowerment significantly affect user engagement [3], [4].

Recent developments reflect a stronger integration of artificial intelligence into tourism services, enabling highly personalized recommendations, automated itinerary creation, and data-driven travel marketing strategies [6], [11]. Mobile-based tourist guide systems have also become more widespread, delivering real-time navigation, context-aware suggestions, and dynamic content updates tailored to traveler needs [5], [16]. Additionally, research on tourism sustainability underscores the importance of smart digital systems that promote responsible travel and enhance destination management in alignment with global development goals [7], [8]. Taken together, these previous works highlight the growing demand for unified, AI-powered solutions like Pocket Safar, which brings together booking services, decision-support tools, community interaction, and safety features into one comprehensive and intelligent travel platform.

There are Machine Learning and Algorithmic methods which can be applied in Tourism Systems

Method 1: Recommender System Models - Machine learning forms the foundation of modern travel platforms by enabling meaningful personalization and automated decision-making support. Foundational studies on recommender systems emphasize that combining content-based methods with collaborative filtering leads to more accurate and user-oriented travel recommendations

[11], [12]. Such hybrid models improve the prediction of user preferences for destinations, accommodations, and activities, resulting in suggestions that align more closely with individual traveler interests.

Method 2: Clustering and Classification Techniques - Multiple studies highlight the usefulness of clustering algorithms like K-Means and hierarchical grouping, along with classification models such as Random Forests, in performing tasks like traveler segmentation, destination grouping, and behavioral preference modeling [12], [14]. These techniques enable structured personalization by organizing diverse user groups into meaningful categories, ultimately enhancing the overall recommendation process.

Method 3: Optimization and Sequential Decision-Making - Research also demonstrates that reinforcement learning approaches support optimized sequential decision-making by continuously adapting itinerary choices and route plans based on user behavior and situational constraints [13]. In addition, evolutionary algorithms provide effective solutions for multi-objective optimization challenges such as scheduling, route planning, and budget distribution, ensuring balanced and efficient travel outcomes [15].

Method 4: Geospatial and Context-Aware Analytics - Geospatial analytics plays a vital role in travel applications by powering real-time navigation, nearest-service identification, and context-aware travel assistance. Tools such as Google Maps APIs and spatial indexing techniques enhance routing precision and improve the discovery of relevant points of interest within tourism systems [16], [17]. Prior research on mobile tourist guide systems further confirms that AI-based routing significantly enriches the traveler's on-ground experience by providing timely and accurate navigation support [5].

III. TECHNOLOGY

Pocket Safar introduces a technologically advanced framework that transforms digital travel management by combining intelligent automation, real-time data processing, and multi-source travel aggregation. The platform uses AI-powered recommendation engines that study user preferences, past travel behavior, seasonal trends, and contextual factors to deliver highly personalized suggestions for flights, hotels, cabs, trains, and cruises. One of its core innovations is dynamic itinerary generation, which applies clustering methods, route optimization techniques, and budget-planning algorithms to build complete travel plans customized to the user's chosen dates, destination, and financial limits.




Fig. 2 Itinerary Planner

Real-time geospatial intelligence strengthens both safety and convenience by detecting nearby essential services such as hospitals, police stations, pharmacies, and local transportation, supported through spatial indexing and live map integration. Pocket Safar further enhances user engagement through community-based travel matching, enabling solo travelers to connect with groups, communicate, and coordinate journeys.

IV. METHODOLOGY

The methodology adopted for Pocket Safar follows a structured and multi-layered approach designed to unify booking services, intelligent recommendations, real-time navigation, community engagement, and safety-aware assistance within a single travel platform. This development process integrates machine learning methods, geospatial computing, web engineering techniques, and user-centered design principles to ensure precision, reliability, and ease of use across all components of the system.

A. Step 1: Aggregation

The first stage involves data collection and aggregation, where travel information such as flights, hotels, transportation options, nearby essential services, and destination points of interest is sourced from multiple APIs and publicly accessible datasets. This raw data undergoes preprocessing steps including cleaning, filtering, and normalization to maintain consistency across different vendors and service categories. Additional data related to user preferences, historical patterns, environmental context, and fluctuating pricing trends is also gathered to support intelligent decision-making throughout the platform.

B. Step 2: Recommendation

In the second stage, AI-driven recommendation models are deployed. Content-based filtering evaluates user preferences such as preferred location types, budget limits, and travel intentions, while collaborative filtering analyzes behavioral similarities among travelers. A hybrid recommendation model integrates both approaches to generate more precise and personalized suggestions. Algorithms such as K-Means, DBSCAN, and similarity-based metrics are utilized to cluster destinations, categorize user profiles, and connect solo travelers with compatible travel communities.

1) Matrix Factorization - To uncover hidden patterns in user behavior and destination preferences, enabling more accurate and personalized travel recommendations.

$$\widehat{r_{ui}} = p_u^{\top q_i}$$

Where, p - the latent vector capturing user *u*'s hidden travel interests, q - the latent vector describing item *i*'s travel features (destination, hotel, activity, etc.).

2) K-Means - In Pocket Safar to group similar travelers or destinations so the system can recommend more relevant and personalized travel options.

$$\arg\min_{C} \sum_{k=1}^{K} \sum_{x \in C_k} ||x - \mu_k||^2$$

Where, C – all cluster; K – Total Cluster, C_k – travel limits;
$|x - \mu_k|^2$ – Squrared Distance.

C. Step 3: Opimization

The third stage centers on itinerary generation and optimization. Based on the user's chosen dates, budget, and destination, the system constructs a customized itinerary. Methods such as dynamic programming, greedy selection, and genetic algorithms help distribute the budget efficiently across transportation, accommodations, and activities. Route optimization relies on graph-based algorithms including A* and Dijkstra to identify the most efficient travel paths.

*1) A** - To compute the most efficient travel route by combining the distance already covered with the estimated distance remaining.

$$f(n) = g(n) + h(n)$$

Where, $f(n)$-total route cost; $g(n)$-cost so far; $h(n)$ –left cost

2) Dijkstra's - To continually refine the shortest travel path by comparing current distance with a newly discovered route.

$$d[v] = \min\big(d[v], d[u] + w(u, v)\big)$$

Where, d-shortest distance; v-target; u-present location

D. Step 4: Geolocation

The fourth stage focuses on geolocation processing and safety assistance. Real-time mapping services, reverse geocoding, and spatial indexing enable the platform to locate nearby hospitals, police stations, fire departments, pharmacies, and transportation hubs. Techniques such as Haversine distance calculation, R-tree indexing, and geo-query operations support precise proximity-based recommendations. GPS functionality provide live location.

1) Haversine formula - To calculate the nearest essential services - such as hospitals, ATMs, police stations, and POIs - based on accurate geographic distance.

$$d = 2R \arctan 2\left(\sqrt{a}, \sqrt{1-a}\right)$$

Where, $a = \sin^2\left(\frac{\Delta\varphi}{2}\right) + \cos\varphi_1 \cos\varphi_2 \sin^2\left(\frac{\Delta\lambda}{2}\right)$

d - service distance; a - distance factor

Step 5: Integration

The fifth stage addresses user interface development and system integration, ensuring that all platform functionalities operate cohesively. APIs connect the frontend with backend microservices, enabling smooth transitions between searching, recommending, booking, and community modules. Continuous evaluation, user feedback analysis, and iterative refinements are performed to enhance system performance and maintain an intuitive, user-friendly design.

1) Cosine similarity – It helps match travelers or travel items by measuring how closely their feature patterns align.

$$\text{Sim}_{cos}(u, v) = \frac{u \cdot v}{|u||v|}$$

Where, u-user vector; v-item vector; $u \cdot v$-dot product.




Fig. 3 Methods steps

E. Algorithms Used

1) *Travel Recommendation Algorithms:* We utilize Content-Based Filtering, Collaborative Filtering, Hybrid Recommendation Models, Matrix Factorization methods such as SVD and ALS, and K-Nearest Neighbors (KNN) to deliver accurate and personalized travel suggestions tailored to user preferences.
2) *Budget Planning and Optimization Algorithms:* Linear Programming, Integer Programming, Dynamic Programming, Greedy Algorithms, and Genetic Algorithms are applied to manage cost constraints effectively and generate optimized budget-friendly travel plans.

   Linear Programming - optimize the travel budget by selecting the most cost-efficient combination of services under user constraints.

   $$\min c^\top x \text{ s.t. } Ax \leq b$$

   Where, c-cost vector; A-matrix; b-budget limit
3) *Itinerary Planning and Route Optimization Algorithms:* Dijkstra's Algorithm, A* Search, the Traveling Salesman Problem (TSP), K-Means and DBSCAN Clustering, and Graph-Based Route Optimization techniques are employed to build efficient, structured, and context-aware itineraries.
4) *Geolocation and Real-Time Tracking Algorithms:* Haversine Distance Calculation, Reverse Geocoding, Geofencing Algorithms, R-Tree Spatial Indexing, and Real-Time GPS/WebSocket Tracking enable precise location processing, safety detection, and continuous movement updates.

5) *Community Matching and Safety Algorithms:* Cosine Similarity, Hierarchical Clustering, Random Forest Classifier, Isolation Forest, and NLP-Based Matching Models including BERT and Sentence Transformers support accurate traveler grouping, safety insights, and community-aware recommendations.

Gini impurity - Assess safety- or fraud-related patterns by measuring how mixed or uncertain the classification data is.

$$G = 1 - \sum_{k} p_k^2$$

Where, G-Impurity Score; p-class probability




Fig. 4 Algorithms

V. LIMITATIONS OF EXISTING TRAVEL SYSTEMS AND PROPOSED ENHANCEMENTS

Despite major technological progress in digital tourism, several challenges still influence the effectiveness of modern travel platforms. Many existing systems continue to struggle with fragmented data sources, limited personalization, inconsistent price transparency, and insufficient real-time decision support. Technical constraints-such as integrating heterogeneous APIs, preserving data accuracy, and safeguarding user privacy-add further complexity to maintaining system reliability. Travelers also often lack access to critical local information, including nearby hospitals, available police assistance, and emergency services, which can reduce both safety and confidence.

Pocket Safar overcomes these limitations by delivering a unified platform that seamlessly integrates booking services, AI-driven recommendations, optimized itinerary planning, and geolocation-based safety assistance. The system strengthens personalization through advanced machine learning techniques, enhances navigation with spatial analytics, and increases user engagement using community-focused travel matching. With secure data handling, multilingual accessibility, and continuous real-time updates built in, Pocket Safar offers a comprehensive and user-centered travel solution.

VI. KEY FEATURES

1) *AI-Driven Travel Recommendations*: The system applies intelligent algorithms to suggest destinations, hotels, and activities by analyzing user preferences, previous trips, and contextual travel requirements.
2) *Dynamic Itinerary Generation:* Users receive automatically structured day-wise itineraries that are optimized according to their selected dates, budget, travel distance, and available attractions.
3) *Nearby Essential Services Detection:* Real-time geolocation capabilities identify nearby hospitals, police stations, medical stores, and transportation services too.
4) *Community and Group Travel Matching:* Solo travelers can join groups, connect with other users, and coordinate shared journeys through a built-in community interaction module.
5) *Real-Time Maps and Location Tracking:* Interactive maps support live navigation, continuous route updates, and proximity-based recommendations for local services.
6) *Integrated Travel and Booking Dashboard:* Users can manage bookings, saved trips, alerts, and travel preferences through a unified, intuitive dashboard designed for seamless interaction.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

VII. FUTURE DIRECTIONS

Future development of Pocket Safar aims to advance the platform into a more intelligent, sustainable, and immersive travel ecosystem. A major direction is the integration of advanced conversational agents that can deliver real-time guidance, multilingual communication, and context-aware travel suggestions. In addition, the platform's predictive capabilities can be further enhanced to anticipate price fluctuations, seasonal travel behavior, and user mobility trends, enabling even more accurate and efficient trip planning.

The platform may further integrate AR-based exploration features that allow travelers to visually navigate unfamiliar destinations using interactive overlays that highlight landmarks, essential services, and cultural points of interest, while potential collaborations with smart city infrastructures could deliver real-time updates on public transport, crowd movement, and environmental conditions to enhance safety and travel efficiency. From a security and transparency perspective, future upgrades may include blockchain-enabled verification for bookings and identity management.




Fig. 5 AI Trends for travel and tourism. [6]

VIII. CONCLUSION

The development of Pocket Safar illustrates how AI-driven technologies can meaningfully enhance modern travel by unifying personalization, real-time assistance, and intelligent automation within one cohesive platform. Traditional travel systems often lack integrated features and contextual awareness, pushing users to depend on multiple applications for planning, booking, and safety-related tasks. Pocket Safar addresses these issues through advanced recommendation models, dynamic itinerary generation, multi-service price comparison, and geolocation-based identification of essential services. The platform also strengthens user engagement through community-focused travel matching and interactive navigation tools, supporting both solo travelers and groups. By integrating machine learning, spatial analytics, and responsive web technologies, Pocket Safar delivers a seamless, informed, and secure travel experience. Overall, this study demonstrates the strong potential of unified digital ecosystems to positively influence and reshape the future of tourism.

REFERENCES

[1] Angelo Rossini. Rise of digital has severely disrupted the industry. Retrieved from http://www.EuromonitorInternational.com. Vol 2, no 12, pp 474-478, December 2021

[2] Halawani, Yahya & Soh, Patrick & Halawani, Firas. (2022). Use and Impact of Online Travel Reviews for Planning Free and Easy Holidays. International Journal of Information Systems in the Service Sector. 14. 1-16. 10.4018/IJISSS.287583. Volume 14 • Issue 1

[3] Lan Pan, Ai-Qing Ruan And Wei Zhang. User Adoption Intention Of The Tourism App Based On Experimental Method, Volume:03/Issue:03/March-2021, Impact Factor- 5.354 www.irjmets.com.

[4] Yosra Jarrara , Ayodeji Olalekan Awobamiseb and Pedro Sigaud Sellosa. Technological Readiness Index (TRI) and the intention to use smartphone apps for tourism: A focus on in Dubai mobile tourism app, Volume:03/Issue:03/March-2021, Impact Factor- 5.354

[5] A, Rakshith & V, Samhitha & Aravind, Abhirami & Mahto, Sanjay & Manjamma, Chandrappa & Bera, Arijit & Jaison, Feon. (2023). Android Tourist Guide. IJARCCE. 12. 10.17148/IJARCCE.2023.12412.

[6] J. Bulchand-Gidumal, E. W. Secin, P. O'Connor, and D. Buhalis, "Artificial intelligence's impact on hospitality and tourism marketing: exploring key themes and addressing challenges," *Current Issues in Tourism*, pp. 1–18, Jun. 2023, doi: https://doi.org/10.1080/13683500.2023.2229480.

[7] "Tourism & Sustainable Development Goals – Tourism for SDGs." https://tourism4sdgs.org/tourism-for-sdgs/tourism-and-sdgs/ , Vol 3, no 4.


[8] "Tourism and the Sustainable Development Goals – Journey to 2030, Highlights," Dec. 2017, doi: https://doi.org/10.18111/9789284419340.Vol 3, no 4, pp 2219-2222, April 2022.

[9] UNWTO, "International Tourist Numbers Could Fall 60-80% in 2020, UNWTO Reports | UNWTO," www.unwto.org, May 07, 2020. https://www.unwto.org/news/covid-19-international-tourist-numbers-could-fall-60-80-in-2020

[10] Wikipedia, "Wikipedia," Wikipedia.org, Jan. 15, 2001. https://www.wikipedia.org/

[11] G. Adomavicius and A. Tuzhilin, "Toward the next generation of recommender systems: a survey of the state-of-the-art and possible extensions," *IEEE Transactions on Knowledge and Data Engineering*, vol. 17, no. 6, pp. 734–749, Jun. 2005, doi: https://doi.org/10.1109/tkde.2005.99.

[12] J. B. MacQueen, "Some Methods for Classification and Analysis of Multivariate Observations" → https://www.eecs.uottawa.ca/~sloyka/elg6108/clustering.pdf
[13] L. Breiman, "Random Forests," *Machine Learning*, vol. 45, no. 1, pp. 5–32, 2001. [Online]. Available: https://www.stat.berkeley.edu/~breiman/random-forests.pdf
[14] G. Adomavicius and A. Tuzhilin, "Toward the Next Generation of Recommender Systems," *IEEE Transactions on Knowledge and Data Engineering*, vol. 17, no. 6, pp. 734–749, 2005. [Online]. Available: https://pages.stern.nyu.edu/~atuzhili/pdf/TKDE-Paper-as-Printed.pdf
[15] L. Breiman, "Random Forests," *Machine Learning*, vol. 45, no. 1, pp. 5–32, 2001. [Online]. Available: https://www.stat.berkeley.edu/~breiman/random-forests.pdf
[16] Google, *Google Maps API Documentation*, 2023. [Online].Available:https://developers.google.com/maps
[17] Amadeus, *Amadeus Travel APIs Documentation*, 2024. [Online]. Available: https://developers.amadeus.com.



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)