



# IJRASET

International Journal For Research in  
Applied Science and Engineering Technology



---

# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume:** 10    **Issue:** III    **Month of publication:** March 2022

**DOI:** <https://doi.org/10.22214/ijraset.2022.41106>

[www.ijraset.com](http://www.ijraset.com)

Call:  08813907089

E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)

# Power Generation Using Footsteps

Prakhar Tiwari<sup>1</sup>, Shrikant Somal<sup>2</sup>, Janhavi Gangurde<sup>3</sup>

<sup>1, 2, 3</sup>UG Student, Department of Information Technology, K.C. College of Engineering and Management Studies and Research

**Abstract:** *Some quantity of power is utilized by us anyplace we go. Since time is immemorial power is wanted for the health and sustenance of our lives. The usage of waste power used withinside the foot energy could be very a great deal beneficial and crucial for the vicinity wherein there might be a big crowd every day. When the floors are engineered with piezoelectric technology, the electric power produced via way of means of the stress is captured via way of means of the ground sensor and transformed to an electrical via way of means of the piezo transducer, then saved and used as an energy supply. This energy supply is used withinside the domestic application, crowded regions like railway stations, streetlights, schools, and colleges. The Footstep Power Generation, right here we proposed a complicated footstep energy generator device that makes use of the piezoelectric sensors to generate energy via footsteps as a supply of renewable power that we will attain at the same time as strolling on a sure association like stepping foot on piezo tiles. This undertaking describes using piezoelectric substances to reap power from humans strolling vibration for producing and gathering the power. The fundamental running precept of the “footstep energy era device” is primarily based totally on piezoelectric sensors. When the floors are engineered with piezoelectric technology, the electric power produced via way of means of the stress is captured via way of means of ground sensors and transformed to an electrical fee via way of means of the piezo-electric powered transducer. These sensors are positioned in this kind of manner that generates the most output voltage. This output is supplied to our tracking circuitry which is a microcontroller-primarily based totally circuit that lets customers screen the voltage and expenses a battery, and this energy supply has many applications. Our undertaking version is cost-powerful and clean to implement.*

**Keywords:** *waste power, foot energy, piezoelectric technology, transducer, sensors.*

## I. INTRODUCTION

Human-powered delivery has been in life considering that time immemorial withinside the shape of walking, running, and swimming. However cutting-edge generation has brought about machines to beautify the usage of human energy in an extra green manner. In this context, pedal energy is an outstanding supply of power and has been in use because the nineteenth century utilized the maximum effective muscle tissue withinside the body. Ninety-5 percent of the exertion placed into pedal energy is transformed into power. Walking is the maximum not unusual place pastime in everyday life. When someone walks, he loses power to the street floor with inside the shape of impact, vibration, sound, etc., because of the switch of his weight onto the street floor, thru footfalls at the floor at some stage in each step. This power may be tapped and transformed into a usable shape consisting of an electric shape. The energy ground isn't always like a conventional ground. The power produced through this ground may be environmentally pleasant while not having smog. Producing this form of power may be cost-powerful also. The energy ground does now no longer want any gasoline or possibly any type of power resource, really utilizing kinetic power. Based upon your extra weight from someone transferring at the ground. Piezoelectricity is electric power made out of mechanical stress, together with motions consisting of walking. When stress is implemented to an object, a terrible fee is produced at the multiplied aspect and an advantageous fee at the compressed aspect. Once the stress is relieved, electric contemporary-day flows throughout the cloth Piezoelectric sensors are primarily based totally on whilst stress is implemented, pressure or acceleration to a quartz crystal or different piezoelectric cloth develops a fee thru the crystal this is proportional to the implemented pressure. Another characteristic of the crystal sensors is that the sign generated through the crystal decays rapidly. The reason for the task is to layout and construct a power-harvesting demonstration gadget to offer a renewable supply of power.

This task includes the usage of piezoelectric transducers for harvesting power made out of a footplate. An unmarried foot sped reasons stress whilst the foot hits the ground. When the floors are engineered with the piezoelectric generation, the electric fee produced through the stress is captured through ground sensors, transformed to an electrical fee through piezo materials, then saved and makes use of as an energy supply. An extensively studied shape of power harvesting includes the conversion of mechanical vibration power into electric power through the use of piezoelectric cloth, which reveals electromechanical coupling among the electric and mechanical domains. The energy-producing flooring may be a first-rate utility if we use piezoelectric crystals as a power-changing cloth.

The piezoelectric crystals have a crystalline shape and the capacity to transform mechanical power (strain and strain) into electric power. Whenever there's vibrations, strain, or straining pressure this is exerted through the foot at the ground then those crystals calmly convert it into electric powered energy which may be used for charging gadgets thru laptops, mobiles, digital gadgets, etc.

## II. LITERATURE SURVEY

### A. FOOTSTEP POWER GENERATION SYSTEM (A Project submitted to the Department of EEE, Faculty of Engineering, Daffodil International University)

A tile made from piezo fabric generates a voltage throughout a piezo tile that's provided to a bridge rectifier circuit to acquire DC voltage and given to a chargeable battery. This is a non-traditional machine. No shifting party. Long lifestyles service. The preliminary price of this association is excessive. Output struck by temperature variation.

### B. FOOTSTEP POWER GENERATION (Project via way of means of college students from Amity University)

The rack & pinion, spring association is constant on the willing step. The spreads ing issued to go back to the willing step withinside the equal function via way of means of liberating the load. No want for gasoline input. This is a non-traditional machine.

Generation of Electricity the usage of Footfall shoe Technique.

Power technology via way of means of the usage of piezoelectric sensors inner shoes. Reliable. Economical. Compact but relatively sensitive.

### C. FOOTSTEP POWER GENERATION SYSTEM (Submitted via way of means of college students of Anna University)

The Piezo crystal is well known a tool that could do away with the want to rate up portables earlier than taking them anywhere. The tool could rate the cellular tool enrooted even as traveling. To accomplish this, they built a piezo generator that transforms mechanical effect strength to electric strength via way of means of the usage of a metal ball that influences the generator. Comparatively excessive output voltage High efficiency. High energy output.

### D. Electrical Power Generation Using Footsteps (Lecturer in Mechanical Engineering, Department of Textile Engineering, Bangladesh University of Business and Technology (BUBT), Bangladesh)

The layout is a modern and iterative process. It is likewise a decision-making process. This layout is concerned with problem-fixing constraints. In the layout, the shoes include water cushioned soles. This strength is saved withinside the battery. Since this venture is associated without delay to human movement, the burden of the setup is an important factor. Unavailability and excessive costs. The general mechanism of the energy technology the usage of footsteps relies upon specifically at the attitude of assault of the flowing medium.

### E. Footstep Piezo Generator (Prince Mohammad University Department of Electrical Engineering)


The piezoelectric sensor's layout became addressed regarding the waste the generator produces. The reason is to decrease the energy intake of this layout. The energy intake stage is an environmental subject due to the fact of extra energy for the users. We will decrease energy components via way of means of producing energy from unfastened sources. In addition, fitness and protection dangers are worried about the superior functionality module.

## III. METHODOLOGY

Some evolved nations and newly industrialized have numerous hours of everyday strength reduction in nearly all towns and villages. People in those nations can also additionally use a strength inverter or a diesel/petrol run an electric powered generator all through strength cuts. The use of standby mills is not an unusual place in commercial and its hubs. This in the long run will increase the lack of strength. The goal of this challenge is to strengthen technology thru footsteps as a supply of power that we can acquire whilst strolling on positive preparations like footpaths stairs and this machine may be established someplace else in a densely populated area. This may be used for lots of programs in rural regions in which strength availability is much less or general absence. By the usage of this challenge, we can power each A.C. in addition to D.C hundreds in step with the pressure we implemented at the piezoelectric sensor. It is a clever machine. Produce 2000 watts of electricity. It is made to be durable. It has an approx. lifestyles of five years. If we enhance piezoelectric material, then output performance may be improved through the usage of big-sized piezoelectric transducers which in flip deliver a big quantity of strength.

Apart from all of the above places, tries are made to broaden power from our everyday lifestyles through initialing piezoelectric crystals in footwear therefore in every step piezoelectric crystals may be compressed that can flip sufficient strength to rate a molecular phone, mp3 player, etc.

#### IV. ARCHITECTURE



#### V. ADVANTAGES

- 1) This is a non-traditional system.
- 2) No shifting parts.
- 3) Long lifestyles service.
- 4) This power is saved in a battery.
- 5) No guide paintings are essential throughout the era.

#### VI. DISADVANTAGES.

- 1) Initial price of this association is high.
- 2) Care must be taken for batteries.
- 3) The tool is depending on the no. of folks relieving their weight stress on it.

#### VII. APPLICATIONS.

- 1) Footstep-generated electricity may be used for, domestic applications, street-lighting.
- 2) Footstep electricity era may be utilized in emergency electricity failure situations.
- 3) Metros, Rural Applications.

#### VIII. CONCLUSION

The waste electricity of human beings throughout on foot is used on this device. Footstep is an uninterrupted and renewable supply of electricity. The device, again and again, operates in a brief period and isn't always feasible for the turbine to preserve a steady speed. As a result, a voltage variant took place that's managed via way of means of a voltage regulator. The general device of the strongest technology the use of footsteps relies upon especially at the attitude of assault of the flowing medium. High voltage dynamo has to be used to supply extra electricity. Though many structures are to be had for strength technology from footsteps, the proposed device could be very low cost and affordable. Many humans in our u . s . a . can not experience the ability used for producing electricity. Though strength produced on this technique is minimal, as an entire u . s . a ., this may be a big supply of electrical electricity. This mission additionally reduces international warming.

#### REFERENCES

- [1] S. M. Meter and V. P. Veiko, Laser Assisted Microtechnology, 2nd ed., R. M. Osgood, Jr., Ed. Berlin, Germany: Springer-Verlag, 1998.
- [2] J. Breckling, Ed., The Analysis of Directional Time Series: Applications to Wind Speed and Direction, ser. Lecture Notes in Statistics. Berlin, Germany: Springer, 1989, vol. 61.
- [3] S. Zhang, C. Zhu, J. K. O. Sin, and P. K. T. Mok, "A novel ultrathin elevated channel low-temperature poly-Si TFT," IEEE Electron Device Lett., vol. 20, pp. 569–571, Nov. 1999.
- [4] M. Wegmuller, J. P. von der Weid, P. Oberson, and N. Gisin, "High-resolution fiber distributed measurements with coherent OFDR," in Proc. ECOC'00, 2000, paper 11.3.4, p. 109.
- [5] R. E. Sorace, V. S. Reinhardt, and S. A. Vaughn, "High-speed digital-to-RF converter," U.S. Patent 5 668 842, Sept. 16, 1997.
- [6] (2002) The IEEE website. [Online]. Available: <http://www.ieee.org/>



- [7] M. Shell. (2002) IEEEtran homepage on CTAN. [Online]. Available: <http://www.ctan.org/tex-archive/macros/latex/contrib/supported/IEEEtran/>
- [8] FLEXChip Signal Processor (MC68175/D), Motorola, 1996.
- [9] "PDCA12-70 datasheet," Opto Speed SA, Mezzovico, Switzerland.
- [10] A. Karnik, "Performance of TCP congestion control with rate feedback: TCP/ABR and rate-adaptive TCP/IP," M. Eng. thesis, Indian Institute of Science, Bangalore, India, Jan. 1999.
- [11] J. Padhye, V. Firoiu, and D. Towsley, "A stochastic model of TCP Reno congestion avoidance and control," Univ. of Massachusetts, Amherst, MA, CMPSCI Tech. Rep. 99-02, 1999.
- [12] Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specification, IEEE Std. 802.11, 1997.



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)