iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 12 **Issue:** XII **Month of publication:** December 2024

DOI: https://doi.org/10.22214/ijraset.2024.66166

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 12 Issue XII Dec 2024- Available at www.ijraset.com

Precision Agriculture: A Review of AI Vision and Machine Learning in Soil, Water, and Conservation Practice

Joytu Debnath[1], Kundan Kumar[2], Kanica Roy[3], Rohit Dutta Choudhary[4], Ajin Krishna P U[5]
Department of Agricultural Engineering, Triguna Sen School of Technology, Assam University, Silchar, Assam, 788011.

Abstract: ***Precision Agriculture (PA) is a modern farming management system which can help access and get maximum return from advanced technology advantages. The present conceptual review concentrates on three main sectors such as soil health monitoring, water management, and conservation practices to highlight the role of Artificial Intelligence (AI) vision and machine learning (ML). However, several achievements are pioneering AI agriculture today, including soil quality check using AI, irrigation forecasting, conservation modelling using ML, and many more. The review finds certain progress in key areas of sustainable global food systems and suggests a practical future through improvement in resource efficiency, but notes also challenges including data standardization, technology accessibility and interdisciplinary research. The paper finally presents future research directions to overcome the challenges and advance the acceptance of AI and ML in precision agriculture.***
Keywords: Precision agriculture (PA), artificial intelligence (AI), machine learning (ML), internet-of-things (IoT), global positioning system (GPS), soil health, water management, conservation practices.

I. INTRODUCTION

Agriculture is up against the daunting spectre of an increasing global population and a worsening climate crisis, which will lead to increased demand for food at the same time that climate change will disrupt traditional farming with any number of factors, including erratic weather patterns, soil degradation, and water depletion [1]. One of the disruptive solutions that smart farming (a subset of precision agriculture (PA)) provides is the connection between different sophisticated technologies such as artificial intelligence (AI), machine learning (ML), IoT, drones, and GPS systems, which helps increase production and sustainability [2]. Smart farming automates and optimises farming processes using real-time data and intelligent decision-making, allowing farmers to adjust to environmental changes and increase resource efficiency [3].

While ML, a subset of AI, enables systems to learn from data and make accurate predictions, such as forecasting weather, assessment of soil health, predicting soil conditions, optimizing resource allocation, and forecasting crop yield, AI replicates human intelligence to analyse vast amounts of data, find patterns, and provide actionable insights. IoT adds to these technologies by connecting devices such as soil sensors, drones, and smart machines for continuous monitoring and automation [4]. The interaction between AI, ML, and IoT technology optimizes agricultural operations, which can be seen in **Fig. 1**. These allow data analysis in real time for decision-making in precision agriculture.




Fig. 1 Interactions between AI, ML, IoT

©IJRASET: All Rights are Reserved

Aerial imagery is captured by drones equipped with high-resolution cameras and sensors to track crop health, identify pest infestations, detect plant diseases, and adjust irrigation levels [5]. This data provides timely field assessments and spatial information for well-informed decision-making.

By enabling exact field mapping, machinery guidance, and localization of trouble spots, GPS devices enable precision treatments such as targeted fertilization, insect control, and disease management {Citation}. ML-driven irrigation scheduling, AI models for forecasting and managing crop yield based on real-time data, and IoT-enabled machinery controlled by AI to optimize tillage operations are just a few examples of how these technologies work together to help farmers embrace sustainable practices. This study looks at how AI, machine learning, IoT, drones, GPS, and smart farming concepts help PA with agricultural production prediction, disease identification, water management, soil health monitoring, and conservation techniques, addressing the increasing need for sustainable farming systems to meet global concerns [6]. Drones and IoT sensors are used to monitor irrigation, pest infestations, and crop health, as shown in **Fig. 2.** These technologies provide spatial information and timely field assessments, enabling data-driven decisions for precision agriculture.




Fig. 2 Use of drones and IoT sensors

II. AI VISION AND ML IN SOIL HEALTH MONITORING

AI vision systems and machine learning (ML) models have revolutionized the monitoring and management of soil health, which is a critical component of agricultural productivity and sustainability. Traditional soil evaluation methods sometimes include manual sampling, which can be labour-intensive, time-consuming, and prone to errors. By enabling automated and predictive methods for evaluating soil health, machine learning and artificial intelligence address these problems and transform the way farmers and researchers use agricultural resources [7].

A significant contribution to soil health monitoring is provided by AI and ML based techniques, which offer a variety of capabilities tailored to a task's specific requirements. The main strategies, together with their attributes, advantages, and drawbacks, are compiled in **Table 1** based on AI. As an example, CNN may perform exceptionally well in pattern identification in soil image scanning, whereas random forests can be used to achieve robust performance for heterogeneous data. The specifics of the applications are used to determine differences in merit.

Table 1 Comparison of AI techniques in soil health monitoring

Technique	Key features	Advantages	Limitations	References
CNNs	Pattern recognition in soil images	High accuracy, detects fine details	Requires large datasets	[8]
Random Forests	Decision trees for soil	Handles heterogeneous	Less interpretable than simpler	[9]

	parameters	data, robust	models	
SVMs	Classification and regression tasks	Effective in high-dimensional spaces	Computationally intensive	[10]
k-NN	Classification based on nearest neighbors	Easy to implement, interpretable	Performance depends on data scaling	[11]
Gradient boosting	Iterative model improvement	High accuracy for complex datasets	Sensitive to overfitting	[12]
ANN (Deep learning)	Mimics brain-like structure for modeling	Captures non-linear relationships	Requires significant computational power	[13]
IoT integration	Real-time sensor data collection	Provides continuous monitoring	Dependent on network reliability	[14]
Bayesian models	Probabilistic inference and prediction	Robust in uncertainty estimation	Computational complexity in large datasets	[15]

A. Automated Soil Quality Analysis

Automated soil quality analysis, which replaces conventional methods for assessing soil health with AI and ML technologies, is one of the most significant advances towards precision agriculture. Agricultural practitioners and researchers may now determine the real-time properties of soil, such as texture, organic matter concentration, and nutrient level [16], [17], by combining AI vision systems with drones or satellite pictures. Highly resolution photographs of agricultural landscapes may be obtained thanks to these technologies; therefore, even the smallest changes in soil characteristics that the human eye could overlook will inevitably be picked up [18].

Convolutional neural networks, in particular, are machine learning techniques used in critical processing and analysis of these pictures. CNNs are better at spotting patterns that indicate soil color and texture changes that indicate fertility or deterioration [19].

CNNs, for example, can identify regions of erosion and compaction and predict the amount of organic material present based on the color of the soil. In addition to the expenses associated with sampling using traditional techniques and laboratory testing, the benefits at this level of research include speed and accuracy since insights are provided quickly. Combining soil sensors with AI-based photography creates an Internet of Things solution that opens the door to automated soil quality analysis. Such environmental data about the soil, such as temperature, pH, or moisture content, is immediately supplied via IoT and, when directly connected with visual data, will produce an in-depth view towards healthier soil [20].

They can be connected, for example, to identify the regions that need certain treatments, such as fertilisation, irrigation, or erosion control [21]. There are many advantages to the holistic approach. It ensures timely, data-driven resource allocation, reduces analytical costs, and eliminates the need for time-consuming manual sampling [22]. It also makes it possible for farmers to use sustainable soil management practices, which reduces the dangers of soil degradation and nutrient leaching. Drone photography, AI-based analysis, and Internet of Things connectivity come together to create a powerful toolkit that aims to maintain soil health and increase agricultural productivity in the face of growing global challenges [23].

B. Predictive Soil Health Modeling

Predictive soil health modeling is a technical advancement in sustainable agriculture that uses machine learning (ML) algorithms to monitor and evaluate nutrient and fertility deficiencies in order to preserve soil health [24] . These models process large and varied datasets to generate insights that may be used to enhance soil management practices. Big data combines soil properties across time, crop production records, climatic data, and land management approaches to produce a woven tapestry that illustrates the overall picture of the various factors impacting soil health [25].

Many machine learning (ML) methods, each with its own set of goals, are frequently used for soil health monitoring [26]. For example, random forests provide strong insights for diverse information by building several decision trees based on characteristics such as soil texture, pH, and organic matter concentration [27]. Rapid detection of crucial zones is made possible by support vector machines (SVMs), which are especially useful in locating regions with low nutrient levels or recognising chemicals entering the soil in excessive amounts [28].

Gradient boosting machines (GBMs) are excellent at analysing complicated datasets with several variables since they iteratively improve poor predictive models [29].

Similarly, by comparing fresh samples with previously labelled data, k-nearest neighbours (k-NN) effectively classify soil health, guaranteeing precise and quick forecasts. Artificial neural networks (ANNs) and other deep learning algorithms imitate the workings of the human brain to identify complex, non-linear correlations and linkages that more straightforward models could miss [30]. Together, these various machine learning techniques improve soil health assessments by increasing practical effectiveness and forecast accuracy [31].

III. AI AND ML IN WATER MANAGEMENT

Sustainable agriculture relies heavily on water management, particularly in areas with limited water supplies and erratic rainfall patterns. The conventional method is wide-ranging and ineffective in terms of crop hydration or water consumption efficiency [32]. AI and ML are traditionally used to create excellent, data-based solutions that guarantee consistently healthy crops and effective water utilization [33], [34].

Data from sensors placed in fields, weather predictions, soil condition data, and satellite imagery are all available to AI and ML [35]. Precision irrigation systems and the range of water quality monitoring are two crucial components of water management that are enhanced by the use of such data in potent combinations. In neural networks, for example, information is anticipated with accurate water requirements based on sensor data on weather, soil moisture, and crop development [36]. This prevents waste and excessive watering, which causes significant nutrient loss, and ensures that the crops receive the proper quantities of water.

Furthermore, the dynamic scheduling irrigation algorithms include decision trees, regression analysis, and water supply periods that can be modified in real time to reflect the actual weather and soil conditions [37]. These are combined with Internet of Things-enabled smart irrigation controllers, where they begin to automatically govern water flows and enable precision agriculture that definitely guarantees water efficiency [38].

Apart from optimization in irrigation, solutions from AI are also critical in the monitoring of water quality and also enhances precision and sustainability in agricultural operations [39]. In some aspects, computer vision and even tools that process images, among them, could have determined a few water-related factors that include turbidity, temperature, and certain degrees of pollution. Other methods involved drones with cameras that evaluate water bodies based on the pollution process through silt or algae accumulation and warning signals. The classified levels of pollution provide algorithms that include remediation strategies.

Such innovations provide more sustainable ways of preserving water for greater yields among farmers. Innovations based on artificial intelligence and machine learning make the proactive shift from reactive and ensure sustainability in agriculture related to worldwide issues [40]. All such technologies together help to optimize water usage while having a very minimal impact on the environment, thereby boosting agricultural resilience [41].

A. Precision Irrigation Systems

Precision irrigation constitutes one of the AI and ML applications that is pertinent to water management as it enables data-driven, effective resource usage to satisfy livestock needs [42]. With the use of sensors that gather data in real time on crop-specific water requirements, weather patterns, and soil moisture, these systems are able to make informed judgments about the best irrigation techniques [43]. A newer innovation under precision irrigation is that of smart irrigation controllers, which base the distribution of water supply on real-time environmental information [44]. These machine learning algorithms reduce the chances of overwatering, avoid such increased evaporation loss, and give just the right amount of water to a plant at the right time. In other words, if it rains within a few days, this system can automatically postpone irrigation, thus saving water and preventing saturated soil [45].

This is sometimes referred to as IoT-enabled irrigation technologies, which are AI-enabled drip and sprinkler systems that improve the effectiveness of precision irrigation [46]. It delivers water straight to plant root zones with little loss through evaporation or surface discharge. Sectional delivery of water in large farms is thus achievable, thereby ensuring that only areas that require irrigation are delivered with water [47]. Also, there is a benefit in conserving the accuracy of the water resources preserved, especially in arid and semi-arid regions where water lacks [48].

The environmental and economic benefits of precision irrigation are massive. Agro producers reduce operational costs by curtailing water consumption while helping reduce the dangers associated with soil degradation and nutrient leaching as well [49]. In addition, this method maintains fertility levels in soils, thereby promoting better crop growth. Increased crop yields accompanied by greater resource use efficiency end up leaving precision irrigation as one of the basic tools behind modern agriculture [50].

AI and ML transform precision irrigation systems, based on real-time data as well as prediction algorithms. That allows efficient water management with a myriad of methods listed in **Table 2** neural networks, decision trees, or controllers with IoT capabilities to be included for optimizing the schedule of irrigation and eliminating its waste.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

For instance, real-time IoT-enabled smart controllers may automatically change water flow in response to variable conditions, or neural networks could predict crop-specific amounts of water required based on soil moisture content and relevant meteorological variables. Precisely speaking, the merits of all these are such that precision irrigation remains a necessary tool in water use management in sustainable agricultural practice.

Table 2 AI-Driven Water Management Techniques

Technique	Data source	Output	Benefits	References
Neural Networks	Soil sensors, weather forecasts	Crop-specific water requirements	Tailored irrigation, reduces waste	[43]
Decision Trees	Environmental and soil data	Dynamic irrigation schedules	Adapts to real-time conditions	[43]
Image Processing	Drone and satellite images	Water body contamination alerts	Early detection, fast intervention	[51]
Regression Models	Historical and real-time data	Predictive irrigation schedules	Proactive water management	[52]
IoT Controllers	Soil and weather sensors	Automated irrigation adjustments	Autonomous water-saving operation	[53], [54]
Ensemble Learning	Combined predictive models	Optimized water management predictions	Improved accuracy over individual models	[55]
Reinforcement Learning	Real-time feedback loops	Adaptive water use strategies	Learns from system performance	[56]
UAV Monitoring	Drone imagery with AI analysis	Spatial distribution of water resources	Enables targeted irrigation management	[57]

B. Water Quality Monitoring

Safe agriculture incorporates monitoring water quality to allow the determinations of irrigation water as not being a threat to the health of both the soil and the crops [58]. The methodology involves artificial intelligence and machine learning technologies that could give the farmers immediate data-informed assessments of water conditions to proactively tackle contamination problems [59]. Artificial intelligence-based systems monitor critical water quality parameters like turbidity, pH, contaminant concentration, and temperature, process parameter control for membrane treatment of wastewater [60], and then determine their suitability for use in irrigation [61]. These technologies utilize the machine learning algorithm, where anomalies are determined and future trends are predicted in water quality to support operational decisions toward safe practices of irrigation [62]. For example, two major machine learning models are random forests and SVMs, which classify water quality and indicate the existing problems to be addressed based on measured data. The AI workflow in water quality monitoring integrates sensor data, image processing, and ML algorithms. Such a system would allow the real-time assessment of critical water parameters such as turbidity and contaminant levels, thus facilitating proactive interventions to ensure sustainable irrigation practices.

More specifically, there is the use of unmanned aerial vehicles that are equipped with high-end imaging sensors and artificial intelligence vision [63], [64]. These systems capture overhead photographs of water environments and use image processing to detect potential signs of contamination like algal blooms or sedimentation and chemical effluxes.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

Drone water monitoring in combination with AI vision ensures speedy testing of water sources that would otherwise be riddled with onerous, time-consuming manual assessments at site.

Thus, by correlating the data coming from the drone with sensor inputs, water conditions can be understood totally by both farmers and water managers [65]. For example, sensors mounted on irrigation canals or reservoirs can track pH and temperature constantly in time, while drone data can provide spatial analysis on the spread of contamination. In such cases, when some potentials for problems are sensed early-about increased levels of pollutant/low oxygen in water-the farmers can swiftly take corrective measures, such as treating sources of water or resorting to alternative methods of irrigation.

Such proactive insights provided by AI and ML bring water quality monitoring advantages that protect crops from contamination in addition to the prevention of long-term degradation of soils [66]. With such advanced systems, farming operations optimize productivity as well as sustainability.

IV. CONSERVATION PRACTICES: AI AND ML APPLICATIONS

With the help of AI and ML integration into conservation methods, a new approach is applied to agricultural systems about environmental issues [67]. Such conservation measures that would guard soils include reducing the bad environmental impacts of agriculture, promoting biodiversity, preventing soil erosion, and conserving healthy soils [68]. AI and ML bring on board the latest tools, which can explore big sets of data acquired by the use of satellite images, sensor-based networks, and GIS [69].

These AI-driven models can predict areas that are likely to experience soil erosion or degradation based on topographical, vegetation, and climatic data [70]. They can thus model future scenarios so farmers and environmental managers can plan to prevent the potential future impacts through reforestation, terracing, solar powered aquaculture [71], [72] or even retention basins. For instance, decision trees and random forests in ML predict the likelihood of soil erosion under certain weather conditions and inform targeted interventions for vital agricultural landscapes. Artificial intelligence is being used for the betterment of the conservation efforts through the enhanced agricultural practices to minimize these negative environmental impacts [73]. For example, AI-based and ML-based precision agriculture systems are some of the sustainable fertilization methods, reduced-till techniques with lower greenhouse gas emissions while maintaining the quality of the soil; these innovations balance the productivity at the farm with the reduction of greenhouse gas emissions, thus promoting long-term ecological resilience. Integrating solar power with AI-driven systems enhances aquaculture and post-harvest technologies, promoting sustainable agricultural practices [74]. Overall, AI and ML can be the powerful solutions that mitigate the challenge of sustainable agriculture and conservation so that the data-driven strategies balance farming interests with the imperative of conservation and restoration of natural ecosystems [75]. Agricultural practice is not at odds with protection of the environment; this leads to securing a much greener future for both agriculture and biodiversity [76].

A. Sustainable Land Management

With increasing importance on sustainability, maintenance of soil health, augmented agricultural output, and keeping the environment away from degrading, land management requires that artificial intelligence tools be well synchronized with remote sensing, information on vegetation indices, as well as topographical ones for the process to be properly transformed [77]. The advanced methods inform farmers and land managers concerning methodologies that reduce erosion, produce maximized land output, or provide ecological balance [78].

For example, artificial intelligence-powered systems evaluate terrain properties—slope, soil texture or composition, and vegetational density—to determine more prone areas to erosion. Assessments are done by processing some ML algorithms that operate against multispectral satellite imagery complemented with GIS information from which erosion risk maps come [79]. These maps specify susceptible areas that require emergency handling and can be adopted within contour farming, terracing, collaborative marketing[80] or agroforestry practices [81]. Some of these interventions decrease soil loss, increase water retention, and thus enhance the resilience of agricultural systems to climate variability [82].

Furthermore, artificial intelligence enhances land management by applying predictive modeling techniques. These models predict the impact of changes in land use on soil quality and agricultural productivity based on past and current data [83]. An instance is supervised learning algorithms capable of predicting the impact erosion rates and soil fertility stand to gain if forest land is converted into farmlands, which will arm decision-makers with the imperative trade-offs. AI further evaluates the effectiveness of conservational practices by tracking any changes in vegetation indices for a period of time until implemented measures show long-lasting benefits. The application of artificial intelligence (AI) in sustainable land management fosters environmentally friendly farming practices and optimizes land use [84].

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

These techniques diminish the dependence on the resource-intensive nature of conventional systems and create a pathway to a sustainable future by balancing ecological preservation with agricultural productivity [85].

B. Predictive Modelling for Erosion and Runoff

Predictive modelling has evolved to become a helpful tool for addressing problems like soil erosion and water run-off in agricultural practices [86]. In this sense, using algorithms of ML, such as the decision trees, SVM, and other ensemble techniques such as random forest, the model looks through large data environmental and climatic datasets with the goal of predicting threats of erosion and behaviours associated with run-off [87]. This will help farmers and land use managers adopt evidence-based preventive conservation measures on soil quality and watershed stability.

Several factors, such as plant cover, slope gradient, soil texture, and rainfall intensity, are likely to affect erosion and runoff, according to machine learning models [88]. For example, decision tree models can establish the rainfall thresholds that, depending on the topography, will result in a marked loss of soil. Similarly, SVMs could identify the particular soil types or landscape areas that are most vulnerable to erosion during extreme weather events, thus ensuring focused intervention [89].

Farmers will have the ability to enact mitigation practices based on the specific risks they are facing. As a result, terracing or contour farming may be recommended for areas prone to runoff in order to reduce the velocity of the runoff and avoid displacement of the soil [90]. Buffer strips or cover crops that stabilize the soil can be used to reduce the number of contaminants flowing into the water bodies in erodible areas [91]. It uses predictive models to predict the quantity of sediment and nutrients that could accumulate in runoff and thus degrade the quality of the water [92]. Two other protection measures created based on timely information provided by these models are retention ponds and vegetative barriers that decrease runoff and restore balance [93].

.

C. Biodiversity and Wildlife Conservation

AI systems are emerging as one of the most critical elements in animal conservation and biodiversity at the crossroads of human ecosystem operations such as agriculture [94]. Powerful tools in the tracking of animal migration, monitoring biodiversity, and the identification of crucial ecosystems that must be preserved can be provided by AI-powered computer vision, remote sensing data, and advanced sensor technologies [95]. This integration of AI technology makes sustainable land use possible by assuring that farming is conducted in a manner that goes well with ecological preservation. AI-enabled cameras are specifically helpful for tracking plant and wildlife species, and they are often used in conjunction with drones [96].

Image recognition and object detection machine learning algorithms will make it possible for systems to find and classify species in the wild. AI-enabled camera traps can, for instance, automatically classify whether an endangered species or an invasive plant species is present as well as the health of plant communities through algorithms that are programmed to analyze broad types and density of vegetation [97]. Taking a broader view of larger ecosystems monitoring remote areas, it is difficult to access with drones.

It can identify species and enable us to trace the movement pattern of wildlife through its landscape, providing scientists with information on migration, territorial behavior, and the impact of agriculture on wildlife corridors. With this information, better decisions can be made regarding land management practices. So, for example, it could suggest changes to farming schedules that reduce human activity when animals are breeding or alter grazing patterns to limit disruption of animals in the habitat. A little similar, for example, to how AI models read the data from sensors and satellite images to judge the health of an ecosystem or determine which ecosystems are at risk [98].

Using data from remote sensing, AI can look into fragmentation within habitats, loss of vegetation, and water quality—all critical components of preserving biodiversity [99]. All this informs farmers and conservationists how to create wildlife corridors, buffer zones, and agroecological practices that maintain natural habitats in conjunction with agricultural productivity.

The end goal of integrating AI into biodiversity and wildlife conservation, then, would be to find a balance between agricultural intensification on the one hand and the preservation of natural resources and wildlife on the other [100]. AI ensures timely, efficient, and scalable conservation decision-making through the provision of real-time data on ecosystem health and wildlife populations, promoting a more sustainable coexistence of agriculture and nature.

V. PROSPECTIVE OPPORTUNITIES AND OBSTACLES

A. Prospective Outlook

The use of AI and ML into precision agriculture offers significant opportunities for soil and water conservation. Emerging technologies such as 3D printing and nanotechnology, coupled with AI-driven insights, are anticipated to transform agricultural operations by facilitating the development of highly personalized and efficient farming machinery and instruments.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

Advancements in 3D printing for all-terrain vehicles provide improved adaptability to difficult terrains, hence enhancing soil management and conservation initiatives [101]. Moreover, 3D printing applications in food processing and smart agriculture can facilitate the development of advanced technologies for accurate water management and soil treatment, minimizing waste and ensuring resource effectiveness [102], [103].The integration of biogenic nanoparticles into agricultural techniques signifies another transformational domain. Utilizing AI-generated insights in bioinformatics and nanobiotechnology, researchers can create intelligent fertilizers and soil amendments customized to particular needs, enhancing sustainability while reducing ecological effect [104]. These advances have the potential to impact soil enrichment and crop health monitoring methodologies. Moreover, AI-driven IoT networks have changed data acquisition and surveillance. Intelligent sensors linked through IoT frameworks provide instantaneous data on soil moisture, nutrient concentrations, and meteorological variables, facilitating precise irrigation and reducing water consumption [105]. This degree of interaction is crucial for attaining sustainable water management techniques in both rural and urban agricultural environments.

B. Obstacles

Notwithstanding its transformational promise, precision agriculture has numerous hurdles. The expensive cost of new technologies, like 3D-printed equipment and AI-enabled sensors, restricts accessibility for smallholder farmers, thereby exacerbating the digital divide. Moreover, the energy requirements of AI and IoT systems, along with the necessity for sustainable automation, provide considerable obstacles to implementation. Addressing these problems necessitates a focus on energy-efficient designs and the incorporation of renewable energy, as underscored in the advocacy for sustainable automation in food processing systems [106].

A significant difficulty pertains to data interoperability and scalability. The implementation of AI and ML in precision agriculture produces extensive data that necessitates efficient storage, processing, and standardization to promote widespread adoption. Furthermore, the incorporation of biogenic nanoparticles into conventional agricultural operations presents regulatory and safety issues, necessitating comprehensive testing and legislative frameworks to guarantee their responsible application [104]. The complexity of deploying AI-driven systems across diverse agricultural terrains necessitates a strong training and support framework. Closing the knowledge gap among stakeholders, including farmers and policymakers, is essential for maximizing the potential of these technologies. Initiatives for urban and rural connectivity, influenced by improvements in AI and IoT within smart cities, can provide effective frameworks to enhance communication and collaboration in agricultural sectors [107], [108].

VI. CONCLUSION

AI vision and ML are revolutionizing precision agriculture through innovative solutions for soil health improvement, water-use, and environmentally sustainable conservation practices. These technologies offer real-time monitoring, predictive modeling, and targeted interventions, enabling farmers to make better-informed decisions about their productivity while also minimizing the environmental impact. For example, AI vision systems combined with drones and IoT devices allow for automated soil analysis, while the work of machine-learning algorithms is devoted to the optimization of irrigation schedules and prediction of soil fertility, all working toward optimal resource utilization. Likewise, artificial intelligence-assisted tools manage sustenance through responsible land management and biodiversity preservation, establishing a balance between agricultural demand and the ecological sustainability of the land. The growth of AI and ML in agriculture faces several shortcomings such as the predominance of heterogeneous datasets from sensor networks, satellite images, and environmental models, which calls for a sophisticated computational infrastructure. The other challenge is the cost, which may hinder access for smallholder farmers, particularly in developing regions, where resources are scarce. Other ethical issues, including data privacy concerns, ownership problems, or the question of equitable access to some AI-driven solutions, will also have to be properly addressed in order for these technologies to operate for the benefit of all stakeholders involved. Effective resolution of these issues requires cooperation of researchers, policymakers, and industry executives in development of scalable, cost-effective, and inclusive AI and ML systems. Furthermore, this has the potential of bringing about a sustainable, resilient, and productive agriculture sector that meets the growing food demand globally while addressing issues arising from climate change and resources depletion. With the evolution of time, as these technologies move forth, their integration into precision agriculture will give a blueprint to the farming of the future-with food security and sustainability of the environment for generations to come.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

REFERENCES

[1] M. Padhiary and R. Kumar, "Assessing the Environmental Impacts of Agriculture, Industrial Operations, and Mining on Agro-Ecosystems," in Smart Internet of Things for Environment and Healthcare, M. Azrour, J. Mabrouki, A. Alabdulatif, A. Guezzaz, and F. Amounas, Eds., Cham: Springer Nature Switzerland, 2024, pp. 107–126. doi: 10.1007/978-3-031-70102-3_8.

[2] B. Sahu, "Artificial Intelligence and Automation in Smart Agriculture: A Comprehensive Review of Precision Farming, All-Terrain Vehicles, IoT Innovations, and Environmental Impact Mitigation," Int. J. Sci. Res. IJSR, vol. 13, no. 11, pp. 656–665, Nov. 2024, doi: 10.21275/SR241110184009.

[3] D. Huo, A. W. Malik, S. D. Ravana, A. U. Rahman, and I. Ahmedy, "Mapping smart farming: Addressing agricultural challenges in data-driven era," Renew. Sustain. Energy Rev., vol. 189, p. 113858, Jan. 2024, doi: 10.1016/j.rser.2023.113858.

[4] K. P. Sriram, P. Kola Sujatha, S. Athinarayanan, G. Kanimozhi, and M. R. Joel, "Transforming Agriculture: A Synergistic Approach Integrating Topology with Artificial Intelligence and Machine Learning for Sustainable and Data-Driven Practice," in 2024 2nd International Conference on Sustainable Computing and Smart Systems (ICSCSS), Coimbatore, India: IEEE, Jul. 2024, pp. 1350–1354. doi: 10.1109/ICSCSS60660.2024.10625446.

[5] M. Padhiary, L. N. Sethi, and A. Kumar, "Enhancing Hill Farming Efficiency Using Unmanned Agricultural Vehicles: A Comprehensive Review," Trans. Indian Natl. Acad. Eng., vol. 9, no. 2, pp. 253–268, Jun. 2024, doi: 10.1007/s41403-024-00458-7.

[6] E. E. K. Senoo et al., "IoT Solutions with Artificial Intelligence Technologies for Precision Agriculture: Definitions, Applications, Challenges, and Opportunities," Electronics, vol. 13, no. 10, p. 1894, May 2024, doi: 10.3390/electronics13101894.

[7] M. Padhiary and R. Kumar, "Enhancing Agriculture Through AI Vision and Machine Learning: The Evolution of Smart Farming," in Advances in Computational Intelligence and Robotics, D. Thangam, Ed., IGI Global, 2024, pp. 295–324. doi: 10.4018/979-8-3693-5380-6.ch012.

[8] Y. Chen et al., "Plant image recognition with deep learning: A review," Comput. Electron. Agric., vol. 212, p. 108072, Sep. 2023, doi: 10.1016/j.compag.2023.108072.

[9] T. Kattenborn, J. Leitloff, F. Schiefer, and S. Hinz, "Review on Convolutional Neural Networks (CNN) in vegetation remote sensing," ISPRS J. Photogramm. Remote Sens., vol. 173, pp. 24–49, Mar. 2021, doi: 10.1016/j.isprsjprs.2020.12.010.

[10] S. S. Subbiah and J. Chinnappan, "Opportunities and Challenges of Feature Selection Methods for High Dimensional Data: A Review," Ingénierie Systèmes Inf., vol. 26, no. 1, pp. 67–77, Feb. 2021, doi: 10.18280/isi.260107.

[11] P. G. Giannopoulos, T. K. Dasaklis, and N. Rachaniotis, "Development and evaluation of a novel framework to enhance k-NN algorithm's accuracy in data sparsity contexts," Sci. Rep., vol. 14, no. 1, p. 25036, Oct. 2024, doi: 10.1038/s41598-024-76909-6.

[12] T. Thenmozhi and R. Helen, "Feature Selection Using Extreme Gradient Boosting Bayesian Optimization to upgrade the Classification Performance of Motor Imagery signals for BCI," J. Neurosci. Methods, vol. 366, p. 109425, Jan. 2022, doi: 10.1016/j.jneumeth.2021.109425.

[13] A. Datar and P. Saha, "The Promise of Analog Deep Learning: Recent Advances, Challenges and Opportunities," 2024, arXiv. doi: 10.48550/ARXIV.2406.12911.

[14] R. Krishnamurthi, A. Kumar, D. Gopinathan, A. Nayyar, and B. Qureshi, "An Overview of IoT Sensor Data Processing, Fusion, and Analysis Techniques," Sensors, vol. 20, no. 21, p. 6076, Oct. 2020, doi: 10.3390/s20216076.

[15] J. Mena, O. Pujol, and J. Vitrià, "A Survey on Uncertainty Estimation in Deep Learning Classification Systems from a Bayesian Perspective," ACM Comput. Surv., vol. 54, no. 9, pp. 1–35, Dec. 2022, doi: 10.1145/3477140.

[16] M. Padhiary, A. K. Kyndiah, R. Kumara, and D. Saha, "Exploration of electrode materials for in-situ soil fertilizer concentration measurement by electrochemical method," Int. J. Adv. Biochem. Res., vol. 8, no. 4, pp. 539–544, Jan. 2024, doi: 10.33545/26174693.2024.v8.i4g.1011.

[17] A. Hoque and M. Padhiary, "Automation and AI in Precision Agriculture: Innovations for Enhanced Crop Management and Sustainability," Asian J. Res. Comput. Sci., vol. 17, no. 10, pp. 95–109, Oct. 2024, doi: 10.9734/ajrcos/2024/v17i10512.

[18] G. Mohyuddin, M. A. Khan, A. Haseeb, S. Mahpara, M. Waseem, and A. M. Saleh, "Evaluation of Machine Learning Approaches for Precision Farming in Smart Agriculture System: A Comprehensive Review," IEEE Access, vol. 12, pp. 60155–60184, 2024, doi: 10.1109/ACCESS.2024.3390581.

[19] R. Somkunwar, A. K. Gupta, A. Anand, G. Gawali, A. Hiralkar, and D. Shinde, "CNN-based Soil Image Analysis for Enhanced Crop Prediction in Smart Agriculture," in 2024 MIT Art, Design and Technology School of Computing International Conference (MITADTSoCiCon), Pune, India: IEEE, Apr. 2024, pp. 1–5. doi: 10.1109/MITADTSoCiCon60330.2024.10575651.

[20] M. Padhiary, "The Convergence of Deep Learning, IoT, Sensors, and Farm Machinery in Agriculture:," in Advances in Business Information Systems and Analytics, S. G. Thandekkattu and N. R. Vajjhala, Eds., IGI Global, 2024, pp. 109–142. doi: 10.4018/979-8-3693-5498-8.ch005.

[21] X. Zhang, P. Yang, and B. Lu, "Artificial intelligence in soil management: The new frontier of smart agriculture," Apr. 18, 2024, Resources Economics Research Board: 2. doi: 10.50908/arr.4.2_231.

[22] K. Xu et al., "Advanced Data Collection and Analysis in Data-Driven Manufacturing Process," Chin. J. Mech. Eng., vol. 33, no. 1, p. 43, Dec. 2020, doi: 10.1186/s10033-020-00459-x.

[23] K. S. Reddy, S. S. Ahmad, and A. K. Tyagi, "Artificial Intelligence and the Internet of Things-Enabled Smart Agriculture for the Modern Era:," in Advances in Computational Intelligence and Robotics, A. Naim, Ed., IGI Global, 2024, pp. 68–99. doi: 10.4018/979-8-3693-5266-3.ch004.

[24] K. Kumar et al., "Artificial intelligence and machine learning in soil analysis innovations for sustainable agriculture: A review," Int. J. Adv. Biochem. Res., vol. 8, no. 11, pp. 869–878, Jan. 2024, doi: 10.33545/26174693.2024.v8.i11k.2973.

[25] Research Scholar, Department of Computer Science and Engineering, B.M.S. College of Engineering, Bangalore, India., M. J*, I. M, and Professor, Department of Computer Science and Engineering, B.M.S. College of Engineering, Bangalore, India., "Role of Big Data in Agriculture," Int. J. Innov. Technol. Explor. Eng., vol. 9, no. 2, pp. 3811–3821, Dec. 2019, doi: 10.35940/ijitee.A5346.129219.

[26] M. Padhiary, "Status of Farm Automation, Advances, Trends, and Scope in India," Int. J. Sci. Res. IJSR, vol. 13, no. 7, pp. 737–745, Jul. 2024, doi: 10.21275/SR24713184513.

[27] M. Wiesmeier, F. Barthold, B. Blank, and I. Kögel-Knabner, "Digital mapping of soil organic matter stocks using Random Forest modeling in a semi-arid steppe ecosystem," Plant Soil, vol. 340, no. 1–2, pp. 7–24, Mar. 2011, doi: 10.1007/s11104-010-0425-z.

[28] S. Jain, D. Sethia, and K. C. Tiwari, "A critical systematic review on spectral-based soil nutrient prediction using machine learning," Environ. Monit. Assess., vol. 196, no. 8, p. 699, Aug. 2024, doi: 10.1007/s10661-024-12817-6.

[29] A. Natekin and A. Knoll, "Gradient boosting machines, a tutorial," Front. Neurorobotics, vol. 7, 2013, doi: 10.3389/fnbot.2013.00021.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

[30] S. Schmidgall, R. Ziaei, J. Achterberg, L. Kirsch, S. P. Hajiseyedrazi, and J. Eshraghian, "Brain-inspired learning in artificial neural networks: A review," APL Mach. Learn., vol. 2, no. 2, p. 021501, Jun. 2024, doi: 10.1063/5.0186054.
[31] K. Liakos, P. Busato, D. Moshou, S. Pearson, and D. Bochtis, "Machine Learning in Agriculture: A Review," Sensors, vol. 18, no. 8, p. 2674, Aug. 2018, doi: 10.3390/s18082674.
[32] A. Shahzad et al., "Nexus on climate change: agriculture and possible solution to cope future climate change stresses," Environ. Sci. Pollut. Res., vol. 28, no. 12, pp. 14211–14232, Mar. 2021, doi: 10.1007/s11356-021-12649-8.
[33] P. Delfani, V. Thuraga, B. Banerjee, and A. Chawade, "Integrative approaches in modern agriculture: IoT, ML and AI for disease forecasting amidst climate change," Precis. Agric., vol. 25, no. 5, pp. 2589–2613, Oct. 2024, doi: 10.1007/s11119-024-10164-7.
[34] M. Padhiary, D. Saha, R. Kumar, L. N. Sethi, and A. Kumar, "Enhancing Precision Agriculture: A Comprehensive Review of Machine Learning and AI Vision Applications in All-Terrain Vehicle for Farm Automation," Smart Agric. Technol., vol. 8, p. 100483, Jun. 2024, doi: 10.1016/j.atech.2024.100483.
[35] H. Han, Z. Liu, J. Li, and Z. Zeng, "Challenges in remote sensing based climate and crop monitoring: navigating the complexities using AI," J. Cloud Comput., vol. 13, no. 1, p. 34, Feb. 2024, doi: 10.1186/s13677-023-00583-8.
[36] O. Adeyemi, I. Grove, S. Peets, Y. Domun, and T. Norton, "Dynamic Neural Network Modelling of Soil Moisture Content for Predictive Irrigation Scheduling," Sensors, vol. 18, no. 10, p. 3408, Oct. 2018, doi: 10.3390/s18103408.
[37] A.-F. Jimenez, P.-F. Cardenas, A. Canales, F. Jimenez, and A. Portacio, "A survey on intelligent agents and multi-agents for irrigation scheduling," Comput. Electron. Agric., vol. 176, p. 105474, Sep. 2020, doi: 10.1016/j.compag.2020.105474.
[38] P. M., A. K. Tyagi, S. K. Arumugam, and A. Rawat, "Internet of Things for Building a Smart and Sustainable Environment: A Survey," in Advances in Mechatronics and Mechanical Engineering, L. D., N. Nagpal, N. Kassarwani, V. Varthanan G., and P. Siano, Eds., IGI Global, 2024, pp. 16–37. doi: 10.4018/979-8-3693-5247-2.ch002.
[39] G. Rabha, K. Kumar, D. Kumar, and D. Kumar, "A Comprehensive Review of Integrating AI and IoT in Farm Machinery: Advancements, Applications, and Sustainability," Int. J. Res. Anal. Rev., vol. 11, no. 4, 2024.
[40] Olabimpe Banke Akintuyi, "Adaptive AI in precision agriculture: A review: Investigating the use of self-learning algorithms in optimizing farm operations based on real-time data," Open Access Res. J. Multidiscip. Stud., vol. 7, no. 2, pp. 016–030, Apr. 2024, doi: 10.53022/oarjms.2024.7.2.0023.
[41] B. B. Lin, "Resilience in Agriculture through Crop Diversification: Adaptive Management for Environmental Change," BioScience, vol. 61, no. 3, pp. 183–193, Mar. 2011, doi: 10.1525/bio.2011.61.3.4.
[42] S. Violino et al., "A data-driven bibliometric review on precision irrigation," Smart Agric. Technol., vol. 5, p. 100320, Oct. 2023, doi: 10.1016/j.atech.2023.100320.
[43] M. H. Seyar and T. Ahamed, "Optimization of Soil-Based Irrigation Scheduling Through the Integration of Machine Learning, Remote Sensing, and Soil Moisture Sensor Technology," in IoT and AI in Agriculture, T. Ahamed, Ed., Singapore: Springer Nature Singapore, 2024, pp. 275–299. doi: 10.1007/978-981-97-1263-2_18.
[44] Yunseop Kim, R. G. Evans, and W. M. Iversen, "Remote Sensing and Control of an Irrigation System Using a Distributed Wireless Sensor Network," IEEE Trans. Instrum. Meas., vol. 57, no. 7, pp. 1379–1387, Jul. 2008, doi: 10.1109/TIM.2008.917198.
[45] E. A. Abioye et al., "Precision Irrigation Management Using Machine Learning and Digital Farming Solutions," AgriEngineering, vol. 4, no. 1, pp. 70–103, Feb. 2022, doi: 10.3390/agriengineering4010006.
[46] K. Pachiappan, K. Anitha, R. Pitchai, S. Sangeetha, T. V. V. Satyanarayana, and S. Boopathi, "Intelligent Machines, IoT, and AI in Revolutionizing Agriculture for Water Processing:," in Advances in Computational Intelligence and Robotics, B. B. Gupta and F. Colace, Eds., IGI Global, 2023, pp. 374–399. doi: 10.4018/978-1-6684-9999-3.ch015.
[47] A. Dinar and J. Mody, "Irrigation water management policies: Allocation and pricing principles and implementation experience," Nat. Resour. Forum, vol. 28, no. 2, pp. 112–122, May 2004, doi: 10.1111/j.1477-8947.2004.00078.x.
[48] M. I. Hussain, A. Muscolo, M. Farooq, and W. Ahmad, "Sustainable use and management of non-conventional water resources for rehabilitation of marginal lands in arid and semiarid environments," Agric. Water Manag., vol. 221, pp. 462–476, Jul. 2019, doi: 10.1016/j.agwat.2019.04.014.
[49] S. Sarvade, V. B. Upadhyay, M. Kumar, and M. Imran Khan, "Soil and Water Conservation Techniques for Sustainable Agriculture," in Sustainable Agriculture, Forest and Environmental Management, M. K. Jhariya, A. Banerjee, R. S. Meena, and D. K. Yadav, Eds., Singapore: Springer Singapore, 2019, pp. 133–188. doi: 10.1007/978-981-13-6830-1_5.
[50] R. G. Evans and E. J. Sadler, "Methods and technologies to improve efficiency of water use," Water Resour. Res., vol. 44, no. 7, p. 2007WR006200, Jul. 2008, doi: 10.1029/2007WR006200.
[51] L. Yang, J. Driscol, S. Sarigai, Q. Wu, C. D. Lippitt, and M. Morgan, "Towards Synoptic Water Monitoring Systems: A Review of AI Methods for Automating Water Body Detection and Water Quality Monitoring Using Remote Sensing," Sensors, vol. 22, no. 6, p. 2416, Mar. 2022, doi: 10.3390/s22062416.
[52] S. K. H. and K. T. Veeramanju, "Predictive Models for Optimal Irrigation Scheduling and Water Management: A Review of AI and ML Approaches," Int. J. Manag. Technol. Soc. Sci., pp. 94–110, May 2024, doi: 10.47992/IJMTS.2581.6012.0346.
[53] L. Gong et al., "An IoT-based intelligent irrigation system with data fusion and a self-powered wide-area network," J. Ind. Inf. Integr., vol. 29, p. 100367, Sep. 2022, doi: 10.1016/j.jii.2022.100367.
[54] M. Padhiary, P. Roy, P. Dey, and B. Sahu, "Harnessing AI for Automated Decision-Making in Farm Machinery and Operations: Optimizing Agriculture," in Advances in Computational Intelligence and Robotics, S. Hai-Jew, Ed., IGI Global, 2024, pp. 249–282. doi: 10.4018/979-8-3693-6230-3.ch008.
[55] T. M. Alabi et al., "A review on the integrated optimization techniques and machine learning approaches for modeling, prediction, and decision making on integrated energy systems," Renew. Energy, vol. 194, pp. 822–849, Jul. 2022, doi: 10.1016/j.renene.2022.05.123.
[56] G. Fu, Y. Jin, S. Sun, Z. Yuan, and D. Butler, "The role of deep learning in urban water management: A critical review," Water Res., vol. 223, p. 118973, Sep. 2022, doi: 10.1016/j.watres.2022.118973.
[57] V. Mishra et al., "Uncrewed Aerial Systems in Water Resource Management and Monitoring: A Review of Sensors, Applications, Software, and Issues," Adv. Civ. Eng., vol. 2023, pp. 1–28, Feb. 2023, doi: 10.1155/2023/3544724.
[58] H. Zia, N. R. Harris, G. V. Merrett, M. Rivers, and N. Coles, "The impact of agricultural activities on water quality: A case for collaborative catchment-scale management using integrated wireless sensor networks," Comput. Electron. Agric., vol. 96, pp. 126–138, Aug. 2013, doi: 10.1016/j.compag.2013.05.001.


©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

[59] I. Satpathy, A. Nayak, V. Jain, and S. S. Padmadas, "Applying Data Into Action: AI-Powered Solutions for Mitigating Climate Change and Fostering Sustainable Future," in Practice, Progress, and Proficiency in Sustainability, B. A. Riswandi, B. Singh, C. Kaunert, and K. Vig, Eds., IGI Global, 2024, pp. 50–74. doi: 10.4018/979-8-3693-6567-0.ch004.
[60] M. Padhiary, "Membrane Technologies for Treating Wastewater in the Food Processing Industry: Practices and Challenges," in Research Trends in Food Technology and Nutrition, vol. 27, AkiNik Publications, 2024, pp. 37–62. doi: 10.22271/ed.book.2817.
[61] M. Lowe, R. Qin, and X. Mao, "A Review on Machine Learning, Artificial Intelligence, and Smart Technology in Water Treatment and Monitoring," Water, vol. 14, no. 9, p. 1384, Apr. 2022, doi: 10.3390/w14091384.
[62] R. Benameur, A. Dahane, B. Kechar, and A. E. H. Benyamina, "An Innovative Smart and Sustainable Low-Cost Irrigation System for Anomaly Detection Using Deep Learning," Sensors, vol. 24, no. 4, p. 1162, Feb. 2024, doi: 10.3390/s24041162.
[63] J.-S. Um, "Imaging Sensors," in Drones as Cyber-Physical Systems, Singapore: Springer Singapore, 2019, pp. 177–225. doi: 10.1007/978-981-13-3741-3_6.
[64] M. Padhiary, R. Kumar, and L. N. Sethi, "Navigating the Future of Agriculture: A Comprehensive Review of Automatic All-Terrain Vehicles in Precision Farming," J. Inst. Eng. India Ser. A, vol. 105, pp. 767–782, Jun. 2024, doi: 10.1007/s40030-024-00816-2.
[65] S. Alexandris et al., "Integrating Drone Technology into an Innovative Agrometeorological Methodology for the Precise and Real-Time Estimation of Crop Water Requirements," Hydrology, vol. 8, no. 3, p. 131, Sep. 2021, doi: 10.3390/hydrology8030131.
[66] M. Abdelhak, "Innovative Techniques for Soil and Water Conservation," in Ecosystem Management, 1st ed., A. Banerjee, M. K. Jhariya, A. Raj, and T. Mechergui, Eds., Wiley, 2024, pp. 291–326. doi: 10.1002/9781394231249.ch9.
[67] Uwaga Monica Adanma and Emmanuel Olurotimi Ogunbiyi, "Artificial intelligence in environmental conservation: evaluating cyber risks and opportunities for sustainable practices," Comput. Sci. IT Res. J., vol. 5, no. 5, pp. 1178–1209, May 2024, doi: 10.51594/csitrj.v5i5.1156.
[68] K. N. Shivaprakash et al., "Potential for Artificial Intelligence (AI) and Machine Learning (ML) Applications in Biodiversity Conservation, Managing Forests, and Related Services in India," Sustainability, vol. 14, no. 12, p. 7154, Jun. 2022, doi: 10.3390/su14127154.
[69] K. L.-M. Ang, J. K. P. Seng, E. Ngharamike, and G. K. Ijemaru, "Emerging Technologies for Smart Cities' Transportation: Geo-Information, Data Analytics and Machine Learning Approaches," ISPRS Int. J. Geo-Inf., vol. 11, no. 2, p. 85, Jan. 2022, doi: 10.3390/ijgi11020085.
[70] A. Srivastava and H. Sharma, "AI-Driven Environmental Monitoring Using Google Earth Engine," in IoT Sensors, ML, AI and XAI: Empowering A Smarter World, vol. 50, B. Pradhan and S. Mukhopadhyay, Eds., in Smart Sensors, Measurement and Instrumentation, vol. 50. , Cham: Springer Nature Switzerland, 2024, pp. 375–385. doi: 10.1007/978-3-031-68602-3_19.
[71] M. Padhiary, "Harmony under the Sun: Integrating Aquaponics with Solar-Powered Fish Farming," in Introduction to Renewable Energy Storage and Conversion for Sustainable Development, vol. 1, AkiNik Publications, 2024, pp. 31–58. [Online]. Available: https://doi.org/10.22271/ed.book.2882
[72] D. Roy, M. Padhiary, P. Roy, and J. A. Barbhuiya, "Artificial Intelligence-Driven Smart Aquaculture: Revolutionizing Sustainability through Automation and Machine Learning," LatIA, vol. 2, p. 116, Dec. 2024, doi: 10.62486/latia2024116.
[73] R. Nishant, M. Kennedy, and J. Corbett, "Artificial intelligence for sustainability: Challenges, opportunities, and a research agenda," Int. J. Inf. Manag., vol. 53, p. 102104, Aug. 2020, doi: 10.1016/j.ijinfomgt.2020.102104.
[74] D. Kumar, K. Kumar, P. Roy, and G. Rabha, "Renewable Energy in Agriculture: Enhancing Aquaculture and Post-Harvest Technologies with Solar and AI Integration," Asian J. Res. Comput. Sci., vol. 17, no. 12, pp. 201–219, Dec. 2024, doi: 10.9734/ajrcos/2024/v17i12539.
[75] M. Mohamed, "Agricultural Sustainability in the Age of Deep Learning: Current Trends, Challenges, and Future Trajectories," Sustain. Mach. Intell. J., vol. 4, Sep. 2023, doi: 10.61185/SMIJ.2023.44102.
[76] L. Lécuyer et al., "Conflicts between agriculture and biodiversity conservation in Europe: Looking to the future by learning from the past," in Advances in Ecological Research, vol. 65, Elsevier, 2021, pp. 3–56. doi: 10.1016/bs.aecr.2021.10.005.
[77] L. Yang, J. Driscol, S. Sarigai, Q. Wu, H. Chen, and C. D. Lippitt, "Google Earth Engine and Artificial Intelligence (AI): A Comprehensive Review," Remote Sens., vol. 14, no. 14, p. 3253, Jul. 2022, doi: 10.3390/rs14143253.
[78] X. Wang, "Managing Land Carrying Capacity: Key to Achieving Sustainable Production Systems for Food Security," Land, vol. 11, no. 4, p. 484, Mar. 2022, doi: 10.3390/land11040484.
[79] S. Pandey, N. Kumari, and L. Mallick, "Review on Assessment of Land Degradation in Watershed Using Geospatial Technique Based on Unmanned Aircraft Systems," in Unmanned Aircraft Systems, 1st ed., S. K. Gupta, M. Kumar, A. Nayyar, and S. Mahajan, Eds., Wiley, 2024, pp. 263–311. doi: 10.1002/9781394230648.ch7.
[80] M. Padhiary and P. Roy, "Collaborative Marketing Strategies in Agriculture for Global Reach and Local Impact," in Emerging Trends in Food and Agribusiness Marketing, IGI Global, 2025, pp. 219–252. doi: 10.4018/979-8-3693-6715-5.ch008.
[81] A. Willson, G. Jones, G. Paynter, G. Edser, D. Norris, and M. Kravcik, "Hydrology, carbon and contours - The Future of Farming," SCIREA J. Agric., Jul. 2023, doi: 10.54647/agriculture210360.
[82] K. H. Anantha et al., "Impact of best management practices on sustainable crop production and climate resilience in smallholder farming systems of South Asia," Agric. Syst., vol. 194, p. 103276, Dec. 2021, doi: 10.1016/j.agsy.2021.103276.
[83] R. Espinel, G. Herrera-Franco, J. L. Rivadeneira García, and P. Escandón-Panchana, "Artificial Intelligence in Agricultural Mapping: A Review," Agriculture, vol. 14, no. 7, p. 1071, Jul. 2024, doi: 10.3390/agriculture14071071.
[84] I. Gryshova et al., "Artificial intelligence in climate smart in agricultural: toward a sustainable farming future," Access J. - Access Sci. Bus. Innov. Digit. Econ., vol. 5, no. 1, pp. 125–140, Jan. 2024, doi: 10.46656/access.2024.5.1(8).
[85] L. Xu and S. Tang, "Sustainable development: Maximizing productivity in natural resource markets for a more ecologically friendly future," Resour. Policy, vol. 89, p. 104580, Feb. 2024, doi: 10.1016/j.resourpol.2023.104580.
[86] L. Epple, A. Kaiser, M. Schindewolf, A. Bienert, J. Lenz, and A. Eltner, "A Review on the Possibilities and Challenges of Today's Soil and Soil Surface Assessment Techniques in the Context of Process-Based Soil Erosion Models," Remote Sens., vol. 14, no. 10, p. 2468, May 2022, doi: 10.3390/rs14102468.
[87] M. Roohi, H. R. Ghafouri, and S. M. Ashrafi, "Developing an Ensemble Machine Learning Approach for Enhancing Flood Damage Assessment," Int. J. Environ. Res., vol. 18, no. 5, p. 90, Oct. 2024, doi: 10.1007/s41742-024-00647-w.
[88] H. Sahour, V. Gholami, M. Vazifedan, and S. Saeedi, "Machine learning applications for water-induced soil erosion modeling and mapping," Soil Tillage Res., vol. 211, p. 105032, Jul. 2021, doi: 10.1016/j.still.2021.105032.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

[89] M. Mokarram and H. R. Pourghasemi, "Prediction of soil erosion using machine learning," in Advanced Tools for Studying Soil Erosion Processes, Elsevier, 2024, pp. 307–322. doi: 10.1016/B978-0-443-22262-7.00030-8.
[90] A. Pijl, W. Wang, E. Straffelini, and P. Tarolli, "Soil and water conservation in terraced and non-terraced cultivations: an extensive comparison of 50 vineyards," Land Degrad. Dev., vol. 33, no. 4, pp. 596–610, Feb. 2022, doi: 10.1002/ldr.4170.
[91] E. R. Sujatha, "Sustainable Solutions to Combat Soil Erosion Using Biogenic Agents," in Global Sustainability, S. Kulkarni and A. K. Haghi, Eds., in World Sustainability Series. , Cham: Springer Nature Switzerland, 2024, pp. 37–60. doi: 10.1007/978-3-031-57456-6_3.
[92] M. S. Behrouz, M. N. Yazdi, and D. J. Sample, "Using Random Forest, a machine learning approach to predict nitrogen, phosphorus, and sediment event mean concentrations in urban runoff," J. Environ. Manage., vol. 317, p. 115412, Sep. 2022, doi: 10.1016/j.jenvman.2022.115412.
[93] J. Griffiths, K. E. Borne, A. Semadeni-Davies, and C. C. Tanner, "Selection, Planning, and Modelling of Nature-Based Solutions for Flood Mitigation," Water, vol. 16, no. 19, p. 2802, Oct. 2024, doi: 10.3390/w16192802.
[94] M. K. Sharma, S. V. G. V. A. Prasad, G. Anusha, A. Das, and M. Sambathkumar, "Tech-Driven Solutions for Environmental Conservation by AI Collaboration Processes:," in Advances in Chemical and Materials Engineering, J. Arun, N. Nirmala, and S. S. Dawn, Eds., IGI Global, 2024, pp. 1–29. doi: 10.4018/979-8-3693-3625-0.ch001.
[95] F. Ullah, S. Saqib, and Y.-C. Xiong, "Integrating artificial intelligence in biodiversity conservation: bridging classical and modern approaches," Biodivers. Conserv., Nov. 2024, doi: 10.1007/s10531-024-02977-9.
[96] O. K. Pal, M. S. H. Shovon, M. F. Mridha, and J. Shin, "In-depth review of AI-enabled unmanned aerial vehicles: trends, vision, and challenges," Discov. Artif. Intell., vol. 4, no. 1, p. 97, Dec. 2024, doi: 10.1007/s44163-024-00209-1.
[97] "Artificial Intelligence in Invasive Species Management: Transforming Detection and Response," Trends Anim. Plant Sci., vol. 4, pp. 82–96, 2024, doi: 10.62324/TAPS/2024.050.
[98] A. Causevic, S. Causevic, M. Fielding, and J. Barrott, "Artificial intelligence for sustainability: opportunities and risks of utilizing Earth observation technologies to protect forests," Discov. Conserv., vol. 1, no. 1, p. 2, Jul. 2024, doi: 10.1007/s44353-024-00002-2.
[99] Victoria Bukky Ayoola, Idoko Peter Idoko, Samson Ohikhuare Eromonsei, Olusegun Afolabi, Akinkunmi Rasheed Apampa, and Oluwatosin Seyi Oyebanji, "The role of big data and AI in enhancing biodiversity conservation and resource management in the USA," World J. Adv. Res. Rev., vol. 23, no. 2, pp. 1851–1873, Aug. 2024, doi: 10.30574/wjarr.2024.23.2.2350.
[100] V. Š. Kremsa, "Sustainable management of agricultural resources (agricultural crops and animals)," in Sustainable Resource Management, Elsevier, 2021, pp. 99–145. doi: 10.1016/B978-0-12-824342-8.00010-9.
[101] M. Padhiary and P. Roy, "Advancements in Precision Agriculture: Exploring the Role of 3D Printing in Designing All-Terrain Vehicles for Farming Applications," Int. J. Sci. Res., vol. 13, no. 5, pp. 861–868, 2024, doi: 10.21275/SR24511105508.
[102] M. Padhiary, J. A. Barbhuiya, D. Roy, and P. Roy, "3D Printing Applications in Smart Farming and Food Processing," Smart Agric. Technol., vol. 9, p. 100553, Aug. 2024, doi: 10.1016/j.atech.2024.100553.
[103] R. Rayhana, G. G. Xiao, and Z. Liu, "Printed sensor technologies for monitoring applications in smart farming: A review," IEEE Trans. Instrum. Meas., vol. 70, pp. 1–19, 2021.
[104] M. Padhiary, D. Roy, and P. Dey, "Mapping the Landscape of Biogenic Nanoparticles in Bioinformatics and Nanobiotechnology: AI-Driven Insights," in Synthesizing and Characterizing Plant-Mediated Biocompatible Metal Nanoparticles, S. Das, S. M. Khade, D. B. Roy, and K. Trivedi, Eds., IGI Global, 2024, pp. 337–376. doi: 10.4018/979-8-3693-6240-2.ch014.
[105] M. Mohammed, K. Riad, and N. Alqahtani, "Efficient IoT-Based Control for a Smart Subsurface Irrigation System to Enhance Irrigation Management of Date Palm," Sensors, vol. 21, no. 12, p. 3942, Jun. 2021, doi: 10.3390/s21123942.
[106] M. Padhiary, "Bridging the gap: Sustainable automation and energy efficiency in food processing," Agric. Eng. Today, vol. 47, no. 3, pp. 47–50, 2023, doi: https://doi.org/10.52151/aet2023473.1678.
[107] M. Padhiary, P. Roy, and D. Roy, "The Future of Urban Connectivity: AI and IoT in Smart Cities," in Sustainable Smart Cities and the Future of Urban Development, S. N. S. Al-Humairi, A. I. Hajamydeen, and A. Mahfoudh, Eds., IGI Global, 2024, pp. 33–66. doi: 10.4018/979-8-3693-6740-7.ch002.
[108] Amina Catherine Ijiga et al., "Technological innovations in mitigating winter health challenges in New York City, USA," Int. J. Sci. Res. Arch., vol. 11, no. 1, pp. 535–551, Jan. 2024, doi: 10.30574/ijsra.2024.11.1.0078.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)