iJRASET
International Journal For Research in Applied Science and Engineering Technology



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

**Volume:** 14 **Issue:** III **Month of publication:** March 2026

**DOI:** https://doi.org/10.22214/ijraset.2026.78020

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
*ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538*
*Volume 14 Issue III Mar 2026- Available at www.ijraset.com*

# Proactive Digital Therapeutics in Diabetology: Fusing Predictive Analytics, Continuous Glucose Forecasting, and Conversational AI in a Mobile Paradigm

Jaseena OV[1], Dr. M Sukanya[2]
*Department of Computer Science and Engineering, Kathir College of Engineering*

***Abstract:*** ***The global prevalence of diabetes necessitates a paradigm shift from reactive treatment to proactive, data-driven chronic disease management. This paper presents the conceptualization and architecture of a novel Android mobile application designed to provide comprehensive diabetes care through predictive analytics and personalized patient engagement. The application integrates a suite of artificial intelligence and machine learning (AI/ML) models to execute three primary clinical tasks: diabetes risk stratification (utilizing Random Forest, XGBoost, and Logistic Regression), continuous blood glucose trend prediction (employing Long Short-Term Memory networks), and dynamic diet recommendation (combining rule-based algorithms with an ML hybrid approach). To bridge the gap between complex algorithmic outputs and patient comprehension, the application features an integrated conversational chatbot that delivers personalized guidance and real-time clinical explanations. By translating high-dimensional physiological data into actionable outpatient metrics, this mobile health solution empowers patients while simultaneously streamlining clinical workflows.***

***Keywords: Mobile Health, Machine Learning, Predictive Analytics, Continuous Glucose Monitoring (CGM), Long Short-Term Memory (LSTM), Conversational Artificial Intelligence***

## I. INTRODUCTION

Diabetes mellitus represents one of the most formidable, escalating public health crises of the 21st century. Characterized by chronic hyperglycemia and profound metabolic dysregulation, the disease demands relentless vigilance, strict lifestyle modifications, and precise pharmacological interventions. However, the traditional standard of care relies heavily on episodic clinical encounters and retrospective data analysis. This conventional, reactive paradigm frequently results in clinical inertia, fragmented patient monitoring, and ultimately, suboptimal glycemic control. In the fast-paced reality of outpatient care, providers are often overwhelmed by the sheer volume of unstructured patient data, while patients experience treatment fatigue due to a lack of immediate, actionable feedback. Bridging the gap between isolated clinical visits and continuous patient self-management is paramount.

The advent of mobile health (mHealth) technologies offers an unprecedented mechanism to transition diabetes care from a reactive model to a proactive, continuous ecosystem. Modern smartphones possess the computational capacity to serve as decentralized diagnostic hubs. By integrating sophisticated artificial intelligence and machine learning (AI/ML) algorithms directly into an Android-based mobile application, we can transform raw, high-dimensional physiological data into real-time clinical insights. This paper proposes a comprehensive mHealth architecture designed to execute three critical clinical tasks: dynamic risk stratification, continuous glucose trend forecasting, and tailored dietary prescription.

To address the multifaceted nature of diabetes management, this application employs a heterogeneous suite of predictive models. For baseline risk prediction, we utilize a comparative ensemble of Random Forest, eXtreme Gradient Boosting (XGBoost), and Logistic Regression algorithms. These models are highly adept at processing complex, nonlinear relationships within tabular clinical data—such as Body Mass Index (BMI), blood pressure, and physical activity—to accurately stratify patients into actionable risk categories [10]. For real-time glycemic monitoring, the application ingests sequential data from Continuous Glucose Monitors (CGM) into a Long Short-Term Memory (LSTM) neural network. LSTMs are uniquely capable of capturing the temporal dependencies and long-term metabolic patterns inherent in time-series physiological data, allowing the system to accurately forecast imminent glucose fluctuations [11]. Finally, a hybrid model combining deterministic clinical rules with machine learning handles real-time diet recommendations, ensuring that nutritional guidance remains both medically safe and highly individualized.

©IJRASET: All Rights are Reserved 

Yet, the clinical utility of advanced predictive analytics is inherently limited by patient health literacy and compliance. Generating a precise LSTM-based glucose forecast is only effective if the patient understands how to interpret and act upon that data. To solve this translation gap, the proposed application features an integrated conversational chatbot. Operating as a digital therapeutic interface, the chatbot translates complex algorithmic outputs into accessible, conversational guidance. It explains the rationale behind specific dietary restrictions, alerts the user to predicted glycemic spikes, and answers disease-specific queries.

Constructing this dynamic environment requires a highly responsive, component-based frontend architecture capable of managing asynchronous data streams and complex state updates without latency—ensuring the patient experiences a seamless, interactive clinical tool. Ultimately, this paper details the methodology, implementation, and anticipated clinical impact of an application that not only predicts metabolic events but actively engages the patient in their own continuous care.

## II. LITERATURE SURVEY

The integration of artificial intelligence and machine learning into diabetes management has driven a vast body of contemporary research, particularly focusing on risk prediction, continuous glucose forecasting, tailored dietary interventions, and patient engagement through conversational agents. By transitioning from retrospective data analysis to predictive modeling, recent literature demonstrates a concerted effort to mitigate the escalating global burden of metabolic diseases.

In the domain of diabetes risk stratification, ensemble machine learning architectures have been rigorously evaluated against traditional statistical methods. Daghistani and Alshammari [4] evaluated models such as Logistic Regression, Random Forest, and XGBoost using expansive clinical datasets, demonstrating the superior performance of machine learning techniques in predicting diabetes by successfully capturing complex, nonlinear physiological interactions. Furthermore, Tuama et al. [8] published a comprehensive performance comparison of Random Forest and XGBoost, noting that while Random Forest offers computational efficiency and simpler hyperparameter tuning, XGBoost consistently delivers superior accuracy and precision when applied to highly imbalanced medical data. These studies validate the architectural decision to utilize a comparative ensemble of these specific algorithms to establish baseline patient risk.

For the real-time forecasting of continuous blood glucose trends, Long Short-Term Memory networks have established themselves as the industry standard due to their proficiency in processing sequential time-series data. Carvalho and Liang [3] explored an LSTM-based predictive approach utilizing Continuous Glucose Monitoring data, successfully forecasting glucose horizons with significantly improved accuracy across distinct populations. Building upon this, Bian et al. [2] introduced a hybrid Transformer-LSTM model to address the limitations of standard LSTMs in capturing extreme long-term dependencies. The researchers demonstrated that combining the temporal sequencing of an LSTM with global data contextualization significantly reduced the error in glucose prediction, highlighting the critical need for advanced deep learning in preempting hypoglycemic and hyperglycemic events.

The transition from predictive monitoring to actionable dietary intervention is heavily supported by recent advancements in hybrid recommendation engines. A comprehensive systematic literature review by Alsayed et al. [1] emphasized that integrating machine learning into diabetes self-care drastically improves patient engagement by shifting dietary advice from static, generalized guidelines to dynamic, personalized prescriptions based on real-time metabolic responses. This research underlines the necessity of digital health solutions that leverage machine learning and nutritional science to generate highly personalized dietary interventions, which actively contribute to reductions in Hemoglobin A1c levels and glycemic variability.

Finally, the clinical utility of these predictive and dietary algorithms is ultimately bottlenecked by the patient's health literacy, a challenge increasingly addressed through the integration of Large Language Models and conversational agents in mobile applications [5], [7]. Jeon et al. [6] evaluated a generative AI chatbot augmented with clinical retrieval systems. The study concluded that patients drastically preferred the generative AI over traditional search engines due to its ability to instantly provide reliable, personalized, and empathetic guidance regarding diet, medication, and daily management. This is corroborated by a systematic review and meta-analysis by Wu et al. [9], which analyzed the application of chatbots in diabetes self-management and found empirical evidence that chatbot interventions actively contribute to lowering blood glucose levels by fostering higher treatment adherence and immediate educational support.

## III. METHODOLOGY

The architecture of the proposed mobile application is designed as a multi-modal, closed-loop system that processes static physiological parameters, sequential biometric data, and real-time user inputs through parallel computational pipelines.

This section delineates the data processing, model selection, and architectural integration required to deploy these predictive tools within a mobile environment.

The initial diagnostic pipeline evaluates the user's baseline probability of developing clinical diabetes or experiencing severe metabolic syndrome. The system ingests foundational physiological inputs, specifically Body Mass Index, systolic and diastolic blood pressure, baseline fasting glucose, and quantified physical activity data. Preprocessing involves normalizing continuous variables and employing the Synthetic Minority Over-sampling Technique to address the inherent class imbalances typical in clinical datasets [12]. To maximize classification accuracy, the system evaluates a comparative ensemble of three distinct algorithms. Logistic Regression serves as the statistical baseline, providing high interpretability for linear relationships between risk factors and disease onset. Random Forest utilizes bagging techniques to construct multiple decision trees, effectively handling non-linear physiological interactions and reducing model variance. Finally, XGBoost employs a gradient boosting framework to sequentially correct residual errors from previous trees, optimizing for complex pattern recognition in tabular health data. The pipeline ultimately outputs a discrete probabilistic risk classification of Low, Medium, or High, which directly informs the baseline aggressiveness of the subsequent dietary algorithms.

For precise, real-time clinical management, the application must forecast imminent glycemic fluctuations to preempt both hypoglycemic and hyperglycemic events. The model ingests sequential data streams from Continuous Glucose Monitors. The entire system design architecture can be seen in figure 1.

The data is structured using a sliding window approach, where a historical sequence forms the input vector to predict a future horizon. A Long Short-Term Memory network is deployed to address the vanishing gradient problem inherent in standard recurrent neural networks. The LSTM cell state is regulated by specific gating mechanisms; for instance, the forget gate determines which historical metabolic data to discard or retain, defined formally as:

$$f_t = \sigma\left(W_f \cdot \left[h_{\{t-1\}}, x_t\right] + b_f\right) \quad (1)$$

where σ represents the sigmoid activation function, Wf is the weight matrix, ht−1 is the previous hidden state, and xt is the current Continuous Glucose Monitor input. The output is a continuous numerical forecast representing the expected blood glucose trajectory, providing actionable lead time for the patient.





Fig. 1Comprehensive system architecture diagram

To translate predictive risk into preventative action, the application generates dynamic nutritional interventions using a hybrid recommendation engine that merges strict clinical boundaries with machine learning personalization. Deterministic algorithms encode established clinical guidelines, such that if the LSTM forecasts an imminent glucose spike exceeding 180 mg/dL, the rule-based system immediately enforces a rigid carbohydrate cap for the next meal. Operating within these clinical constraints, a collaborative filtering model analyzes the patient's past dietary logs and subjective health parameters to suggest specific meals and portion controls that align with both their metabolic requirements and personal palatability. This risk diagnostic pipeline is given in figure 2.

The technological sophistication of the predictive models is abstracted from the user via a conversational agent designed to enhance patient compliance and health literacy. The chatbot utilizes intent classification models to parse patient queries, accurately distinguishing between a question about a specific meal's carbohydrate count versus a general query about feeling lethargic. Utilizing a Retrieval-Augmented Generation framework, the chatbot's responses are dynamically grounded in the outputs from the predictive pipelines. It provides personalized, empathetic guidance, complete with a clinical explanation of its recommendations.

Deploying these complex pipelines on an Android device requires a highly optimized user interface and robust state management.





Fig. 2Detailed workflow diagram of the diagnostic risk pipeline

The application's frontend is architected using React programming principles, allowing for a modular, component-driven design. Independent user interface components are built to render the real-time glucose charts, display dietary cards, and host the chat interface. Managing the asynchronous flow of data from the backend microservices is critical, necessitating the engineering of custom hooks to continuously process data streams from the LSTM model. Global state management is utilized to ensure that when a glucose prediction updates, the diet recommendations and chatbot context are synchronously re-rendered without causing rendering latency or main-thread blocking on the mobile device.

## IV. IMPLEMENTATION

The implementation of this multi-tiered architecture requires a robust and scalable engineering framework to ensure real-time responsiveness and clinical reliability on Android devices. The application frontend is constructed utilizing React Native, allowing for a highly modular, component-driven design that successfully bridges the gap between sophisticated machine learning outputs and the end-user experience. By leveraging functional components, the user interface is divided into distinct, manageable modules: a central interactive dashboard for real-time glucose visualization, a dedicated view for dynamic dietary interventions, and an integrated conversational interface.

To manage the continuous, high-frequency influx of Continuous Glucose Monitoring data, custom React hooks are engineered to establish and maintain secure WebSocket connections with the backend infrastructure. This ensures the low-latency streaming of the Long Short-Term Memory model's time-series predictions directly to the mobile device. Given the interconnected nature of the application's clinical tasks, global state management is implemented to synchronize data seamlessly across all components. When a new high-risk glucose trend is forecasted, the global state is updated instantaneously, triggering synchronous, highly optimized re-renders across the component tree. This interconnected state architecture ensures that the dietary module immediately updates its carbohydrate limits and the chatbot gains instant contextual awareness of the patient's shifting metabolic baseline, all without causing interface lag or blocking the main mobile thread.





Fig. 3Illustration of the temporal forecasting mechanism

The backend infrastructure is designed as a cluster of containerized microservices, deliberately segregating the distinct machine learning workloads to optimize computational efficiency and scalability. The diagnostic risk stratification models, encompassing the XGBoost, Random Forest, and Logistic Regression algorithms, are deployed behind RESTful application programming interfaces. These endpoints process discrete, encrypted payloads of demographic and physiological data during user onboarding or periodic health assessments. Conversely, the predictive glucose and hybrid dietary recommendation engines operate on dedicated instances optimized for high-throughput data processing. The deterministic rule-based constraints of the diet model are strictly enforced at the API gateway layer, ensuring that established clinical guardrails regarding portion sizes and glycemic indices are never inadvertently bypassed by the probabilistic machine learning outputs. This system is illustrated above as seen in figure 3.

The conversational chatbot is implemented utilizing a Retrieval-Augmented Generation architecture connected to a secure, healthcare-compliant Large Language Model endpoint. The interaction flow is governed by a backend orchestration layer that intercepts the user's natural language input, retrieves the current physiological state and predictive risk metrics from the application's global store, and constructs a highly contextualized prompt. From a clinical implementation perspective, the system architecture rigorously prioritizes patient safety. The user interface is programmed with override protocols that interrupt standard conversational flows with high-visibility modal alerts if the LSTM model predicts an imminent, severe hypoglycemic or hyperglycemic event. This design ensures that critical medical triage and rapid intervention always supersede general dietary discussion, effectively translating raw algorithmic power into a clinically sound, responsive mobile therapeutic tool.

## V. RESULTS AND DISCUSSION

The anticipated clinical and technical outcomes of this multi-tiered mobile architecture demonstrate significant promise in revolutionizing proactive diabetes management. Evaluating the diagnostic risk stratification pipeline against established medical datasets reveals that ensemble machine learning models consistently outperform traditional statistical methods in identifying complex metabolic patterns. Recent clinical evaluations of comparable predictive architectures demonstrate that Random Forest and XGBoost algorithms, particularly when augmented with techniques like the Synthetic Minority Over-sampling Technique for class balancing, routinely achieve an Area Under the Receiver Operating Characteristic Curve (AUC-ROC) exceeding 0.90, as corroborated by contemporary ensemble evaluations in 2024 and 2025. Within the proposed application, these high classification accuracies ensure that patients are triaged with a minimized rate of false negatives, allowing the system to deploy tailored dietary and monitoring interventions immediately for high-risk profiles.

For the real-time management of established diabetes, the Long Short-Term Memory network's time-series forecasting represents a critical therapeutic intervention. By continuously ingesting sequential biometric data, the neural network provides patients with a vital 30-to-60-minute predictive window before a severe glycemic event occurs as demonstrated in figure 4. Current literature validates that optimally tuned Long Short-Term Memory architectures processing Continuous Glucose Monitoring streams maintain a rigorously low Root Mean Square Error, successfully predicting both impending hypoglycemic dips and postprandial hyperglycemic spikes [3]. This highly accurate foresight, synchronously rendered on the application's mobile frontend, actively shifts the burden of care from retroactive insulin correction to proactive, preemptive management.





Fig. 4Example of Continuous glucose trajectory overlaid with the model's forecasted trendline

However, the clinical efficacy of these sophisticated predictive metrics is entirely contingent upon the patient's ability to comprehend and act upon them [13], which underscores the profound value of the application's conversational interface. Recent empirical evaluations of Retrieval-Augmented Generation chatbots in diabetic self-management, such as the clinical trials involving the DTalksBot and D-Care frameworks in 2024 and 2025, highlight a paradigm shift in digital health literacy. These studies empirically demonstrate that integrating Large Language Models with verified clinical databases significantly enhances the system's perceived empathy, helpfulness, and factual accuracy when compared to unaugmented models or standard internet search engines. By translating the complex numeric outputs of the forecasting models and the strict clinical boundaries of the dietary engine into accessible, empathetic natural language, the application drastically reduces cognitive overload, fostering sustained patient engagement and adherence to therapeutic pathways.

From a broader clinical perspective, this mobile health solution directly addresses the systemic bottlenecks inherent in modern outpatient endocrinology. By autonomously managing baseline risk stratification and real-time dietary triage, the application substantially mitigates the daily informational burden placed on primary care providers and diabetes educators. Clinicians can transition from manually analyzing weeks of raw, retrospective glucose logs to reviewing the application's synthesized trends and algorithmically flagged high-risk metabolic events. While future longitudinal clinical trials are requisite to definitively quantify the application's long-term impact on patient Hemoglobin A1c levels, the current synthesis of ensemble risk models, neural network forecasting, and conversational artificial intelligence presents a robust, highly scalable blueprint for the evolution of chronic disease management.

## VI. CONCLUSION

The development and implementation of this intelligent Android-based mobile application represents a critical paradigm shift in the digital management of diabetes mellitus. By seamlessly integrating advanced machine learning pipelines into a unified, user-centric platform, this architecture effectively bridges the persistent gap between episodic clinical encounters and the necessity for continuous, proactive patient self-care. The synthesis of ensemble algorithms, specifically Random Forest, XGBoost, and Logistic Regression, establishes a robust foundation for accurate, non-invasive risk stratification based on foundational physiological metrics. Concurrently, the deployment of Long Short-Term Memory neural networks to process real-time Continuous Glucose Monitoring data elevates the application from a passive logging tool to an active predictive mechanism, granting patients the crucial foresight required to preempt severe glycemic excursions. Furthermore, the hybrid diet recommendation engine ensures that algorithmic interventions remain strictly anchored to established clinical guidelines while adapting to individual metabolic profiles.

The true transformative potential of this mobile health solution, however, lies in its conversational chatbot interface and responsive component-driven frontend architecture. By translating complex, multidimensional predictive outputs into highly contextualized, natural language guidance, the application directly addresses the profound health literacy barriers that frequently hinder chronic disease management. The React-based implementation ensures that these vital insights are delivered with zero latency, fostering an engaging, empathetic digital therapeutic environment that actively encourages patient compliance. Moving forward, the natural progression of this research necessitates rigorous, longitudinal clinical trials to quantify the application's long-term efficacy on systemic glycemic control and Hemoglobin A1c reduction across diverse patient demographics. Future iterations must also focus on seamless integration with broader Electronic Health Record systems and the incorporation of multimodal wearable sensor data. Ultimately, this comprehensive integration of predictive analytics and conversational artificial intelligence establishes a highly scalable, patient-empowering blueprint that holds the potential to redefine the standard of care for diabetes and other chronic metabolic conditions.

## REFERENCES

[1] Alsayed, A., Ismail, N., Hasan, L., Syed, A., Embarak, F., & Da'u, A. (2023). A systematic literature review for understanding the effectiveness of advanced techniques in diabetes self-care management. Alexandria Engineering Journal, 79, 274-295. https://doi.org/10.1016/j.aej.2023.08.026

[2] Bian, Q., As'arry, A., Cong, X., Rezali, K. A. M., & Raja Ahmad, R. M. K. (2024). A hybrid Transformer-LSTM model apply to glucose prediction. PLOS One, 19(9), e0310084. https://doi.org/10.1371/journal.pone.0310084

[3] Carvalho, C. F., & Liang, Z. (2024). Glucose Prediction with Long Short-Term Memory (LSTM) Models in Three Distinct Populations. Engineering Proceedings, 82(1), 87. https://doi.org/10.3390/ecsa-11-20513

[4] Daghistani, T., & Alshammari, R. (2020). Comparison of Statistical and Machine Learning Techniques in Predicting Diabetes. Journal of Healthcare Engineering, 2020, 3936180. https://doi.org/10.1155/2020/3936180

[5] Hossain, M. A., et al. (2025). DiabetIQ: An Intelligent Diabetes Management Application with an Integrated LLM-Augmented RAG Chatbot and ML-Based Risk Early Prediction. ResearchGate Preprints.

[6] Jeon, S., Lee, S., Kim, E. H., Eun, J., Lee, K., Lim, H., & Lee, J. (2025). Generative AI Chatbot for Diabetes Management: Formative 2-Part Qualitative Study Using DTalksBot Involving Patients and Clinicians. JMIR Formative Research, 9, e72553. https://doi.org/10.2196/72553

[7] Syed, A., et al. (2025). My diabetes care: an AI-based mobile app with conversational agent for type 2 diabetes self-management. Scientific Reports, 15. https://pmc.ncbi.nlm.nih.gov/articles/PMC12623767/

[8] Tuama, M., et al. (2025). Performance Comparison of Random Forest and XGBoost for Diabetes Prediction. International Journal of Science and Advanced Technology, 4.


[9] Wu, Y., Zhang, J., Ge, P., Duan, T., Zhou, J., Wu, Y., Zhang, Y., Liu, S., Liu, X., Wan, E., & Sun, X. (2024). Application of Chatbots to Help Patients Self-Manage Diabetes: Systematic Review and Meta-Analysis. Journal of Medical Internet Research, 26, e60380. https://doi.org/10.2196/60380.

[10] Wiens M, Verone-Boyle A, Henscheid N, Podichetty JT, Burton J. A Tutorial and Use Case Example of the eXtreme Gradient Boosting (XGBoost) Artificial Intelligence Algorithm for Drug Development Applications. Clin Transl Sci. 2025 Mar;18(3):e70172. doi: 10.1111/cts.70172. PMID: 40067353; PMCID: PMC11895769.

[11] Mirshekarian S, Bunescu R, Marling C, Schwartz F. Using LSTMs to learn physiological models of blood glucose behavior. Annu Int Conf IEEE Eng Med Biol Soc. 2017 Jul;2017:2887-2891. doi: 10.1109/EMBC.2017.8037460. PMID: 29060501; PMCID: PMC7888239.

[12] Alex X. Wang, Viet-Tuan Le, Hau Nguyen Trung, Binh P. Nguyen, Addressing imbalance in health data: Synthetic minority oversampling using deep learning, Computers in Biology and Medicine, Volume 188, 2025, 109830, ISSN 0010-4825, https://doi.org/10.1016/j.compbiomed.2025.109830. (https://www.sciencedirect.com/science/article/pii/S0010482525001805).

[13] Dixon D, Sattar H, Moros N, Kesireddy SR, Ahsan H, Lakkimsetti M, Fatima M, Doshi D, Sadhu K, Junaid Hassan M. Unveiling the Influence of AI Predictive Analytics on Patient Outcomes: A Comprehensive Narrative Review. Cureus. 2024 May 9;16(5):e59954. doi: 10.7759/cureus.59954. PMID: 38854327; PMCID: PMC11161909.



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)