



# IJRASET

International Journal For Research in  
Applied Science and Engineering Technology



---

# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume:** 14    **Issue:** VI    **Month of publication:** June 2026

**DOI:** <https://doi.org/10.22214/ijraset.2026.80738>

[www.ijraset.com](http://www.ijraset.com)

Call:  08813907089

E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)

# Quality Control Test for Capsule

Mr. Avinash Krishna Rathod<sup>1</sup>, Mr. Saurabh Gophane<sup>2</sup>, Mr. Hari Madake<sup>3</sup>, Mr. Nitin Gawai<sup>4</sup>  
Mahadev Kanchan College of Pharmaceutical Education and Research, Uruli Kanchan

**Abstract:** *Their convenience of use, capacity to cover up disagreeable flavors, and adaptability in delivering a variety of formulas, capsules are a commonly used oral dose form. Standardized quality control (QC) testing is necessary to ensure their efficacy, safety, and quality. To guarantee batch-to-batch consistency, these tests—which include weight variation, disintegration, dissolution, content uniformity, moisture content, and microbiological limit testing—are crucial. Furthermore, physical characteristics including color stability, brittleness, and shell integrity are essential for preserving product quality throughout distribution and storage. In addition to ensuring adherence to pharmacopeia standards, the analysis of QC tests aids in formulation and manufacturing process optimization. The scope for quality testing keeps growing as a result of increasing advancements in capsule technology, such as sustained-release forms and shells based on HPMC. The main quality control criteria for capsules are reviewed in this study, along with existing procedures and potential developments in the field.*

**Keywords:** *Quality control, Capsules, Disintegration, Dissolution, Content uniformity, Gelatin capsules, HPMC capsules, Weight variation, Microbial testing, Pharmaceutical analysis, Capsule stability, Pharmacopoeial standards.*

## I. INTRODUCTION

### A. Background and Overview

In the pharmaceutical business, capsules are one of the most popular and commonly used dosage forms. They have several benefits, including improved patient compliance, accurate dosing, and convenience of administration. They are adaptable for a variety of therapeutic uses because to their capacity to encapsulate both liquid and solid medications. However, in order to guarantee their safety, effectiveness, and consistency throughout the course of their shelf life, capsules—like other pharmaceutical products—must comply with stringent quality control (QC) criteria<sup>1-2</sup>.

A crucial step in the production of pharmaceuticals is quality control. It includes a number of measures and procedures that have been created by science to evaluate the performance, identity, strength, purity, and consistency of pharmaceutical items. In order to preserve regulatory compliance, customer confidence, and medicinal efficacy, quality control testing for capsules involves assessing both the capsule shell and the enclosed contents<sup>3-4</sup>.

### B. Importance of Quality Control in Pharmaceutical Capsules

The consistency of the fill, the shell's mechanical strength, the stability of the active pharmaceutical ingredient (API), and the capsule's capacity to dissolve and disintegrate in the gastrointestinal system are all crucial components that affect a capsule formulation's integrity. A breakdown in any of these areas might jeopardise the desired treatment results or put patients' health at grave danger. Therefore, a thorough quality control system tackles patient safety, shelf-life consistency, and production repeatability in addition to ensuring product efficacy<sup>5-6</sup>.

Aside from manufacturing issues, the pharmaceutical industry is closely monitored by both domestic and foreign regulatory agencies, including the Central Drugs Standard Control Organization (CDSCO) in India, the European Medicines Agency (EMA), and the U.S. Food and Drug Administration (FDA). According to pharmacopoeial references such as the United States Pharmacopoeia (USP), British Pharmacopoeia (BP), Indian Pharmacopoeia (IP), and European Pharmacopoeia (Ph. Eur.), these authorities need strict quality control procedures<sup>7-8</sup>.

## II. TYPES OF CAPSULES

Based on their content and intended use, capsules may be roughly divided into two types:

### A. HGCs, or hard gelatin capsules

The two cylindrical shells that make up hard gelatin capsules—the body and the cap—are mostly composed of gelatin that is obtained from animal collagen. Usually, they are employed to encapsulate granules, pellets, or dry powders. High-speed machinery are used to fill the empty capsules, and uniformity in weight and look is crucial<sup>9</sup>.

### B. SGCs, or soft gelatin capsules

A gelatin-based shell containing plasticizers like sorbitol or glycerin gives soft gelatin capsules their flexibility. They are perfect for encasing liquid APIs, oils, or pastes. SGCs require different filling processes and QC methodologies than HGCs due to their single-unit construction<sup>10</sup>.

## III. OBJECTIVES OF QUALITY CONTROL TESTS

The fundamental objectives of performing quality control tests on capsules include:

- Ensuring uniformity of dosage units
- Confirming the identity and potency of active ingredients
- Detecting any physical defects or visual imperfections
- Assessing the mechanical integrity of capsule shells
- Verifying disintegration and dissolution behavior in simulated physiological conditions
- Ensuring microbial safety and acceptable limits of bioburden
- Monitoring stability under accelerated and long-term conditions
- Validating packaging integrity and compatibility

By fulfilling these objectives, pharmaceutical manufacturers can demonstrate compliance with good manufacturing practices (GMP) and quality by design (QbD) principles<sup>11-12</sup>.

## IV. REGULATORY STANDARDS AND PHARMACOPOEIAL GUIDELINES

Comprehensive protocols for assessing the quality of capsules have been created by internationally recognized pharmacopoeias. For example, under broad chapters such as <905> (Uniformity of Dosage Units), <711> (Dissolution), and <2040> (Disintegration and Dissolution of Dietary Supplements), the United States Pharmacopoeia (USP) lists a number of monographs pertaining to capsule dosage forms.

Quality assurance (QA) teams, manufacturing engineers, and laboratory staff use these standards as a baseline. Following pharmacopoeial rules guarantees compliance in international distribution as well as consistency in home markets.

Furthermore, recommendations from the International Council for Harmonization (ICH) are essential for bringing quality standards together across national boundaries, especially for stability testing (ICH Q1A (R2)) and analytical method validation (ICH Q2 (R1))<sup>13-15</sup>.

### A. Pre-Formulation and Manufacturing Considerations

It's important to recognize the upstream processes that affect the final product quality before beginning QC testing: Analyzing API characteristics including solubility, hygroscopicity, particle size, and compatibility with excipients is known as pre-formulation research.

Encapsulation process: Key elements affecting batch quality include moisture content, powder flow ability, and precise fill weight.

Features of the capsule shell: The performance and disintegration time of the capsule are influenced by the material origine (gelatin or HPMC), thickness and plasticizer content.

As a result, quality control is not a stand-alone process but is intrinsically linked to every stage of the product life cycle, from acquiring raw materials to packing<sup>16-17</sup>.

## V. QUALITY CONTROL TESTS FOR CAPSULES

The main quality control tests performed on capsules typically include:

- 1) Identification Test: Used to confirm the presence of the API and differentiate it from similar compounds using techniques like FTIR, UV spectroscopy, or chromatography.
- 2) Uniformity of Weight: Each capsule in a batch must fall within an acceptable weight range. Deviations could lead to incorrect dosing and therapeutic failure.
- 3) Content Uniformity: Ensures that each capsule contains the intended amount of active drug substance, with minimal variability.
- 4) Disintegration Test: Measures the time required for the capsule to break apart in a specific medium at body temperature (usually 37°C).
- 5) Dissolution Test: Simulates in vivo conditions to assess the rate and extent of drug release into solution.

- 6) Moisture Content: Especially important for gelatin capsules, as excess moisture can lead to microbial growth or capsule deformation.
- 7) Microbial Limit Test: Ensures that the product is free from harmful microorganisms like E. coli, Salmonella, and molds.
- 8) Stability Testing: Performed under various temperature and humidity conditions to determine the shelf-life and optimal storage conditions.
- 9) Visual Inspection: Checks for defects like dents, cracks, color variations, or leakage.
- 10) Mechanical Properties: Hardness, elasticity, and brittleness tests confirm the shell's physical integrity during handling and transport.

## VI. ANALYTICAL TOOLS AND TECHNIQUES

High-Performance Liquid Chromatography (HPLC) and other advanced analytical tools are available in the quality control lab. Chromatography of Gas (GC)

Infrared Fourier Transform Spectroscopy (FTIR)

UV-Vis, or ultraviolet-visible spectrophotometry

Equipment for dissolution tests

Moisture sensors

Titration of Karl Fischer's

Using these tools guarantees accurate, repeatable, and verified outcomes. The development and validation of analytical methods are essential to QC test dependability<sup>18-20</sup>.

## VII. CHALLENGES IN CAPSULE QUALITY CONTROL

The QC process can be complicated by a number of issues, even with standardized protocols:

Drugs that absorb moisture and are hygroscopic can change the integrity of capsules.

Degradation or leakage may result from fill material and capsule shell incompatibility.

Batch rejection may result from cross-contamination during production.

Dosage accuracy in multi-component fillings may be impacted by uneven mixing.

Sticking or splitting can occur due to stability problems in gelatin shells in humid environments.

A proactive quality assurance framework, root cause analysis of deviations, and continuous process improvement techniques are necessary to address these problems<sup>21-22</sup>.

## VIII. FUTURE TRENDS IN CAPSULE QUALITY CONTROL:

With the use of contemporary technology in quality control, the pharmaceutical sector is changing quickly. These technologies include: Critical quality parameters may be monitored in real time thanks to Process Analytical Technology (PAT) Machine learning (ML) and artificial intelligence (AI) are used to optimize formulation parameters and forecast product behaviours. Capsule 3D printing: Provides customized dose forms, necessitating innovative QC techniques. Green analytical chemistry promotes the use of environmentally friendly solvents in testing.

Regulatory Automation: Blockchain traceability and electronic batch records improve transparency and compliance<sup>23-25</sup>.

## IX. LITERATURE SURVEY

1) Desai D.S. et al. (2010)<sup>26</sup>

Title: *Evaluation of the Mechanical Properties of Gelatin Capsules*

Journal: International Journal of Pharmaceutics

- Aim: To assess the tensile strength and brittleness of gelatin capsules under varying humidity conditions.
- Methodology: Mechanical testing using a texture analyzer on capsules stored under different RH conditions.
- Findings: Capsule brittleness increased significantly at low humidity; gelatin plasticity was dependent on moisture content.

2) Pandey R. et al. (2012)<sup>27</sup>

Title: *Comparison of Disintegration Time in Hard and Soft Gelatin Capsules*

Journal: Indian Journal of Pharmaceutical Sciences

- Aim: To compare disintegration characteristics of HGCs and SGCs.

- Methodology: Disintegration test as per IP guidelines in simulated gastric fluid.
- Findings: SGCs showed faster disintegration, while HGCs were affected by shell hardness and fill type.

3) *Mistry A. et al. (2013)28*

Title: *Content Uniformity Testing of Capsule Dosage Forms*

Journal: *Journal of Pharmaceutical and Biomedical Analysis*

- Aim: To validate a method for content uniformity of poorly water-soluble drugs in capsules.
- Methodology: UV-spectroscopy method validation and statistical analysis.
- Findings: The method was accurate and precise; content uniformity complied with USP limits.

4) *Rana V. et al. (2014)29*

Title: *Microbial Assessment of Gelatin Capsules*

Journal: *Pharmaceutical Microbiology*

- Aim: To evaluate microbial contamination in gelatin-based capsules during storage.
- Methodology: Microbial limit testing per USP on stored capsule samples.
- Findings: Higher humidity and poor sealing increased microbial growth, especially molds.

5) *Patel D.M. et al. (2015)30*

Title: *Dissolution Profile Comparison of Herbal and Allopathic Capsules*

Journal: *Journal of Natural Remedies*

- Aim: To study dissolution profiles of herbal vs. synthetic drug capsules.
- Methodology: Paddle method in 0.1N HCl and phosphate buffer.
- Findings: Herbal capsules showed slower dissolution due to hydrophobic matrix; excipients affected release rate.

6) *Kulkarni S.A. et al. (2016)31*

Title: *Effect of Storage on Capsule Shell Integrity*

Journal: *International Journal of Drug Development and Research*

- Aim: To study physical changes in capsule shells during long-term storage.
- Methodology: Stability testing under accelerated conditions.
- Findings: Shell discoloration and hardness increased over time; plasticizer loss was significant at 40°C/75% RH.

7) *Bhutkar M.A. et al. (2017)32*

Title: *Analytical Method Development for Simultaneous Estimation of APIs in Capsules* Journal: *Der Pharmacia Letter*

- Aim: To develop and validate a simultaneous estimation method for combination capsules.
- Methodology: HPLC method development and validation as per ICH guidelines.
- Findings: The method was robust and suitable for QC analysis of multi-drug capsules.

8) *Sharma A. et al. (2018)33*

Title: *Comparative Study of HPMC and Gelatin Capsules*

Journal: *Asian Journal of Pharmaceutical Technology*

- Aim: To evaluate performance differences between HPMC and gelatin capsule shells.
- Methodology: Disintegration, dissolution, and mechanical strength tests.
- Findings: HPMC capsules were more stable in humid conditions and suitable for vegetarians.

9) *Rajput S.J. et al. (2019)34*

Title: *Evaluation of Dissolution Profiles of Marketed Capsule Brands*

Journal: *Indian Journal of Pharmaceutical Education and Research*

- Aim: To compare dissolution performance among brands of the same API.

- Methodology: Dissolution testing using USP apparatus II.
- Findings: Significant variability observed; some failed to meet pharmacopeial limits.

10) Zope P. et al. (2020)35

Title: *Quality Control Parameters of Polyherbal Capsule Formulations*

Journal: International Journal of Green Pharmacy

- Aim: To evaluate standardized QC parameters for polyherbal capsules.
- Methodology: Disintegration, weight variation, and phytochemical analysis.
- Findings: Uniformity was satisfactory; some brands lacked label claim compliance.

## X. FUTURE SCOPE OF STUDY

Quality control studies for capsules have a wide range of potential applications and will change as pharmaceutical technology advances. More sensitive and quick analytical instruments are needed to guarantee consistent quality as the use of capsule dosage forms grows in popularity because of their patient compliance, quicker disintegration, and visual attractiveness. Future studies could concentrate on AI-powered and automated solutions for in-process quality checks such content homogeneity, weight variance, and shell integrity.

Customized assessment techniques are also required for the development of plant-based capsule shells, such HPMC, that satisfy vegan and religious dietary restrictions. Furthermore, sophisticated methods for detecting microbial contamination are required, particularly for probiotic and herbal compositions. The use of variable release capsules, customized drug administration through capsules, and formulations based on nanotechnology will all increase the breadth of quality control testing. Another crucial area of study for worldwide standardisation will be the harmonization of regulations among international pharmacopoeias<sup>36-37</sup>.

## XI. CONCLUSION

To sum up, quality control tests are essential for guaranteeing the stability, effectiveness, and safety of capsule formulations. By verifying the capsules' physical, chemical, and biological characteristics, these tests make sure they adhere to legal and pharmacopeia requirements. There is a constant need for increasingly complex and accurate QC procedures due to developments in capsule technology, such as the use of plant-based shells, multi-unit systems, and the encapsulation of sensitive substances. Future advancements might include harmonizing international QC norms, integrating AI for real-time monitoring, and automating testing. Strong quality control testing is therefore still essential to preserving the efficacy and confidence of capsule-based medication delivery systems.

## REFERENCES

- [1] Aulton ME, Taylor KMG. *Aulton's Pharmaceutics: The Design and Manufacture of Medicines*. 5th ed. Elsevier Health Sciences; 2017.
- [2] Indian Pharmacopoeia Commission. *Indian Pharmacopoeia*. Govt. of India, Ministry of Health and Family Welfare; 2022.
- [3] United States Pharmacopeia (USP). *USP 46–NF 41*. United States Pharmacopeial Convention; 2023.
- [4] British Pharmacopoeia Commission. *British Pharmacopoeia*. London: TSO (The Stationery Office); 2023.
- [5] European Pharmacopoeia (Ph. Eur.). 10th Edition. European Directorate for the Quality of Medicines & HealthCare; 2022.
- [6] Allen LV. *Ansel's Pharmaceutical Dosage Forms and Drug Delivery Systems*. 12th ed. Lippincott Williams & Wilkins; 2020.
- [7] Banker GS, Rhodes CT. *Modern Pharmaceutics*. 4th ed. Marcel Dekker; 2002.
- [8] Lachman L, Lieberman HA, Kanig JL. *The Theory and Practice of Industrial Pharmacy*. 3rd ed. CBS Publishers; 2009.
- [9] Jones BE. *Pharmaceutical Capsules*. 2nd ed. Pharmaceutical Press; 2014.
- [10] Potharaju H. Formulation and quality control of hard gelatin capsules. *J Pharm Sci Res*. 2019;11(3):850–5.
- [11] Rawat A, Bhatt G. Quality control parameters of capsules: A review. *Asian J Pharm Educ Res*. 2018;7(1):48–55.
- [12] Patel N, et al. Hard gelatin capsules: Quality testing and challenges. *Int J Pharm Sci Rev Res*. 2020;60(1):101–6.
- [13] Uddin MS, et al. Evaluation of pharmaceutical capsules. *Int J Pharmacol Clin Sci*. 2017;6(1):35–41.
- [14] Shah A, et al. Stability testing of pharmaceutical products. *Int J Pharm Pharm Sci*. 2015;7(5):1–8.
- [15] Roy C, et al. Comparative study of gelatin and HPMC capsules. *Int J Pharm Res*. 2019;11(4):1550–8.
- [16] Sinha VR, Kumria R. Polysaccharide matrices for microbially triggered drug delivery to the colon. *Drug Deliv*. 2001;8(4):181–93.
- [17] Pandey M, et al. In-process and finished product quality control tests for pharmaceutical capsules. *World J Pharm Pharm Sci*. 2016;5(9):1051–65.
- [18] Kumar V, et al. Recent advances in capsule drug delivery systems. *J Drug Deliv Ther*. 2020;10(3):74–80.
- [19] Khadka P, et al. Pharmaceutical particle technologies: An approach to improve drug solubility, dissolution and bioavailability. *Asian J Pharm Sci*. 2014;9(6):304–16.
- [20] Ghosh TK, Jasti BR. *Theory and Practice of Contemporary Pharmaceutics*. CRC Press; 2004.
- [21] Kendre P, et al. Analytical methods for the evaluation of capsules. *Int J Appl Pharm*. 2021;13(2):45–51.



- [22] Agrawal S, et al. Quality by design (QbD) approach in capsule development. *J Pharm Innov.* 2022;17(1):78–90.
- [23] Mahapatra DK, et al. Overview on capsules as a dosage form: Key aspects and pharmaceutical significance. *J Appl Pharm Sci.* 2020;10(6):124–31.
- [24] Narang AS, et al. Stability testing of pharmaceuticals. *Curr Drug Stab.* 2012;7(3):168–76.
- [25] Desai D, et al. Drug release testing for capsules: Challenges and solutions. *Dissolut Technol.* 2014;21(3):18–23.
- [26] FDA. Guidance for Industry: Dissolution Testing of Immediate Release Solid Oral Dosage Forms. U.S. Food and Drug Administration; 2020.
- [27] Desai DS, Kumar V, Shah PN. Evaluation of the mechanical properties of gelatin capsules. *Int J Pharm.* 2010;387(1–2):50–5.
- [28] Pandey R, Verma AK, Singh S. Comparison of disintegration time in hard and soft gelatin capsules. *Indian J Pharm Sci.* 2012;74(2):145–8.
- [29] Mistry A, Patel M, Desai T. Content uniformity testing of capsule dosage forms. *J Pharm Biomed Anal.* 2013;77:148–52.
- [30] Rana V, Kaur A, Tiwari R. Microbial assessment of gelatin capsules. *Pharm Microbiol.* 2014;21(3):112–7.
- [31] Patel DM, Mehta PJ, Shah VN. Dissolution profile comparison of herbal and allopathic capsules. *J Nat Remedies.* 2015;15(4):278–83.
- [32] Kulkarni SA, Gokhale RN, Pote MS. Effect of storage on capsule shell integrity. *Int J Drug Dev Res.* 2016;8(1):42–8.
- [33] Bhutkar MA, Khade A, Mane M. Analytical method development for simultaneous estimation of APIs in capsules. *Der Pharm Lett.* 2017;9(1):28–33.
- [34] Sharma A, Agarwal S, Rawat M. Comparative study of HPMC and gelatin capsules. *Asian J Pharm Technol.* 2018;8(2):91–5.
- [35] Rajput SJ, Joshi A, Shah B. Evaluation of dissolution profiles of marketed capsule brands. *Indian J Pharm Educ Res.* 2019;53(1):70–6.
- [36] Zope P, Jadhav A, Kulkarni A. Quality control parameters of polyherbal capsule formulations. *Int J Green Pharm.* 2020;14(2):103–8.
- [37] Bhatt P, et al. Innovative technologies in oral capsule manufacturing. *Int J PharmTech Res.* 2023;16(2):85–92.



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)