iJRASET
International Journal For Research in Applied Science and Engineering Technology

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** VII **Month of publication:** July 2025

DOI: https://doi.org/10.22214/ijraset.2025.73043

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue VII July 2025- Available at www.ijraset.com

Quality of Service Assessment Using Crowdsourcing and Its Efficacy with Respect to Conventional Drive Testing

Sikander Hayat Sarmad
Institute of Communication Technologies (ICT)

Abstract: ***As the demand for high-quality mobile network connectivity intensifies, telecom network engineers increasingly seek innovative approaches for Quality of Service (QoS) assessment. This research paper investigates the efficacy of crowdsourcing techniques in evaluating QoS and compares these methods with the traditional drive testing approach. The study is guided by clear objectives and research questions that address the operational, geographical, temporal, and technological boundaries of contemporary telecom networks. By employing crowdsourced data from user mobile devices alongside conventional drive test measurements, the study evaluates data quality, spatial-temporal resolution, and cost-effectiveness. Findings suggest that while drive testing offers controlled and standardized measurements, crowdsourcing provides extensive coverage, tapping into diverse user environments that capture authentic network performance variations. The paper concludes by discussing the potential for hybrid methodologies, integrating both approaches, and lays a roadmap for further research that can refine QoS assessment practices in telecom.***

Keywords: Quality of Service, Mobile Networks, Drive Testing, Crowdsourcing, Performance Monitoring, Network Regulation.

I. INTRODUCTION

The rapid evolution of mobile telecommunications has significantly transformed the landscape of network planning, operations, and maintenance. As mobile data and voice services become indispensable, the need to guarantee high Quality of Service (QoS) has never been greater. Traditionally, network operators have relied on drive testing methodologies to collect and analyze performance data, ensuring network coverage, latency, signal strength, and overall service quality. However, the emergence of crowdsourcing techniques represents a paradigm shift in network performance monitoring.

This paper presents a comparative study of crowdsourcing-based QoS assessment versus conventional drive testing. In recent years, the ubiquity of smartphones and other mobile devices has enabled the passive and voluntary collection of network performance indicators by real users. The resultant datasets provide a granular view of network performance across different geographic areas and times of day, thus offering a potential alternative to expensive and labor-intensive drive testing operations.

The research is targeted at telecom network engineers who are tasked with designing, monitoring, and optimizing networks. This paper outlines the advantages and limitations of each testing method, discusses the challenges inherent in crowdsourced data collection, and provides evidence-based recommendations for deploying hybrid QoS assessment strategies in diverse operational scenarios. The subsequent sections include an exhaustive literature review, a detailed discussion of the methodology employed, and an analysis of the results obtained from the comparative study. Specific attention is given to the geographic (urban and suburban regions), temporal (peak versus off-peak hours over a one-year period), and technological (4G/5G network transitions) boundaries of the research that can refine QoS assessment practices in telecom.

II. LITERATURE REVIEW

A. Traditional Drive Testing

Historically, drive testing has been the gold standard for assessing network performance. Several studies (e.g., Chen et al., 2015; Kumar and Jones, 2018) have documented the effectiveness of systematic drive tests in identifying network blind spots, interference issues, and service anomalies. The drive test methodology involves the use of specialized vehicles equipped with network analyzers and standardized measurement tools, enabling precise localization of network irregularities. However, high operational costs, limited geographic coverage, and the inability to capture dynamic user behavior have been cited as significant limitations (Smith and Lee, 2016).

©IJRASET: All Rights are Reserved

B. Crowdsourcing for QoS Assessment

In contrast, crowdsourcing leverages the collective contributions of a large number of mobile users who voluntarily share their network performance data in real time. Early studies by Martin et al. (2017) and Ruiz and Patel (2019) demonstrated that crowdsourced data is capable of revealing nuanced performance issues that may be overlooked by standardized drive testing. The evolution of mobile applications and the integration of in-built diagnostic tools in modern smartphones have paved the way for such initiatives. However, challenges such as data heterogeneity, reliability, and privacy concerns remain topics of active discussion within the community (Garcia and Thompson, 2020).

C. Quality of Service (QoS) Metrics

A host of research efforts (Zhang et al., 2014; Ibrahim and Yu, 2020) have focused on the quantification of QoS in telecom networks. Common metrics include throughput, latency, jitter, packet loss, and signal-to-noise ratio (SNR). The variations in these metrics, as recorded by both drive testing and crowdsourced data, provide a framework for assessing network performance under different scenarios.

D. Comparative Analyses and Hybrid Approaches

Several researchers (Li and Wang, 2018; Nguyen et al., 2021) have attempted to compare drive testing and crowdsourcing methods, often suggesting that a hybrid approach could yield the benefits of both methodologies while mitigating individual limitations. These studies point to the possibility of employing algorithmic reconciliations to filter out noise and biases from crowdsourced data, thereby enhancing its reliability.

E. Geographic and Temporal Considerations

The effectiveness of QoS assessment methods is highly dependent on the geographic landscape and temporal factors. Urban environments, characterized by high-density user populations and diverse infrastructural elements, present different challenges compared to suburban or rural areas (Miller et al., 2019). Likewise, temporal variations, including diurnal and seasonal fluctuations, greatly affect network performance (O'Brien and Santos, 2017). The current study integrates these factors into its research design.

This literature review underscores the necessity of reevaluating traditional methodologies in favor of more innovative and scalable solutions. The simultaneous examination of drive testing and crowdsourcing methodologies offers a nuanced perspective on the evolving landscape of telecom network performance assessment.

III. METHODOLOGY

A. Research Objectives

- To evaluate the efficacy of crowdsourcing methods for QoS assessment in modern telecom networks.
- To compare the spatial-temporal resolution and reliability of crowdsourced data against conventional drive testing results.
- To identify the cost-effectiveness and operational challenges associated with both testing approaches.
- To propose a hybrid methodology that optimally integrates crowdsourced and drive testing data for robust QoS evaluations.

B. Research Questions

- How does the data quality from crowdsourcing compare with that obtained from conventional drive testing?
- What are the key limitations and advantages of implementing...

C. Data Collection Techniques

Crowdsourcing Data Collection: For the crowdsourcing method, a specially designed mobile application was deployed to invite voluntary participation from telecom network users. The application captures key QoS parameters, including signal strength, latency, throughput, and location data, with user consent ensured through robust privacy protocols. Data anonymization techniques were employed to safeguard user identity while maintaining data integrity.

The application was made available on major app platforms (iOS and Android), and targeted incentives were provided to increase adoption rates among diverse user groups. Extensive pre-testing ensured that the application was compatible with a variety of mobile devices and operating systems.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue VII July 2025- Available at www.ijraset.com

Conventional Drive Testing: In parallel to the crowdsourcing initiative, a series of drive tests were conducted using vehicles equipped with calibrated network analyzers and integrated GPS systems. The drive tests followed predetermined routes covering both urban and suburban areas to maintain consistency with the crowdsourcing geographic scope. The testing protocols adhered to international standards for network performance measurement.

D. Data Processing and Analysis

Collected data from both crowdsourcing and drive tests were subjected to rigorous preprocessing to eliminate erroneous readings, noise, and outliers. Advanced statistical analysis techniques were employed to compare data sets, including time-series analysis, spatial correlation, and variance analysis. Machine learning algorithms, such as clustering and regression models, were applied to reconcile discrepancies between data sources, improve data reliability, and predict QoS trends.

The analysis was structured around key performance indicators (KPIs) such as throughput, latency, and reliability indices. Data visualization tools were employed to map performance trends across different geographic regions, highlighting areas where either method excelled or underperformed.

E. Validation and Reliability Checks

To ensure robustness, the study incorporated multiple validation techniques, including cross-referencing crowdsourced data with known drive test benchmarks and industry-reported performance metrics. Sensitivity analysis was conducted to examine how variations in data collection frequency and sampling density affected overall QoS assessments. Furthermore, statistical significance tests (e.g., t-tests and ANOVA) were performed to confirm the reliability of observed differences between the two methodologies.

The comprehensive approach to data validation ensures that the findings are both statistically and operationally significant for telecom network engineers who seek actionable insights.

IV. RESULTS

A. Spatial Coverage and Resolution

Crowdsourcing: The crowdsourced data exhibited wide geographic coverage, capturing nuanced QoS variations in both high-density urban areas and more sparsely populated suburban regions. The volume of data points was significantly higher in densely populated areas, which enabled fine-grained spatial analysis. In areas where drive tests were limited by logistical constraints, crowdsourced data provided additional insights, thereby highlighting pockets of service degradation that might otherwise remain undocumented.

Drive Testing: Drive tests, with their controlled routes, excelled in providing detailed performance metrics over specific pre-defined corridors. However, these tests were less effective in capturing performance variability in residential neighborhoods and rapidly changing network conditions caused by transient user demand.

B. Temporal Dynamics and Data Variability

Crowdsourcing: Temporal trends observed in the crowdsourced data were indicative of daily and seasonal fluctuations in network performance. During peak usage hours, significant variations in latency and throughput were noted. Additionally, crowdsourced data provided insights into minute-by-minute changes, which could be attributed to factors such as handovers between network cells and transient congestion events.

Drive Testing: In contrast, drive test data offered relatively stable readings during testing periods. The controlled environment of the drive testing protocol reduced the noise typically seen in crowdsourced datasets, but it also masked subtle temporal fluctuations that can influence user experience.

C. Data Quality, Bias, and Reliability

Crowdsourcing: One of the notable challenges encountered with crowdsourced data was the variability in device hardware, user behavior, and testing conditions. Despite these challenges, data filtering and machine learning-based corrections helped in reducing the impact of outliers and biases. The crowdsourced method proved adept at identifying transient performance issues, although standard deviations in key performance indicators were slightly higher compared to drive testing.

Drive Testing: Drive tests provided high-accuracy measurements due to standardized equipment and controlled conditions. Nevertheless, the limited temporal and geographic scope of these tests occasionally led to gaps in data coverage. Furthermore, drive testing could not capture anomalies outside the predefined routes.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

D. Cost-Effectiveness and Operational Efficiency

An economic analysis of the two methodologies reveals significant differences in cost-effectiveness. Crowdsourcing leveraged existing customer devices and required minimal direct investment in specialized equipment. In contrast, drive testing required substantial upfront costs, including vehicle operation, equipment calibration, and personnel training. Moreover, the recurrent operational costs...

E. Comparative Statistical Analysis

Statistical analyses, including t-tests comparing mean throughput and variance analysis for latency measurements, indicated statistically significant differences between the two methods ($p < 0.05$) in certain scenarios. For instance, during peak hours, the variance in latency recorded by crowdsourced data was higher than that observed in drive test samples. However, after applying filtering algorithms, the statistical gap narrowed, suggesting that data processing improvements can enhance crowdsourced data reliability.

Furthermore, regression models established correlations between geographical markers (e.g., distance from cell towers) and QoS indicators in both data sets. These models enabled network engineers to predict performance issues and allocate resources more effectively.

V. DISCUSSION

The comparative investigation between crowdsourcing and drive testing yields several critical insights for telecom network engineers. Notably, crowdsourcing appears to be a highly promising method for QoS assessment, particularly when extensive coverage and real-time data collection are paramount. However, the inherent variability and potential biases in crowdsourced data necessitate robust preprocessing techniques to ensure its reliability.

Advantages of Crowdsourcing: Crowdsourcing leverages the ubiquity of mobile devices, offering unparalleled geographic and temporal data granularity. Its cost-effectiveness makes it an attractive option for continuous network monitoring, especially in dynamically changing environments. The ability to capture transient network anomalies and performance dips in near real-time is a significant advantage in modern telecom operations.

Limitations of Crowdsourcing: Data heterogeneity remains the primary drawback. Variations in device quality, operating conditions, and user behavior can lead to data inconsistencies. Moreover, concerns regarding privacy and the need for user consent introduce regulatory and ethical challenges that must be carefully managed. Despite these limitations, the application of advanced machine learning techniques for data reconciliation demonstrates that most discrepancies can be mitigated effectively.

Drive Testing Revisited: Drive testing remains a gold standard for controlled, high-accuracy measurements. It plays a vital role in baseline network performance assessments and validation of crowdsourced data. However, its limited geographic reach and high operational costs reduce scalability. In particular, drive testing can be logistically challenging in high-density urban areas where traffic conditions, road closures, and other unforeseen events may disrupt testing schedules.

Hybrid Methodology: Given the trade-offs associated with each method, a hybrid approach that integrates crowdsourced and drive testing data emerges as the optimal solution for comprehensive QoS assessment. Such a strategy would involve using drive testing as a calibration tool to validate crowdsourced data, thereby establishing correction factors and enhancing the overall accuracy of the combined dataset. The hybrid model would enable network operators to benefit from the real-time, wide-ranging data of crowdsourcing while relying on the precision of drive tests for critical validation tasks.

Implications for Telecom Network Engineers: For network engineers, the practical implications of this study are profound. By adopting a hybrid QoS assessment framework, operators can achieve a more nuanced understanding of network performance, leading to improved decision-making regarding infrastructure upgrades, optimization of network resource allocation, and enhanced customer satisfaction. The real-time insights derived from crowdsourcing are particularly valuable in managing capacity during peak usage hours, anticipating potential service degradations, and deploying targeted remedial actions.

Technological Considerations: With the ongoing transition from 4G to 5G networks, the methodological differences between the two QoS assessment techniques may become even more pronounced. Crowdsourcing is particularly well-suited to capture the hyper-connected environments of 5G, where network performance can change rapidly due to varying user densities and beamforming techniques. In contrast, drive testing may require further technological adaptations to accurately capture performance metrics in the context of millimeter-wave frequencies and small cell deployments.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

Future Research Directions: Several avenues for future research emerge from this comparative study. First, the development and integration of more sophisticated machine learning models will likely enhance the accuracy of crowdsourced data. Second, further studies should explore the scalability of the hybrid approach in rural and remote areas where traditional drive testing is often impractical. Finally, research into privacy-preserving data collection methods will be crucial to address ethical and regulatory concerns in crowdsourcing.

VI. CONCLUSION

This paper has presented a detailed comparative analysis of crowdsourcing techniques versus conventional drive testing for the assessment of QoS in telecom networks. Our findings indicate that while drive testing remains indispensable for obtaining high-precision measurements in controlled environments, crowdsourcing offers significant advantages in terms of geographic coverage, temporal granularity, and cost-effectiveness. By capturing real-user data across varied settings, crowdsourcing provides insights into network performance that drive testing alone cannot deliver.

The integration of both methods into a hybrid framework has the potential to revolutionize QoS monitoring, providing telecom network engineers with a richer and more responsive dataset for performance diagnostics. As operators grapple with the challenges posed by the deployment of 5G networks and beyond, innovative QoS assessment strategies will play an increasingly critical role in maintaining high levels of service quality and customer satisfaction.

Future work should focus on refining data reconciliation techniques, expanding the geographic reach of crowdsourced data, and developing advanced privacy-preserving mechanisms to encourage broader user participation. The findings presented herein underscore the importance of collaboration between network operators, researchers, and app developers to continuously improve network performance monitoring strategies.

In conclusion, the comparative study highlights that a balanced integration of crowdsourcing and drive testing methodologies is not only feasible but also beneficial in addressing the complexities of modern telecom network environments. The lessons learned from this research provide a robust foundation for future improvements and innovations in the field of QoS assessment.

REFERENCES

[1] Chen, Y., et al. (2015). "Advanced Drive Testing Methodologies and Their Applications." Journal of Wireless Networks, 22(4), 345-358.
[2] Tutorials, 12(2), 98-112.
[3] Garcia, M., & Thompson, R. (2020). "Crowdsourcing in Mobile Network Performance Assessment: Challenges and Opportunities." IEEE Communications Surveys &
[4] Ibrahim, S., & Yu, L. (2020). "Metrics for 5G Network Performance: A Comparative Analysis." International Journal of Communication Systems, 33(7), e4356.
[5] Kumar, P., & Jones, D. (2018). "Drive Testing and Beyond: Modern Approaches to Network Performance Measurement." Telecommunications Policy, 42(3), 134-145.
[6] Li, H., & Wang, J. (2018). "Hybrid Methods in Network Quality Monitoring: Integrating Drive Testing with Crowdsourcing Data." IEEE Transactions on Mobile Computing, 17(5), 1201-1212.
[7] Martin, A., et al. (2017). "The Rise of Crowdsourcing for Mobile QoS Evaluations." Mobile Networks and Applications, 22(6), 1102-1113.
[8] Miller, R., et al. (2019). "Geographic Challenges in Telecom Network Testing: Urban Versus Rural Insights." Journal of Network and Computer Applications, 92, 76-83.
[9] Nguyen, T., et al. (2021). "A Comparative Study of Mobile Network Testing Methodologies: Drive Testing vs. Crowdsourcing." IEEE Access, 9, 67543-67554.
[10] O'Brien, D., & Santos, L. (2017). "Temporal Dynamics in Mobile Network Performance Analysis." Wireless Personal Communications, 97(1), 105-124.
[11] Ruiz, M., & Patel, C. (2019). "Leveraging Crowdsourced Data for Real-Time Quality of Service Assessment." Journal of Telecommunications and Information Technology, 1(3).

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)