iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** III **Month of publication:** March 2026

DOI: https://doi.org/10.22214/ijraset.2026.78260

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue III Mar 2026- Available at www.ijraset.com

Radiation and Environmental Safety: A Comprehensive Scientific Review

Manoj Kumar Patel
Assistant Teacher, Kashidih, Chandrapur, Chhattisgarh, Ph.D., Research Scholar (Hindi), ISBM University, Gariyaband, Chhattisgarh

Abstract: ***Radiation has emerged as a crucial component of modern technological development and is extensively used in medicine, industry, agriculture, scientific research, communication systems, and nuclear energy production. The growing dependency on both ionizing and non-ionizing radiation has significantly improved the quality of human life; however, uncontrolled or excessive exposure poses serious risks to human health, ecological stability, and environmental sustainability. Ionizing radiation such as alpha, beta, gamma rays, X-rays, and neutrons can cause genetic mutations, DNA damage, cancers, and long-term biological alterations, while non-ionizing radiation including ultraviolet rays, radiofrequency radiation, and microwaves can also contribute to cellular stress, skin disorders, and ecological imbalance.***

This research article provides a comprehensive analysis of the sources of radiation, environmental exposure pathways, health impacts, global safety standards, and modern radiation protection practices. Special emphasis is placed on radioactive waste management, which remains one of the most critical environmental challenges due to the long half-life and persistence of radionuclides in soil and water ecosystems. The study explores major international guidelines such as those of the International Atomic Energy Agency (IAEA), the Atomic Energy Regulatory Board (AERB), and UNSCEAR to highlight the scientific principles of radiation protection, including the ALARA (As Low as Reasonably Achievable) approach. Furthermore, the article underscores the importance of developing integrated radiation governance, advanced technological safeguards, real-time environmental monitoring systems, emergency response mechanisms, and public awareness programs. Strengthening institutional capacity and promoting sustainable nuclear practices are essential to minimize long-term environmental and health risks. Overall, the study argues that while radiation offers undeniable benefits to society, its safe and responsible use is vital for ensuring human well-being and maintaining ecological balance.

Keywords: Radiation, Environmental Safety, Ionizing Radiation, Non-ionizing Radiation, Radioactive Waste, ALARA, Nuclear Safety, Ecology.

I. INTRODUCTION

The rapid advancement of nuclear technology, diagnostic radiology, industrial radiography, and digital communication systems has significantly increased radiation exposure across the globe. In recent decades, the proliferation of nuclear reactors, widespread use of X-ray and CT imaging, and the expansion of mobile communication networks have introduced various sources of both ionizing and non-ionizing radiation into the environment (IAEA, 2020). While radiation has become an essential component in sectors such as healthcare, agriculture, space research, food preservation, and energy production, its unregulated or excessive exposure can cause severe biological, ecological, and environmental consequences (UNSCEAR, 2021).

Ionizing radiation, even at low doses, has been linked to DNA alteration, carcinogenesis, and genetic mutations, whereas prolonged exposure to non-ionizing radiation has shown potential impacts on neurological and ecological systems (WHO, 2017). These concerns highlight the need for comprehensive environmental safety frameworks that ensure radiation levels remain within permissible limits, particularly in densely populated and ecologically sensitive regions. Environmental safety involves monitoring radiation emissions from natural and anthropogenic sources, establishing regulatory standards, assessing risk pathways, and implementing preventive strategies to minimize hazards (AERB, 2019).

Furthermore, the safe and responsible management of radioactive waste—generated from nuclear power plants, medical facilities, research laboratories, and industrial operations—remains a central challenge for global environmental governance. Improper storage, leakage, or accidental release of radionuclides can contaminate air, water, soil, and food chains for generations (OECD-NEA, 2022). Therefore, modern approaches to radiation protection emphasize advanced containment technologies, ALARA-based exposure reduction strategies, community awareness, and real-time environmental monitoring systems.

©IJRASET: All Rights are Reserved

This research aims to explore the scientific foundations of radiation hazards, the pathways through which environmental exposure occurs, the mechanisms of biological impact, and the contemporary safety measures designed to protect human and ecological health. By integrating scientific evidence, international guidelines, and environmental protection principles, the study seeks to contribute to a deeper understanding of Radiation and Environmental Safety in the context of sustainable development.


II. CONCEPT AND TYPES OF RADIATION

Radiation is broadly defined as the transfer or emission of energy through particles or electromagnetic waves, originating from both natural and human-made sources (IAEA, 2020). Scientifically, radiation is categorized into two major types ionizing and non-ionizing based on its energy level and capacity to ionize matter. This distinction is essential for understanding its biological impact, environmental pathways, and potential risks to human health.

Ionizing radiation carries sufficient energy to remove tightly bound electrons from atoms or molecules, thereby generating ions and triggering significant physical and biological changes (UNSCEAR, 2021). This category includes alpha (α) particles, beta (β) particles, gamma (γ) rays, X-rays, and neutrons, each characterized by distinct penetration capabilities and interaction mechanisms. Alpha particles, for instance, have high ionization potential but low penetration power, whereas gamma rays penetrate deeply into tissues and materials (AERB, 2019). Major sources of ionizing radiation include nuclear power plants, radiotherapy equipment, industrial radiography units, radioactive minerals in soil, and cosmic rays originating from outer space. Owing to its high energy, ionizing radiation can induce DNA damage, chromosomal mutations, carcinogenesis, and long-term genetic alterations even at low or chronic exposure levels (WHO, 2017). For this reason, strict monitoring and regulation of ionizing radiation remain a critical component of environmental and occupational safety.

In contrast, non-ionizing radiation consists of relatively low-energy electromagnetic waves that cannot ionize atoms but may cause excitation of molecules and thermal effects in biological tissues (ICNIRP, 2020). This category includes ultraviolet (UV) radiation, microwaves, infrared radiation, radiofrequency waves, and electromagnetic radiation from Wi-Fi routers, mobile devices, and communication towers. Its primary sources are sunlight, microwave ovens, telecommunication systems, household electronics, and digital communication technologies (IEEE, 2019). Although non-ionizing radiation is generally considered less harmful than ionizing radiation, prolonged or high-intensity exposure particularly to UV or radiofrequency radiation has been associated with skin damage, thermal stress, neurological disturbances, and potential ecological imbalance (WHO, 2014). Excessive UV exposure also affects marine ecosystems, plant physiology, and atmospheric chemistry, raising concerns regarding environmental sustainability.

In summary, both ionizing and non-ionizing radiation influence human health and the environment, although the nature and severity of their effects vary depending on the intensity, duration, and source of exposure. Understanding this classification is crucial not only for scientific analysis but also for developing environmental protection standards, public-health guidelines, and comprehensive radiation-safety frameworks.



III. SOURCES OF ENVIRONMENTAL RADIATION

Environmental radiation originates from a wide range of natural and human-made sources, contributing to the overall radiation burden experienced by humans, ecosystems, and atmospheric systems. Understanding these sources is essential to assess exposure pathways, evaluate ecological risks, and develop effective radiation-safety measures.

A. Natural Sources

Natural or background radiation has existed since the formation of the Earth and accounts for nearly 80% of the total annual radiation dose received by the global population (UNSCEAR, 2021). These natural sources include:

1) Cosmic Radiation: High-energy particles originating from the sun and deep space continuously bombard the Earth's atmosphere. Although the atmosphere provides significant shielding, exposure increases at higher altitudes and latitudes, affecting airline crews, astronauts, and populations living in mountainous regions. Cosmic rays contribute to ionization in the upper atmosphere and influence climatic and geomagnetic processes.

2) Radon Gas: Radon-222, a decay product of uranium-238, is one of the most significant contributors to natural radiation exposure. It is a colourless, odourless radioactive gas released from rocks, soil, and building materials. When inhaled, radon and its decay products accumulate in the lungs, increasing the risk of lung cancer, especially in poorly ventilated homes (WHO, 2017).

3) Terrestrial Radiation: Radioactive isotopes such as Uranium-238 (U-238), Thorium-232 (Th-232), and Potassium-40 (K-40) naturally occur in the Earth's crust. These radionuclides are found in soil, water, plants, and food materials, contributing to internal and external exposure. Variations in geological formations lead to regional differences in terrestrial radiation levels. Natural sources, though unavoidable, form a critical part of environmental radiation patterns and require monitoring to identify areas of elevated background radiation.

B. Anthropogenic (Human-Made) Sources

Rapid technological advancements and industrial development over the past century have significantly increased exposure to artificial or anthropogenic radiation. These sources include:

1) Nuclear Power Plants: Nuclear reactors produce ionizing radiation during energy generation. Although modern plants follow strict safety protocols, accidents (e.g., Chernobyl, Fukushima) have shown that accidental releases of radioactive isotopes can cause widespread environmental contamination lasting decades.

2) Medical Imaging and Radiotherapy: Healthcare systems are major contributors to artificial radiation. Diagnostic tools such as X-rays, CT scans, mammography, and fluoroscopy expose patients to ionizing radiation. Radiotherapy, used to treat cancer, involves high-dose radiation, and improper handling or equipment malfunction may pose occupational and environmental risks.

3) Nuclear Weapon Testing: Atmospheric nuclear tests conducted during the mid-20th century released large quantities of radioactive materials such as strontium-90 and cesium-137 into the environment. These radionuclides persist for long periods, contaminating soil, water, and food chains.

4) Industrial Radiography and Sterilization: Industries use gamma radiography for non-destructive testing of pipelines, metal structures, and machinery. Radiation-based sterilization is also employed for medical equipment and food products. Improper shielding, accidental leaks, or mishandling of radioactive sources increase occupational hazards.

5) Radioactive Waste Disposal: Nuclear reactors, medical facilities, and research laboratories generate radioactive waste. If inadequately stored or disposed of, this waste can leach into soil and water, creating long-term ecological and public-health challenges.

6) Communication and Digital Technologies: Although non-ionizing, radiation from mobile towers, Wi-Fi systems, broadcasting antennas, and radar equipment contributes to the electromagnetic pollution of the environment. Prolonged exposure may affect birds, insects, and plant physiology, and is an emerging area of ecological research.

Together, these natural and human-made sources contribute to cumulative environmental radiation exposure, which can lead to chronic contamination of air, soil, and water systems. The interaction between these sources underscores the importance of continuous radiation monitoring, effective regulatory frameworks, and robust safety infrastructures.

IV. RADIATION PATHWAYS AND EXPOSURE MECHANISMS

Radiation interacts with living organisms through a variety of exposure pathways, each contributing differently to environmental and human health risks.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

The movement, persistence, and biological impact of radiation largely depend on the physical and chemical behaviour of radionuclides, environmental conditions, and ecosystem sensitivity (IAEA, 2020). These pathways help determine both immediate and long-term consequences of radiation contamination.

A. External Exposure

External exposure occurs when the radiation source remains outside the human or animal body. High-penetration radiations such as gamma rays, X-rays, and energetic beta particles can penetrate skin and soft tissues, depositing energy that leads to DNA strand breaks, cellular mutations, and carcinogenic transformations (UNSCEAR, 2021). Occupational groups such as radiology technicians, nuclear plant workers, and industrial radiographers face elevated risks. Environmental external exposure also arises from cosmic radiation, fallout from nuclear incidents, and contaminated soils in naturally high background radiation areas (WHO, 2016).

B. Internal Exposure (Inhalation, Ingestion, Absorption)

Internal exposure occurs when radionuclides enter the body through breathing, consuming contaminated food or water, or through limited skin absorption. The inhalation of radon gas and radioactive particulates introduces isotopes directly into the respiratory system, resulting in long-term alpha and beta radiation emitted inside lung tissues (EPA, 2019). Ingestion routes include contaminated vegetables, fish, milk, and groundwater containing radionuclides such as Cesium-137 (Cs-137), Strontium-90 (Sr-90), and Iodine-131 (I-131) (AERB, 2018). Once absorbed, these isotopes integrate into organs Sr-90 accumulates in bones, Cs-137 distributes in muscles, and I-131 accumulates in the thyroid where they continuously irradiate tissues from within (ICRP, 2020).

C. Environmental Transport Routes (Soil, Water, Air, Food Chain)

After entering the environment, radionuclides migrate through multiple environmental media air, water, soil, and vegetation. Atmospheric releases from nuclear accidents or industrial emissions can disperse globally through wind currents before depositing onto land and water surfaces (UNEP, 2019). Radionuclides deposited in soil enter the soil–plant–animal–human food chain, posing long-term ecological and agricultural risks. Waterborne isotopes spread through rivers, lakes, and aquifers, threatening aquatic species and drinking water supplies (IAEA, 2017). Resuspension of contaminated dust prolongs atmospheric exposure cycles, making remediation challenging.

D. Long-Term Environmental Persistence

Many radionuclides exhibit long half-lives, allowing them to remain active in the environment for decades or centuries (UNSCEAR, 2020). Persistent radionuclides accumulate in ecological niches, causing chronic exposure to plants, microorganisms, animals, and humans. Their ability to undergo bioaccumulation and bio magnification intensifies radiation levels as they move up the food chain. This persistence contributes to biodiversity decline, reproductive anomalies, ecological imbalances, and genetic mutations in exposed species over multiple generations (WHO, 2014).

Table 1: Key Radionuclides, Environmental Pathways, and Persistence

Radionuclide	Major Source	Primary Exposure Pathway	Environmental Transport Route	Biological Target Organ	Half-Life	Environmental Concern
Iodine-131 (I-131)	Nuclear accidents, medical waste	Ingestion, inhalation	Air → Soil → Plants → Milk	Thyroid gland	8 days	Rapid food-chain transfer; thyroid cancer risk
Cesium-137 (Cs-137)	Reactor fallout, nuclear testing	Ingestion	Soil → Crops → Humans/Animals	Muscles	30 years	Long-term soil contamination; widespread dispersal
Strontium-90 (Sr-90)	Nuclear weapon testing, reactor waste	Ingestion	Soil → Plants → Bones	Bones & bone marrow	28.8 years	Mimics calcium; leukemia risk
Radon-222	Natural decay of uranium in soil	Inhalation	Air (indoor accumulation)	Lungs	3.8 days	Leading cause of lung cancer after smoking
Plutonium-239 (Pu-239)	Nuclear fuel cycle, weapons	Inhalation, ingestion	Soil sediment → Plants → Humans	Liver & bones	24,100 years	Extremely long persistence; high radiotoxicity
Tritium (H-3)	Nuclear reactors, defense activities	Ingestion	Water → Human tissues	Body fluids	12.3 years	Easily mixes with water; difficult to remove

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue III Mar 2026- Available at www.ijraset.com

V. EFFECTS OF RADIATION ON HUMAN HEALTH

Radiation exposure produces a variety of biological effects depending on the dose, duration, type of radiation, exposure route, and distance from the source. Scientific evidence shows that high-dose acute exposure and low-dose chronic exposure affect the human body differently (ICRP, 2020). These effects are generally classified into acute (deterministic) and chronic (stochastic) categories.




Image created • Radiation Exposure Pathways Diagram

A. Acute Effects (Short-Term, High-Dose Exposure)

Acute effects occur when individuals are exposed to a large radiation dose over a short period, usually above threshold levels (UNSCEAR, 2022).

- Skin burns and tissue damage: High-energy radiation destroys skin cells, causing erythema, blistering, and necrosis (WHO, 2020).
- Radiation sickness (Acute Radiation Syndrome): Symptoms such as nausea, vomiting, diarrhea, and fatigue result from damage to rapidly dividing cells in the gastrointestinal tract and bone marrow (NCRP, 2019).
- Bone marrow suppression: High doses reduce blood cell formation, leading to immunosuppression, anemia, and bleeding disorders (ICRP, 2020).
- Neurological impairment: Extremely high exposures can cause seizures, loss of consciousness, and brain edema (IAEA, 2018).
- Temporary or permanent sterility: Reproductive cells are highly radiosensitive, and high doses may impair fertility (NRC, 2021).

B. Chronic Effects (Long-Term or Low-Dose Exposure)

Chronic effects develop months or years after exposure to low or moderate doses and typically have no threshold (ICRP, 2020).

- DNA mutations and chromosomal abnormalities: Persistent exposure can break DNA strands and disrupt cellular replication processes (UNSCEAR, 2022).
- Cancer risks: Long-term exposure increases the incidence of cancers such as thyroid cancer, leukemia, lung cancer, breast cancer, and skin cancer (WHO, 2016).
- Cataracts: Radiation-induced opacification of the eye lens is a common outcome of cumulative exposure (IAEA, 2018).
- Reduced immunity: Continuous exposure affects lymphocytes and bone marrow, weakening immune responses (NCRP, 2019).
- Cardiovascular disorders: Recent epidemiological evidence links radiation exposure to heart disease and vascular damage (ICRP, 2020).
- Hereditary and genetic effects: Ionizing radiation can damage germ cells, transmitting mutations to offspring (UNSCEAR, 2022).

©IJRASET: All Rights are Reserved

C. *Factors Determining Severity of Health Impacts*

The magnitude of radiation-induced health effects depends on several parameters:

- Absorbed dose (Sievert, Sv)
- Exposure duration and frequency
- Type and energy of radiation (α, β, γ, neutrons, UV, etc.)
- Internal vs. external exposure mechanisms
- Age, sex, and individual sensitivity
- Distance from source and shielding quality
- Preventive or protective measures followed

Effective understanding of these factors is crucial for risk assessment, radiological protection, and emergency preparedness (ICRP, 2020).

VI. ENVIRONMENTAL IMPACTS OF RADIATION

Radiation alters fundamental ecological processes:

1) Soil Impact
- Loss of fertility
- Mutation in microorganisms
- Reduction in nutrient cycling

2) Water Ecosystems
- Radioisotope contamination
- Bioaccumulation in fish and aquatic life
- Long-term radioactive persistence

3) Plants and Vegetation
- Reduced germination
- Stunted growth
- Genetic deformities

4) Wildlife and Biodiversity
- Mutations in animals
- Reproductive issues
- Population decline in high-radiation zones

5) Examples:
- Chernobyl Exclusion Zone: genetic mutations and altered ecosystems
- Fukushima: radioactive leakage affecting marine life

VII. RADIATION SAFETY PRINCIPLES

A. *ALARA Principle (As Low As Reasonably Achievable)*

Exposure should always be minimized using:

- Time (short duration of exposure)
- Distance (increasing distance from the radiation source)
- Shielding (use of lead, concrete, or other protective barriers)

B. *Regulatory Frameworks*

- AERB – Atomic Energy Regulatory Board (India)
- IAEA – International Atomic Energy Agency
- UNSCEAR – Scientific Committee on the Effects of Atomic Radiation
- WHO – Health guidelines

They prescribe exposure limits, workplace protocols, and environmental monitoring.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue III Mar 2026- Available at www.ijraset.com

VIII. RADIOACTIVE WASTE MANAGEMENT

A. Types of Radioactive Waste

- Low-level waste: contaminated clothing, instruments
- Intermediate-level waste: resins, chemical sludges
- High-level waste: spent nuclear fuel, reactor by-products

B. Management Techniques

- Solidification and encapsulation
- Deep geological disposal
- Secure long-term storage
- Reprocessing of spent fuel

Effective waste management is crucial to prevent soil and water contamination.

IX. BENEFITS OF RADIATION IN SOCIETY

Although radiation is often associated with health and environmental risks, it also provides significant benefits when used responsibly and under regulated conditions. Modern scientific, medical, industrial, and agricultural sectors rely on radiation technologies to promote public welfare, enhance safety, and support sustainable development (IAEA, 2020). Thus, the goal is not to eliminate radiation, but to through effective safety standards, monitoring, and regulatory oversight.

A. Medical Applications

1) Cancer Treatment (Radiotherapy)

Radiation therapy is one of the most effective modalities for treating malignant tumors. High-energy beams precisely target cancer cells, destroying them while sparing surrounding healthy tissues (WHO, 2021). Over 50% of cancer patients require radiotherapy at some stage of treatment, making it a foundational tool in oncology (IAEA, 2020).

2) Diagnostic Imaging

Ionizing and non-ionizing radiation enable advanced medical imaging techniques such as:

- X-rays
- Computed Tomography (CT) scans
- Mammography
- Nuclear medicine imaging (PET, SPECT)

These technologies help diagnose fractures, tumors, cardiovascular conditions, and neurological disorders with high accuracy (NCRP, 2019).

B. Food Preservation and Public Health

1) Food Sterilization (Food Irradiation)

Radiation is used to eliminate bacteria, parasites, fungi, and insects in food products, increasing shelf-life and reducing foodborne diseases (FAO/WHO, 2015). It also prevents sprouting in potatoes, onions, and grains. More than 60 countries use food irradiation as a safe and approved technology.

C. Agricultural and Biological Research

1) Mutation Breeding

Controlled exposure to radiation induces beneficial mutations in crops, leading to improved:

- Yield
- Disease resistance
- Drought tolerance
- Nutritional quality

Over 3,000 radiation-bred crop varieties have been released globally (IAEA, 2019).

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue III Mar 2026- Available at www.ijraset.com

2) Pest Control (Sterile Insect Technique – SIT)

Radiation sterilizes male insects, reducing reproduction and preventing pest outbreaks without chemicals—a major benefit for ecological agriculture.

D. Industrial and Engineering Applications

1) Non-Destructive Testing (NDT)

Radiation imaging such as gamma radiography is vital for inspecting:

- Pipelines
- Bridges
- Aircraft components
- Nuclear plant structures
- Industrial machinery

NDT allows internal defects to be detected without damaging the equipment, enhancing safety and reducing economic losses (IAEA, 2020).

2) Industrial Process Control

Radioisotopes are used in gauges and sensors for measuring thickness, density, and moisture content in industries such as:

- Paper
- Steel
- Mining
- Construction

E. Energy Generation

Nuclear Power Production

Nuclear reactors use controlled fission reactions to generate electricity with:

- Zero greenhouse gas emissions during operation
- High energy output
- Low fuel consumption

Countries using nuclear energy significantly reduce carbon footprints, making radiation technology critical for climate mitigation (UNEP, 2020).

F. Environmental, Scientific, and Space Research

1) Radiotracers in Environmental Studies: Radioisotopes help analyze water flow, soil erosion, ocean currents, and pollutant pathways, contributing to environmental protection and sustainable resource management.

2) Space Exploration: Cosmic radiation sensors and isotopic power systems support long-term space missions, navigation, and planetary research (NASA, 2021).

G. Conclusion: Radiation Must Be Managed, Not Feared

Radiation has become an indispensable tool across multiple sectors. When used under strict safety guidelines, the benefits of radiation far outweigh the risks. Proper regulation, monitoring, and public awareness ensure that radiation serves society as a powerful constructive force rather than a threat.

X. DISCUSSION

The review of radiation and environmental safety demonstrates that radiation governance is far more complex than a purely technological challenge; rather, it is a holistic, multidisciplinary issue involving environmental science, public health, engineering, sociology, disaster management, and national regulatory policy. Effective radiation protection requires coordinated action across these domains because the risks associated with ionizing and non-ionizing radiation intersect with broader societal systems such as healthcare, infrastructure, food safety, climate policy, and sustainable development.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

In many countries particularly developing nation's radiation safety is hindered by several critical gaps. These include weak regulatory frameworks, inadequate radiation surveillance networks, limited laboratory capacity for radionuclide analysis, shortage of trained radiation safety officers, and absence of routine environmental monitoring. Additionally, informal industrial practices, unregulated medical imaging centres, and lack of standardized waste disposal systems increase the risk of uncontrolled radiation exposure and environmental contamination.

A major concern is the low level of public awareness, especially regarding radon exposure, medical radiation doses, mobile tower emissions, and emergency response protocols in the event of radiological accidents. Without informed communities, even the most advanced safety systems may fail due to misinformation, panic, or inadequate preparedness during emergencies.

To address these challenges, countries must invest in strengthening institutional capacity, developing trained human resources in radiation safety, and expanding national dosimetry programs. Improved risk communication, involving transparent reporting and public engagement, can build trust and promote safer radiation practices across medical, industrial, and agricultural sectors.

From a technological perspective, adopting Generation IV nuclear reactor technologies, small modular reactors (SMRs), and passive safety systems can dramatically reduce accident risks, improve efficiency, and minimize the environmental impacts of nuclear power generation. Moreover, advanced radioactive waste vitrification, deep geological disposal facilities, and sustainable decommissioning strategies are essential for long-term safety.

At a global level, enhancing international cooperation through the IAEA, UNSCEAR, WHO, and other bodies is crucial for developing harmonized safety standards, sharing real-time monitoring data, and managing transboundary radiation threats. The future of radiation safety therefore lies in an integrated, science-based, and socially inclusive approach that balances the immense societal benefits of radiation with the imperative of protecting human and ecological health.

XI. CONCLUSION

Radiation and environmental safety play a central role in achieving public health protection, ecological preservation, and long-term sustainable development. As highlighted throughout this review, radiation is an integral part of modern society supporting medicine, agriculture, industry, power generation, and scientific research but its benefits can only be realized when accompanied by robust safety frameworks (IAEA, 2020). Both ionizing and non-ionizing radiation pose unique risks to humans and ecosystems, and these risks are magnified in the absence of systematic regulation, monitoring, and public awareness (WHO, 2017). Therefore, establishing comprehensive radiation safety protocols is fundamental for minimizing harm and ensuring responsible use of radioactive materials.

Effective radiation safety requires a multidimensional approach, integrating scientific understanding, regulatory enforcement, technological innovation, and community participation. Strong regulatory bodies, such as national radiation protection authorities, must ensure strict compliance with exposure limits, waste disposal standards, and environmental surveillance procedures (UNSCEAR, 2021). Technological advances including Generation IV reactors, improved shielding materials, real-time dosimetry systems, and safer diagnostic imaging technologies offer promising pathways for reducing radiation hazards while expanding beneficial applications (OECD-NEA, 2018).

Environmental safety also depends on responsible management of radioactive waste, regular assessment of soil, water, and air contamination, and careful monitoring of radiation pathways in the food chain (AERB, 2019). Without structured waste governance, radionuclides can persist for decades, creating chronic exposure risks that threaten biodiversity and human well-being. Public awareness programs are equally vital, as informed communities are better prepared to adopt safe behaviors, understand medical radiation risks, and respond effectively during radiological emergencies (ICNIRP, 2020).


Ultimately, radiation should be managed, not feared. The goal is to balance its benefits such as cancer therapy, food sterilization, and non-destructive testing with its potential hazards. An integrated framework combining scientific risk assessment, transparent governance, and advanced technology will ensure that radiation remains a powerful tool for societal progress without compromising environmental or public health (WHO, 2014). Thus, sustained investments in research, policy development, and safety culture are indispensable for creating a future where radiation is used responsibly and sustainably.

REFERENCES

[1] Atomic Energy Regulatory Board. (2019). Radiation safety guidelines for radiation facilities in India. Mumbai: Government of India.
[2] British Institute of Radiology. (2021). Radiation safety in healthcare and industry. London: BIR.
[3] Centers for Disease Control and Prevention. (2019). Radiation emergencies and health preparedness. Atlanta, GA: CDC.
[4] European Commission. (2020). Basic safety standards for radiation protection. Brussels: EC Nuclear Safety Directorate.
[5] European Food Safety Authority. (2020). Assessment of radionuclides in food and drinking water. EFSA Journal, 18(4), 1–45.
[6] Food and Agriculture Organization. (2018). Use of irradiation in food safety. Rome: FAO.

[7] Health Canada. (2018). Radiation protection guidelines for environmental safety. Ottawa: Government of Canada.
[8] International Atomic Energy Agency. (2020). Radiation protection and safety of radiation sources: International basic safety standards. Vienna: IAEA.
[9] International Commission on Non-Ionizing Radiation Protection. (2020). Guidelines for limiting exposure to electromagnetic fields. Health Physics, 118(5), 483–524.
[10] International Commission on Radiological Protection. (2020). Recommendations of the ICRP (Publication 103). Ottawa: ICRP.
[11] International Labour Organization. (2018). Occupational radiation protection: Policy and guidelines. Geneva: ILO.
[12] International Organization for Standardization. (2017). ISO 13304: Radiological protection—Monitoring of radioactive contamination. Geneva: ISO.
[13] International Telecommunication Union. (2020). Electromagnetic field safety and telecommunication infrastructure. Geneva: ITU.
[14] Japan Atomic Energy Agency. (2020). Environmental monitoring and radiation impacts. Tokyo: JAEA.
[15] National Academy of Sciences. (2019). Health risks from exposure to low levels of ionizing radiation: BEIR VII Phase 2. Washington, DC: National Academies Press.
[16] National Aeronautics and Space Administration. (2018). Space radiation and human health. Washington, DC: NASA.
[17] National Council on Radiation Protection and Measurements. (2019). Management of exposure to ionizing radiation (NCRP Report No. 180). Bethesda, MD: NCRP.
[18] National Institute of Radiological Sciences. (2019). Human exposure assessment and radiobiology. Chiba: NIRS.
[19] OECD Nuclear Energy Agency. (2018). Radioactive waste management policies and practices. Paris: OECD-NEA.
[20] U.S. Environmental Protection Agency. (2020). Environmental radiation protection standards. Washington, DC: EPA.
[21] United Nations Environment Programme. (2019). Global environmental impacts of radiation. Nairobi: UNEP.
[22] United Nations Scientific Committee on the Effects of Atomic Radiation. (2021). Sources, effects and risks of ionizing radiation. New York: United Nations.
[23] World Health Organization. (2017). Ionizing radiation: Health effects and protective measures. Geneva: WHO.
[24] World Meteorological Organization. (2019). Atmospheric transport of radionuclides. Geneva: WMO.
[25] World Nuclear Association. (2021). Radiation and health. London: WNA.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)