iJRASET
International Journal For Research in Applied Science and Engineering Technology

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** VII **Month of publication:** July 2025

DOI: https://doi.org/10.22214/ijraset.2025.73128

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue VII July 2025- Available at www.ijraset.com

Rainwater Harvesting Systems in Urban and Rural India: Performance and Policy Review

Akash Kumar Singh[1], Prajwal K Gowda[2], Sagnik Goswami[3], Somashekar L[4], Gowtham Prasad[5]
[1, 2, 3, 4]*UG – Research Scholar, Department of Civil Engineering, RV College of Engineering, Bengaluru – 560059, Karnataka, India*
[5]*Assistant Professor, Department of Civil Engineering, RV College of Engineering, Bengaluru – 560059, Karnataka, India*

Abstract: ***Contemporary India faces unprecedented water challenges as demographic pressures intensify and climatic variability disrupts established precipitation patterns. This scenario has rekindled interest in rainwater harvesting (RWH) methodologies that historically sustained Indian communities across diverse ecological zones. Our investigation examines the operational effectiveness of RWH implementations spanning metropolitan areas and remote settlements. Through comprehensive analysis of indigenous water conservation practices including Bundelkhand's Haveli structures and Rajasthan's Chauka networks, alongside contemporary rooftop collection technologies, this study presents a nuanced assessment of current performance metrics. The research synthesizes findings from multiple case studies to evaluate system efficiency, economic feasibility, and policy integration challenges. Results demonstrate significant potential for enhancing regional water security through strategic RWH deployment, while simultaneously revealing persistent obstacles in system maintenance protocols, water quality management, and institutional coordination. The analysis underscores the necessity for refined policy frameworks that bridge traditional ecological knowledge with modern engineering approaches to achieve sustainable water management outcomes.***
Keywords: Rainwater Harvesting, Water Security, Traditional Water Systems, Policy Analysis, Sustainable Development

I. INTRODUCTION

Contemporary water management challenges in India stem from complex interactions between demographic expansion, altered precipitation regimes, and resource distribution inequities. The subcontinent's hydro-climatic variability creates paradoxical situations where regions experience both flooding and drought within seasonal cycles, highlighting systemic inadequacies in current water governance frameworks. Historical analysis reveals sophisticated indigenous water conservation methodologies that enabled sustainable resource management across diverse ecological zones. Archaeological evidence from Bundelkhand's Haveli networks and Rajasthan's traditional recharge systems demonstrates remarkable engineering ingenuity adapted to local environmental conditions. These practices sustained agricultural productivity and community resilience through multiple climatic cycles before being displaced by centralized infrastructure paradigms.

Contemporary reassessment of decentralized water management approaches reflects growing recognition of infrastructure vulnerability and resource security imperatives. Declining groundwater tables, increased flood frequency in urban areas, and heightened drought vulnerability in rural regions necessitate integrated solutions that combine traditional ecological knowledge with modern technological capabilities.

This investigation adopts a multidisciplinary approach to evaluate RWH system performance across varied implementation contexts. Rather than focusing exclusively on technical efficiency metrics, the analysis incorporates socio-economic factors, institutional capacity constraints, and policy implementation challenges that determine long-term sustainability outcomes. The research framework emphasizes practical implementation insights derived from field observations and stakeholder engagement across multiple geographical contexts within Karnataka and adjacent states.

II. METHODOLOGY

This investigation employs systematic literature synthesis combined with thematic analysis to evaluate rainwater harvesting implementations across diverse Indian contexts. The methodological approach prioritizes empirical evidence from peer-reviewed publications spanning the decade 2014-2023, emphasizing studies that provide quantitative performance data and qualitative implementation insights. Selection criteria emphasized research relevance to Indian subcontinental conditions, methodological rigor, and practical applicability to current water management challenges. The final corpus comprises twelve primary studies representing varied geographical contexts, system typologies, and analytical approaches. Documents addressing unrelated topics were excluded to maintain thematic coherence.

©IJRASET: All Rights are Reserved

The analytical framework organizes findings across four interconnected dimensions: traditional system performance and cultural adaptation mechanisms; contemporary technological applications and efficiency metrics; policy framework effectiveness and implementation challenges; and socio-economic barriers affecting adoption patterns.

Literature sources underwent detailed examination for contextual relevance, with particular attention to studies documenting long-term operational outcomes rather than theoretical projections. This emphasis on empirical validation ensures the analysis reflects actual implementation experiences rather than idealized performance scenarios.

Thematic synthesis techniques enabled identification of recurring patterns across different studies while highlighting contradictory findings and research gaps. The approach facilitates comprehensive understanding of RWH system performance within broader water management contexts, incorporating both technical efficiency measures and institutional sustainability factors that determine long-term viability.

III. LITERATURE REVIEW

This section presents a descriptive overview of the existing literature on rainwater harvesting, categorized by key thematic areas to facilitate a comprehensive understanding of the field.

A. Indigenous Water Conservation Systems: Historical Context and Contemporary Relevance

India has a long-standing legacy of rainwater harvesting (RWH) systems, developed over centuries to adapt to diverse regional climates and water availability. These systems, deeply rooted in indigenous knowledge, have historically supported agriculture, groundwater recharge, and community resilience.

A prominent example is the Haveli system in the Bundelkhand region of Uttar Pradesh, operational for over 300–500 years. Rainwater is impounded against earthen embankments during the monsoon (kharif) season. After the water recharges the soil and aquifers, the Haveli beds are tilled for Rabi crop cultivation. These fields are reported to be 15–25% more productive due to silt and organic matter accumulation. However, due to inadequate construction quality, many Havelis suffer from structural failures within 2–5 years, leaving their potential largely untapped.

In Rajasthan, where rainfall is sparse and erratic, Johads, Baolis, Talabs, and the Chauka system have been central to rural water management. Chaukas promote infiltration using bunded basins and are effective in recharging groundwater — with field studies reporting up to 5% additional recharge of annual rainfall. Modern site selection techniques such as GIS-based Multicriteria Decision Analysis (MCDA) have validated these traditional methods, demonstrating alignment between indigenous knowledge and modern suitability models.

Community-led initiatives such as the Tarun Bharat Sangh (TBS) in the Arwari River Basin exemplify large-scale success. Over 9,000 structures (e.g., Johads, check dams) were constructed, leading to the revival of five rivers, increased agricultural yields, groundwater recharge, and improved livelihoods. Similar outcomes were seen in Ichalahalla Basin (Karnataka) and Jalgaon (Maharashtra) where community-driven watershed projects boosted borewell yields, crop intensity, and access to drinking water.

B. Modern RWH System Design and Performance

Contemporary RWH systems are typically categorized into Roof Harvesting Systems (RHS) and Pond Harvesting Systems (PHS). While RHS is widely implemented in urban areas and developed nations, PHS offers greater potential for rural and peri-urban applications.

RHS involves collecting runoff from impervious rooftops into storage tanks — often for non-potable uses such as flushing, laundry, and irrigation. The system's performance depends on roof material, catchment cleanliness, and tank design. RHS is widespread in countries such as Malaysia, Australia, and India. In Indian case studies, RHS has been shown to fulfill 30–80% of domestic water needs, and in some instances, up to 91.9% for drinking and cooking (e.g., in Bangladesh). However, in high-rise Indian buildings, pumping requirements often increase energy consumption.

PHS systems harvest rainwater from pervious surfaces and store it in larger reservoirs. These are particularly useful in agricultural areas, where supplemental irrigation can reduce crop failure risk. For instance, a fully functioning Haveli system can harvest 73,000 m^3 of runoff annually and support irrigation for an entire Rabi season.

Both systems contribute significantly to peak flow reduction and urban flood mitigation. Studies in China and Italy report runoff reductions ranging from 9% to 57.7% depending on tank size and rainfall patterns. In India, PHS projects supported under MGNREGA and Jal Shakti Abhiyan have demonstrated improved hydrological balance and stormwater retention.

C. Water Quality and Treatment in RWH Systems

Water quality is a key factor in determining the end-use of harvested rainwater. Without proper treatment, rainwater is typically suitable only for non-potable uses.

Contamination Risks:

Biological pollutants such as E. coli, coliforms, and enterococci are commonly found in untreated RHS, especially in areas with bird droppings or poor sanitation. Chemical contaminants, including lead, zinc, and nitrates, are introduced via polluted atmospheres and roofing materials. PHS systems can collect runoff contaminated with pesticides, oils, and organic waste from surrounding agricultural land.

Treatment Methods:

- First-flush diverters reduce particulate load and contaminants in the initial runoff.
- Sand and membrane filters, as well as activated carbon systems, are effective for sediment and chemical removal.
- UV disinfection is widely used for biological safety, but it is energy-intensive, consuming up to 5.10 kWh/m³ in some systems.

Despite technological advancements, there is often a misalignment between treatment levels and end-use — with non-potable uses being subjected to potable standards, which unnecessarily increases cost and energy demand. There is a pressing need for context-specific water reuse standards in India.

D. Policy, Economic, and Social Aspects of RWH

Policy Frameworks:

The National Water Policy (2002) explicitly advocates the revival of traditional RWH techniques and supports decentralized solutions. Programs like MGNREGA, Jal Jeevan Mission, Drought-Prone Area Programme, and Atal Bhujal Yojana have scaled RWH projects across India. Urban development policies such as the Smart Cities Mission also mandate RWH in building codes.

Internationally, countries like Australia and Germany promote RWH through financial incentives, tax rebates, and water-use restrictions, while the World Health Organization (WHO) recommends dual supply plumbing for potable and non-potable segregation — a concept still evolving in India.

IV. REGULATORY AND INSTITUTIONAL GAPS

Despite these initiatives, clear implementation guidelines and urban planning integration remain weak. Unlike developed countries with mandatory dual systems, India still largely follows single-pipe layouts, limiting the scope of non-potable reuse. Additionally, monitoring and enforcement of RWH compliance remains poor across most states.

A. Economic Factors

RWH systems offer both individual and systemic economic benefits:

- Reduction in urban flood-related damage (up to 72%).
- Decreased expenditure on stormwater infrastructure.
- Lower household water bills for users of RHS.

However, low water tariffs and high installation costs can dampen public interest, especially in low-income areas. Financial support and incentives are critical to improving uptake.



Social Barriers and Public Participation Public awareness remains limited. Misconceptions about water reuse, maintenance reluctance, and lack of incentives hinder adoption. Moreover, gendered responsibilities in water collection and household management can exacerbate burdens on women if systems are poorly designed or maintained.
Efforts are needed to:

- Integrate RWH education in schools and campaigns
- Provide community training and maintenance support
- Ensure equitable distribution of RWH benefits in rural and urban communitie

B. Geographical and Environmental Constraints

RWH effectiveness varies with climate, soil, and topography. In arid zones with high infiltration losses (e.g., sandy soils), systems like Chaukas may not perform optimally. Additionally, upstream RWH construction without basin-scale planning can lead to downstream water stress, emphasizing the need for Integrated Watershed Management (IWM) approaches.

V. GRAPHICAL INSIGHT



Figure 1: Comparative analysis of average annual water collection (in kiloliters per year) by different rainwater harvesting (RWH) systems in urban and rural India. The graph highlights the significantly higher water harvesting capacity of traditional and integrated rural systems like the Jain Watershed and Haveli tanks compared to urban rooftop harvesting systems. Values are based on case studies from Uttar Pradesh, Maharashtra, Tamil Nadu, and Aurangabad.

Figure 2: Estimated distribution of rainwater harvesting system types in rural India, based on frequency of occurrence, implementation scale, and historical usage. Traditional tanks and pond-based systems account for the largest share, followed by check dams and Johads. Rooftop systems and localized innovations comprise a smaller portion of the implementation. These proportions are approximated based on literature-derived counts and regional data.



Figure 3: Timeline of major rainwater harvesting policy milestones and implementation efforts in rural India from 2000 to 2025. The graph tracks cumulative growth in formal programs, pilot projects, tax incentives, and national schemes. Key initiatives include the National Water Policy (2002), Indore tax rebate (2007), and community-led projects like the Johad revival in Alwar. Evenly spaced milestones reflect the chronological evolution rather than quantitative intervals.

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue VII July 2025- Available at www.ijraset.com

VI. DISCUSSION

The comprehensive literature review underscores Rainwater Harvesting (RWH) as a pivotal solution for water security, climate resilience, and sustainable development in both urban and rural settings. RWH offers diverse environmental, economic, and social benefits—ranging from groundwater recharge and flood control to improved agricultural productivity and reduced strain on centralized water supplies.

A. Urban vs. Rural Systems: Divergence and Convergence

RWH applications vary significantly across geographies. Rural systems, such as Havelis and Chaukas, reflect deep indigenous knowledge and community-led approaches. These large-scale, land-based structures primarily support irrigation, livestock needs, and groundwater replenishment. Successful initiatives, like those in Bundelkhand and the Arwari Basin, illustrate the transformative potential of such systems when supported by community participation. In contrast, urban RWH, primarily through Roof Harvesting Systems (RHS), targets decentralized storage for non-potable uses like flushing and laundry, while also contributing to stormwater management. However, RHS systems, especially in multi-story buildings, often face challenges related to pumping energy, storage space, and maintenance logistics. Despite these contextual differences, both urban and rural RWH share common objectives—reducing surface runoff, enhancing water self-sufficiency, and mitigating the impacts of erratic rainfall. Both also struggle with water quality concerns, energy inefficiencies, and low adoption due to economic and social barriers.

B. Performance and Implementation Gaps

Several persistent gaps inhibit optimal RWH performance:

- Operational Inefficiency: Many traditional systems deteriorate due to poor construction quality. Modern systems, particularly PHS, may suffer from seepage and evaporation losses when not adequately lined.
- Water Quality Challenges: Harvested rainwater frequently fails to meet WHO drinking standards due to microbial and chemical contaminants. While first-flush systems, filtration, and UV disinfection can improve quality, they increase energy usage and system complexity. In areas like Rajasthan, concerns over groundwater contamination with fluoride and EC remain significant.
- Energy Footprint: RHS systems can be three times more energy-intensive than conventional supply systems (1.40 vs. 0.48 kWh/m^3), mainly due to inefficient pumps, frequent cycling, and energy-hungry UV systems.
- Scalability: Expanding RWH to larger regions faces data and modeling constraints. Tools like GIS-based MCDA are promising but require robust datasets and local validation.
- Reuse Standard Gaps: A lack of India-specific standards for non-potable reuse forces systems to adopt unnecessarily high treatment levels, increasing costs without proportional benefit.

C. Policy Effectiveness and Regulatory Challenges

India's National Water Policy (2002) and programs like MGNREGA, Atal Bhujal Yojana, and the Smart Cities Mission have fostered RWH implementation. Yet, the integration of RWH into mainstream water planning remains inconsistent.

- Positive Examples: Cities like Indore have introduced subsidies for rooftop harvesting, and several states mandate RWH in building bylaws.
- Remaining Issues: Many regions lack enforceable guidelines, monitoring mechanisms, or dual supply infrastructure. Even though WHO recommends such systems, adoption is limited in India due to outdated plumbing norms and developer reluctance.

D. Social Barriers and Public Engagement

Public engagement is critical but often neglected:

- Awareness Deficit: RWH remains underappreciated due to low public understanding, especially where water is perceived as cheap or abundant.
- Maintenance Gaps: Poor upkeep—filter clogging, embankment failure, or pump inefficiency—can undermine long-term functionality.
- Gender Dynamics: In rural areas, water responsibilities often fall on women. Without supportive design and community ownership, RWH systems risk reinforcing gender-based burdens.
- Developer Disengagement: In urban areas, builders may avoid integrating RWH due to perceived costs or limited incentives.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

E. Watershed-Scale Considerations and Integration Challenges

A notable finding is the upstream–downstream trade-off: excessive upstream harvesting can deplete downstream flows, especially in arid basins. This necessitates a watershed-level approach to water governance, integrating hydrology, land use, and socio-economic factors.

Similarly, the integration of RWH with greywater reuse, renewable energy, and smart monitoring tools is underexplored. Research gaps remain in understanding the lifecycle environmental and economic performance of such integrated systems.

F. Toward Sustainable, Scalable RWH

Realizing the full potential of RWH requires:

- Clear, enforceable national standards for RWH and water reuse
- Incentive structures that align with regional affordability
- Public awareness programs targeting households and builders
- Research funding for cost-benefit modeling, lifecycle analysis, and integration with nature-based solutions

A shift is needed—from viewing RWH as an "alternative" to recognizing it as a core pillar of decentralized, resilient, and inclusive water management in India.

VII. CONCLUSION

Rainwater Harvesting (RWH) remains a vital and scalable strategy for enhancing India's water security, climate resilience, and sustainable development. This review has revealed the enduring significance of traditional systems like Havelis and Chaukas, which continue to serve as critical sources of irrigation and groundwater recharge. Modern innovations, including Roof and Pond Harvesting Systems (RHS and PHS), also show promising potential in urban stormwater management and decentralized domestic supply. However, significant challenges continue to inhibit the widespread and sustainable adoption of RWH. These include gaps in water quality, energy-intensive treatment methods, lack of economic viability, inconsistent policy enforcement, and low public awareness. The path forward lies in an integrated approach that builds upon India's traditional water wisdom, advances modern technologies, and strengthens regulatory support.

VIII. FUTURE SCOPE

A. Strengthening Policy and Regulatory Frameworks

- National Strategy for RWH: Operationalize the National Water Policy (2002) through a unified, basin-based approach that defines roles across administrative levels and integrates traditional and modern systems.
- Financial Incentives: Expand subsidies and tax rebates across states to make RWH systems financially accessible to all income groups.
- Dual Supply Mandate: Enforce dual-piping systems in new urban developments to separate potable and non-potable water supply and promote reuse.
- Reform Water Pricing: Adopt progressive water tariffs and introduce water usage restrictions during dry seasons to encourage conservation and RWH uptake.

B. Enhancing System Design and Technology

- Energy-Efficient Systems: Prioritize gravity-fed and low-pumping systems. Upgrade designs with high-efficiency pumps, larger pipe diameters, and smart controls to minimize energy usage.
- Smart Monitoring: Integrate IoT-based monitoring for real-time assessment of storage levels and water quality to optimize system efficiency and enable predictive maintenance.
- Sustainable Treatment: Promote nature-based solutions (e.g., wetlands, bio filters) and low-energy treatment options for potable and non-potable use.

C. Promoting Public Participation and Awareness

- Mass Education: Launch national awareness campaigns using media, schools, and local platforms to normalize RWH and highlight its economic and health benefits.
- Community Engagement: Involve local communities in RWH planning, especially for large-scale systems. Blend indigenous practices with modern scientific expertise.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

- Social Inclusion: Conduct gender and socio-cultural studies to ensure equitable access and participation in RWH planning, implementation, and maintenance.

D. Targeted Research and Data Collection

- Site-Specific Assessments: Conduct local studies to identify suitable recharge locations, particularly in fluoride-prone or saline areas.
- Watershed Modeling: Use tools like GIS-MCDA to determine optimal structure placement across basins and understand upstream-downstream trade-offs.
- Life-Cycle Studies: Invest in LCA and LCC studies that evaluate long-term performance, environmental impact, and economic feasibility of different RWH models.

By addressing these areas strategically, India can position rainwater harvesting not as an alternative but as a core pillar of water infrastructure planning. This transformation will not only support national water security and agricultural stability but also contribute meaningfully to global climate adaptation efforts and the realization of SDG 6: Clean Water and Sanitation for All.

REFERENCES

[1] S. Das. 2023. Journal of the Geological Society of India. 99(6), 743–746. “Watershed management, green environment and rural resurgence.”
[2] Z. Huang, E. L. Nya, M. A. Rahman, T. B. Mwamila, V. Cao, W. Gwenzi, and C. Noubactep. 2021. Sustainability. 13(15), 8338. “Integrated water resource management: Rethinking the contribution of rainwater harvesting.”
[3] L. Liansangpuii, R. Singh, R. M. Singh, K. N. Singh, and S. K. Kar. 2023. Current Science. 125(1), 43–51. “Hydrological assessment of Haveli-based traditional water harvesting system for the Bundelkhand region, Uttar Pradesh, India.”
[4] G. K. Pala, A. P. Pathivada, S. J. H. Velugoti, C. Yerramsetti, and S. Veeranki. 2021. Materials Today: Proceedings. 45, 6567–6571. “Rainwater harvesting – A review on conservation, creation & cost-effectiveness.”
[5] A. Rawat, N. Panigrahi, B. Yadav, K. Jadav, M. P. Mohanty, A. Khouakhi, and J. W. Knox. 2023. Water. 15(11), 2042. “Scaling up indigenous rainwater harvesting: A preliminary assessment in Rajasthan, India.”
[6] A. M. Rodrigues, K. T. M. Formiga, and J. Milograna. 2023. Water Supply. 23(10), 4112. “Integrated systems for rainwater harvesting and greywater reuse: A systematic review of urban water management strategies.”
[7] A. S. Vieira, C. D. Beal, E. Ghisi, and R. A. Stewart. 2014. Renewable and Sustainable Energy Reviews. 34, 225–242. “Energy intensity of rainwater harvesting systems: A review.”
[8] J. Vinoj and D. S. Gavaskar. 2018. International Journal of Scientific Development and Research. 3(9), 1–6. “Smart city rain water harvesting (IoT) techniques.”
[9] H. A. Zabidi, H. W. Goh, C. K. Chang, N. W. Chan, and N. A. Zakaria. 2020. Water. 12(11), 3163. “A review of roof and pond rainwater harvesting systems for water security: The design, performance and way forward.”

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)