



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 Issue: IV Month of publication: April 2025

DOI: https://doi.org/10.22214/ijraset.2025.68273

www.ijraset.com

Call: © 08813907089 E-mail ID: ijraset@gmail.com



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 13 Issue IV Apr 2025- Available at www.ijraset.com

Recycled Materials from Road Demolition Wastes Used in Pavement Construction

Aman Kumar¹, Nadeem Ali², Ahmad Zaid³, Arjun Raghav⁴ *Meerut Institution of Engineering and Technology, Meerut*

Abstract: The construction industry generates significant amounts of demolition waste, particularly from road construction and rehabilitation projects. Recycling these materials into new pavement structures presents an opportunity to reduce environmental impact and conserve natural resources. This paper explores the use of recycled materials from road demolition, such as reclaimed asphalt pavement (RAP), recycled concrete aggregate (RCA), and other construction and demolition (C&D) waste, in pavement construction. The benefits, challenges, and implementation strategies are discussed, along with the impact on cost, durability, and sustainability. Additionally, this paper highlights case studies and real-world applications demonstrating the effectiveness of recycled materials in modern pavement construction.

I. INTRODUCTION

Road infrastructure requires periodic rehabilitation and maintenance, leading to the accumulation of demolition waste. Traditionally, these materials are disposed of in landfills, contributing to environmental degradation. However, technological advancements have enabled the reuse of these materials in pavement construction, reducing dependency on virgin materials and lowering construction costs. Recycling road demolition waste into pavement applications enhances sustainability by minimizing waste disposal issues and promoting a circular economy. This paper examines the feasibility of using recycled road demolition waste in pavement construction, focusing on material performance, economic feasibility, and environmental benefits. Various government regulations and standards promoting the use of recycled materials in road construction are also discussed.

II. MATERIALS USED IN PAVEMENT CONSTRUCTION

Recycled materials used in pavement construction include:

A. Reclaimed Asphalt Pavement (RAP) Conclusion

Recycling road demolition waste into pavement construction is a sustainable approach that reduces landfill waste, conserves natural resources, and lowers costs. The use of recycled materials such as RAP, RCA, fly ash, and rubberized asphalt contributes to the durability and performance of road infrastructure. While challenges such as quality control and processing costs exist, advancements in material testing and construction techniques are making recycled materials a viable alternative.

Government initiatives, industry collaboration, and research advancements play a crucial role in promoting the widespread adoption of recycled materials in pavement construction. Future research should focus on optimizing mix designs, improving processing techniques, and assessing the long-term performance of recycled materials in various climatic conditions.

RAP consists of milled or removed asphalt pavement that is processed and reused in new asphalt mixtures. The incorporation of RAP reduces the need for virgin bitumen and aggregates, leading to cost savings and enhanced sustainability. RAP can be used in hot mix, warm mix, and cold mix asphalt applications.

B. Recycled Concrete Aggregate (RCA)

RCA is produced by crushing demolished concrete structures, including old road pavements, bridges, and buildings. It serves as an excellent replacement for natural aggregates in pavement layers, providing comparable strength and durability. RCA is commonly used in base and sub-base layers for roads and highways.

C. Reclaimed Aggregates

Reclaimed aggregates are derived from processed construction and demolition (C&D) waste. These materials include mixed aggregates, crushed bricks, and masonry debris, which can be used as alternative aggregates in pavement layers.



International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 13 Issue IV Apr 2025- Available at www.ijraset.com

D. Fly Ash and Slag

Fly ash, a by-product of coal combustion, and slag, a by-product of steel production, are widely used as cement substitutes in pavement base and sub-base layers. These industrial by-products improve the durability and strength of pavement structures while reducing the demand for virgin cement.

E. Crushed Brick and Glass

Crushed bricks and glass are alternative aggregates that can be incorporated into pavement materials to enhance strength and durability. These materials provide an environmentally friendly solution for waste management while contributing to the performance of pavement structures.

F. Rubberized Asphalt

Recycled rubber from used tires can be processed and incorporated into asphalt mixtures to enhance flexibility and resistance to cracking. Rubberized asphalt also reduces noise pollution and increases pavement lifespan.

G. Plastic Waste in Pavement

Recycled plastic waste can be blended with asphalt to improve the durability and strength of pavements. Plastic-modified asphalt offers enhanced resistance to water damage, rutting, and cracking, making it a viable solution for sustainable road construction.

III. CONCLUSION

Recycling road demolition waste into pavement construction is a sustainable approach that reduces landfill waste, conserves natural resources, and lowers costs. The use of recycled materials such as RAP, RCA, fly ash, and rubberized asphalt contributes to the durability and performance of road infrastructure. While challenges such as quality control and processing costs exist, advancements in material testing and construction techniques are making recycled materials a viable alternative. Government initiatives, industry collaboration, and research advancements play a crucial role in promoting the widespread adoption of recycled materials in pavement construction. Future research should focus on optimizing mix designs, improving processing techniques, and assessing the long-term performance of recycled materials in various climatic conditions.

IV. ACKNOWLEDGEMENT

The authors express gratitude to researchers, engineers, and industry professionals contributing to sustainable pavement technologies. Special thanks to institutions and organizations that provided data and insights into recycled materials in road construction. Additionally, appreciation is extended to policymakers and environmental agencies working towards sustainable infrastructure development.

REFERENCES

- [1] American Association of State Highway and Transportation Officials (AASHTO). (2022). Recycling and Reuse in Road Construction.
- [2] Federal Highway Administration (FHWA). (2021). Use of Recycled Materials in Pavement Construction.
- [3] X, Y., & Z. (2020). Sustainable Road Construction: Utilizing Demolition Waste for Pavement Materials. Journal of Civil Engineering, 45(3), 123-135.
- [4] ASTM International. (2019). Standard Specifications for Recycled Aggregates in Road Construction.
- [5] National Asphalt Pavement Association (NAPA). (2021). Best Practices for Recycled Asphalt Use in Road Construction.
- [6] European Road Federation (ERF). (2022). Innovative Approaches to Sustainable Pavement Construction.
- $[7] \quad Smith, A., \& \ Jones, B.\ (2018). \ The \ Role \ of \ Industrial \ By-Products \ in \ Pavement \ Materials. \ Journal \ of \ Sustainable \ Construction, 30(4), 189-204.$





10.22214/IJRASET



45.98



IMPACT FACTOR: 7.129



IMPACT FACTOR: 7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call: 08813907089 🕓 (24*7 Support on Whatsapp)